

佳邦科技股份有限公司

INPAQ TECHNOLOGY CO., LTD.

PSA

PASSIVE SYSTEM ALLIANCE INPAQ TECHNOLOGY CO., LTD.

Antenna Test Report

Presented by :Kevin Chen, RF R&D Dept.

INPAQ Technology Co., Ltd.

Last updated in Feb. 22, 2023 Version: V0.0



Contents

Content Details

- Revised History
- Requirement of Antenna Design and Measurement
- Antenna Placement & Solution
- Return Loss Results
- Isolation Results
- 2D Radiation Pattern Results
- Results Summary (peak gain, efficiency)

Requirements of Antenna Design and Measurement

Requirements of Antenna Design


RF Function	Number of ANT	Frequency Band	Remark
Wi-Fi	2	2400-2500&5150-5850&5925-7125MHz	
GPS	1	1575.42&1602MHz	


Antenna Placement & Solution

Antenna	ANT Type	Size (L * W * H)	Cable Type
Wi-Fi Main	PIFA	40mm*9mm*0.4mm	Φ=1.13 Low Loss,BLK
Wi-Fi Aux	PIFA	40mm*9mm*0.4mm	Φ=1.13 Low Loss,WHT
GPS	PIFA	40mm*9mm*0.4mm	Φ=1.13 Low Loss,GRAY

Return Loss Results


Wi-Fi [2400-2500& 5150-5850& 5925-7125MHz]






Return Loss Results

GPS [1575.42& 1602MHz]




Isolation Results

Wi-Fi Main & Wi-Fi Aux



2D Radiation Pattern Results


Wi-Fi Main (XY_plane)





2D Radiation Pattern Results

Wi-Fi Aux (XY_plane)






2D Radiation Pattern Results

GPS @1575.42 MHz





Results Summary

Peak gain & Efficiency

- Wi-Fi Main & Aux

WLAN Antenna spec.			Measured Data		WLAN Antenna Peak Gain spec.				Measured Data				
Typical Freq.		Efficiency (dB)			Efficiency (dB)		Wi-Fi_6E		Peak Gain (dBi)		Peak Gain (dBi)		
(M		(MHz)	Main	Aux	Main	Aux			(MHz)	Main	Aux	Main	Aux
	= =	2400	-5.0	-5.0	-4.92	-4.64		802.11 b/g	2400	3.00	3.00	0.53	2.53
	802.11 b/g	2450	-5.0	-5.0	-4.62	-4.36			2450	3.00	3.00	1.65	2.75
	8	2500	-5.0	-5.0	-4.96	-4.42			2500	3.00	3.00	0.38	1.73
		5150	-5.5	-5.5	-4.19	-3.16			5150	3.64	3.64	1.43	3.41
		5250	-5.5	-5.5	-3.78	-3.48		ည္	5250	3.64	3.64	1.83	2.74
	ဋ	5350	-5.5	-5.5	-3.70	-3.35			5350	3.73	3.73	2.06	2.92
	802.11a / ac	5470	-5.5	-5.5	-3.59	-2.98		3/8	5470	4.77	4.77	1.49	3.21
	1,2	5600	-5.5	-5.5	-2.83	-2.79	WLAN	802.11a / ac	5600	4.77	4.77	2.80	3.02
	05.	5650	-5.5	-5.5	-3.20	-2.83			5650	4.77	4.77	2.31	3.03
	8	5725	-5.5	-5.5	-3.25	-2.78			5725	4.77	4.77	1.59	2.59
		5785	-5.5	-5.5	-2.22	-2.53			5785	4.97	4.97	2.80	3.15
		5850	-5.5	-5.5	-3.31	-3.13			5850	4.97	4.97	1.89	1.43
Z		5865	-6.0	-6.0	-2.15	-2.95		WIFI_6E	5865	4.83	4.83	3.02	2.74
WLAN		5885	-6.0	-6.0	-2.15	-2.61			5885	4.83	4.83	3.07	2.04
₹		5905	-6.0	-6.0	-3.50	-3.64			5905	4.83	4.83	1.68	0.90
>		5925	-6.0	-6.0	-4.26	-4.09			5925	4.83	4.83	0.86	0.51
		6000	-6.0	-6.0	-4.41	-3.86			6000	4.83	4.83	1.05	0.94
		6125	-6.0	-6.0	-4.05	-4.22			6125	4.83	4.83	2.42	0.39
	WIFI_6E	6225	-6.0	-6.0	-4.15	-4.48			6225	4.83	4.83	1.83	0.74
		6325	-6.0	-6.0	-4.07	-3.79			6325	4.83	4.83	1.96	1.47
		6425	-6.0	-6.0	-3.54	-3.90			6425	4.83	4.83	2.14	1.09
8	6525	-6.0	-6.0	-4.27	-4.61		^	6525	4.30	4.30	1.57	0.53	
	6625	-6.0	-6.0	-4.33	-4.58			6625	5.00	5.00	2.10	0.60	
	6725	-6.0	-6.0	-3.77	-4.34			6725	5.00	5.00	2.81	0.98	
	6875	-6.0	-6.0	-4.25	-4.24			6875	5.00	5.00	2.64	1.35	
		6925	-6.0	-6.0	-4.22	-4.12			6925	5.00	5.00	2.80	1.80
	7000	-6.0	-6.0	-4.11	-4.14			7000	5.00	5.00	2.65	2.08	
		7125	-6.0	-6.0	-4.80	-4.66			7125	5.00	5.00	2.07	1.43





Results Summary

Efficiency & UHIS Efficiency

- GPS & GNSS

	GPS A	Measured Data				
Stand alone GPS		Freq.	3D Efficiency	UHIS Efficiency	3D Efficiency	UHIS Efficiency
		(MHz)	(dB)	(dB)	(dB)	(dB)
GPS	GPS	1565	-4.0	-4.0		
		1575	-4.0	-4.0	-3.11	-2.77
		1585	-4.0	-4.0		
	GNSS	1592	-4.0	-4.0		
		1602	-4.0	-4.0	-3.86	-2.99
		1612	-4.0	-4.0		