

WCDMA BAND V-Low channel								
Frequency (MHz)	ERP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1652.8	-45.22	-13	-32.22	-50.39	3.33	8.5	Horizontal	Pass
2479.2	-50.9	-13	-37.9	-57.9	3.4	10.4	Horizontal	Pass
3305.6	-47.93	-13	-34.93	-56.44	2.99	11.5	Horizontal	Pass
1652.8	-48.19	-13	-35.19	-53.36	3.33	8.5	Vertical	Pass
2479.2	-50.57	-13	-37.57	-57.57	3.4	10.4	Vertical	Pass
3305.6	-49.07	-13	-36.07	-57.58	2.99	11.5	Vertical	Pass

WCDMA BAND V-Middle channel								
Frequency (MHz)	ERP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1672.8	-54.54	-13	-41.54	-59.71	3.33	8.5	Horizontal	Pass
2509.2	-50.65	-13	-37.65	-58.04	3.21	10.6	Horizontal	Pass
3345.6	-47.92	-13	-34.92	-56.43	2.99	11.5	Horizontal	Pass
1672.8	-52.83	-13	-39.83	-58	3.33	8.5	Vertical	Pass
2509.2	-52.54	-13	-39.54	-59.93	3.21	10.6	Vertical	Pass
3345.6	-49.53	-13	-36.53	-58.04	2.99	11.5	Vertical	Pass

WCDMA BAND V-High channel								
Frequency (MHz)	ERP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1693.2	-53.14	-13	-40.14	-58.31	3.33	8.5	Horizontal	Pass
2539.8	-51.62	-13	-38.62	-59.01	3.21	10.6	Horizontal	Pass
3386.4	-48.38	-13	-35.38	-56.89	2.99	11.5	Horizontal	Pass
1693.2	-52.45	-13	-39.45	-57.62	3.33	8.5	Vertical	Pass
2539.8	-51.5	-13	-38.5	-58.89	3.21	10.6	Vertical	Pass
3386.4	-47.62	-13	-34.62	-56.13	2.99	11.5	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

WCDMA Band II-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3704.8	-46.21	-13	-33.21	-55.89	2.92	12.6	Horizontal	Pass
5557.2	-43.05	-13	-30.05	-53	3.15	13.1	Horizontal	Pass
7409.6	-42.73	-13	-29.73	-51.03	3.4	11.7	Horizontal	Pass
3704.8	-35.15	-13	-22.15	-44.83	2.92	12.6	Vertical	Pass
5557.2	-41.43	-13	-28.43	-51.38	3.15	13.1	Vertical	Pass
7409.6	-43.65	-13	-30.65	-51.95	3.4	11.7	Vertical	Pass

WCDMA Band II-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760	-40.78	-13	-27.78	-50.46	2.92	12.6	Horizontal	Pass
5640	-43.84	-13	-30.84	-53.79	3.15	13.1	Horizontal	Pass
7520	-43.83	-13	-30.83	-51.38	3.85	11.4	Horizontal	Pass
3760	-35.67	-13	-22.67	-45.35	2.92	12.6	Vertical	Pass
5640	-39.74	-13	-26.74	-49.69	3.15	13.1	Vertical	Pass
7520	-43.57	-13	-30.57	-51.12	3.85	11.4	Vertical	Pass

WCDMA Band II-High channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3815.2	-35.59	-13	-22.59	-45.27	2.92	12.6	Horizontal	Pass
5722.8	-42.81	-13	-29.81	-52.76	3.15	13.1	Horizontal	Pass
7630.4	-44.57	-13	-31.57	-52.12	3.85	11.4	Horizontal	Pass
3815.2	-31.74	-13	-18.74	-41.42	2.92	12.6	Vertical	Pass
5722.8	-39.51	-13	-26.51	-49.46	3.15	13.1	Vertical	Pass
7630.4	-44.12	-13	-31.12	-51.67	3.85	11.4	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

WCDMA Band IV-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3424.8	-45.51	-13	-32.51	-54.02	2.99	11.5	Horizontal	Pass
5137.2	-44.92	-13	-31.92	-54.62	3	12.7	Horizontal	Pass
6849.6	-45.66	-13	-32.66	-55.08	3.08	12.5	Horizontal	Pass
3424.8	-43.63	-13	-30.63	-52.14	2.99	11.5	Vertical	Pass
5137.2	-41.2	-13	-28.2	-50.9	3	12.7	Vertical	Pass
6849.6	-40.89	-13	-27.89	-50.31	3.08	12.5	Vertical	Pass

WCDMA Band IV-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3465.2	-44.67	-13	-31.67	-53.18	2.99	11.5	Horizontal	Pass
5197.8	-45.45	-13	-32.45	-55.15	3	12.7	Horizontal	Pass
6930.4	-44.14	-13	-31.14	-53.56	3.08	12.5	Horizontal	Pass
3465.2	-44.25	-13	-31.25	-52.76	2.99	11.5	Vertical	Pass
5197.8	-42.31	-13	-29.31	-52.01	3	12.7	Vertical	Pass
6930.4	-40.89	-13	-27.89	-50.31	3.08	12.5	Vertical	Pass

WCDMA Band IV-High channel								
Frequency (MHz)	EIRP (dBm)	Limit(dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3505.2	-45.7	-13	-32.7	-55.38	2.92	12.6	Horizontal	Pass
5257.8	-45.52	-13	-32.52	-55.22	3	12.7	Horizontal	Pass
7010.4	-43.83	-13	-30.83	-52.13	3.4	11.7	Horizontal	Pass
3505.2	-42.73	-13	-29.73	-52.41	2.92	12.6	Vertical	Pass
5257.8	-43.8	-13	-30.8	-53.5	3	12.7	Vertical	Pass
7010.4	-44.05	-13	-31.05	-52.35	3.4	11.7	Vertical	Pass

Note:

All modes have been tested and we found RMC Test mode has the worst test result. Only record the worst test result.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.198 Kezhu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com


6.7 Frequency stability

Test Requirement: \$2.1055, \$22.355, \$24.235, \$27.54
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: $\leq \pm 2.5\text{ppm}$.

6.7.1 E.U.T. Operation

Operating Environment:
Temperature: 19.5 °C Humidity: 45.5 % RH Atmospheric Pressure: 1010 mbar
Test mode: 20: TX mode_Keep the EUT in transmitting mode

6.7.2 Test Setup Diagram



6.7.3 Measurement Data



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. | No. 198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
Guangzhou Branch Testing Center EEC Laboratory. 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Band: 2 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NT	LV	-12.7602	-13.2322	-0.6437	-0.0069	-0.0070	-0.0003	2.50	PASS
		NV	-12.6815	-13.8617	2.4962	-0.0068	-0.0074	0.0013	2.50	PASS
		HV	-8.1539	-13.2752	0.0358	-0.0044	-0.0071	0.0000	2.50	PASS
HSDPA	NT	LV	-19.5837	-8.1754	-9.2053	-0.0106	-0.0043	-0.0048	2.50	PASS
		NV	-22.7880	-12.5599	-5.3215	-0.0123	-0.0067	-0.0028	2.50	PASS
		HV	-19.6338	-10.6859	-7.7319	-0.0106	-0.0057	-0.0041	2.50	PASS
RMC	NT	LV	0.0715	0.6223	-0.5436	0.0000	0.0003	-0.0003	2.50	PASS
		NV	1.7953	1.7595	0.6366	0.0010	0.0009	0.0003	2.50	PASS
		HV	-0.8726	0.5507	0.5007	-0.0005	0.0003	0.0003	2.50	PASS

Test Band: 2 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NV	-30.00	-6.9523	-9.7775	-1.1730	-0.0038	-0.0052	-0.0006	2.50	PASS
		-20.00	-8.2397	-8.7404	1.1873	-0.0044	-0.0046	0.0006	2.50	PASS
		-10.00	-6.8235	-10.1209	-2.5392	-0.0037	-0.0054	-0.0013	2.50	PASS
		0.00	-8.8334	-13.2179	0.6437	-0.0048	-0.0070	0.0003	2.50	PASS
		10.00	-7.2885	-11.0006	-4.3201	-0.0039	-0.0059	-0.0023	2.50	PASS
		20.00	-9.4342	-7.2241	0.4792	-0.0051	-0.0038	0.0003	2.50	PASS
		30.00	-11.0507	-8.8835	-0.4578	-0.0060	-0.0047	-0.0002	2.50	PASS
		40.00	-12.7816	-9.9063	0.1931	-0.0069	-0.0053	0.0001	2.50	PASS
		50.00	-11.6014	-6.8164	0.0930	-0.0063	-0.0036	0.0000	2.50	PASS
HSDPA	NV	-30.00	-20.4992	-7.7319	-9.9278	-0.0111	-0.0041	-0.0052	2.50	PASS
		-20.00	-22.4233	-8.0681	-5.4860	-0.0121	-0.0043	-0.0029	2.50	PASS
		-10.00	-23.1028	-7.2384	-6.6090	-0.0125	-0.0039	-0.0035	2.50	PASS
		0.00	-12.8245	-8.3256	-9.2340	-0.0069	-0.0044	-0.0048	2.50	PASS
		10.00	4.9782	-11.2367	-5.8579	0.0027	-0.0060	-0.0031	2.50	PASS
		20.00	1.4734	-10.9220	-6.4230	0.0008	-0.0058	-0.0034	2.50	PASS
		30.00	4.2057	-10.5214	-6.4659	0.0023	-0.0056	-0.0034	2.50	PASS
		40.00	1.6594	-7.4244	-5.8222	0.0009	-0.0039	-0.0031	2.50	PASS
		50.00	-14.8487	-7.1168	-6.7878	-0.0080	-0.0038	-0.0036	2.50	PASS
RMC	NV	-30.00	2.2674	0.6580	-0.4721	0.0012	0.0004	-0.0002	2.50	PASS
		-20.00	0.2217	2.2244	-0.3147	0.0001	0.0012	-0.0002	2.50	PASS
		-10.00	-1.3161	-0.2074	-0.4649	-0.0007	-0.0001	-0.0002	2.50	PASS
		0.00	1.5235	-0.1788	1.2732	0.0008	-0.0001	0.0007	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

		10.00	0.8368	-1.0300	0.6151	0.0005	-0.0005	0.0003	2.50	PASS
		20.00	1.1015	1.2660	-4.4918	0.0006	0.0007	-0.0024	2.50	PASS
		30.00	1.6451	0.3362	-4.5347	0.0009	0.0002	-0.0024	2.50	PASS
		40.00	0.3576	0.7367	-0.8011	0.0002	0.0004	-0.0004	2.50	PASS
		50.00	2.1100	0.9227	0.3219	0.0011	0.0005	0.0002	2.50	PASS

Test Band: 4 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NT	LV	-5.8794	-6.0868	-7.8106	-0.0034	-0.0035	-0.0045	2.50	PASS
		NV	-4.1485	-6.1870	-7.8177	-0.0024	-0.0036	-0.0045	2.50	PASS
		HV	-5.8436	-6.4158	-4.6563	-0.0034	-0.0037	-0.0027	2.50	PASS
HSDPA	NT	LV	-7.1025	-6.0010	-7.2384	-0.0041	-0.0035	-0.0041	2.50	PASS
		NV	-4.3917	-9.6416	-7.5102	-0.0026	-0.0056	-0.0043	2.50	PASS
		HV	-6.1369	-4.3058	-10.4141	-0.0036	-0.0025	-0.0059	2.50	PASS
RMC	NT	LV	2.0099	-2.3031	-9.2697	0.0012	-0.0013	-0.0053	2.50	PASS
		NV	0.6652	-0.6938	-6.5660	0.0004	-0.0004	-0.0037	2.50	PASS
		HV	2.5320	-1.6809	-10.5643	0.0015	-0.0010	-0.0060	2.50	PASS

Test Band: 4 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NV	-30.00	-5.5146	-6.6304	-7.5173	-0.0032	-0.0038	-0.0043	2.50	PASS
		-20.00	-6.5947	-5.1641	-5.8722	-0.0039	-0.0030	-0.0034	2.50	PASS
		-10.00	-6.5303	-9.4914	-0.4292	-0.0038	-0.0055	-0.0002	2.50	PASS
		0.00	-4.8065	-5.9366	-1.2660	-0.0028	-0.0034	-0.0007	2.50	PASS
		10.00	-4.1056	-6.9952	-2.0099	-0.0024	-0.0040	-0.0011	2.50	PASS
		20.00	-4.4346	-6.2799	-2.7394	-0.0026	-0.0036	-0.0016	2.50	PASS
		30.00	-4.0841	-6.1584	-1.2875	-0.0024	-0.0036	-0.0007	2.50	PASS
		40.00	-3.2258	-5.8722	-4.7636	-0.0019	-0.0034	-0.0027	2.50	PASS
		50.00	-6.2942	-7.9036	-1.5450	-0.0037	-0.0046	-0.0009	2.50	PASS
HSDPA	NV	-30.00	-5.0569	-7.0953	-8.0609	-0.0030	-0.0041	-0.0046	2.50	PASS
		-20.00	-4.1628	-5.4717	-5.7936	-0.0024	-0.0032	-0.0033	2.50	PASS
		-10.00	-5.9938	-5.6648	-4.5991	-0.0035	-0.0033	-0.0026	2.50	PASS
		0.00	-4.4775	-8.6761	-6.7377	-0.0026	-0.0050	-0.0038	2.50	PASS
		10.00	-4.5347	-5.5575	-4.4918	-0.0026	-0.0032	-0.0026	2.50	PASS
		20.00	-4.0841	-7.4744	-4.6778	-0.0024	-0.0043	-0.0027	2.50	PASS
		30.00	-6.3157	-9.5272	-6.3586	-0.0037	-0.0055	-0.0036	2.50	PASS
		40.00	-7.1454	-8.5759	-6.3515	-0.0042	-0.0049	-0.0036	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

		50.00	-5.8293	-6.1226	-7.9322	-0.0034	-0.0035	-0.0045	2.50	PASS
RMC	NV	-30.00	1.9598	-1.7309	-12.6100	0.0011	-0.0010	-0.0072	2.50	PASS
		-20.00	2.0099	-0.9584	-13.3967	0.0012	-0.0006	-0.0076	2.50	PASS
		-10.00	1.3518	-1.7309	-14.8630	0.0008	-0.0010	-0.0085	2.50	PASS
		0.00	1.4234	-2.9469	-16.5153	0.0008	-0.0017	-0.0094	2.50	PASS
		10.00	2.5821	-1.0228	-16.2148	0.0015	-0.0006	-0.0093	2.50	PASS
		20.00	1.8382	-3.5977	-16.6440	0.0011	-0.0021	-0.0095	2.50	PASS
		30.00	0.4935	-1.1444	-7.6675	0.0003	-0.0007	-0.0044	2.50	PASS
		40.00	-0.2217	-1.3089	-14.3695	-0.0001	-0.0008	-0.0082	2.50	PASS
		50.00	1.3590	-2.4819	-15.5282	0.0008	-0.0014	-0.0089	2.50	PASS

Test Band: 5 (Frequency Error VS. Voltage)										
Test Mode	Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NT	LV	-5.3072	-6.5374	-4.6778	-0.0064	-0.0078	-0.0055	2.50	PASS
		NV	-5.6505	-6.6447	-4.1771	-0.0068	-0.0079	-0.0049	2.50	PASS
		HV	-7.9608	-4.1556	-4.6420	-0.0096	-0.0050	-0.0055	2.50	PASS
HSDPA	NT	LV	-7.6461	-2.2101	-5.4073	-0.0093	-0.0026	-0.0064	2.50	PASS
		NV	-9.9564	-2.4676	-6.4158	-0.0120	-0.0029	-0.0076	2.50	PASS
		HV	-7.7391	-3.0255	-5.0426	-0.0094	-0.0036	-0.0060	2.50	PASS
RMC	NT	LV	-2.8467	-0.0858	-1.8239	-0.0034	-0.0001	-0.0022	2.50	PASS
		NV	-2.9111	0.4935	-1.5020	-0.0035	0.0006	-0.0018	2.50	PASS
		HV	-2.5249	0.2360	-2.3103	-0.0031	0.0003	-0.0027	2.50	PASS

Test Band: 5 (Frequency Error VS. Temperature)										
Test Mode	Test Volt.	Test Temp.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
			LCH	MCH	HCH	LCH	MCH	HCH		
HSUPA	NV	-30.00	-5.0497	-4.3416	-6.3443	-0.0061	-0.0052	-0.0075	2.50	PASS
		-20.00	-6.3515	-4.4489	-4.8351	-0.0077	-0.0053	-0.0057	2.50	PASS
		-10.00	-5.3787	-4.5061	-5.2500	-0.0065	-0.0054	-0.0062	2.50	PASS
		0.00	-5.6791	-4.3201	-5.3859	-0.0069	-0.0052	-0.0064	2.50	PASS
		10.00	-6.0725	-6.1584	-7.0667	-0.0073	-0.0074	-0.0083	2.50	PASS
		20.00	-7.9679	-4.7278	-4.9067	-0.0096	-0.0057	-0.0058	2.50	PASS
		30.00	-5.4431	-6.5160	-6.6018	-0.0066	-0.0078	-0.0078	2.50	PASS
		40.00	-5.5861	-6.5231	-5.1355	-0.0068	-0.0078	-0.0061	2.50	PASS
		50.00	-5.9724	-4.5562	-4.6849	-0.0072	-0.0054	-0.0055	2.50	PASS
HSDPA	NV	-30.00	-7.2384	-3.3832	-5.2285	-0.0088	-0.0040	-0.0062	2.50	PASS
		-20.00	-8.0037	-2.8467	-4.1842	-0.0097	-0.0034	-0.0049	2.50	PASS
		-10.00	-9.5773	-2.9397	-2.1815	-0.0116	-0.0035	-0.0026	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch

EMC-TRF-01 Rev 1.0

Report No.: GZCR210802081406

Page: 98 of 105

		0.00	-7.6389	-2.8539	-3.0899	-0.0092	-0.0034	-0.0036	2.50	PASS
		10.00	-7.2169	-3.4404	-4.5776	-0.0087	-0.0041	-0.0054	2.50	PASS
		20.00	-9.4414	-2.3460	-4.4203	-0.0114	-0.0028	-0.0052	2.50	PASS
		30.00	-9.5415	-4.2558	-4.3702	-0.0115	-0.0051	-0.0052	2.50	PASS
		40.00	-6.7163	-2.4676	-2.7251	-0.0081	-0.0029	-0.0032	2.50	PASS
		50.00	-8.4043	-3.0184	-3.0398	-0.0102	-0.0036	-0.0036	2.50	PASS
RMC	NV	-30.00	-2.1029	0.6294	-2.3603	-0.0025	0.0008	-0.0028	2.50	PASS
		-20.00	-2.0456	0.4506	-3.0041	-0.0025	0.0005	-0.0035	2.50	PASS
		-10.00	-1.6952	0.8941	-3.5405	-0.0021	0.0011	-0.0042	2.50	PASS
		0.00	-1.7095	0.8941	-3.1042	-0.0021	0.0011	-0.0037	2.50	PASS
		10.00	-1.7881	0.7796	-3.2902	-0.0022	0.0009	-0.0039	2.50	PASS
		20.00	-1.0085	1.0443	-3.3045	-0.0012	0.0012	-0.0039	2.50	PASS
		30.00	-1.4019	1.4234	-2.9683	-0.0017	0.0017	-0.0035	2.50	PASS
		40.00	-1.2088	1.9169	-2.2030	-0.0015	0.0023	-0.0026	2.50	PASS
		50.00	-0.7868	1.3232	-2.0456	-0.0010	0.0016	-0.0024	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS-CSTC Standards Technical Services Co., Ltd. No. 198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgs.com.cn
Guangzhou Branch Testing Center EEC Laboratory 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Member of the SGS Group (SGS SA)


6.8 Modulation Characteristics

Test Requirement: §2.1047
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: Digital modulation

6.8.1 E.U.T. Operation

Operating Environment:
Temperature: 19.5 °C Humidity: 45.5 % RH Atmospheric Pressure: 1010 mbar
Test mode: 20: TX mode_Keep the EUT in transmitting mode

6.8.2 Test Setup Diagram



6.8.3 Measurement Data





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory


No. 198 Kexu Road, Sciencetech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com











7 Photographs

7.1 Test Setup Photos

Refer to Appendix - Setup Photos-WWAN for GZCR2108020814AT

7.2 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for GZCR2108020814AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Guangzhou Branch Testing Center EEC Laboratory

No. 198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.ssgroup.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com