









Mode	40										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz										
ANT	CDD 5+18										
Pol.	Horizontal										
Peak	Level (dBuV/m) <										





Mode	40																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																		
ANT	CDD 5+18																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.24</td><td>49.29</td><td>74.00</td><td>-24.71</td><td>41.67</td><td>34.08</td><td>10.60</td><td>37.06</td><td>0.00</td><td>322</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.24	49.29	74.00	-24.71	41.67	34.08	10.60	37.06	0.00	322	334	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>102.43</td><td>68.30</td><td>34.13</td><td>94.14</td><td>34.32</td><td>10.72</td><td>36.75</td><td>0.00</td><td>322</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	102.43	68.30	34.13	94.14	34.32	10.72	36.75	0.00	322	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.24	49.29	74.00	-24.71	41.67	34.08	10.60	37.06	0.00	322	334	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	102.43	68.30	34.13	94.14	34.32	10.72	36.75	0.00	322	334	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5137.44</td><td>39.56</td><td>54.00</td><td>-14.44</td><td>31.96</td><td>34.07</td><td>10.60</td><td>37.07</td><td>0.00</td><td>322</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.44	39.56	54.00	-14.44	31.96	34.07	10.60	37.07	0.00	322	334	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.41</td><td>68.30</td><td>26.11</td><td>86.12</td><td>34.32</td><td>10.72</td><td>36.75</td><td>0.00</td><td>322</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.41	68.30	26.11	86.12	34.32	10.72	36.75	0.00	322	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5137.44	39.56	54.00	-14.44	31.96	34.07	10.60	37.07	0.00	322	334	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	94.41	68.30	26.11	86.12	34.32	10.72	36.75	0.00	322	334	AVERAGE																																																																																							







Mode	40																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.90</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>47.84</td><td>34.40</td><td>10.75</td><td>36.66</td><td>0.00</td><td>322</td><td>334</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.90	56.33	74.00	-17.67	47.84	34.40	10.75	36.66	0.00	322	334	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5353.90	56.33	74.00	-17.67	47.84	34.40	10.75	36.66	0.00	322	334	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.40</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>37.94</td><td>34.40</td><td>10.75</td><td>36.67</td><td>0.00</td><td>322</td><td>334</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.40	46.42	54.00	-7.58	37.94	34.40	10.75	36.67	0.00	322	334	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.40	46.42	54.00	-7.58	37.94	34.40	10.75	36.67	0.00	322	334	AVERAGE																																												




Mode	40																																																																																																					
	Harmonic																																																																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																					
ANT	CDD 5+18																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>56.70</td><td>37.32</td><td>15.69</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10620.00	42.66	74.00	-31.34	56.70	37.32	15.69	67.05	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>56.91</td><td>37.32</td><td>15.69</td><td>67.05</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10620.00	42.87	74.00	-31.13	56.91	37.32	15.69	67.05	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10620.00	42.66	74.00	-31.34	56.70	37.32	15.69	67.05	0.00	---	---	PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	10620.00	42.87	74.00	-31.13	56.91	37.32	15.69	67.05	0.00	---	---	PEAK																																																																																										







Mode	41																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																												
ANT	CDD 5+18																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>57.74</td><td>74.00</td><td>-16.26</td><td>48.94</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>61.79</td><td>68.30</td><td>-6.51</td><td>52.94</td><td>34.44</td><td>10.85</td><td>36.44</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	57.74	74.00	-16.26	48.94	34.42	10.84	36.46	0.00	100	121 PEAK	2	5469.68	61.79	68.30	-6.51	52.94	34.44	10.85	36.44	0.00	100	121 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.78</td><td>-----</td><td>-----</td><td>98.72</td><td>34.50</td><td>10.91</td><td>36.35</td><td>0.00</td><td>100</td><td>121 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.78	-----	-----	98.72	34.50	10.91	36.35	0.00	100	121 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.76	57.74	74.00	-16.26	48.94	34.42	10.84	36.46	0.00	100	121 PEAK																																																																																																		
2	5469.68	61.79	68.30	-6.51	52.94	34.44	10.85	36.44	0.00	100	121 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	107.78	-----	-----	98.72	34.50	10.91	36.35	0.00	100	121 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.91</td><td>54.00</td><td>-5.09</td><td>40.11</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>121 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	48.91	54.00	-5.09	40.11	34.42	10.84	36.46	0.00	100	121 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>99.72</td><td>-----</td><td>-----</td><td>90.71</td><td>34.50</td><td>10.89</td><td>36.38</td><td>0.00</td><td>100</td><td>121 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.72	-----	-----	90.71	34.50	10.89	36.38	0.00	100	121 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5459.92	48.91	54.00	-5.09	40.11	34.42	10.84	36.46	0.00	100	121 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5510.00	99.72	-----	-----	90.71	34.50	10.89	36.38	0.00	100	121 AVERAGE																																																																																																		




Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.48</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>40.94</td><td>34.57</td><td>11.19</td><td>37.76</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.48	48.94	68.30	-19.36	40.94	34.57	11.19	37.76	0.00	100	121	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.48	48.94	68.30	-19.36	40.94	34.57	11.19	37.76	0.00	100	121	PEAK																																												





		41																																																																	
Mode		Band Edge - L																																																																	
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																	
ANT		CDD 5+18																																																																	
Pol.		Vertical					Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.88</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>43.53</td><td>34.40</td><td>10.83</td><td>36.48</td><td>0.00</td><td>371</td><td>33 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>58.50</td><td>68.30</td><td>-9.80</td><td>49.66</td><td>34.44</td><td>10.85</td><td>36.45</td><td>0.00</td><td>371</td><td>33 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5448.88	52.28	74.00	-21.72	43.53	34.40	10.83	36.48	0.00	371	33 PEAK	2	5468.56	58.50	68.30	-9.80	49.66	34.44	10.85	36.45	0.00	371
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5448.88	52.28	74.00	-21.72	43.53	34.40	10.83	36.48	0.00	371	33 PEAK																																																								
2	5468.56	58.50	68.30	-9.80	49.66	34.44	10.85	36.45	0.00	371	33 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.32</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>36.57</td><td>34.42</td><td>10.84</td><td>36.47</td><td>0.00</td><td>371</td><td>33 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.32	45.36	54.00	-8.64	36.57	34.42	10.84	36.47	0.00	371	33 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5458.32	45.36	54.00	-8.64	36.57	34.42	10.84	36.47	0.00	371	33 AVERAGE																																																								
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>105.60</td><td>-----</td><td>-----</td><td>96.56</td><td>34.50</td><td>10.90</td><td>36.36</td><td>0.00</td><td>371</td><td>33 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	105.60	-----	-----	96.56	34.50	10.90	36.36	0.00	371	33 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5510.00	105.60	-----	-----	96.56	34.50	10.90	36.36	0.00	371	33 PEAK																																																								
Avg																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.65</td><td>-----</td><td>-----</td><td>89.61</td><td>34.50</td><td>10.90</td><td>36.36</td><td>0.00</td><td>371</td><td>33 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	98.65	-----	-----	89.61	34.50	10.90	36.36	0.00	371	33 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1	5510.00	98.65	-----	-----	89.61	34.50	10.90	36.36	0.00	371	33 AVERAGE																																																								







Mode	41																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.52</td><td>48.27</td><td>68.30</td><td>-20.03</td><td>40.49</td><td>34.60</td><td>11.21</td><td>38.03</td><td>0.00</td><td>371</td><td>33</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5748.52	48.27	68.30	-20.03	40.49	34.60	11.21	38.03	0.00	371	33	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5748.52	48.27	68.30	-20.03	40.49	34.60	11.21	38.03	0.00	371	33	PEAK																																												




Mode	41																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																			
ANT	CDD 5+18																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>56.71</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	43.79	74.00	-30.21	56.71	37.92	16.06	66.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.75</td><td>74.00</td><td>-29.25</td><td>57.67</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.75	74.00	-29.25	57.67	37.92	16.06	66.90	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	43.79	74.00	-30.21	56.71	37.92	16.06	66.90	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11020.00	44.75	74.00	-29.25	57.67	37.92	16.06	66.90	0.00	---	---	PEAK																																																																																								







		42																																																																																																						
Mode		Band Edge - L																																																																																																						
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																						
ANT		CDD 5+18																																																																																																						
Pol.		Horizontal						Fundamental																																																																																																
Peak																																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.40	49.80	74.00	-24.20	41.10	34.40	10.81	36.51	0.00	100	113	PEAK	2	5468.00	52.99	68.30	-15.31	44.15	34.44	10.85	36.45	0.00	100	113	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>109.81</td><td>-----</td><td>-----</td><td>100.67</td><td>34.50</td><td>10.94</td><td>36.30</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	109.81	-----	-----	100.67	34.50	10.94	36.30	0.00	100	113
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5436.40	49.80	74.00	-24.20	41.10	34.40	10.81	36.51	0.00	100	113	PEAK																																																																																												
2	5468.00	52.99	68.30	-15.31	44.15	34.44	10.85	36.45	0.00	100	113	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	109.81	-----	-----	100.67	34.50	10.94	36.30	0.00	100	113	PEAK																																																																																												
Avg																																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	41.13	54.00	-12.87	32.34	34.42	10.84	36.47	0.00	100	113	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>100.84</td><td>-----</td><td>-----</td><td>91.67</td><td>34.50</td><td>10.95</td><td>36.28</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5550.00	100.84	-----	-----	91.67	34.50	10.95	36.28	0.00	100	113	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5458.00	41.13	54.00	-12.87	32.34	34.42	10.84	36.47	0.00	100	113	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5550.00	100.84	-----	-----	91.67	34.50	10.95	36.28	0.00	100	113	AVERAGE																																																																																												




Mode	42																																																																
	Band Edge - R																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																
ANT	CDD 5+18																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5755.54</td><td>49.25</td><td>68.30</td><td>-19.05</td><td>41.58</td><td>34.61</td><td>11.22</td><td>38.16</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>100</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.54	49.25	68.30	-19.05	41.58	34.61	11.22	38.16								0.00									100										113 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																									
1	5755.54	49.25	68.30	-19.05	41.58	34.61	11.22	38.16																																																									
							0.00																																																										
							100																																																										
								113 PEAK																																																									





		42																																																															
Mode	Band Edge - L																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																
ANT	CDD 5+18																																																																
Pol.	Vertical																																																																
Peak																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5438.20</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>39.62</td><td>34.40</td><td>10.81</td><td>36.50</td><td>0.00</td><td>367 26 PEAK</td></tr><tr><td>2</td><td>5461.00</td><td>47.87</td><td>68.30</td><td>-20.43</td><td>39.07</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>367 26 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.20	48.33	74.00	-25.67	39.62	34.40	10.81	36.50	0.00	367 26 PEAK	2	5461.00	47.87	68.30	-20.43	39.07	34.42	10.84	36.46	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5438.20	48.33	74.00	-25.67	39.62	34.40	10.81	36.50	0.00	367 26 PEAK																																																							
2	5461.00	47.87	68.30	-20.43	39.07	34.42	10.84	36.46	0.00	367 26 PEAK																																																							
Fundamental																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>105.90</td><td>-----</td><td>-----</td><td>96.76</td><td>34.50</td><td>10.94</td><td>36.30</td><td>0.00</td><td>367 26 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	105.90	-----	-----	96.76	34.50	10.94	36.30	0.00	367 26 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5550.00	105.90	-----	-----	96.76	34.50	10.94	36.30	0.00	367 26 PEAK																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5411.00</td><td>39.24</td><td>54.00</td><td>-14.76</td><td>30.62</td><td>34.40</td><td>10.78</td><td>36.56</td><td>0.00</td><td>367 26 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.00	39.24	54.00	-14.76	30.62	34.40	10.78	36.56	0.00	367 26 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5411.00	39.24	54.00	-14.76	30.62	34.40	10.78	36.56	0.00	367 26 AVERAGE																																																							
Avg																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5550.00</td><td>98.81</td><td>-----</td><td>-----</td><td>89.67</td><td>34.50</td><td>10.94</td><td>36.30</td><td>0.00</td><td>367 26 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5550.00	98.81	-----	-----	89.67	34.50	10.94	36.30	0.00	367 26 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	5550.00	98.81	-----	-----	89.67	34.50	10.94	36.30	0.00	367 26 AVERAGE																																																							






Mode	42																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.21</td><td>48.10</td><td>68.30</td><td>-20.20</td><td>40.24</td><td>34.58</td><td>11.20</td><td>37.92</td><td>0.00</td><td>367</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.21	48.10	68.30	-20.20	40.24	34.58	11.20	37.92	0.00	367	26	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5742.21	48.10	68.30	-20.20	40.24	34.58	11.20	37.92	0.00	367	26	PEAK																																												




		42																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																							
ANT		CDD 5+18																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>57.59</td><td>38.00</td><td>16.11</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	44.83	74.00	-29.17	57.59	38.00	16.11	66.87	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11100.00	44.83	74.00	-29.17	57.59	38.00	16.11	66.87	0.00	---	---	PEAK																																													
																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11100.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>58.69</td><td>38.00</td><td>16.11</td><td>66.87</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11100.00	45.93	74.00	-28.07	58.69	38.00	16.11	66.87	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11100.00	45.93	74.00	-28.07	58.69	38.00	16.11	66.87	0.00	---	---	PEAK																																													







		43																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																									
ANT		CDD 5+18																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5427.12	48.04	74.00	-25.96	39.36	34.40	10.80	36.52	0.00	100	114 PEAK	2	5467.28	47.34	68.30	-20.96	38.51	34.43	10.85	36.45	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5427.12	48.04	74.00	-25.96	39.36	34.40	10.80	36.52	0.00	100	114 PEAK																																																
2	5467.28	47.34	68.30	-20.96	38.51	34.43	10.85	36.45	0.00	100	114 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	108.57	-----	-----	99.77	34.50	11.11	36.81	0.00	100	114 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5670.00	108.57	-----	-----	99.77	34.50	11.11	36.81	0.00	100	114 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.20	38.30	54.00	-15.70	29.52	34.41	10.84	36.47	0.00	100	114 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5457.20	38.30	54.00	-15.70	29.52	34.41	10.84	36.47	0.00	100	114 AVERAGE																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5670.00	100.70	-----	-----	91.70	34.50	11.10	36.60	0.00	100	114 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5670.00	100.70	-----	-----	91.70	34.50	11.10	36.60	0.00	100	114 AVERAGE																																																



Mode	43																																																				
	Band Edge - R																																																				
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																				
ANT	CDD 5+18																																																				
Pol.	Horizontal						Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.44</td><td>55.31</td><td>68.30</td><td>-12.99</td><td>47.22</td><td>34.55</td><td>11.18</td><td>37.64</td><td>0.00</td><td>100</td><td>114 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.44	55.31	68.30	-12.99	47.22	34.55	11.18	37.64	0.00	100	114 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5726.44	55.31	68.30	-12.99	47.22	34.55	11.18	37.64	0.00	100	114 PEAK																																										





Mode	43																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																											
ANT	CDD 5+18																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5389.68</td><td>47.77</td><td>74.00</td><td>-26.23</td><td>39.20</td><td>34.40</td><td>10.77</td><td>36.60</td><td>0.00</td><td>351 28 PEAK</td></tr><tr><td>2</td><td>5462.48</td><td>47.99</td><td>68.30</td><td>-20.31</td><td>39.19</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>351 28 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5389.68	47.77	74.00	-26.23	39.20	34.40	10.77	36.60	0.00	351 28 PEAK	2	5462.48	47.99	68.30	-20.31	39.19	34.42	10.84	36.46	0.00	351 28 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>108.90</td><td>-----</td><td>-----</td><td>99.90</td><td>34.50</td><td>11.10</td><td>36.60</td><td>0.00</td><td>351 28 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	108.90	-----	-----	99.90	34.50	11.10	36.60	0.00	351 28 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5389.68	47.77	74.00	-26.23	39.20	34.40	10.77	36.60	0.00	351 28 PEAK																																																																																																		
2	5462.48	47.99	68.30	-20.31	39.19	34.42	10.84	36.46	0.00	351 28 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	108.90	-----	-----	99.90	34.50	11.10	36.60	0.00	351 28 PEAK																																																																																																		
Avg																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.24</td><td>38.25</td><td>54.00</td><td>-15.75</td><td>29.50</td><td>34.40</td><td>10.83</td><td>36.48</td><td>0.00</td><td>351 28 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.24	38.25	54.00	-15.75	29.50	34.40	10.83	36.48	0.00	351 28 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.80</td><td>-----</td><td>-----</td><td>88.80</td><td>34.50</td><td>11.10</td><td>36.60</td><td>0.00</td><td>351 28 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.80	-----	-----	88.80	34.50	11.10	36.60	0.00	351 28 AVERAGE											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5448.24	38.25	54.00	-15.75	29.50	34.40	10.83	36.48	0.00	351 28 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5670.00	97.80	-----	-----	88.80	34.50	11.10	36.60	0.00	351 28 AVERAGE																																																																																																		







Mode	43	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz	
ANT	CDD 5+18	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) </	



Mode	43																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																			
ANT	CDD 5+18																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>43.96</td><td>74.00</td><td>-30.04</td><td>56.35</td><td>38.14</td><td>16.26</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	43.96	74.00	-30.04	56.35	38.14	16.26	66.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>56.80</td><td>38.14</td><td>16.26</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.41	74.00	-29.59	56.80	38.14	16.26	66.79	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	43.96	74.00	-30.04	56.35	38.14	16.26	66.79	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	44.41	74.00	-29.59	56.80	38.14	16.26	66.79	0.00	---	---	PEAK																																																																																								





		44																																																																																																	
Mode	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																																																																		
ANT	CDD 5+18																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.68</td><td>55.28</td><td>74.00</td><td>-18.72</td><td>47.65</td><td>34.09</td><td>10.60</td><td>37.06</td><td>0.00</td><td>108</td><td>212</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.68	55.28	74.00	-18.72	47.65	34.09	10.60	37.06	0.00	108	212	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>99.43</td><td>-----</td><td>-----</td><td>91.56</td><td>34.19</td><td>10.65</td><td>36.97</td><td>0.00</td><td>108</td><td>212</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	99.43	-----	-----	91.56	34.19	10.65	36.97	0.00	108	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.68	55.28	74.00	-18.72	47.65	34.09	10.60	37.06	0.00	108	212	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	99.43	-----	-----	91.56	34.19	10.65	36.97	0.00	108	212	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.80</td><td>46.28</td><td>54.00</td><td>-7.72</td><td>38.62</td><td>34.10</td><td>10.61</td><td>37.05</td><td>0.00</td><td>108</td><td>212</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.80	46.28	54.00	-7.72	38.62	34.10	10.61	37.05	0.00	108	212	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>89.89</td><td>-----</td><td>-----</td><td>81.98</td><td>34.20</td><td>10.66</td><td>36.95</td><td>0.00</td><td>108</td><td>212</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	89.89	-----	-----	81.98	34.20	10.66	36.95	0.00	108	212
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.80	46.28	54.00	-7.72	38.62	34.10	10.61	37.05	0.00	108	212	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5210.00	89.89	-----	-----	81.98	34.20	10.66	36.95	0.00	108	212	AVERAGE																																																																																							



Mode	44										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz										
ANT	CDD 5+18										
Pol.	Horizontal										
Peak	Level (dBuV/m) </										





Mode	44																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																				
ANT	CDD 5+18																																																				
Pol.	Vertical																																																				
Peak	Fundamental																																																				
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.92</td><td>54.26</td><td>74.00</td><td>-19.74</td><td>46.60</td><td>34.10</td><td>10.61</td><td>37.05</td><td>0.00</td><td>359</td><td>31 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	54.26	74.00	-19.74	46.60	34.10	10.61	37.05	0.00	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.92	54.26	74.00	-19.74	46.60	34.10	10.61	37.05	0.00	359	31 PEAK																																										
Avg	Fundamental																																																				
																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.76</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>38.05</td><td>34.10</td><td>10.61</td><td>37.05</td><td>0.00</td><td>359</td><td>31 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.76	45.71	54.00	-8.29	38.05	34.10	10.61	37.05	0.00	359
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.76	45.71	54.00	-8.29	38.05	34.10	10.61	37.05	0.00	359	31 AVERAGE																																										







Mode	44										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz										
ANT	CDD 5+18										
Pol.	Vertical										
Peak											





Mode	44																																																							
	Harmonic																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full_5210MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.19</td><td>68.30</td><td>-24.11</td><td>58.60</td><td>37.20</td><td>15.51</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.19	68.30	-24.11	58.60	37.20	15.51	67.12	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10420.00	44.19	68.30	-24.11	58.60	37.20	15.51	67.12	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10420.00</td><td>44.34</td><td>68.30</td><td>-23.96</td><td>58.75</td><td>37.20</td><td>15.51</td><td>67.12</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	44.34	68.30	-23.96	58.75	37.20	15.51	67.12	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10420.00	44.34	68.30	-23.96	58.75	37.20	15.51	67.12	0.00	---	---	PEAK																																												







Mode	45																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																														
ANT	CDD 5+18																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5118.88</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>43.16</td><td>34.04</td><td>10.58</td><td>37.11</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5118.88	50.67	74.00	-23.33	43.16	34.04	10.58	37.11	0.00	100	235	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.37</td><td>-----</td><td>-----</td><td>90.12</td><td>34.30</td><td>10.72</td><td>36.77</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.37	-----	-----	90.12	34.30	10.72	36.77	0.00	100	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5118.88	50.67	74.00	-23.33	43.16	34.04	10.58	37.11	0.00	100	235	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	90.37	-----	-----	90.12	34.30	10.72	36.77	0.00	100	235	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.16</td><td>40.36</td><td>54.00</td><td>-13.64</td><td>32.73</td><td>34.09</td><td>10.60</td><td>37.06</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.16	40.36	54.00	-13.64	32.73	34.09	10.60	37.06	0.00	100	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.80</td><td>-----</td><td>-----</td><td>82.55</td><td>34.30</td><td>10.72</td><td>36.77</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.80	-----	-----	82.55	34.30	10.72	36.77	0.00	100	235
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.16	40.36	54.00	-13.64	32.73	34.09	10.60	37.06	0.00	100	235	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5290.00	90.80	-----	-----	82.55	34.30	10.72	36.77	0.00	100	235	AVERAGE																																																																																																			





Mode	45																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																						
ANT	CDD 5+18																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>56.74</td><td>74.00</td><td>-17.26</td><td>48.26</td><td>34.40</td><td>10.75</td><td>36.67</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	56.74	74.00	-17.26	48.26	34.40	10.75	36.67	0.00	100	235	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	56.74	74.00	-17.26	48.26	34.40	10.75	36.67	0.00	100	235	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>50.10</td><td>54.00</td><td>-3.90</td><td>41.62</td><td>34.40</td><td>10.75</td><td>36.67</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	50.10	54.00	-3.90	41.62	34.40	10.75	36.67	0.00	100	235	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.20	50.10	54.00	-3.90	41.62	34.40	10.75	36.67	0.00	100	235	AVERAGE																																											





Mode	45																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																		
ANT	CDD 5+18																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5113.12</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>42.32</td><td>34.03</td><td>10.57</td><td>37.12</td><td>0.00</td><td>318</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5113.12	49.80	74.00	-24.20	42.32	34.03	10.57	37.12	0.00	318	331	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.57</td><td>-----</td><td>-----</td><td>87.25</td><td>34.33</td><td>10.73</td><td>36.74</td><td>0.00</td><td>318</td><td>331</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.57	-----	-----	87.25	34.33	10.73	36.74	0.00	318	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5113.12	49.80	74.00	-24.20	42.32	34.03	10.57	37.12	0.00	318	331	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	95.57	-----	-----	87.25	34.33	10.73	36.74	0.00	318	331	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.12</td><td>39.74</td><td>54.00</td><td>-14.26</td><td>32.11</td><td>34.09</td><td>10.60</td><td>37.06</td><td>0.00</td><td>318</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.12	39.74	54.00	-14.26	32.11	34.09	10.60	37.06	0.00	318	331	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>87.51</td><td>-----</td><td>-----</td><td>79.25</td><td>34.30</td><td>10.72</td><td>36.76</td><td>0.00</td><td>318</td><td>331</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	87.51	-----	-----	79.25	34.30	10.72	36.76	0.00	318	331
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5145.12	39.74	54.00	-14.26	32.11	34.09	10.60	37.06	0.00	318	331	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	87.51	-----	-----	79.25	34.30	10.72	36.76	0.00	318	331	AVERAGE																																																																																							







Mode	45																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																					
ANT	CDD 5+18																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.40</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>47.44</td><td>34.40</td><td>10.75</td><td>36.66</td><td>0.00</td><td>318</td><td>331 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.40	55.93	74.00	-18.07	47.44	34.40	10.75	36.66	0.00	318	331 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5355.40	55.93	74.00	-18.07	47.44	34.40	10.75	36.66	0.00	318	331 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.20</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>38.08</td><td>34.40</td><td>10.75</td><td>36.67</td><td>0.00</td><td>318</td><td>331 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.20	46.56	54.00	-7.44	38.08	34.40	10.75	36.67	0.00	318	331 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.20	46.56	54.00	-7.44	38.08	34.40	10.75	36.67	0.00	318	331 AVERAGE																																											




Mode	45																																																																																																			
	Harmonic																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full_5290MHz																																																																																																			
ANT	CDD 5+18																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>44.08</td><td>68.30</td><td>-24.22</td><td>58.21</td><td>37.28</td><td>15.65</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.08	68.30	-24.22	58.21	37.28	15.65	67.06	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10500.00</td><td>43.43</td><td>68.30</td><td>-24.87</td><td>57.56</td><td>37.28</td><td>15.65</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	43.43	68.30	-24.87	57.56	37.28	15.65	67.06	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	44.08	68.30	-24.22	58.21	37.28	15.65	67.06	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	10500.00	43.43	68.30	-24.87	57.56	37.28	15.65	67.06	0.00	---	---	PEAK																																																																																								







		46																																																																				
Mode		Band Edge - L																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																				
ANT		CDD 5+18																																																																				
Pol.		Horizontal																																																																				
Peak																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>48.77</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>58.24</td><td>68.30</td><td>-10.06</td><td>49.39</td><td>34.44</td><td>10.85</td><td>36.44</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	57.57	74.00	-16.43	48.77	34.42	10.84	36.46	0.00	100	120	PEAK	2	5469.68	58.24	68.30	-10.06	49.39	34.44	10.85	36.44	0.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5458.80	57.57	74.00	-16.43	48.77	34.42	10.84	36.46	0.00	100	120	PEAK																																																										
2	5469.68	58.24	68.30	-10.06	49.39	34.44	10.85	36.44	0.00	100	120	PEAK																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>102.92</td><td>-----</td><td>-----</td><td>93.91</td><td>34.50</td><td>10.89</td><td>36.38</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	102.92	-----	-----	93.91	34.50	10.89	36.38	0.00	100	120	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5530.00	102.92	-----	-----	93.91	34.50	10.89	36.38	0.00	100	120	PEAK																																																										
Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.48</td><td>50.85</td><td>54.00</td><td>-3.15</td><td>42.06</td><td>34.42</td><td>10.84</td><td>36.47</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.48	50.85	54.00	-3.15	42.06	34.42	10.84	36.47	0.00	100	120	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5458.48	50.85	54.00	-3.15	42.06	34.42	10.84	36.47	0.00	100	120	AVERAGE																																																										
Fundamental																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>93.65</td><td>-----</td><td>-----</td><td>84.54</td><td>34.50</td><td>10.93</td><td>36.32</td><td>0.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5530.00	93.65	-----	-----	84.54	34.50	10.93	36.32	0.00	100	120	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5530.00	93.65	-----	-----	84.54	34.50	10.93	36.32	0.00	100	120	AVERAGE																																																										




Mode	46																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.60</td><td>48.94</td><td>68.30</td><td>-19.36</td><td>40.96</td><td>34.57</td><td>11.19</td><td>37.78</td><td>0.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.60	48.94	68.30	-19.36	40.96	34.57	11.19	37.78	0.00	100	120	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.60	48.94	68.30	-19.36	40.96	34.57	11.19	37.78	0.00	100	120	PEAK																																												







		46																																																																																																																								
Mode		Band Edge - L																																																																																																																								
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																																								
ANT		CDD 5+18																																																																																																																								
Pol.		Vertical					Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.28</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>44.40</td><td>34.40</td><td>10.81</td><td>36.51</td><td>0.00</td><td>365</td><td>27</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>53.58</td><td>68.30</td><td>-14.72</td><td>44.73</td><td>34.44</td><td>10.85</td><td>36.44</td><td>0.00</td><td>365</td><td>27</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.28	53.10	74.00	-20.90	44.40	34.40	10.81	36.51	0.00	365	27	PEAK	2	5469.68	53.58	68.30	-14.72	44.73	34.44	10.85	36.44	0.00	365	27	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.25</td><td>-----</td><td>-----</td><td>90.14</td><td>34.50</td><td>10.93</td><td>36.32</td><td>0.00</td><td>365</td><td>27</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	99.25	-----	-----	90.14	34.50	10.93	36.32	0.00	365	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5435.28	53.10	74.00	-20.90	44.40	34.40	10.81	36.51	0.00	365	27	PEAK																																																																																																														
2	5469.68	53.58	68.30	-14.72	44.73	34.44	10.85	36.44	0.00	365	27	PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	99.25	-----	-----	90.14	34.50	10.93	36.32	0.00	365	27	PEAK																																																																																																														
Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.72</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>37.00</td><td>34.40</td><td>10.82</td><td>36.49</td><td>0.00</td><td>365</td><td>27</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.72	45.73	54.00	-8.27	37.00	34.40	10.82	36.49	0.00	365	27	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.92</td><td>-----</td><td>-----</td><td>82.79</td><td>34.50</td><td>10.94</td><td>36.31</td><td>0.00</td><td>365</td><td>27</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.92	-----	-----	82.79	34.50	10.94	36.31	0.00	365	27	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5444.72	45.73	54.00	-8.27	37.00	34.40	10.82	36.49	0.00	365	27	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	5530.00	91.92	-----	-----	82.79	34.50	10.94	36.31	0.00	365	27	AVERAGE																																																																																																														







Mode	46																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.16</td><td>47.79</td><td>68.30</td><td>-20.51</td><td>39.82</td><td>34.57</td><td>11.19</td><td>37.79</td><td>0.00</td><td>365</td><td>27</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.16	47.79	68.30	-20.51	39.82	34.57	11.19	37.79	0.00	365	27	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5735.16	47.79	68.30	-20.51	39.82	34.57	11.19	37.79	0.00	365	27	PEAK																																												



Mode	46																																																																																																		
	Harmonic																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																		
ANT	CDD 5+18																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.63</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.78	74.00	-29.22	57.63	37.96	16.08	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>56.77</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.92	74.00	-30.08	56.77	37.96	16.08	66.89	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	44.78	74.00	-29.22	57.63	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11060.00	43.92	74.00	-30.08	56.77	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																							
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>57.63</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31200.00	44.78	74.00	-29.22	57.63	37.96	16.08	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>31200.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>56.77</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	31200.00	43.92	74.00	-30.08	56.77	37.96	16.08	66.89	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	31200.00	44.78	74.00	-29.22	57.63	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	31200.00	43.92	74.00	-30.08	56.77	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																							





		47																																																									
Mode		Band Edge - L																																																									
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																									
ANT		CDD 5+18																																																									
Pol.		Horizontal																																																									
Peak																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.68	49.77	74.00	-24.23	40.98	34.42	10.84	36.47	0.00	106	113 PEAK	2	5464.24	52.53	68.30	-15.77	43.70	34.43	10.85	36.45	0.00	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5457.68	49.77	74.00	-24.23	40.98	34.42	10.84	36.47	0.00	106	113 PEAK																																																
2	5464.24	52.53	68.30	-15.77	43.70	34.43	10.85	36.45	0.00	106	113 PEAK																																																
Fundamental																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	104.51	-----	-----	95.12	34.50	11.06	36.17	0.00	106	113 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5610.00	104.51	-----	-----	95.12	34.50	11.06	36.17	0.00	106	113 PEAK																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.36	42.37	54.00	-11.63	33.59	34.41	10.84	36.47	0.00	106	113 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5457.36	42.37	54.00	-11.63	33.59	34.41	10.84	36.47	0.00	106	113 AVERAGE																																																
Avg																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	96.75	-----	-----	87.38	34.50	11.03	36.16	0.00	106	113 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	5610.00	96.75	-----	-----	87.38	34.50	11.03	36.16	0.00	106	113 AVERAGE																																																




Mode	47																																																																																	
	Band Edge - R																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																	
ANT	CDD 5+18																																																																																	
Pol.	Horizontal					Fundamental																																																																												
Peak	Level (dBuV/m) Frequency (MHz) 5G BAND 1---3 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.16</td><td>52.79</td><td>68.30</td><td>-15.51</td><td>44.68</td><td>34.55</td><td>11.18</td><td>37.62</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>106</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>113 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.16	52.79	68.30	-15.51	44.68	34.55	11.18	37.62								0.00										106									deg									113 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																										
1	5725.16	52.79	68.30	-15.51	44.68	34.55	11.18	37.62																																																																										
							0.00																																																																											
								106																																																																										
								deg																																																																										
								113 PEAK																																																																										





		47																																																																				
Mode		Band Edge - L																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																				
ANT		CDD 5+18																																																																				
Pol.		Fundamental																																																																				
Peak	Vertical	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>49.51</td><td>74.00</td><td>-24.49</td><td>40.73</td><td>34.41</td><td>10.84</td><td>36.47</td><td>0.00</td><td>320</td><td>29 PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>50.10</td><td>68.30</td><td>-18.20</td><td>41.27</td><td>34.43</td><td>10.85</td><td>36.45</td><td>0.00</td><td>320</td><td>29 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5457.04	49.51	74.00	-24.49	40.73	34.41	10.84	36.47	0.00	320	29 PEAK	2	5466.96	50.10	68.30	-18.20	41.27	34.43	10.85	36.45	0.00	320
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5457.04	49.51	74.00	-24.49	40.73	34.41	10.84	36.47	0.00	320	29 PEAK																																																											
2	5466.96	50.10	68.30	-18.20	41.27	34.43	10.85	36.45	0.00	320	29 PEAK																																																											
Avg	Vertical	Fundamental																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>42.29</td><td>54.00</td><td>-11.71</td><td>33.49</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>320</td><td>29 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.00	42.29	54.00	-11.71	33.49	34.42	10.84	36.46	0.00	320	29 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	5458.00	42.29	54.00	-11.71	33.49	34.42	10.84	36.46	0.00	320	29 AVERAGE																																																											





Mode	47																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																						
ANT	CDD 5+18																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.60</td><td>50.23</td><td>68.30</td><td>-18.07</td><td>42.40</td><td>34.59</td><td>11.20</td><td>37.96</td><td>0.00</td><td>320</td><td>29</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.60	50.23	68.30	-18.07	42.40	34.59	11.20	37.96	0.00	320	29	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5744.60	50.23	68.30	-18.07	42.40	34.59	11.20	37.96	0.00	320	29	PEAK																																											





Mode	47																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full_5610MHz																																																																																																						
ANT	CDD 5+18																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>57.00</td><td>38.18</td><td>16.18</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	44.53	74.00	-29.47	57.00	38.18	16.18	66.83	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>58.04</td><td>38.18</td><td>16.18</td><td>66.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.57	74.00	-28.43	58.04	38.18	16.18	66.83	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11220.00	44.53	74.00	-29.47	57.00	38.18	16.18	66.83	0.00	---	---	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	11220.00	45.57	74.00	-28.43	58.04	38.18	16.18	66.83	0.00	---	---	PEAK																																																																																											





		63																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																							
ANT		CDD 5+18																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>55.86</td><td>38.24</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	43.67	74.00	-30.33	55.86	38.24	16.32	66.75	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11440.00	43.67	74.00	-30.33	55.86	38.24	16.32	66.75	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11433.00</td><td>48.35</td><td>74.00</td><td>-25.65</td><td>60.56</td><td>38.23</td><td>16.32</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11433.00	48.35	74.00	-25.65	60.56	38.23	16.32	66.76	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11433.00	48.35	74.00	-25.65	60.56	38.23	16.32	66.76	0.00	---	---	PEAK																																													





Mode	64																																																																																																																
	Harmonic																																																																																																																
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																																
ANT	CDD 5+18																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>56.45</td><td>38.24</td><td>16.32</td><td>66.75</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.26	74.00	-29.74	56.45	38.24	16.32	66.75	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>62.11</td><td>38.24</td><td>16.32</td><td>66.75</td><td>0.00</td><td>101</td><td>302</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>40.66</td><td>54.00</td><td>-13.34</td><td>52.85</td><td>38.24</td><td>16.32</td><td>66.75</td><td>0.00</td><td>101</td><td>302</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	49.92	74.00	-24.08	62.11	38.24	16.32	66.75	0.00	101	302	PEAK	2	11440.00	40.66	54.00	-13.34	52.85	38.24	16.32	66.75	0.00	101	302	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11440.00	44.26	74.00	-29.74	56.45	38.24	16.32	66.75	0.00	---	---	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11440.00	49.92	74.00	-24.08	62.11	38.24	16.32	66.75	0.00	101	302	PEAK																																																																																																					
2	11440.00	40.66	54.00	-13.34	52.85	38.24	16.32	66.75	0.00	101	302	AVERAGE																																																																																																					





Mode	65																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																			
ANT	CDD 5+18																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>43.35</td><td>74.00</td><td>-30.65</td><td>55.58</td><td>38.22</td><td>16.31</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	43.35	74.00	-30.65	55.58	38.22	16.31	66.76	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>57.56</td><td>38.22</td><td>16.31</td><td>66.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	45.33	74.00	-28.67	57.56	38.22	16.31	66.76	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	43.35	74.00	-30.65	55.58	38.22	16.31	66.76	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	45.33	74.00	-28.67	57.56	38.22	16.31	66.76	0.00	---	---	PEAK																																																																																								






		66																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.85_802.11ax HE80_CH138_Full_5690MHz																																																								
ANT		CDD 5+18																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.03</td><td>74.00</td><td>-29.97</td><td>56.33</td><td>38.18</td><td>16.29</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11380.00	44.03	74.00	-29.97	56.33	38.18	16.29	66.77	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11380.00	44.03	74.00	-29.97	56.33	38.18	16.29	66.77	0.00	---	---	PEAK																																														
																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11380.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>56.55</td><td>38.18</td><td>16.29</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11380.00	44.25	74.00	-29.75	56.55	38.18	16.29	66.77	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11380.00	44.25	74.00	-29.75	56.55	38.18	16.29	66.77	0.00	---	---	PEAK																																														






Mode	67																																																																																																								
	LF																																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																								
ANT	CDD 5+18																																																																																																								
Pol.	Horizontal																																																																																																								
Peak QP																																																																																																									
	<table><tr><th></th><th>Freq</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>161.92</td><td>24.50</td><td>-19.00</td><td>43.50</td><td>39.22</td><td>16.18</td><td>1.92</td><td>32.82</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>258.92</td><td>18.77</td><td>-27.23</td><td>46.00</td><td>30.51</td><td>18.58</td><td>2.46</td><td>32.78</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>499.48</td><td>23.19</td><td>-22.81</td><td>46.00</td><td>29.10</td><td>23.59</td><td>3.42</td><td>32.92</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>625.58</td><td>26.54</td><td>-19.46</td><td>46.00</td><td>30.65</td><td>25.08</td><td>3.82</td><td>33.01</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>785.63</td><td>29.03</td><td>-16.97</td><td>46.00</td><td>31.36</td><td>26.14</td><td>4.28</td><td>32.75</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>888.45</td><td>31.15</td><td>-14.85</td><td>46.00</td><td>31.88</td><td>26.65</td><td>4.56</td><td>31.94</td><td>---</td><td>Peak</td><td>HORIZONTAL</td></tr></table>												Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	161.92	24.50	-19.00	43.50	39.22	16.18	1.92	32.82	---	Peak	HORIZONTAL	2	258.92	18.77	-27.23	46.00	30.51	18.58	2.46	32.78	---	Peak	HORIZONTAL	3	499.48	23.19	-22.81	46.00	29.10	23.59	3.42	32.92	---	Peak	HORIZONTAL	4	625.58	26.54	-19.46	46.00	30.65	25.08	3.82	33.01	---	Peak	HORIZONTAL	5	785.63	29.03	-16.97	46.00	31.36	26.14	4.28	32.75	---	Peak	HORIZONTAL	6	888.45	31.15	-14.85	46.00	31.88	26.65	4.56	31.94	---	Peak	HORIZONTAL
		Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																														
		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
	1	161.92	24.50	-19.00	43.50	39.22	16.18	1.92	32.82	---	Peak	HORIZONTAL																																																																																													
	2	258.92	18.77	-27.23	46.00	30.51	18.58	2.46	32.78	---	Peak	HORIZONTAL																																																																																													
	3	499.48	23.19	-22.81	46.00	29.10	23.59	3.42	32.92	---	Peak	HORIZONTAL																																																																																													
	4	625.58	26.54	-19.46	46.00	30.65	25.08	3.82	33.01	---	Peak	HORIZONTAL																																																																																													
	5	785.63	29.03	-16.97	46.00	31.36	26.14	4.28	32.75	---	Peak	HORIZONTAL																																																																																													
	6	888.45	31.15	-14.85	46.00	31.88	26.65	4.56	31.94	---	Peak	HORIZONTAL																																																																																													
Vertical																																																																																																									
																																																																																																									
<table><tr><th></th><th>Freq</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>54.25</td><td>21.07</td><td>-18.93</td><td>40.00</td><td>39.26</td><td>13.63</td><td>1.10</td><td>32.92</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>165.80</td><td>28.59</td><td>-14.91</td><td>43.50</td><td>43.38</td><td>16.10</td><td>1.94</td><td>32.83</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>324.88</td><td>19.90</td><td>-26.10</td><td>46.00</td><td>30.16</td><td>19.88</td><td>2.74</td><td>32.88</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>471.35</td><td>23.97</td><td>-22.03</td><td>46.00</td><td>30.66</td><td>22.99</td><td>3.32</td><td>33.00</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>668.26</td><td>26.88</td><td>-19.12</td><td>46.00</td><td>30.70</td><td>25.22</td><td>3.95</td><td>32.99</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>861.29</td><td>30.60</td><td>-15.40</td><td>46.00</td><td>31.76</td><td>26.61</td><td>4.48</td><td>32.25</td><td>---</td><td>Peak</td><td>VERTICAL</td></tr></table>												Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	54.25	21.07	-18.93	40.00	39.26	13.63	1.10	32.92	---	Peak	VERTICAL	2	165.80	28.59	-14.91	43.50	43.38	16.10	1.94	32.83	---	Peak	VERTICAL	3	324.88	19.90	-26.10	46.00	30.16	19.88	2.74	32.88	---	Peak	VERTICAL	4	471.35	23.97	-22.03	46.00	30.66	22.99	3.32	33.00	---	Peak	VERTICAL	5	668.26	26.88	-19.12	46.00	30.70	25.22	3.95	32.99	---	Peak	VERTICAL	6	861.29	30.60	-15.40	46.00	31.76	26.61	4.48	32.25	---	Peak	VERTICAL	
	Freq	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																															
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	54.25	21.07	-18.93	40.00	39.26	13.63	1.10	32.92	---	Peak	VERTICAL																																																																																														
2	165.80	28.59	-14.91	43.50	43.38	16.10	1.94	32.83	---	Peak	VERTICAL																																																																																														
3	324.88	19.90	-26.10	46.00	30.16	19.88	2.74	32.88	---	Peak	VERTICAL																																																																																														
4	471.35	23.97	-22.03	46.00	30.66	22.99	3.32	33.00	---	Peak	VERTICAL																																																																																														
5	668.26	26.88	-19.12	46.00	30.70	25.22	3.95	32.99	---	Peak	VERTICAL																																																																																														
6	861.29	30.60	-15.40	46.00	31.76	26.61	4.48	32.25	---	Peak	VERTICAL																																																																																														





	48																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																				
ANT	CDD 5+18																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5650.00</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>42.61</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>2 5650.00</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>42.61</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>3 5705.20</td><td>62.15</td><td>106.76</td><td>-44.61</td><td>53.75</td><td>34.51</td><td>11.15</td><td>37.26</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr><tr><td>4 5720.00</td><td>63.84</td><td>110.90</td><td>-47.06</td><td>55.65</td><td>34.54</td><td>11.17</td><td>37.52</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5650.00	51.90	68.30	-16.40	42.61	34.50	11.07	36.28	0.00	100	115	PEAK	2 5650.00	51.90	68.30	-16.40	42.61	34.50	11.07	36.28	0.00	100	115	PEAK	3 5705.20	62.15	106.76	-44.61	53.75	34.51	11.15	37.26	0.00	100	115	PEAK	4 5720.00	63.84	110.90	-47.06	55.65	34.54	11.17	37.52	0.00	100	115	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>112.66</td><td>-----</td><td>-----</td><td>104.85</td><td>34.59</td><td>11.21</td><td>37.99</td><td>0.00</td><td>100</td><td>115</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	112.66	-----	-----	104.85	34.59	11.21	37.99	0.00	100	115	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5650.00	51.90	68.30	-16.40	42.61	34.50	11.07	36.28	0.00	100	115	PEAK																																																																																																																										
2 5650.00	51.90	68.30	-16.40	42.61	34.50	11.07	36.28	0.00	100	115	PEAK																																																																																																																										
3 5705.20	62.15	106.76	-44.61	53.75	34.51	11.15	37.26	0.00	100	115	PEAK																																																																																																																										
4 5720.00	63.84	110.90	-47.06	55.65	34.54	11.17	37.52	0.00	100	115	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	112.66	-----	-----	104.85	34.59	11.21	37.99	0.00	100	115	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.04</td><td>-----</td><td>-----</td><td>97.23</td><td>34.59</td><td>11.21</td><td>37.99</td><td>0.00</td><td>100</td><td>115</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.04	-----	-----	97.23	34.59	11.21	37.99	0.00	100	115	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	105.04	-----	-----	97.23	34.59	11.21	37.99	0.00	100	115	AVERAGE																																																																																																																										





Mode	48																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																					
ANT	CDD 5+18																																																																																																																																					
Pol.	Vertical						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.40</td><td>50.52</td><td>68.30</td><td>-17.78</td><td>41.08</td><td>34.50</td><td>11.06</td><td>36.12</td><td>0.00</td><td>358</td><td>31 PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>49.74</td><td>68.89</td><td>-19.15</td><td>40.46</td><td>34.50</td><td>11.07</td><td>36.29</td><td>0.00</td><td>358</td><td>31 PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>57.96</td><td>108.66</td><td>-50.70</td><td>49.66</td><td>34.52</td><td>11.16</td><td>37.38</td><td>0.00</td><td>358</td><td>31 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>61.63</td><td>113.64</td><td>-52.01</td><td>53.47</td><td>34.54</td><td>11.17</td><td>37.55</td><td>0.00</td><td>358</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.40	50.52	68.30	-17.78	41.08	34.50	11.06	36.12	0.00	358	31 PEAK	2	5650.80	49.74	68.89	-19.15	40.46	34.50	11.07	36.29	0.00	358	31 PEAK	3	5712.00	57.96	108.66	-50.70	49.66	34.52	11.16	37.38	0.00	358	31 PEAK	4	5721.20	61.63	113.64	-52.01	53.47	34.54	11.17	37.55	0.00	358	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.90</td><td>-----</td><td>-----</td><td>102.09</td><td>34.59</td><td>11.21</td><td>37.99</td><td>0.00</td><td>358</td><td>31 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.90	-----	-----	102.09	34.59	11.21	37.99	0.00	358	31 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5640.40	50.52	68.30	-17.78	41.08	34.50	11.06	36.12	0.00	358	31 PEAK																																																																																																																											
2	5650.80	49.74	68.89	-19.15	40.46	34.50	11.07	36.29	0.00	358	31 PEAK																																																																																																																											
3	5712.00	57.96	108.66	-50.70	49.66	34.52	11.16	37.38	0.00	358	31 PEAK																																																																																																																											
4	5721.20	61.63	113.64	-52.01	53.47	34.54	11.17	37.55	0.00	358	31 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	109.90	-----	-----	102.09	34.59	11.21	37.99	0.00	358	31 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.36</td><td>-----</td><td>-----</td><td>94.55</td><td>34.59</td><td>11.21</td><td>37.99</td><td>0.00</td><td>358</td><td>31 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.36	-----	-----	94.55	34.59	11.21	37.99	0.00	358	31 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1	5745.00	102.36	-----	-----	94.55	34.59	11.21	37.99	0.00	358	31 AVERAGE																																																																																																																											






Mode	48																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	CDD 5+18																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>62.22</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>101</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>40.90</td><td>54.00</td><td>-13.10</td><td>53.00</td><td>38.29</td><td>16.35</td><td>66.74</td><td>0.00</td><td>101</td><td>100</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	50.13	74.00	-23.87	62.22	38.29	16.36	66.74	0.00	101	100	PEAK	2	11490.00	40.90	54.00	-13.10	53.00	38.29	16.35	66.74	0.00	101	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>62.99</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>107</td><td>300</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>54.83</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>107</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	50.90	74.00	-23.10	62.99	38.29	16.36	66.74	0.00	107	300	PEAK	2	11490.00	42.74	54.00	-11.26	54.83	38.29	16.36	66.74	0.00	107	300	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	50.13	74.00	-23.87	62.22	38.29	16.36	66.74	0.00	101	100	PEAK																																																																																																																		
2	11490.00	40.90	54.00	-13.10	53.00	38.29	16.35	66.74	0.00	101	100	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11490.00	50.90	74.00	-23.10	62.99	38.29	16.36	66.74	0.00	107	300	PEAK																																																																																																																		
2	11490.00	42.74	54.00	-11.26	54.83	38.29	16.36	66.74	0.00	107	300	AVERAGE																																																																																																																		






		49																																																																		
Mode		Harmonic																																																																		
		U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																		
ANT		CDD 5+18																																																																		
Pol.		Horizontal																																																																		
Peak Avg																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>56.39</td><td>38.37</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	44.52	74.00	-29.48	56.39	38.37	16.41	66.65	0.00	---	---	PEAK												
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 11570.00	44.52	74.00	-29.48	56.39	38.37	16.41	66.65	0.00	---	---	PEAK																																																									
		Vertical																																																																		
																																																																				
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11570.00</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>66.73</td><td>38.37</td><td>16.41</td><td>66.65</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>2 11570.00</td><td>44.64</td><td>54.00</td><td>-9.36</td><td>56.51</td><td>38.37</td><td>16.41</td><td>66.65</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>														Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11570.00	54.86	74.00	-19.14	66.73	38.37	16.41	66.65	0.00	100	304	PEAK	2 11570.00	44.64	54.00	-9.36	56.51	38.37	16.41	66.65	0.00	100	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1 11570.00	54.86	74.00	-19.14	66.73	38.37	16.41	66.65	0.00	100	304	PEAK																																																									
2 11570.00	44.64	54.00	-9.36	56.51	38.37	16.41	66.65	0.00	100	304	AVERAGE																																																									





Mode	50																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																							
ANT	CDD 5+18																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>54.65</td><td>111.36</td><td>-56.71</td><td>48.42</td><td>34.81</td><td>11.34</td><td>39.92</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>59.64</td><td>110.62</td><td>-50.98</td><td>53.43</td><td>34.81</td><td>11.34</td><td>39.94</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.17</td><td>68.45</td><td>-21.28</td><td>40.66</td><td>35.00</td><td>11.40</td><td>39.89</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>48.86</td><td>68.30</td><td>-19.44</td><td>42.35</td><td>35.00</td><td>11.40</td><td>39.89</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	54.65	111.36	-56.71	48.42	34.81	11.34	39.92	0.00	100	113	PEAK	2	5856.00	59.64	110.62	-50.98	53.43	34.81	11.34	39.94	0.00	100	113	PEAK	3	5924.00	47.17	68.45	-21.28	40.66	35.00	11.40	39.89	0.00	100	113	PEAK	4	5925.20	48.86	68.30	-19.44	42.35	35.00	11.40	39.89	0.00	100	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.16</td><td>-----</td><td>-----</td><td>103.47</td><td>34.75</td><td>11.31</td><td>39.37</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	110.16	-----	-----	103.47	34.75	11.31	39.37	0.00	100	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
	1	5854.00	54.65	111.36	-56.71	48.42	34.81	11.34	39.92	0.00	100	113	PEAK																																																																																																											
2	5856.00	59.64	110.62	-50.98	53.43	34.81	11.34	39.94	0.00	100	113	PEAK																																																																																																												
3	5924.00	47.17	68.45	-21.28	40.66	35.00	11.40	39.89	0.00	100	113	PEAK																																																																																																												
4	5925.20	48.86	68.30	-19.44	42.35	35.00	11.40	39.89	0.00	100	113	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5825.00	110.16	-----	-----	103.47	34.75	11.31	39.37	0.00	100	113	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.05</td><td>-----</td><td>-----</td><td>95.36</td><td>34.75</td><td>11.31</td><td>39.37</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	102.05	-----	-----	95.36	34.75	11.31	39.37	0.00	100	113	AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																													
	1	5825.00	102.05	-----	-----	95.36	34.75	11.31	39.37	0.00	100	113	AVERAGE																																																																																																											






		50																																																																																											
Mode		Band Edge																																																																																											
		U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT		CDD 5+18																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>54.40</td><td>111.36</td><td>-56.96</td><td>48.17</td><td>34.81</td><td>11.34</td><td>39.92</td><td>0.00</td><td>349</td><td>29 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>50.98</td><td>105.58</td><td>-54.60</td><td>44.00</td><td>34.85</td><td>11.35</td><td>40.02</td><td>0.00</td><td>349</td><td>29 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>46.59</td><td>68.74</td><td>-22.15</td><td>40.08</td><td>35.00</td><td>11.40</td><td>39.89</td><td>0.00</td><td>349</td><td>29 PEAK</td></tr><tr><td>4</td><td>5965.60</td><td>47.92</td><td>68.30</td><td>-20.38</td><td>41.13</td><td>35.13</td><td>11.44</td><td>39.78</td><td>0.00</td><td>349</td><td>29 PEAK</td></tr></table>																Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	54.40	111.36	-56.96	48.17	34.81	11.34	39.92	0.00	349	29 PEAK	2	5874.00	50.98	105.58	-54.60	44.00	34.85	11.35	40.02	0.00	349	29 PEAK	3	5924.40	46.59	68.74	-22.15	40.08	35.00	11.40	39.89	0.00	349	29 PEAK	4	5965.60	47.92	68.30	-20.38	41.13	35.13	11.44	39.78	0.00	349
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5854.00	54.40	111.36	-56.96	48.17	34.81	11.34	39.92	0.00	349	29 PEAK																																																																																		
2	5874.00	50.98	105.58	-54.60	44.00	34.85	11.35	40.02	0.00	349	29 PEAK																																																																																		
3	5924.40	46.59	68.74	-22.15	40.08	35.00	11.40	39.89	0.00	349	29 PEAK																																																																																		
4	5965.60	47.92	68.30	-20.38	41.13	35.13	11.44	39.78	0.00	349	29 PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>107.20</td><td>-----</td><td>-----</td><td>100.51</td><td>34.75</td><td>11.31</td><td>39.37</td><td>0.00</td><td>349</td><td>29 PEAK</td></tr></table>																Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.20	-----	-----	100.51	34.75	11.31	39.37	0.00	349	29 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	107.20	-----	-----	100.51	34.75	11.31	39.37	0.00	349	29 PEAK																																																																																		
Blank																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.88</td><td>-----</td><td>-----</td><td>93.19</td><td>34.75</td><td>11.31</td><td>39.37</td><td>0.00</td><td>349</td><td>29 AVERAGE</td></tr></table>																Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.88	-----	-----	93.19	34.75	11.31	39.37	0.00	349	29 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5825.00	99.88	-----	-----	93.19	34.75	11.31	39.37	0.00	349	29 AVERAGE																																																																																		





Mode	50																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																									
ANT	CDD 5+18																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>60.70</td><td>38.45</td><td>16.46</td><td>66.56</td></tr><tr><td>2</td><td>11650.00</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>52.64</td><td>38.45</td><td>16.46</td><td>66.56</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	49.05	74.00	-24.95	60.70	38.45	16.46	66.56	2	11650.00	40.99	54.00	-13.01	52.64	38.45	16.46	66.56	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>62.87</td><td>38.45</td><td>16.46</td><td>66.56</td></tr><tr><td>2</td><td>11650.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>54.73</td><td>38.45</td><td>16.46</td><td>66.56</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	51.22	74.00	-22.78	62.87	38.45	16.46	66.56	2	11650.00	43.08	54.00	-10.92	54.73	38.45	16.46	66.56
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11650.00	49.05	74.00	-24.95	60.70	38.45	16.46	66.56																																																																																																		
2	11650.00	40.99	54.00	-13.01	52.64	38.45	16.46	66.56																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11650.00	51.22	74.00	-22.78	62.87	38.45	16.46	66.56																																																																																																		
2	11650.00	43.08	54.00	-10.92	54.73	38.45	16.46	66.56																																																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>49.05</td><td>74.00</td><td>-24.95</td><td>60.70</td><td>38.45</td><td>16.46</td><td>66.56</td></tr><tr><td>2</td><td>11650.00</td><td>40.99</td><td>54.00</td><td>-13.01</td><td>52.64</td><td>38.45</td><td>16.46</td><td>66.56</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	49.05	74.00	-24.95	60.70	38.45	16.46	66.56	2	11650.00	40.99	54.00	-13.01	52.64	38.45	16.46	66.56	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>62.87</td><td>38.45</td><td>16.46</td><td>66.56</td></tr><tr><td>2</td><td>11650.00</td><td>43.08</td><td>54.00</td><td>-10.92</td><td>54.73</td><td>38.45</td><td>16.46</td><td>66.56</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	51.22	74.00	-22.78	62.87	38.45	16.46	66.56	2	11650.00	43.08	54.00	-10.92	54.73	38.45	16.46	66.56	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11650.00	49.05	74.00	-24.95	60.70	38.45	16.46	66.56																																																																																																		
2	11650.00	40.99	54.00	-13.01	52.64	38.45	16.46	66.56																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	11650.00	51.22	74.00	-22.78	62.87	38.45	16.46	66.56																																																																																																		
2	11650.00	43.08	54.00	-10.92	54.73	38.45	16.46	66.56																																																																																																		







	51																																																																																																																																				
Mode	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																				
ANT	CDD 5+18																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5615.52</td><td>55.69</td><td>68.30</td><td>-12.61</td><td>43.08</td><td>34.43</td><td>10.26</td><td>32.08</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>2 5651.62</td><td>55.06</td><td>69.50</td><td>-14.44</td><td>42.36</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>3 5718.76</td><td>70.99</td><td>110.55</td><td>-39.56</td><td>58.15</td><td>34.54</td><td>10.34</td><td>32.04</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr><tr><td>4 5720.79</td><td>73.87</td><td>112.69</td><td>-38.82</td><td>61.02</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5615.52	55.69	68.30	-12.61	43.08	34.43	10.26	32.08	0.00	100	235	PEAK	2 5651.62	55.06	69.50	-14.44	42.36	34.50	10.29	32.09	0.00	100	235	PEAK	3 5718.76	70.99	110.55	-39.56	58.15	34.54	10.34	32.04	0.00	100	235	PEAK	4 5720.79	73.87	112.69	-38.82	61.02	34.54	10.34	32.03	0.00	100	235	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>113.28</td><td>-----</td><td>-----</td><td>100.34</td><td>34.59</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>235</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	113.28	-----	-----	100.34	34.59	10.36	32.01	0.00	100	235	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5615.52	55.69	68.30	-12.61	43.08	34.43	10.26	32.08	0.00	100	235	PEAK																																																																																																																										
2 5651.62	55.06	69.50	-14.44	42.36	34.50	10.29	32.09	0.00	100	235	PEAK																																																																																																																										
3 5718.76	70.99	110.55	-39.56	58.15	34.54	10.34	32.04	0.00	100	235	PEAK																																																																																																																										
4 5720.79	73.87	112.69	-38.82	61.02	34.54	10.34	32.03	0.00	100	235	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	113.28	-----	-----	100.34	34.59	10.36	32.01	0.00	100	235	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>106.49</td><td>-----</td><td>-----</td><td>93.55</td><td>34.59</td><td>10.36</td><td>32.01</td><td>0.00</td><td>100</td><td>235</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	106.49	-----	-----	93.55	34.59	10.36	32.01	0.00	100	235	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5745.00	106.49	-----	-----	93.55	34.59	10.36	32.01	0.00	100	235	AVERAGE																																																																																																																										





Mode	51																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																							
ANT	CDD 5+18																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.99</td><td>53.35</td><td>68.30</td><td>-14.95</td><td>40.70</td><td>34.48</td><td>10.27</td><td>32.10</td><td>0.00</td><td>372 36 PEAK</td></tr><tr><td>2</td><td>5652.35</td><td>53.54</td><td>70.04</td><td>-16.50</td><td>40.84</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>372 36 PEAK</td></tr><tr><td>3</td><td>5719.63</td><td>68.52</td><td>110.80</td><td>-42.28</td><td>55.67</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>372 36 PEAK</td></tr><tr><td>4</td><td>5721.00</td><td>72.89</td><td>115.00</td><td>-42.11</td><td>60.04</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>372 36 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.99	53.35	68.30	-14.95	40.70	34.48	10.27	32.10	0.00	372 36 PEAK	2	5652.35	53.54	70.04	-16.50	40.84	34.50	10.29	32.09	0.00	372 36 PEAK	3	5719.63	68.52	110.80	-42.28	55.67	34.54	10.34	32.03	0.00	372 36 PEAK	4	5721.00	72.89	115.00	-42.11	60.04	34.54	10.34	32.03	0.00	372 36 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5637.99	53.35	68.30	-14.95	40.70	34.48	10.27	32.10	0.00	372 36 PEAK																																																																														
2	5652.35	53.54	70.04	-16.50	40.84	34.50	10.29	32.09	0.00	372 36 PEAK																																																																														
3	5719.63	68.52	110.80	-42.28	55.67	34.54	10.34	32.03	0.00	372 36 PEAK																																																																														
4	5721.00	72.89	115.00	-42.11	60.04	34.54	10.34	32.03	0.00	372 36 PEAK																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.41</td><td>-----</td><td>-----</td><td>90.47</td><td>34.59</td><td>10.36</td><td>32.01</td><td>0.00</td><td>372 36 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.41	-----	-----	90.47	34.59	10.36	32.01	0.00	372 36 AVERAGE																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	103.41	-----	-----	90.47	34.59	10.36	32.01	0.00	372 36 AVERAGE																																																																														






Mode	51																																																																																																												
	Harmonic																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																												
ANT	CDD 5+18																																																																																																												
Pol.	Horizontal						Vertical																																																																																																						
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>60.03</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>101</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>51.47</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>101</td><td>107</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	11490.00	52.28	74.00	-21.72	60.03	38.20	14.91	60.86	0.00	101	107	PEAK	2	11490.00	43.72	54.00	-10.28	51.47	38.20	14.91	60.86	0.00	101	107	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>67.09</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>106</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>57.24</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>106</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	11490.00	59.34	74.00	-14.66	67.09	38.20	14.91	60.86	0.00	106	343	PEAK	2	11490.00	49.49	54.00	-4.51	57.24	38.20	14.91	60.86	0.00	106	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	11490.00	52.28	74.00	-21.72	60.03	38.20	14.91	60.86	0.00	101	107	PEAK																																																																																																	
2	11490.00	43.72	54.00	-10.28	51.47	38.20	14.91	60.86	0.00	101	107	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	11490.00	59.34	74.00	-14.66	67.09	38.20	14.91	60.86	0.00	106	343	PEAK																																																																																																	
2	11490.00	49.49	54.00	-4.51	57.24	38.20	14.91	60.86	0.00	106	343	AVERAGE																																																																																																	
Peak Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>52.28</td><td>74.00</td><td>-21.72</td><td>60.03</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>101</td><td>107</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.72</td><td>54.00</td><td>-10.28</td><td>51.47</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>101</td><td>107</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	11490.00	52.28	74.00	-21.72	60.03	38.20	14.91	60.86	0.00	101	107	PEAK	2	11490.00	43.72	54.00	-10.28	51.47	38.20	14.91	60.86	0.00	101	107	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>11490.00</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>67.09</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>106</td><td>343</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>57.24</td><td>38.20</td><td>14.91</td><td>60.86</td><td>0.00</td><td>106</td><td>343</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	1	11490.00	59.34	74.00	-14.66	67.09	38.20	14.91	60.86	0.00	106	343	PEAK	2	11490.00	49.49	54.00	-4.51	57.24	38.20	14.91	60.86	0.00	106	343
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	11490.00	52.28	74.00	-21.72	60.03	38.20	14.91	60.86	0.00	101	107	PEAK																																																																																																	
2	11490.00	43.72	54.00	-10.28	51.47	38.20	14.91	60.86	0.00	101	107	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																																																	
1	11490.00	59.34	74.00	-14.66	67.09	38.20	14.91	60.86	0.00	106	343	PEAK																																																																																																	
2	11490.00	49.49	54.00	-4.51	57.24	38.20	14.91	60.86	0.00	106	343	AVERAGE																																																																																																	






Mode	52																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																									
ANT	CDD 5+18																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>57.29</td><td>38.27</td><td>14.97</td><td>60.82</td><td>0.00</td><td>109</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>48.53</td><td>38.27</td><td>14.96</td><td>60.82</td><td>0.00</td><td>109</td><td>275</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	49.71	74.00	-24.29	57.29	38.27	14.97	60.82	0.00	109	275	PEAK	2	11570.00	40.94	54.00	-13.06	48.53	38.27	14.96	60.82	0.00	109	275	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>66.25</td><td>38.27</td><td>14.97</td><td>60.82</td><td>0.00</td><td>101</td><td>346</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>49.19</td><td>54.00</td><td>-4.81</td><td>56.77</td><td>38.27</td><td>14.97</td><td>60.82</td><td>0.00</td><td>101</td><td>346</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	58.67	74.00	-15.33	66.25	38.27	14.97	60.82	0.00	101	346	PEAK	2	11570.00	49.19	54.00	-4.81	56.77	38.27	14.97	60.82	0.00	101	346	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11570.00	49.71	74.00	-24.29	57.29	38.27	14.97	60.82	0.00	109	275	PEAK																																																																																																														
2	11570.00	40.94	54.00	-13.06	48.53	38.27	14.96	60.82	0.00	109	275	AVERAGE																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11570.00	58.67	74.00	-15.33	66.25	38.27	14.97	60.82	0.00	101	346	PEAK																																																																																																														
2	11570.00	49.19	54.00	-4.81	56.77	38.27	14.97	60.82	0.00	101	346	AVERAGE																																																																																																														




		53																																																																																										
Mode	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																											
ANT	CDD 5+18																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>61.76</td><td>111.47</td><td>-49.71</td><td>48.43</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>2</td><td>5865.75</td><td>62.08</td><td>107.89</td><td>-45.81</td><td>48.71</td><td>34.86</td><td>10.46</td><td>31.95</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>56.05</td><td>68.39</td><td>-12.34</td><td>42.52</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>4</td><td>5945.00</td><td>54.72</td><td>68.30</td><td>-13.58</td><td>41.20</td><td>35.00</td><td>10.53</td><td>32.01</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	61.76	111.47	-49.71	48.43	34.82	10.45	31.94	0.00	100	232 PEAK	2	5865.75	62.08	107.89	-45.81	48.71	34.86	10.46	31.95	0.00	100	232 PEAK	3	5924.88	56.05	68.39	-12.34	42.52	35.00	10.52	31.99	0.00	100	232 PEAK	4	5945.00	54.72	68.30	-13.58	41.20	35.00	10.53	32.01	0.00	100	232 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5854.75	61.76	111.47	-49.71	48.43	34.82	10.45	31.94	0.00	100	232 PEAK																																																																																	
2	5865.75	62.08	107.89	-45.81	48.71	34.86	10.46	31.95	0.00	100	232 PEAK																																																																																	
3	5924.88	56.05	68.39	-12.34	42.52	35.00	10.52	31.99	0.00	100	232 PEAK																																																																																	
4	5945.00	54.72	68.30	-13.58	41.20	35.00	10.53	32.01	0.00	100	232 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>112.92</td><td>-----</td><td>-----</td><td>99.67</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.92	-----	-----	99.67	34.76	10.43	31.94	0.00	100	232 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	112.92	-----	-----	99.67	34.76	10.43	31.94	0.00	100	232 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.44</td><td>-----</td><td>-----</td><td>92.21</td><td>34.75</td><td>10.43</td><td>31.95</td><td>0.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.44	-----	-----	92.21	34.75	10.43	31.95	0.00	100	232 AVERAGE																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5825.00	105.44	-----	-----	92.21	34.75	10.43	31.95	0.00	100	232 AVERAGE																																																																																	






Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																									
ANT	CDD 5+18																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.63</td><td>58.70</td><td>114.03</td><td>-55.33</td><td>45.38</td><td>34.81</td><td>10.45</td><td>31.94</td><td>0.00</td><td>325</td><td>41 PEAK</td></tr><tr><td>2</td><td>5866.13</td><td>57.80</td><td>107.78</td><td>-49.98</td><td>44.43</td><td>34.06</td><td>10.46</td><td>31.95</td><td>0.00</td><td>325</td><td>41 PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>52.60</td><td>68.67</td><td>-16.07</td><td>39.07</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>325</td><td>41 PEAK</td></tr><tr><td>4</td><td>5938.25</td><td>55.75</td><td>68.30</td><td>-12.55</td><td>42.22</td><td>35.00</td><td>10.53</td><td>32.00</td><td>0.00</td><td>325</td><td>41 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.63	58.70	114.03	-55.33	45.38	34.81	10.45	31.94	0.00	325	41 PEAK	2	5866.13	57.80	107.78	-49.98	44.43	34.06	10.46	31.95	0.00	325	41 PEAK	3	5924.50	52.60	68.67	-16.07	39.07	35.00	10.52	31.99	0.00	325	41 PEAK	4	5938.25	55.75	68.30	-12.55	42.22	35.00	10.53	32.00	0.00	325	41 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.92</td><td>-----</td><td>-----</td><td>94.69</td><td>34.75</td><td>10.43</td><td>31.95</td><td>0.00</td><td>325</td><td>41 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.92	-----	-----	94.69	34.75	10.43	31.95	0.00	325	41 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5853.63	58.70	114.03	-55.33	45.38	34.81	10.45	31.94	0.00	325	41 PEAK																																																																																																																															
2	5866.13	57.80	107.78	-49.98	44.43	34.06	10.46	31.95	0.00	325	41 PEAK																																																																																																																															
3	5924.50	52.60	68.67	-16.07	39.07	35.00	10.52	31.99	0.00	325	41 PEAK																																																																																																																															
4	5938.25	55.75	68.30	-12.55	42.22	35.00	10.53	32.00	0.00	325	41 PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.92	-----	-----	94.69	34.75	10.43	31.95	0.00	325	41 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.40</td><td>-----</td><td>-----</td><td>88.17</td><td>34.75</td><td>10.43</td><td>31.95</td><td>0.00</td><td>325</td><td>41 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.40	-----	-----	88.17	34.75	10.43	31.95	0.00	325	41 AVERAGE																																																																																	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5825.00	101.40	-----	-----	88.17	34.75	10.43	31.95	0.00	325	41 AVERAGE																																																																																																																															




Mode	53																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																				
ANT	CDD 5+18																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>61.14</td><td>38.40</td><td>15.02</td><td>60.77</td><td>0.00</td><td>101</td><td>279</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>51.49</td><td>38.40</td><td>15.02</td><td>60.77</td><td>0.00</td><td>101</td><td>279</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	53.79	74.00	-20.21	61.14	38.40	15.02	60.77	0.00	101	279	PEAK	2	11650.00	44.14	54.00	-9.86	51.49	38.40	15.02	60.77	0.00	101	279	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	53.79	74.00	-20.21	61.14	38.40	15.02	60.77	0.00	101	279	PEAK																																																									
2	11650.00	44.14	54.00	-9.86	51.49	38.40	15.02	60.77	0.00	101	279	AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>56.09</td><td>74.00</td><td>-17.91</td><td>63.44</td><td>38.40</td><td>15.02</td><td>60.77</td><td>0.00</td><td>100</td><td>347</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>54.81</td><td>38.40</td><td>15.02</td><td>60.77</td><td>0.00</td><td>100</td><td>347</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	56.09	74.00	-17.91	63.44	38.40	15.02	60.77	0.00	100	347	PEAK	2	11650.00	47.46	54.00	-6.54	54.81	38.40	15.02	60.77	0.00	100	347	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11650.00	56.09	74.00	-17.91	63.44	38.40	15.02	60.77	0.00	100	347	PEAK																																																									
2	11650.00	47.46	54.00	-6.54	54.81	38.40	15.02	60.77	0.00	100	347	AVERAGE																																																									






	54																																																																																																																																			
Mode	Band Edge - L																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																			
ANT	CDD 5+18																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5643.09</td><td>55.04</td><td>68.30</td><td>-13.26</td><td>42.37</td><td>34.49</td><td>10.28</td><td>32.10</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>2 5651.93</td><td>53.02</td><td>69.73</td><td>-16.71</td><td>40.32</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>3 5718.73</td><td>84.25</td><td>110.54</td><td>-26.29</td><td>71.41</td><td>34.54</td><td>10.34</td><td>32.04</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr><tr><td>4 5720.13</td><td>77.34</td><td>111.19</td><td>-33.85</td><td>64.49</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5643.09	55.04	68.30	-13.26	42.37	34.49	10.28	32.10	0.00	100	238	PEAK	2 5651.93	53.02	69.73	-16.71	40.32	34.50	10.29	32.09	0.00	100	238	PEAK	3 5718.73	84.25	110.54	-26.29	71.41	34.54	10.34	32.04	0.00	100	238	PEAK	4 5720.13	77.34	111.19	-33.85	64.49	34.54	10.34	32.03	0.00	100	238	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>109.55</td><td>-----</td><td>-----</td><td>96.59</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>238</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	109.55	-----	-----	96.59	34.60	10.37	32.01	0.00	100	238
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5643.09	55.04	68.30	-13.26	42.37	34.49	10.28	32.10	0.00	100	238	PEAK																																																																																																																									
2 5651.93	53.02	69.73	-16.71	40.32	34.50	10.29	32.09	0.00	100	238	PEAK																																																																																																																									
3 5718.73	84.25	110.54	-26.29	71.41	34.54	10.34	32.04	0.00	100	238	PEAK																																																																																																																									
4 5720.13	77.34	111.19	-33.85	64.49	34.54	10.34	32.03	0.00	100	238	PEAK																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	109.55	-----	-----	96.59	34.60	10.37	32.01	0.00	100	238	PEAK																																																																																																																									
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>103.07</td><td>-----</td><td>-----</td><td>90.11</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>100</td><td>238</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5755.00	103.07	-----	-----	90.11	34.60	10.37	32.01	0.00	100	238	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5755.00	103.07	-----	-----	90.11	34.60	10.37	32.01	0.00	100	238	AVERAGE																																																																																																																									




Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>52.33</td><td>111.26</td><td>-58.93</td><td>39.00</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>2</td><td>5874.54</td><td>53.65</td><td>105.43</td><td>-51.78</td><td>40.23</td><td>34.90</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>3</td><td>5923.87</td><td>53.40</td><td>69.13</td><td>-15.73</td><td>39.88</td><td>35.00</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>4</td><td>5928.75</td><td>53.82</td><td>68.30</td><td>-14.48</td><td>40.29</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	52.33	111.26	-58.93	39.00	34.82	10.45	31.94	0.00	100	230	PEAK	2	5874.54	53.65	105.43	-51.78	40.23	34.90	10.47	31.95	0.00	100	230	PEAK	3	5923.87	53.40	69.13	-15.73	39.88	35.00	10.51	31.99	0.00	100	230	PEAK	4	5928.75	53.82	68.30	-14.48	40.29	35.00	10.52	31.99	0.00	100	230	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.84	52.33	111.26	-58.93	39.00	34.82	10.45	31.94	0.00	100	230	PEAK																																																																																		
2	5874.54	53.65	105.43	-51.78	40.23	34.90	10.47	31.95	0.00	100	230	PEAK																																																																																		
3	5923.87	53.40	69.13	-15.73	39.88	35.00	10.51	31.99	0.00	100	230	PEAK																																																																																		
4	5928.75	53.82	68.30	-14.48	40.29	35.00	10.52	31.99	0.00	100	230	PEAK																																																																																		





		54																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5627.90</td><td>54.26</td><td>68.30</td><td>-14.04</td><td>41.62</td><td>34.46</td><td>10.27</td><td>32.09</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>52.38</td><td>68.58</td><td>-16.20</td><td>39.69</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5710.83</td><td>71.89</td><td>108.33</td><td>-36.44</td><td>59.08</td><td>34.52</td><td>10.33</td><td>32.04</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5720.59</td><td>80.64</td><td>112.25</td><td>-31.61</td><td>67.79</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.90	54.26	68.30	-14.04	41.62	34.46	10.27	32.09	0.00	300	35	PEAK	2	5650.38	52.38	68.58	-16.20	39.69	34.50	10.28	32.09	0.00	300	35	PEAK	3	5710.83	71.89	108.33	-36.44	59.08	34.52	10.33	32.04	0.00	300	35	PEAK	4	5720.59	80.64	112.25	-31.61	67.79	34.54	10.34	32.03	0.00	300	35
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5627.90	54.26	68.30	-14.04	41.62	34.46	10.27	32.09	0.00	300	35	PEAK																																																																																		
2	5650.38	52.38	68.58	-16.20	39.69	34.50	10.28	32.09	0.00	300	35	PEAK																																																																																		
3	5710.83	71.89	108.33	-36.44	59.08	34.52	10.33	32.04	0.00	300	35	PEAK																																																																																		
4	5720.59	80.64	112.25	-31.61	67.79	34.54	10.34	32.03	0.00	300	35	PEAK																																																																																		
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>108.40</td><td>-----</td><td>-----</td><td>95.44</td><td>34.60</td><td>10.37</td><td>32.01</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	108.40	-----	-----	95.44	34.60	10.37	32.01	0.00	300	35	PEAK																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	108.40	-----	-----	95.44	34.60	10.37	32.01	0.00	300	35	PEAK																																																																																		
Blank																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>100.20</td><td>-----</td><td>-----</td><td>87.21</td><td>34.62</td><td>10.37</td><td>32.00</td><td>0.00</td><td>300</td><td>35</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.20	-----	-----	87.21	34.62	10.37	32.00	0.00	300	35	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	100.20	-----	-----	87.21	34.62	10.37	32.00	0.00	300	35	AVERAGE																																																																																		






Mode	54																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.84</td><td>111.26</td><td>-59.42</td><td>38.51</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5874.73</td><td>53.00</td><td>105.38</td><td>-52.38</td><td>39.58</td><td>34.90</td><td>10.47</td><td>31.95</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>53.71</td><td>68.99</td><td>-15.28</td><td>40.19</td><td>35.00</td><td>10.51</td><td>31.99</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5946.10</td><td>55.72</td><td>68.30</td><td>-12.58</td><td>42.20</td><td>35.00</td><td>10.53</td><td>32.01</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.84	111.26	-59.42	38.51	34.82	10.45	31.94	0.00	300	35	PEAK	2	5874.73	53.00	105.38	-52.38	39.58	34.90	10.47	31.95	0.00	300	35	PEAK	3	5924.07	53.71	68.99	-15.28	40.19	35.00	10.51	31.99	0.00	300	35	PEAK	4	5946.10	55.72	68.30	-12.58	42.20	35.00	10.53	32.01	0.00	300	35	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.84	51.84	111.26	-59.42	38.51	34.82	10.45	31.94	0.00	300	35	PEAK																																																																																		
2	5874.73	53.00	105.38	-52.38	39.58	34.90	10.47	31.95	0.00	300	35	PEAK																																																																																		
3	5924.07	53.71	68.99	-15.28	40.19	35.00	10.51	31.99	0.00	300	35	PEAK																																																																																		
4	5946.10	55.72	68.30	-12.58	42.20	35.00	10.53	32.01	0.00	300	35	PEAK																																																																																		




Mode	54																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																								
ANT	CDD 5+18																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11510.00</td><td>46.44</td><td>74.00</td><td>-27.56</td><td>54.16</td><td>38.21</td><td>14.92</td><td>60.85</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11510.00	46.44	74.00	-27.56	54.16	38.21	14.92	60.85	0.00	---	---	PEAK	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 11510.00</td><td>56.31</td><td>74.00</td><td>-17.69</td><td>64.03</td><td>38.21</td><td>14.92</td><td>60.85</td><td>0.00</td><td>101</td><td>340</td><td>PEAK</td></tr><tr><td>2 11510.00</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>53.71</td><td>38.21</td><td>14.92</td><td>60.85</td><td>0.00</td><td>101</td><td>340</td><td>AVERAGE</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11510.00	56.31	74.00	-17.69	64.03	38.21	14.92	60.85	0.00	101	340	PEAK	2 11510.00	45.99	54.00	-8.01	53.71	38.21	14.92	60.85	0.00	101	340
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11510.00	46.44	74.00	-27.56	54.16	38.21	14.92	60.85	0.00	---	---	PEAK																																																																																																														
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1 11510.00	56.31	74.00	-17.69	64.03	38.21	14.92	60.85	0.00	101	340	PEAK																																																																																																														
2 11510.00	45.99	54.00	-8.01	53.71	38.21	14.92	60.85	0.00	101	340	AVERAGE																																																																																																														






Mode	55																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	CDD 5+18																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5613.46</td><td>55.37</td><td>68.30</td><td>-12.93</td><td>42.76</td><td>34.43</td><td>10.26</td><td>32.08</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>54.34</td><td>68.39</td><td>-14.05</td><td>41.65</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>55.87</td><td>105.31</td><td>-49.44</td><td>43.10</td><td>34.50</td><td>10.32</td><td>32.05</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>56.63</td><td>111.17</td><td>-54.54</td><td>43.78</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5613.46	55.37	68.30	-12.93	42.76	34.43	10.26	32.08	0.00	100	231	PEAK	2	5650.12	54.34	68.39	-14.05	41.65	34.50	10.28	32.09	0.00	100	231	PEAK	3	5700.04	55.87	105.31	-49.44	43.10	34.50	10.32	32.05	0.00	100	231	PEAK	4	5720.12	56.63	111.17	-54.54	43.78	34.54	10.34	32.03	0.00	100	231	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>111.88</td><td>-----</td><td>-----</td><td>98.81</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	111.88	-----	-----	98.81	34.66	10.39	31.98	0.00	100	231	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5613.46	55.37	68.30	-12.93	42.76	34.43	10.26	32.08	0.00	100	231	PEAK																																																																																																																															
2	5650.12	54.34	68.39	-14.05	41.65	34.50	10.28	32.09	0.00	100	231	PEAK																																																																																																																															
3	5700.04	55.87	105.31	-49.44	43.10	34.50	10.32	32.05	0.00	100	231	PEAK																																																																																																																															
4	5720.12	56.63	111.17	-54.54	43.78	34.54	10.34	32.03	0.00	100	231	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	111.88	-----	-----	98.81	34.66	10.39	31.98	0.00	100	231	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>103.50</td><td>-----</td><td>-----</td><td>90.36</td><td>34.70</td><td>10.41</td><td>31.97</td><td>0.00</td><td>100</td><td>231</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	103.50	-----	-----	90.36	34.70	10.41	31.97	0.00	100	231	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	103.50	-----	-----	90.36	34.70	10.41	31.97	0.00	100	231	AVERAGE																																																																																																																															




Mode	55																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																														
ANT	CDD 5+18																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>58.24</td><td>111.29</td><td>-53.05</td><td>44.91</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>2</td><td>5864.60</td><td>59.03</td><td>108.21</td><td>-49.18</td><td>45.66</td><td>34.06</td><td>10.46</td><td>31.95</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>53.90</td><td>68.38</td><td>-14.48</td><td>40.37</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr><tr><td>4</td><td>5938.53</td><td>55.64</td><td>68.30</td><td>-12.66</td><td>42.11</td><td>35.00</td><td>10.53</td><td>32.00</td><td>0.00</td><td>100</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.83	58.24	111.29	-53.05	44.91	34.82	10.45	31.94	0.00	100	231	PEAK	2	5864.60	59.03	108.21	-49.18	45.66	34.06	10.46	31.95	0.00	100	231	PEAK	3	5924.89	53.90	68.38	-14.48	40.37	35.00	10.52	31.99	0.00	100	231	PEAK	4	5938.53	55.64	68.30	-12.66	42.11	35.00	10.53	32.00	0.00	100	231	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.83	58.24	111.29	-53.05	44.91	34.82	10.45	31.94	0.00	100	231	PEAK																																																																																			
2	5864.60	59.03	108.21	-49.18	45.66	34.06	10.46	31.95	0.00	100	231	PEAK																																																																																			
3	5924.89	53.90	68.38	-14.48	40.37	35.00	10.52	31.99	0.00	100	231	PEAK																																																																																			
4	5938.53	55.64	68.30	-12.66	42.11	35.00	10.53	32.00	0.00	100	231	PEAK																																																																																			





	55																																																																																																																																													
Mode	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																													
ANT	CDD 5+18																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.59</td><td>53.02</td><td>68.30</td><td>-15.28</td><td>40.36</td><td>34.48</td><td>10.28</td><td>32.10</td><td>0.00</td><td>363</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5650.70</td><td>53.55</td><td>68.82</td><td>-15.27</td><td>40.85</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>363</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5700.82</td><td>52.82</td><td>105.53</td><td>-52.71</td><td>40.04</td><td>34.50</td><td>10.33</td><td>32.05</td><td>0.00</td><td>363</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5720.51</td><td>52.73</td><td>112.06</td><td>-59.33</td><td>39.88</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>363</td><td>38</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.59	53.02	68.30	-15.28	40.36	34.48	10.28	32.10	0.00	363	38	PEAK	2	5650.70	53.55	68.82	-15.27	40.85	34.50	10.29	32.09	0.00	363	38	PEAK	3	5700.82	52.82	105.53	-52.71	40.04	34.50	10.33	32.05	0.00	363	38	PEAK	4	5720.51	52.73	112.06	-59.33	39.88	34.54	10.34	32.03	0.00	363	38	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>108.73</td><td>-----</td><td>-----</td><td>95.63</td><td>34.68</td><td>10.40</td><td>31.98</td><td>0.00</td><td>363</td><td>38</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	108.73	-----	-----	95.63	34.68	10.40	31.98	0.00	363	38	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5639.59	53.02	68.30	-15.28	40.36	34.48	10.28	32.10	0.00	363	38	PEAK																																																																																																																																		
2	5650.70	53.55	68.82	-15.27	40.85	34.50	10.29	32.09	0.00	363	38	PEAK																																																																																																																																		
3	5700.82	52.82	105.53	-52.71	40.04	34.50	10.33	32.05	0.00	363	38	PEAK																																																																																																																																		
4	5720.51	52.73	112.06	-59.33	39.88	34.54	10.34	32.03	0.00	363	38	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	108.73	-----	-----	95.63	34.68	10.40	31.98	0.00	363	38	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.35</td><td>-----</td><td>-----</td><td>87.23</td><td>34.69</td><td>10.40</td><td>31.97</td><td>0.00</td><td>363</td><td>38</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.35	-----	-----	87.23	34.69	10.40	31.97	0.00	363	38	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5795.00	100.35	-----	-----	87.23	34.69	10.40	31.97	0.00	363	38	AVERAGE																																																																																																																																		






Mode	55																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																														
ANT	CDD 5+18																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.68</td><td>54.63</td><td>111.64</td><td>-57.01</td><td>41.30</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>363</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5873.59</td><td>54.59</td><td>105.70</td><td>-51.11</td><td>41.18</td><td>34.89</td><td>10.47</td><td>31.95</td><td>0.00</td><td>363</td><td>30</td><td>PEAK</td></tr><tr><td>3</td><td>5924.58</td><td>53.45</td><td>68.61</td><td>-15.16</td><td>39.92</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>363</td><td>30</td><td>PEAK</td></tr><tr><td>4</td><td>5925.20</td><td>55.41</td><td>68.30</td><td>-12.89</td><td>41.88</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>363</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.68	54.63	111.64	-57.01	41.30	34.82	10.45	31.94	0.00	363	30	PEAK	2	5873.59	54.59	105.70	-51.11	41.18	34.89	10.47	31.95	0.00	363	30	PEAK	3	5924.58	53.45	68.61	-15.16	39.92	35.00	10.52	31.99	0.00	363	30	PEAK	4	5925.20	55.41	68.30	-12.89	41.88	35.00	10.52	31.99	0.00	363	30	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.68	54.63	111.64	-57.01	41.30	34.82	10.45	31.94	0.00	363	30	PEAK																																																																																			
2	5873.59	54.59	105.70	-51.11	41.18	34.89	10.47	31.95	0.00	363	30	PEAK																																																																																			
3	5924.58	53.45	68.61	-15.16	39.92	35.00	10.52	31.99	0.00	363	30	PEAK																																																																																			
4	5925.20	55.41	68.30	-12.89	41.88	35.00	10.52	31.99	0.00	363	30	PEAK																																																																																			




		55																																																																										
Mode		Harmonic																																																																										
		U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																										
ANT		CDD 5+18																																																																										
Pol.		Horizontal						Vertical																																																																				
Peak Avg																																																																												
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>45.71</td><td>74.00</td><td>-28.29</td><td>53.25</td><td>38.29</td><td>14.98</td><td>60.81</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11590.00	45.71	74.00	-28.29	53.25	38.29	14.98	60.81	0.00	---	---	---	PEAK													
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1 11590.00	45.71	74.00	-28.29	53.25	38.29	14.98	60.81	0.00	---	---	---	PEAK																																																																
																																																																												
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11590.00</td><td>48.98</td><td>74.00</td><td>-25.02</td><td>56.52</td><td>38.29</td><td>14.98</td><td>60.81</td><td>0.00</td><td>106</td><td>340</td><td>---</td><td>PEAK</td></tr><tr><td>2 11590.00</td><td>44.75</td><td>54.00</td><td>-9.25</td><td>52.29</td><td>38.29</td><td>14.98</td><td>60.81</td><td>0.00</td><td>106</td><td>340</td><td>---</td><td>AVERAGE</td></tr></tbody></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 11590.00	48.98	74.00	-25.02	56.52	38.29	14.98	60.81	0.00	106	340	---	PEAK	2 11590.00	44.75	54.00	-9.25	52.29	38.29	14.98	60.81	0.00	106	340	---	AVERAGE
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																	
1 11590.00	48.98	74.00	-25.02	56.52	38.29	14.98	60.81	0.00	106	340	---	PEAK																																																																
2 11590.00	44.75	54.00	-9.25	52.29	38.29	14.98	60.81	0.00	106	340	---	AVERAGE																																																																






Mode	56																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																															
ANT	CDD 5+18																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5647.08</td><td>58.30</td><td>68.30</td><td>-10.00</td><td>45.62</td><td>34.49</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>58.91</td><td>68.60</td><td>-9.69</td><td>46.22</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>3</td><td>5714.63</td><td>78.75</td><td>109.40</td><td>-30.65</td><td>65.92</td><td>34.53</td><td>10.34</td><td>32.04</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>78.29</td><td>111.01</td><td>-32.72</td><td>65.44</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5647.08	58.30	68.30	-10.00	45.62	34.49	10.28	32.09	0.00	100	227 PEAK	2	5650.40	58.91	68.60	-9.69	46.22	34.50	10.28	32.09	0.00	100	227 PEAK	3	5714.63	78.75	109.40	-30.65	65.92	34.53	10.34	32.04	0.00	100	227 PEAK	4	5720.05	78.29	111.01	-32.72	65.44	34.54	10.34	32.03	0.00	100	227 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5647.08	58.30	68.30	-10.00	45.62	34.49	10.28	32.09	0.00	100	227 PEAK																																																																																					
2	5650.40	58.91	68.60	-9.69	46.22	34.50	10.28	32.09	0.00	100	227 PEAK																																																																																					
3	5714.63	78.75	109.40	-30.65	65.92	34.53	10.34	32.04	0.00	100	227 PEAK																																																																																					
4	5720.05	78.29	111.01	-32.72	65.44	34.54	10.34	32.03	0.00	100	227 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5775.00</td><td>107.91</td><td>-----</td><td>-----</td><td>94.99</td><td>34.58</td><td>10.36</td><td>32.02</td><td>0.00</td><td>100</td><td>227 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	107.91	-----	-----	94.99	34.58	10.36	32.02	0.00	100	227 PEAK																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5775.00	107.91	-----	-----	94.99	34.58	10.36	32.02	0.00	100	227 PEAK																																																																																					
Blank																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5775.00</td><td>99.33</td><td>-----</td><td>-----</td><td>86.30</td><td>34.64</td><td>10.38</td><td>31.99</td><td>0.00</td><td>100</td><td>227 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	99.33	-----	-----	86.30	34.64	10.38	31.99	0.00	100	227 AVERAGE																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5775.00	99.33	-----	-----	86.30	34.64	10.38	31.99	0.00	100	227 AVERAGE																																																																																					




Mode	56																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																														
ANT	CDD 5+18																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.10</td><td>75.78</td><td>112.95</td><td>-37.17</td><td>62.45</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>5870.20</td><td>73.20</td><td>106.64</td><td>-33.44</td><td>59.80</td><td>34.88</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>53.55</td><td>68.71</td><td>-15.16</td><td>40.02</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr><tr><td>4</td><td>5944.58</td><td>54.84</td><td>68.30</td><td>-13.46</td><td>41.32</td><td>35.00</td><td>10.53</td><td>32.01</td><td>0.00</td><td>100</td><td>227</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.10	75.78	112.95	-37.17	62.45	34.82	10.45	31.94	0.00	100	227	PEAK	2	5870.20	73.20	106.64	-33.44	59.80	34.88	10.47	31.95	0.00	100	227	PEAK	3	5924.45	53.55	68.71	-15.16	40.02	35.00	10.52	31.99	0.00	100	227	PEAK	4	5944.58	54.84	68.30	-13.46	41.32	35.00	10.53	32.01	0.00	100	227	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.10	75.78	112.95	-37.17	62.45	34.82	10.45	31.94	0.00	100	227	PEAK																																																																																			
2	5870.20	73.20	106.64	-33.44	59.80	34.88	10.47	31.95	0.00	100	227	PEAK																																																																																			
3	5924.45	53.55	68.71	-15.16	40.02	35.00	10.52	31.99	0.00	100	227	PEAK																																																																																			
4	5944.58	54.84	68.30	-13.46	41.32	35.00	10.53	32.01	0.00	100	227	PEAK																																																																																			




Mode	56																																																																																																																																													
	Band Edge - L																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																													
ANT	CDD 5+18																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.48</td><td>56.69</td><td>68.30</td><td>-11.61</td><td>44.00</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>383</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5650.05</td><td>57.61</td><td>68.34</td><td>-10.73</td><td>44.92</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>383</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5707.98</td><td>71.54</td><td>107.54</td><td>-36.00</td><td>58.73</td><td>34.52</td><td>10.33</td><td>32.04</td><td>0.00</td><td>383</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>72.79</td><td>111.41</td><td>-38.62</td><td>59.94</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>383</td><td>36</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.48	56.69	68.30	-11.61	44.00	34.50	10.28	32.09	0.00	383	36	PEAK	2	5650.05	57.61	68.34	-10.73	44.92	34.50	10.28	32.09	0.00	383	36	PEAK	3	5707.98	71.54	107.54	-36.00	58.73	34.52	10.33	32.04	0.00	383	36	PEAK	4	5720.23	72.79	111.41	-38.62	59.94	34.54	10.34	32.03	0.00	383	36	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.40</td><td>-----</td><td>-----</td><td>90.35</td><td>34.65</td><td>10.39</td><td>31.99</td><td>0.00</td><td>383</td><td>36</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.40	-----	-----	90.35	34.65	10.39	31.99	0.00	383	36	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5648.48	56.69	68.30	-11.61	44.00	34.50	10.28	32.09	0.00	383	36	PEAK																																																																																																																																		
2	5650.05	57.61	68.34	-10.73	44.92	34.50	10.28	32.09	0.00	383	36	PEAK																																																																																																																																		
3	5707.98	71.54	107.54	-36.00	58.73	34.52	10.33	32.04	0.00	383	36	PEAK																																																																																																																																		
4	5720.23	72.79	111.41	-38.62	59.94	34.54	10.34	32.03	0.00	383	36	PEAK																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	103.40	-----	-----	90.35	34.65	10.39	31.99	0.00	383	36	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.17</td><td>-----</td><td>-----</td><td>82.10</td><td>34.66</td><td>10.39</td><td>31.98</td><td>0.00</td><td>383</td><td>36</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.17	-----	-----	82.10	34.66	10.39	31.98	0.00	383	36	AVERAGE																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5775.00	95.17	-----	-----	82.10	34.66	10.39	31.98	0.00	383	36	AVERAGE																																																																																																																																		



Mode	56																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.23</td><td>69.73</td><td>114.95</td><td>-45.22</td><td>56.41</td><td>34.81</td><td>10.45</td><td>31.94</td><td>0.00</td><td>303</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5870.20</td><td>67.90</td><td>106.64</td><td>-38.74</td><td>54.50</td><td>34.88</td><td>10.47</td><td>31.95</td><td>0.00</td><td>303</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5923.93</td><td>53.96</td><td>69.09</td><td>-15.13</td><td>40.44</td><td>35.00</td><td>10.51</td><td>31.99</td><td>0.00</td><td>303</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5940.03</td><td>55.25</td><td>68.30</td><td>-13.05</td><td>41.72</td><td>35.00</td><td>10.53</td><td>32.00</td><td>0.00</td><td>303</td><td>36</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.23	69.73	114.95	-45.22	56.41	34.81	10.45	31.94	0.00	303	36	PEAK	2	5870.20	67.90	106.64	-38.74	54.50	34.88	10.47	31.95	0.00	303	36	PEAK	3	5923.93	53.96	69.09	-15.13	40.44	35.00	10.51	31.99	0.00	303	36	PEAK	4	5940.03	55.25	68.30	-13.05	41.72	35.00	10.53	32.00	0.00	303	36	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5853.23	69.73	114.95	-45.22	56.41	34.81	10.45	31.94	0.00	303	36	PEAK																																																																																		
2	5870.20	67.90	106.64	-38.74	54.50	34.88	10.47	31.95	0.00	303	36	PEAK																																																																																		
3	5923.93	53.96	69.09	-15.13	40.44	35.00	10.51	31.99	0.00	303	36	PEAK																																																																																		
4	5940.03	55.25	68.30	-13.05	41.72	35.00	10.53	32.00	0.00	303	36	PEAK																																																																																		





		56																																																																				
Mode		Harmonic																																																																				
		U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																				
ANT		CDD 5+18																																																																				
Pol.		Horizontal						Vertical																																																														
Peak Avg																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>53.62</td><td>38.25</td><td>14.95</td><td>60.83</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	45.99	74.00	-28.01	53.62	38.25	14.95	60.83	0.00	---	---	PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11550.00	45.99	74.00	-28.01	53.62	38.25	14.95	60.83	0.00	---	---	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>54.68</td><td>38.25</td><td>14.95</td><td>60.83</td><td>0.00</td><td>168</td><td>348</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>49.30</td><td>38.27</td><td>14.97</td><td>60.82</td><td>0.00</td><td>168</td><td>348</td><td>AVERAGE</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	47.05	74.00	-26.95	54.68	38.25	14.95	60.83	0.00	168	348	PEAK	2	11550.00	41.72	54.00	-12.28	49.30	38.27	14.97	60.82	0.00	168	348	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11550.00	47.05	74.00	-26.95	54.68	38.25	14.95	60.83	0.00	168	348	PEAK																																																										
2	11550.00	41.72	54.00	-12.28	49.30	38.27	14.97	60.82	0.00	168	348	AVERAGE																																																										






Mode	57																																																																																																																																																											
	Band Edge																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																																											
ANT	CDD 5+18																																																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																																																					
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5627.26</td><td>55.49</td><td>68.30</td><td>-12.81</td><td>42.06</td><td>34.45</td><td>10.27</td><td>32.09</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>2</td><td>5651.33</td><td>54.88</td><td>69.29</td><td>-14.41</td><td>42.18</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>3</td><td>5701.65</td><td>54.18</td><td>105.76</td><td>-51.58</td><td>41.40</td><td>34.50</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>53.37</td><td>111.70</td><td>-58.33</td><td>40.52</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5627.26	55.49	68.30	-12.81	42.06	34.45	10.27	32.09	0.00	100	232 PEAK	2	5651.33	54.88	69.29	-14.41	42.18	34.50	10.29	32.09	0.00	100	232 PEAK	3	5701.65	54.18	105.76	-51.58	41.40	34.50	10.33	32.05	0.00	100	232 PEAK	4	5720.35	53.37	111.70	-58.33	40.52	34.54	10.34	32.03	0.00	100	232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.91</td><td>-----</td><td>-----</td><td>103.01</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	115.91	-----	-----	103.01	34.57	10.35	32.02	0.00	100	232 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5627.26	55.49	68.30	-12.81	42.06	34.45	10.27	32.09	0.00	100	232 PEAK																																																																																																																																																	
2	5651.33	54.88	69.29	-14.41	42.18	34.50	10.29	32.09	0.00	100	232 PEAK																																																																																																																																																	
3	5701.65	54.18	105.76	-51.58	41.40	34.50	10.33	32.05	0.00	100	232 PEAK																																																																																																																																																	
4	5720.35	53.37	111.70	-58.33	40.52	34.54	10.34	32.03	0.00	100	232 PEAK																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5745.00	115.91	-----	-----	103.01	34.57	10.35	32.02	0.00	100	232 PEAK																																																																																																																																																	
Avg	Blank												<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.52</td><td>-----</td><td>-----</td><td>94.62</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	107.52	-----	-----	94.62	34.57	10.35	32.02	0.00	100	232 AVERAGE																																																																																				
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	5745.00	107.52	-----	-----	94.62	34.57	10.35	32.02	0.00	100	232 AVERAGE																																																																																																																																																	






Mode	57																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5615.23</td><td>54.18</td><td>68.30</td><td>-14.12</td><td>41.57</td><td>34.43</td><td>10.26</td><td>32.08</td><td>0.00</td><td>373</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5650.46</td><td>52.95</td><td>68.64</td><td>-15.69</td><td>40.26</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>373</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5702.95</td><td>53.05</td><td>106.13</td><td>-53.08</td><td>40.26</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>373</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.54</td><td>111.04</td><td>-57.50</td><td>40.69</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>373</td><td>38</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5615.23	54.18	68.30	-14.12	41.57	34.43	10.26	32.08	0.00	373	38	PEAK	2	5650.46	52.95	68.64	-15.69	40.26	34.50	10.28	32.09	0.00	373	38	PEAK	3	5702.95	53.05	106.13	-53.08	40.26	34.51	10.33	32.05	0.00	373	38	PEAK	4	5720.06	53.54	111.04	-57.50	40.69	34.54	10.34	32.03	0.00	373	38	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5615.23	54.18	68.30	-14.12	41.57	34.43	10.26	32.08	0.00	373	38	PEAK																																																																																		
2	5650.46	52.95	68.64	-15.69	40.26	34.50	10.28	32.09	0.00	373	38	PEAK																																																																																		
3	5702.95	53.05	106.13	-53.08	40.26	34.51	10.33	32.05	0.00	373	38	PEAK																																																																																		
4	5720.06	53.54	111.04	-57.50	40.69	34.54	10.34	32.03	0.00	373	38	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.41</td><td>-----</td><td>-----</td><td>91.51</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>373</td><td>38</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.41	-----	-----	91.51	34.57	10.35	32.02	0.00	373	38	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5745.00	104.41	-----	-----	91.51	34.57	10.35	32.02	0.00	373	38	AVERAGE																																																																																		





Mode	58																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																							
ANT	CDD 5+18																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>53.20</td><td>111.18</td><td>-57.98</td><td>39.87</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5872.63</td><td>55.14</td><td>105.96</td><td>-50.82</td><td>41.73</td><td>34.89</td><td>10.47</td><td>31.95</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>53.18</td><td>68.30</td><td>-15.12</td><td>39.65</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>5947.13</td><td>55.04</td><td>68.30</td><td>-13.26</td><td>41.51</td><td>35.00</td><td>10.54</td><td>32.01</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.88	53.20	111.18	-57.98	39.87	34.82	10.45	31.94	0.00	101	233	PEAK	2	5872.63	55.14	105.96	-50.82	41.73	34.89	10.47	31.95	0.00	101	233	PEAK	3	5925.00	53.18	68.30	-15.12	39.65	35.00	10.52	31.99	0.00	101	233	PEAK	4	5947.13	55.04	68.30	-13.26	41.51	35.00	10.54	32.01	0.00	101	233	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.29</td><td>-----</td><td>-----</td><td>100.04</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>101</td><td>233</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	113.29	-----	-----	100.04	34.76	10.43	31.94	0.00	101	233	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5854.88	53.20	111.18	-57.98	39.87	34.82	10.45	31.94	0.00	101	233	PEAK																																																																																																												
2	5872.63	55.14	105.96	-50.82	41.73	34.89	10.47	31.95	0.00	101	233	PEAK																																																																																																												
3	5925.00	53.18	68.30	-15.12	39.65	35.00	10.52	31.99	0.00	101	233	PEAK																																																																																																												
4	5947.13	55.04	68.30	-13.26	41.51	35.00	10.54	32.01	0.00	101	233	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5825.00	113.29	-----	-----	100.04	34.76	10.43	31.94	0.00	101	233	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.62</td><td>-----</td><td>-----</td><td>92.35</td><td>34.77</td><td>10.44</td><td>31.94</td><td>0.00</td><td>101</td><td>233</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	105.62	-----	-----	92.35	34.77	10.44	31.94	0.00	101	233	AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5825.00	105.62	-----	-----	92.35	34.77	10.44	31.94	0.00	101	233	AVERAGE																																																																																																												





		58																																																																																																																																									
Mode	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																										
ANT	CDD 5+18																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.10</td><td>110.90</td><td>-57.80</td><td>39.77</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>358</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>5874.75</td><td>54.01</td><td>105.37</td><td>-51.36</td><td>40.59</td><td>34.90</td><td>10.47</td><td>31.95</td><td>0.00</td><td>358</td><td>41</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>52.19</td><td>68.30</td><td>-16.11</td><td>38.66</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>358</td><td>41</td><td>PEAK</td></tr><tr><td>4</td><td>5939.13</td><td>55.14</td><td>68.30</td><td>-13.16</td><td>41.61</td><td>35.00</td><td>10.53</td><td>32.00</td><td>0.00</td><td>358</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	53.10	110.90	-57.80	39.77	34.82	10.45	31.94	0.00	358	41	PEAK	2	5874.75	54.01	105.37	-51.36	40.59	34.90	10.47	31.95	0.00	358	41	PEAK	3	5925.00	52.19	68.30	-16.11	38.66	35.00	10.52	31.99	0.00	358	41	PEAK	4	5939.13	55.14	68.30	-13.16	41.61	35.00	10.53	32.00	0.00	358	41	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.84</td><td>-----</td><td>-----</td><td>94.57</td><td>34.77</td><td>10.44</td><td>31.94</td><td>0.00</td><td>358</td><td>41</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.84	-----	-----	94.57	34.77	10.44	31.94	0.00	358	41	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5855.00	53.10	110.90	-57.80	39.77	34.82	10.45	31.94	0.00	358	41	PEAK																																																																																																																															
2	5874.75	54.01	105.37	-51.36	40.59	34.90	10.47	31.95	0.00	358	41	PEAK																																																																																																																															
3	5925.00	52.19	68.30	-16.11	38.66	35.00	10.52	31.99	0.00	358	41	PEAK																																																																																																																															
4	5939.13	55.14	68.30	-13.16	41.61	35.00	10.53	32.00	0.00	358	41	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	107.84	-----	-----	94.57	34.77	10.44	31.94	0.00	358	41	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.03</td><td>-----</td><td>-----</td><td>87.76</td><td>34.77</td><td>10.44</td><td>31.94</td><td>0.00</td><td>358</td><td>41</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.03	-----	-----	87.76	34.77	10.44	31.94	0.00	358	41	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	101.03	-----	-----	87.76	34.77	10.44	31.94	0.00	358	41	AVERAGE																																																																																																																															





		59																																																																																								
Mode		Band Edge																																																																																								
		U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																								
ANT		CDD 5+18																																																																																								
Pol.		Horizontal																																																																																								
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5602.61</td><td>55.02</td><td>68.30</td><td>-13.28</td><td>42.45</td><td>34.41</td><td>10.24</td><td>32.08</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr><tr><td>2</td><td>5651.91</td><td>54.65</td><td>69.72</td><td>-15.07</td><td>41.95</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr><tr><td>3</td><td>5703.97</td><td>56.39</td><td>106.41</td><td>-50.02</td><td>43.60</td><td>34.51</td><td>10.33</td><td>32.05</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>59.46</td><td>112.03</td><td>-52.57</td><td>46.61</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5602.61	55.02	68.30	-13.28	42.45	34.41	10.24	32.08	0.00	100	230 PEAK	2	5651.91	54.65	69.72	-15.07	41.95	34.50	10.29	32.09	0.00	100	230 PEAK	3	5703.97	56.39	106.41	-50.02	43.60	34.51	10.33	32.05	0.00	100	230 PEAK	4	5720.50	59.46	112.03	-52.57	46.61	34.54	10.34	32.03	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5602.61	55.02	68.30	-13.28	42.45	34.41	10.24	32.08	0.00	100	230 PEAK																																																																															
2	5651.91	54.65	69.72	-15.07	41.95	34.50	10.29	32.09	0.00	100	230 PEAK																																																																															
3	5703.97	56.39	106.41	-50.02	43.60	34.51	10.33	32.05	0.00	100	230 PEAK																																																																															
4	5720.50	59.46	112.03	-52.57	46.61	34.54	10.34	32.03	0.00	100	230 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>115.59</td><td>-----</td><td>-----</td><td>102.69</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	115.59	-----	-----	102.69	34.57	10.35	32.02	0.00	100	230 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5745.00	115.59	-----	-----	102.69	34.57	10.35	32.02	0.00	100	230 PEAK																																																																															






Mode	59																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20 _CH149_RU52/37_5745MHz																																																																																							
ANT	CDD 5+18																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5628.28</td><td>53.79</td><td>68.30</td><td>-14.51</td><td>41.15</td><td>34.46</td><td>10.27</td><td>32.09</td><td>0.00</td><td>371 38 PEAK</td></tr><tr><td>2</td><td>5658.90</td><td>53.43</td><td>68.97</td><td>-15.54</td><td>40.73</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>371 38 PEAK</td></tr><tr><td>3</td><td>5702.23</td><td>54.56</td><td>105.92</td><td>-51.36</td><td>41.78</td><td>34.50</td><td>10.33</td><td>32.05</td><td>0.00</td><td>371 38 PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>54.92</td><td>112.69</td><td>-57.77</td><td>42.07</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>371 38 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5628.28	53.79	68.30	-14.51	41.15	34.46	10.27	32.09	0.00	371 38 PEAK	2	5658.90	53.43	68.97	-15.54	40.73	34.50	10.29	32.09	0.00	371 38 PEAK	3	5702.23	54.56	105.92	-51.36	41.78	34.50	10.33	32.05	0.00	371 38 PEAK	4	5720.79	54.92	112.69	-57.77	42.07	34.54	10.34	32.03	0.00	371 38 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5628.28	53.79	68.30	-14.51	41.15	34.46	10.27	32.09	0.00	371 38 PEAK																																																																														
2	5658.90	53.43	68.97	-15.54	40.73	34.50	10.29	32.09	0.00	371 38 PEAK																																																																														
3	5702.23	54.56	105.92	-51.36	41.78	34.50	10.33	32.05	0.00	371 38 PEAK																																																																														
4	5720.79	54.92	112.69	-57.77	42.07	34.54	10.34	32.03	0.00	371 38 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.35</td><td>-----</td><td>-----</td><td>91.45</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>371 38 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.35	-----	-----	91.45	34.57	10.35	32.02	0.00	371 38 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5745.00	104.35	-----	-----	91.45	34.57	10.35	32.02	0.00	371 38 AVERAGE																																																																														






Mode	60																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Horizontal																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.38</td><td>55.72</td><td>112.32</td><td>-56.60</td><td>42.39</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5870.50</td><td>55.36</td><td>106.56</td><td>-51.20</td><td>41.96</td><td>34.88</td><td>10.47</td><td>31.95</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>56.05</td><td>68.39</td><td>-12.34</td><td>42.52</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5932.75</td><td>55.62</td><td>68.30</td><td>-12.68</td><td>42.10</td><td>35.00</td><td>10.52</td><td>32.00</td><td>0.00</td><td>100</td><td>232</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.38	55.72	112.32	-56.60	42.39	34.82	10.45	31.94	0.00	100	232	PEAK	2	5870.50	55.36	106.56	-51.20	41.96	34.88	10.47	31.95	0.00	100	232	PEAK	3	5924.88	56.05	68.39	-12.34	42.52	35.00	10.52	31.99	0.00	100	232	PEAK	4	5932.75	55.62	68.30	-12.68	42.10	35.00	10.52	32.00	0.00	100	232	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.38	55.72	112.32	-56.60	42.39	34.82	10.45	31.94	0.00	100	232	PEAK																																																																																		
2	5870.50	55.36	106.56	-51.20	41.96	34.88	10.47	31.95	0.00	100	232	PEAK																																																																																		
3	5924.88	56.05	68.39	-12.34	42.52	35.00	10.52	31.99	0.00	100	232	PEAK																																																																																		
4	5932.75	55.62	68.30	-12.68	42.10	35.00	10.52	32.00	0.00	100	232	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>106.17</td><td>-----</td><td>-----</td><td>92.92</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>232</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.17	-----	-----	92.92	34.76	10.43	31.94	0.00	100	232	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5825.00	106.17	-----	-----	92.92	34.76	10.43	31.94	0.00	100	232	AVERAGE																																																																																		





Mode	60																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE20 _CH165_RU52/40_5825MHz																																																																																																																																				
ANT	CDD 5+18																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>52.71</td><td>111.18</td><td>-58.47</td><td>39.38</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>360</td><td>42</td><td>PEAK</td></tr><tr><td>2 5871.38</td><td>55.21</td><td>106.31</td><td>-51.10</td><td>41.80</td><td>34.89</td><td>10.47</td><td>31.95</td><td>0.00</td><td>360</td><td>42</td><td>PEAK</td></tr><tr><td>3 5924.63</td><td>52.44</td><td>68.58</td><td>-16.14</td><td>38.91</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>360</td><td>42</td><td>PEAK</td></tr><tr><td>4 5930.38</td><td>55.03</td><td>68.30</td><td>-13.27</td><td>41.51</td><td>35.00</td><td>10.52</td><td>32.00</td><td>0.00</td><td>360</td><td>42</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.88	52.71	111.18	-58.47	39.38	34.82	10.45	31.94	0.00	360	42	PEAK	2 5871.38	55.21	106.31	-51.10	41.80	34.89	10.47	31.95	0.00	360	42	PEAK	3 5924.63	52.44	68.58	-16.14	38.91	35.00	10.52	31.99	0.00	360	42	PEAK	4 5930.38	55.03	68.30	-13.27	41.51	35.00	10.52	32.00	0.00	360	42	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.99</td><td>-----</td><td>-----</td><td>95.74</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>360</td><td>42</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	108.99	-----	-----	95.74	34.76	10.43	31.94	0.00	360	42	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.88	52.71	111.18	-58.47	39.38	34.82	10.45	31.94	0.00	360	42	PEAK																																																																																																																										
2 5871.38	55.21	106.31	-51.10	41.80	34.89	10.47	31.95	0.00	360	42	PEAK																																																																																																																										
3 5924.63	52.44	68.58	-16.14	38.91	35.00	10.52	31.99	0.00	360	42	PEAK																																																																																																																										
4 5930.38	55.03	68.30	-13.27	41.51	35.00	10.52	32.00	0.00	360	42	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	108.99	-----	-----	95.74	34.76	10.43	31.94	0.00	360	42	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.96</td><td>-----</td><td>-----</td><td>87.71</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>360</td><td>42</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	100.96	-----	-----	87.71	34.76	10.43	31.94	0.00	360	42	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	100.96	-----	-----	87.71	34.76	10.43	31.94	0.00	360	42	AVERAGE																																																																																																																										






	61																																																																																		
Mode	Band Edge																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																		
ANT	CDD 5+18																																																																																		
Pol.	Horizontal																																																																																		
Peak																																																																																			
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5648.87</td><td>54.12</td><td>68.30</td><td>-14.18</td><td>41.43</td><td>34.50</td><td>10.28</td><td>32.09</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>2</td><td>5652.06</td><td>53.42</td><td>69.83</td><td>-16.41</td><td>40.72</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>3</td><td>5716.73</td><td>63.73</td><td>109.98</td><td>-46.25</td><td>50.90</td><td>34.53</td><td>10.34</td><td>32.04</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr><tr><td>4</td><td>5720.79</td><td>65.46</td><td>112.69</td><td>-47.23</td><td>52.61</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>												Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.87	54.12	68.30	-14.18	41.43	34.50	10.28	32.09	0.00	100	232 PEAK	2	5652.06	53.42	69.83	-16.41	40.72	34.50	10.29	32.09	0.00	100	232 PEAK	3	5716.73	63.73	109.98	-46.25	50.90	34.53	10.34	32.04	0.00	100	232 PEAK	4	5720.79	65.46	112.69	-47.23	52.61	34.54	10.34	32.03	0.00	100	232 PEAK
		Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5648.87	54.12	68.30	-14.18	41.43	34.50	10.28	32.09	0.00	100	232 PEAK																																																																								
2	5652.06	53.42	69.83	-16.41	40.72	34.50	10.29	32.09	0.00	100	232 PEAK																																																																								
3	5716.73	63.73	109.98	-46.25	50.90	34.53	10.34	32.04	0.00	100	232 PEAK																																																																								
4	5720.79	65.46	112.69	-47.23	52.61	34.54	10.34	32.03	0.00	100	232 PEAK																																																																								
Fundamental																																																																																			
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>115.73</td><td>-----</td><td>-----</td><td>102.83</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>232 PEAK</td></tr></tbody></table>												Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	115.73	-----	-----	102.83	34.57	10.35	32.02	0.00	100	232 PEAK																																				
		Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5745.00	115.73	-----	-----	102.83	34.57	10.35	32.02	0.00	100	232 PEAK																																																																								
Avg	Blank																																																																																		
																																																																																			
	<table><thead><tr><th></th><th>Limit Freq</th><th>Limit Level</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.91</td><td>-----</td><td>-----</td><td>94.01</td><td>34.57</td><td>10.35</td><td>32.02</td><td>0.00</td><td>100</td><td>232 AVERAGE</td></tr></tbody></table>												Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.91	-----	-----	94.01	34.57	10.35	32.02	0.00	100	232 AVERAGE																																				
	Limit Freq	Limit Level	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp	Aux	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5745.00	106.91	-----	-----	94.01	34.57	10.35	32.02	0.00	100	232 AVERAGE																																																																								






Mode	61																																																																																													
	Band Edge																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																													
ANT	CDD 5+18																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5629.73</td><td>53.60</td><td>68.30</td><td>-14.70</td><td>40.96</td><td>34.46</td><td>10.27</td><td>32.09</td><td>0.00</td><td>371</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>52.21</td><td>69.50</td><td>-17.29</td><td>39.51</td><td>34.50</td><td>10.29</td><td>32.09</td><td>0.00</td><td>371</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5716.73</td><td>59.42</td><td>109.98</td><td>-50.56</td><td>46.59</td><td>34.53</td><td>10.34</td><td>32.04</td><td>0.00</td><td>371</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>58.31</td><td>111.04</td><td>-52.73</td><td>45.46</td><td>34.54</td><td>10.34</td><td>32.03</td><td>0.00</td><td>371</td><td>36</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.73	53.60	68.30	-14.70	40.96	34.46	10.27	32.09	0.00	371	36	PEAK	2	5651.62	52.21	69.50	-17.29	39.51	34.50	10.29	32.09	0.00	371	36	PEAK	3	5716.73	59.42	109.98	-50.56	46.59	34.53	10.34	32.04	0.00	371	36	PEAK	4	5720.06	58.31	111.04	-52.73	45.46	34.54	10.34	32.03	0.00	371	36	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5629.73	53.60	68.30	-14.70	40.96	34.46	10.27	32.09	0.00	371	36	PEAK																																																																																		
2	5651.62	52.21	69.50	-17.29	39.51	34.50	10.29	32.09	0.00	371	36	PEAK																																																																																		
3	5716.73	59.42	109.98	-50.56	46.59	34.53	10.34	32.04	0.00	371	36	PEAK																																																																																		
4	5720.06	58.31	111.04	-52.73	45.46	34.54	10.34	32.03	0.00	371	36	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>103.42</td><td>-----</td><td>-----</td><td>90.50</td><td>34.58</td><td>10.36</td><td>32.02</td><td>0.00</td><td>371</td><td>36</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.42	-----	-----	90.50	34.58	10.36	32.02	0.00	371	36	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5745.00	103.42	-----	-----	90.50	34.58	10.36	32.02	0.00	371	36	AVERAGE																																																																																		





		62																																																																																																																																						
Mode		Band Edge																																																																																																																																						
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																						
ANT		CDD 5+18																																																																																																																																						
Pol.		Horizontal					Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>59.61</td><td>111.18</td><td>-51.57</td><td>46.28</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>2</td><td>5856.13</td><td>64.34</td><td>110.58</td><td>-46.24</td><td>51.01</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>3</td><td>5922.50</td><td>55.08</td><td>70.14</td><td>-15.06</td><td>41.56</td><td>35.00</td><td>10.51</td><td>31.99</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr><tr><td>4</td><td>5947.00</td><td>54.80</td><td>68.30</td><td>-13.50</td><td>41.28</td><td>35.00</td><td>10.53</td><td>32.01</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	59.61	111.18	-51.57	46.28	34.82	10.45	31.94	0.00	100	230	PEAK	2	5856.13	64.34	110.58	-46.24	51.01	34.82	10.45	31.94	0.00	100	230	PEAK	3	5922.50	55.08	70.14	-15.06	41.56	35.00	10.51	31.99	0.00	100	230	PEAK	4	5947.00	54.80	68.30	-13.50	41.28	35.00	10.53	32.01	0.00	100	230	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>112.13</td><td>-----</td><td>-----</td><td>98.88</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	112.13	-----	-----	98.88	34.76	10.43	31.94	0.00	100	230
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5854.88	59.61	111.18	-51.57	46.28	34.82	10.45	31.94	0.00	100	230	PEAK																																																																																																																												
2	5856.13	64.34	110.58	-46.24	51.01	34.82	10.45	31.94	0.00	100	230	PEAK																																																																																																																												
3	5922.50	55.08	70.14	-15.06	41.56	35.00	10.51	31.99	0.00	100	230	PEAK																																																																																																																												
4	5947.00	54.80	68.30	-13.50	41.28	35.00	10.53	32.01	0.00	100	230	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	112.13	-----	-----	98.88	34.76	10.43	31.94	0.00	100	230	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.72</td><td>-----</td><td>-----</td><td>92.47</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>100</td><td>230</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	105.72	-----	-----	92.47	34.76	10.43	31.94	0.00	100	230	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5825.00	105.72	-----	-----	92.47	34.76	10.43	31.94	0.00	100	230	AVERAGE																																																																																																																												







Mode	62																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																										
ANT	CDD 5+18																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>56.88</td><td>111.18</td><td>-54.30</td><td>43.55</td><td>34.82</td><td>10.45</td><td>31.94</td><td>0.00</td><td>359</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5866.75</td><td>57.77</td><td>107.61</td><td>-49.84</td><td>44.39</td><td>34.87</td><td>10.46</td><td>31.95</td><td>0.00</td><td>359</td><td>42</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>54.95</td><td>68.48</td><td>-13.53</td><td>41.42</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>359</td><td>42</td><td>PEAK</td></tr><tr><td>4</td><td>5926.25</td><td>54.73</td><td>68.30</td><td>-13.57</td><td>41.20</td><td>35.00</td><td>10.52</td><td>31.99</td><td>0.00</td><td>359</td><td>42</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	56.88	111.18	-54.30	43.55	34.82	10.45	31.94	0.00	359	42	PEAK	2	5866.75	57.77	107.61	-49.84	44.39	34.87	10.46	31.95	0.00	359	42	PEAK	3	5924.75	54.95	68.48	-13.53	41.42	35.00	10.52	31.99	0.00	359	42	PEAK	4	5926.25	54.73	68.30	-13.57	41.20	35.00	10.52	31.99	0.00	359	42	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>109.18</td><td>-----</td><td>-----</td><td>95.91</td><td>34.77</td><td>10.44</td><td>31.94</td><td>0.00</td><td>359</td><td>42</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	109.18	-----	-----	95.91	34.77	10.44	31.94	0.00	359	42	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.88	56.88	111.18	-54.30	43.55	34.82	10.45	31.94	0.00	359	42	PEAK																																																																																																																															
2	5866.75	57.77	107.61	-49.84	44.39	34.87	10.46	31.95	0.00	359	42	PEAK																																																																																																																															
3	5924.75	54.95	68.48	-13.53	41.42	35.00	10.52	31.99	0.00	359	42	PEAK																																																																																																																															
4	5926.25	54.73	68.30	-13.57	41.20	35.00	10.52	31.99	0.00	359	42	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	109.18	-----	-----	95.91	34.77	10.44	31.94	0.00	359	42	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.62</td><td>-----</td><td>-----</td><td>87.37</td><td>34.76</td><td>10.43</td><td>31.94</td><td>0.00</td><td>359</td><td>42</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.62	-----	-----	87.37	34.76	10.43	31.94	0.00	359	42	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5825.00	100.62	-----	-----	87.37	34.76	10.43	31.94	0.00	359	42	AVERAGE																																																																																																																															



Mode	68																																																																																																																																																																																																										
Mode	LF																																																																																																																																																																																																										
Mode	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																																																																																										
ANT	CDD 5+18																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
Peak QP																																																																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>163.86</td><td>24.39</td><td>-19.11</td><td>43.50</td><td>39.15</td><td>16.14</td><td>1.93</td><td>32.83</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>260.86</td><td>18.56</td><td>-27.44</td><td>46.00</td><td>30.26</td><td>18.61</td><td>2.47</td><td>32.78</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>382.11</td><td>18.89</td><td>-27.11</td><td>46.00</td><td>27.55</td><td>21.23</td><td>2.98</td><td>32.87</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr><tr><td>4</td><td>686.69</td><td>27.16</td><td>-18.84</td><td>46.00</td><td>30.96</td><td>25.23</td><td>4.01</td><td>33.04</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr><tr><td>5</td><td>765.26</td><td>28.43</td><td>-17.57</td><td>46.00</td><td>31.01</td><td>25.96</td><td>4.23</td><td>32.77</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr><tr><td>6</td><td>972.84</td><td>31.34</td><td>-22.66</td><td>54.00</td><td>30.42</td><td>27.46</td><td>4.77</td><td>31.31</td><td>---</td><td>--- Peak</td><td>HORIZONTAL</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg			1	163.86	24.39	-19.11	43.50	39.15	16.14	1.93	32.83	---	--- Peak	HORIZONTAL	2	260.86	18.56	-27.44	46.00	30.26	18.61	2.47	32.78	---	--- Peak	HORIZONTAL	3	382.11	18.89	-27.11	46.00	27.55	21.23	2.98	32.87	---	--- Peak	HORIZONTAL	4	686.69	27.16	-18.84	46.00	30.96	25.23	4.01	33.04	---	--- Peak	HORIZONTAL	5	765.26	28.43	-17.57	46.00	31.01	25.96	4.23	32.77	---	--- Peak	HORIZONTAL	6	972.84	31.34	-22.66	54.00	30.42	27.46	4.77	31.31	---	--- Peak	HORIZONTAL	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level Factor</th><th>Loss Factor</th><th></th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>54.25</td><td>19.88</td><td>-20.12</td><td>40.00</td><td>38.07</td><td>13.63</td><td>1.10</td><td>32.92</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>162.89</td><td>27.13</td><td>-16.37</td><td>43.50</td><td>41.87</td><td>16.16</td><td>1.93</td><td>32.83</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr><tr><td>3</td><td>325.85</td><td>20.38</td><td>-25.62</td><td>46.00</td><td>30.61</td><td>19.90</td><td>2.75</td><td>32.88</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr><tr><td>4</td><td>559.62</td><td>24.26</td><td>-21.74</td><td>46.00</td><td>28.67</td><td>25.08</td><td>3.61</td><td>33.10</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr><tr><td>5</td><td>716.76</td><td>27.51</td><td>-18.49</td><td>46.00</td><td>30.96</td><td>25.43</td><td>4.10</td><td>32.98</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr><tr><td>6</td><td>911.73</td><td>31.28</td><td>-14.72</td><td>46.00</td><td>31.55</td><td>26.88</td><td>4.62</td><td>31.77</td><td>---</td><td>--- Peak</td><td>VERTICAL</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg			1	54.25	19.88	-20.12	40.00	38.07	13.63	1.10	32.92	---	--- Peak	VERTICAL	2	162.89	27.13	-16.37	43.50	41.87	16.16	1.93	32.83	---	--- Peak	VERTICAL	3	325.85	20.38	-25.62	46.00	30.61	19.90	2.75	32.88	---	--- Peak	VERTICAL	4	559.62	24.26	-21.74	46.00	28.67	25.08	3.61	33.10	---	--- Peak	VERTICAL	5	716.76	27.51	-18.49	46.00	30.96	25.43	4.10	32.98	---	--- Peak	VERTICAL	6	911.73	31.28	-14.72	46.00	31.55	26.88	4.62	31.77	---	--- Peak	VERTICAL
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																															
		MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg																																																																																																																																																																																																	
	1	163.86	24.39	-19.11	43.50	39.15	16.14	1.93	32.83	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	2	260.86	18.56	-27.44	46.00	30.26	18.61	2.47	32.78	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	3	382.11	18.89	-27.11	46.00	27.55	21.23	2.98	32.87	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	4	686.69	27.16	-18.84	46.00	30.96	25.23	4.01	33.04	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	5	765.26	28.43	-17.57	46.00	31.01	25.96	4.23	32.77	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	6	972.84	31.34	-22.66	54.00	30.42	27.46	4.77	31.31	---	--- Peak	HORIZONTAL																																																																																																																																																																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
	MHz	dBuV/m	Limit	Line	Level Factor	Loss Factor		cm	deg																																																																																																																																																																																																		
1	54.25	19.88	-20.12	40.00	38.07	13.63	1.10	32.92	---	--- Peak	VERTICAL																																																																																																																																																																																																
2	162.89	27.13	-16.37	43.50	41.87	16.16	1.93	32.83	---	--- Peak	VERTICAL																																																																																																																																																																																																
3	325.85	20.38	-25.62	46.00	30.61	19.90	2.75	32.88	---	--- Peak	VERTICAL																																																																																																																																																																																																
4	559.62	24.26	-21.74	46.00	28.67	25.08	3.61	33.10	---	--- Peak	VERTICAL																																																																																																																																																																																																
5	716.76	27.51	-18.49	46.00	30.96	25.43	4.10	32.98	---	--- Peak	VERTICAL																																																																																																																																																																																																
6	911.73	31.28	-14.72	46.00	31.55	26.88	4.62	31.77	---	--- Peak	VERTICAL																																																																																																																																																																																																




<Simultaneous transmission>





		67																																																																																																												
Mode		Band Edge - L																																																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																												
ANT		CDD 5+18																																																																																																												
Pol.		Horizontal					Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.76</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>45.67</td><td>34.40</td><td>10.82</td><td>36.50</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr><tr><td>2</td><td>5462.16</td><td>54.09</td><td>68.30</td><td>-14.21</td><td>45.29</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.76	54.39	74.00	-19.61	45.67	34.40	10.82	36.50	0.00	100	119	PEAK	2	5462.16	54.09	68.30	-14.21	45.29	34.42	10.84	36.46	0.00	100	119	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.45</td><td>68.30</td><td>29.15</td><td>88.34</td><td>34.50</td><td>10.93</td><td>36.32</td><td>0.00</td><td>100</td><td>119</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.45	68.30	29.15	88.34	34.50	10.93	36.32	0.00	100	119
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5439.76	54.39	74.00	-19.61	45.67	34.40	10.82	36.50	0.00	100	119	PEAK																																																																																																		
2	5462.16	54.09	68.30	-14.21	45.29	34.42	10.84	36.46	0.00	100	119	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	97.45	68.30	29.15	88.34	34.50	10.93	36.32	0.00	100	119	PEAK																																																																																																		
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5453.36</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>38.51</td><td>34.41</td><td>10.83</td><td>36.47</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.36	47.28	54.00	-6.72	38.51	34.41	10.83	36.47	0.00	100	119	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.46</td><td>68.30</td><td>21.16</td><td>80.26</td><td>34.50</td><td>10.96</td><td>36.26</td><td>0.00</td><td>100</td><td>119</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.46	68.30	21.16	80.26	34.50	10.96	36.26	0.00	100	119	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5453.36	47.28	54.00	-6.72	38.51	34.41	10.83	36.47	0.00	100	119	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	89.46	68.30	21.16	80.26	34.50	10.96	36.26	0.00	100	119	AVERAGE																																																																																																		

Note: the highest signals over limit are BLE & WLAN 5G co-location fundamental signal.




Mode	67																																																																								
	Band Edge - R																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																								
ANT	CDD 5+18																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.60</td><td>47.71</td><td>68.30</td><td>-20.59</td><td>39.62</td><td>34.55</td><td>11.18</td><td>37.64</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>119</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.60	47.71	68.30	-20.59	39.62	34.55	11.18	37.64								0.00	100									119									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1	5726.60	47.71	68.30	-20.59	39.62	34.55	11.18	37.64																																																																	
							0.00	100																																																																	
								119																																																																	
								PEAK																																																																	





		67																																																						
Mode		Band Edge - L																																																						
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																						
ANT		CDD 5+18																																																						
Pol.		Fundamental																																																						
Peak	Vertical																																																							
																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	51.16	74.00	-22.84	42.37	34.42	10.84	36.47	0.00	302	28	PEAK	2	5462.00	49.71	68.30	-18.59	40.91	34.42	10.84	36.46	0.00	302	28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.68	51.16	74.00	-22.84	42.37	34.42	10.84	36.47	0.00	302	28	PEAK																																												
2	5462.00	49.71	68.30	-18.59	40.91	34.42	10.84	36.46	0.00	302	28	PEAK																																												
Avg	Fundamental																																																							
																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.17	68.30	28.87	88.10	34.50	10.91	36.34	0.00	302	28	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5530.00	97.17	68.30	28.87	88.10	34.50	10.91	36.34	0.00	302	28	PEAK																																												
Peak	Vertical																																																							
																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.68	51.16	74.00	-22.84	42.37	34.42	10.84	36.47	0.00	302	28	PEAK	2	5462.00	49.71	68.30	-18.59	40.91	34.42	10.84	36.46	0.00	302	28
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5457.68	51.16	74.00	-22.84	42.37	34.42	10.84	36.47	0.00	302	28	PEAK																																												
2	5462.00	49.71	68.30	-18.59	40.91	34.42	10.84	36.46	0.00	302	28	PEAK																																												
Avg	Fundamental																																																							
																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.17	68.30	28.87	88.10	34.50	10.91	36.34	0.00	302	28	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5530.00	97.17	68.30	28.87	88.10	34.50	10.91	36.34	0.00	302	28	PEAK																																												

Note: the highest signals over limit are BLE & WLAN 5G co-location fundamental signal.







Mode	67																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.64</td><td>48.07</td><td>68.30</td><td>-20.23</td><td>40.14</td><td>34.58</td><td>11.19</td><td>37.84</td><td>0.00</td><td>302</td><td>28</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.64	48.07	68.30	-20.23	40.14	34.58	11.19	37.84	0.00	302	28	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.64	48.07	68.30	-20.23	40.14	34.58	11.19	37.84	0.00	302	28	PEAK																																												







Mode	67																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																			
ANT	CDD 5+18																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>56.32</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.47	74.00	-30.53	56.32	37.96	16.08	66.89	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>57.20</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.35	74.00	-29.65	57.20	37.96	16.08	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	43.47	74.00	-30.53	56.32	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11060.00	44.35	74.00	-29.65	57.20	37.96	16.08	66.89	0.00	---	---	PEAK																																																																																								



		67																																																					
Mode		Band Edge																																																					
		2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																					
ANT		17																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>53.68</td><td>74.00</td><td>-20.32</td><td>45.54</td><td>31.93</td><td>7.26</td><td>37.05</td><td>6.00</td><td>125</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	53.68	74.00	-20.32	45.54	31.93	7.26	37.05	6.00	125	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	53.68	74.00	-20.32	45.54	31.93	7.26	37.05	6.00	125	144	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.28</td><td>-----</td><td>-----</td><td>91.14</td><td>31.92</td><td>7.25</td><td>37.03</td><td>6.00</td><td>125</td><td>144</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.28	-----	-----	91.14	31.92	7.25	37.03	6.00	125	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	99.28	-----	-----	91.14	31.92	7.25	37.03	6.00	125	144	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>39.52</td><td>54.00</td><td>-14.48</td><td>31.38</td><td>31.93</td><td>7.26</td><td>37.05</td><td>6.00</td><td>125</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	39.52	54.00	-14.48	31.38	31.93	7.26	37.05	6.00	125	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	39.52	54.00	-14.48	31.38	31.93	7.26	37.05	6.00	125	144	AVERAGE																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.71</td><td>-----</td><td>-----</td><td>87.57</td><td>31.92</td><td>7.25</td><td>37.03</td><td>6.00</td><td>125</td><td>144</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.71	-----	-----	87.57	31.92	7.25	37.03	6.00	125	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	95.71	-----	-----	87.57	31.92	7.25	37.03	6.00	125	144	AVERAGE																																											







Mode	67																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	17																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.70</td><td>49.79</td><td>74.00</td><td>-24.21</td><td>41.66</td><td>31.96</td><td>7.27</td><td>37.10</td><td>6.00</td><td>100</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.70	49.79	74.00	-24.21	41.66	31.96	7.27	37.10	6.00	100	144	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>82.85</td><td>-----</td><td>-----</td><td>74.71</td><td>31.92</td><td>7.25</td><td>37.03</td><td>6.00</td><td>100</td><td>144</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	82.85	-----	-----	74.71	31.92	7.25	37.03	6.00	100	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.70	49.79	74.00	-24.21	41.66	31.96	7.27	37.10	6.00	100	144	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	82.85	-----	-----	74.71	31.92	7.25	37.03	6.00	100	144	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>37.29</td><td>54.00</td><td>-16.71</td><td>29.15</td><td>31.93</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	37.29	54.00	-16.71	29.15	31.93	7.26	37.05	6.00	100	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>79.24</td><td>-----</td><td>-----</td><td>71.10</td><td>31.92</td><td>7.25</td><td>37.03</td><td>6.00</td><td>100</td><td>144</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	79.24	-----	-----	71.10	31.92	7.25	37.03	6.00	100	144
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	37.29	54.00	-16.71	29.15	31.93	7.26	37.05	6.00	100	144	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	79.24	-----	-----	71.10	31.92	7.25	37.03	6.00	100	144	AVERAGE																																																																																							




Mode	67																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																											
ANT	17																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>36.42</td><td>74.00</td><td>-37.58</td><td>57.54</td><td>33.80</td><td>10.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.90</td><td>74.00</td><td>-33.10</td><td>59.65</td><td>35.60</td><td>12.78</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	36.42	74.00	-37.58	57.54	33.80	10.40	65.32	0.00	---	---	PEAK	2	7440.00	40.90	74.00	-33.10	59.65	35.60	12.78	67.13	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>36.50</td><td>74.00</td><td>-37.50</td><td>57.62</td><td>33.80</td><td>10.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>39.86</td><td>74.00</td><td>-34.14</td><td>58.61</td><td>35.60</td><td>12.78</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	36.50	74.00	-37.50	57.62	33.80	10.40	65.32	0.00	---	---	PEAK	2	7440.00	39.86	74.00	-34.14	58.61	35.60	12.78	67.13	0.00	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	36.42	74.00	-37.58	57.54	33.80	10.40	65.32	0.00	---	---	PEAK																																																																																																																																
2	7440.00	40.90	74.00	-33.10	59.65	35.60	12.78	67.13	0.00	---	---	PEAK																																																																																																																																
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4960.00	36.50	74.00	-37.50	57.62	33.80	10.40	65.32	0.00	---	---	PEAK																																																																																																																																
2	7440.00	39.86	74.00	-34.14	58.61	35.60	12.78	67.13	0.00	---	---	PEAK																																																																																																																																







Mode	68																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																																																															
ANT	CDD 5+18																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.80</td><td>53.44</td><td>74.00</td><td>-20.56</td><td>44.64</td><td>34.42</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr><tr><td>2</td><td>5465.68</td><td>56.22</td><td>68.30</td><td>-12.08</td><td>47.39</td><td>34.43</td><td>10.85</td><td>36.45</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	53.44	74.00	-20.56	44.64	34.42	10.84	36.46	0.00	100	334	PEAK	2	5465.68	56.22	68.30	-12.08	47.39	34.43	10.85	36.45	0.00	100	334	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>98.45</td><td>-----</td><td>-----</td><td>89.32</td><td>34.50</td><td>10.94</td><td>36.31</td><td>0.00</td><td>100</td><td>334</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	98.45	-----	-----	89.32	34.50	10.94	36.31	0.00	100	334
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.80	53.44	74.00	-20.56	44.64	34.42	10.84	36.46	0.00	100	334	PEAK																																																																																																				
2	5465.68	56.22	68.30	-12.08	47.39	34.43	10.85	36.45	0.00	100	334	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	98.45	-----	-----	89.32	34.50	10.94	36.31	0.00	100	334	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>46.55</td><td>54.00</td><td>-7.45</td><td>37.76</td><td>34.42</td><td>10.84</td><td>36.47</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	46.55	54.00	-7.45	37.76	34.42	10.84	36.47	0.00	100	334	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.74</td><td>-----</td><td>-----</td><td>79.63</td><td>34.50</td><td>10.93</td><td>36.32</td><td>0.00</td><td>100</td><td>334</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.74	-----	-----	79.63	34.50	10.93	36.32	0.00	100	334	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5458.32	46.55	54.00	-7.45	37.76	34.42	10.84	36.47	0.00	100	334	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5530.00	88.74	-----	-----	79.63	34.50	10.93	36.32	0.00	100	334	AVERAGE																																																																																																				

Note: the highest signals over limit are WLAN 2.4G & WLAN 5G co-location fundamental signal.




Mode	68																																																																									
	Band Edge - R																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																									
ANT	CDD 5+18																																																																									
Pol.	Horizontal						Fundamental																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5757.88</td><td>48.15</td><td>68.30</td><td>-20.15</td><td>40.51</td><td>34.62</td><td>11.22</td><td>38.20</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>100</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>334</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5757.88	48.15	68.30	-20.15	40.51	34.62	11.22	38.20								0.00	100									334									PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5757.88	48.15	68.30	-20.15	40.51	34.62	11.22	38.20																																																																		
							0.00	100																																																																		
								334																																																																		
								PEAK																																																																		




		68																																																																			
Mode		Band Edge - L																																																																			
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																																			
ANT		CDD 5+18																																																																			
Pol.		Fundamental																																																																			
Peak	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.08</td><td>50.85</td><td>74.00</td><td>-23.15</td><td>42.16</td><td>34.40</td><td>10.81</td><td>36.52</td><td>0.00</td><td>382</td><td>18</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>51.25</td><td>68.30</td><td>-17.05</td><td>42.42</td><td>34.43</td><td>10.85</td><td>36.45</td><td>0.00</td><td>382</td><td>18</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.08	50.85	74.00	-23.15	42.16	34.40	10.81	36.52	0.00	382	18	PEAK	2	5466.64	51.25	68.30	-17.05	42.42	34.43	10.85	36.45	0.00	382	18	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5432.08	50.85	74.00	-23.15	42.16	34.40	10.81	36.52	0.00	382	18	PEAK																																																									
2	5466.64	51.25	68.30	-17.05	42.42	34.43	10.85	36.45	0.00	382	18	PEAK																																																									
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>96.48</td><td>-----</td><td>-----</td><td>87.35</td><td>34.50</td><td>10.94</td><td>36.31</td><td>0.00</td><td>382</td><td>18</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.48	-----	-----	87.35	34.50	10.94	36.31	0.00	382	18	PEAK														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	96.48	-----	-----	87.35	34.50	10.94	36.31	0.00	382	18	PEAK																																																									
Avg	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5437.68</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>36.01</td><td>34.40</td><td>10.81</td><td>36.50</td><td>0.00</td><td>382</td><td>18</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5437.68	44.72	54.00	-9.28	36.01	34.40	10.81	36.50	0.00	382	18	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5437.68	44.72	54.00	-9.28	36.01	34.40	10.81	36.50	0.00	382	18	AVERAGE																																																									
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.68</td><td>-----</td><td>-----</td><td>78.59</td><td>34.50</td><td>10.92</td><td>36.33</td><td>0.00</td><td>382</td><td>18</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.68	-----	-----	78.59	34.50	10.92	36.33	0.00	382	18	AVERAGE														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5530.00	87.68	-----	-----	78.59	34.50	10.92	36.33	0.00	382	18	AVERAGE																																																									

Note: the highest signals over limit are WLAN 2.4G & WLAN 5G co-location fundamental signal.







Mode	68																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																							
ANT	CDD 5+18																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5739.00</td><td>49.71</td><td>68.30</td><td>-18.59</td><td>41.79</td><td>34.58</td><td>11.20</td><td>37.06</td><td>0.00</td><td>302</td><td>18</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5739.00	49.71	68.30	-18.59	41.79	34.58	11.20	37.06	0.00	302	18	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5739.00	49.71	68.30	-18.59	41.79	34.58	11.20	37.06	0.00	302	18	PEAK																																												







		68																																																								
Mode		Harmonic																																																								
		U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full_5530MHz																																																								
ANT		CDD 5+18																																																								
Pol.		Horizontal						Vertical																																																		
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>43.72</td><td>74.00</td><td>-30.28</td><td>56.57</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	43.72	74.00	-30.28	56.57	37.96	16.08	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11060.00	43.72	74.00	-30.28	56.57	37.96	16.08	66.89	0.00	---	---	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>42.52</td><td>74.00</td><td>-31.48</td><td>55.37</td><td>37.96</td><td>16.08</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	42.52	74.00	-31.48	55.37	37.96	16.08	66.89	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	11060.00	42.52	74.00	-31.48	55.37	37.96	16.08	66.89	0.00	---	---	PEAK																																														





		68																																																				
Mode		Band Edge																																																				
		2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																				
ANT		CDD 6+17																																																				
Pol.		Horizontal																																																				
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.70</td><td>50.13</td><td>74.00</td><td>-23.87</td><td>47.99</td><td>31.94</td><td>7.26</td><td>37.06</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.70	50.13	74.00	-23.87	47.99	31.94	7.26	37.06	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.70	50.13	74.00	-23.87	47.99	31.94	7.26	37.06	0.00	100	245 PEAK																																											
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.99</td><td>-----</td><td>-----</td><td>93.84</td><td>31.86</td><td>7.22</td><td>36.93</td><td>0.00</td><td>100</td><td>245 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.99	-----	-----	93.84	31.86	7.22	36.93	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	95.99	-----	-----	93.84	31.86	7.22	36.93	0.00	100	245 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>35.48</td><td>54.00</td><td>-18.52</td><td>33.34</td><td>31.93</td><td>7.26</td><td>37.05</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	35.48	54.00	-18.52	33.34	31.93	7.26	37.05	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.68	35.48	54.00	-18.52	33.34	31.93	7.26	37.05	0.00	100	245 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>86.42</td><td>-----</td><td>-----</td><td>84.27</td><td>31.85</td><td>7.22</td><td>36.92</td><td>0.00</td><td>100</td><td>245 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	86.42	-----	-----	84.27	31.85	7.22	36.92	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	86.42	-----	-----	84.27	31.85	7.22	36.92	0.00	100	245 AVERAGE																																											



		68																																																																																																											
Mode		Band Edge																																																																																																											
		2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																											
ANT		CDD 6+17																																																																																																											
Pol.		Vertical						Fundamental																																																																																																					
Peak																																																																																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>42.54</td><td>31.93</td><td>7.26</td><td>37.05</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.68	74.00	-29.32	42.54	31.93	7.26	37.05	0.00	100	142	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>89.48</td><td>-----</td><td>-----</td><td>87.33</td><td>31.84</td><td>7.22</td><td>36.91</td><td>0.00</td><td>100</td><td>142</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	89.48	-----	-----	87.33	31.84	7.22	36.91	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.50	44.68	74.00	-29.32	42.54	31.93	7.26	37.05	0.00	100	142	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	89.48	-----	-----	87.33	31.84	7.22	36.91	0.00	100	142	PEAK																																																																																																	
Avg																																																																																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>32.42</td><td>54.00</td><td>-21.58</td><td>30.28</td><td>31.93</td><td>7.26</td><td>37.05</td><td>0.00</td><td>100</td><td>142</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	32.42	54.00	-21.58	30.28	31.93	7.26	37.05	0.00	100	142	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>80.17</td><td>-----</td><td>-----</td><td>78.02</td><td>31.84</td><td>7.22</td><td>36.91</td><td>0.00</td><td>100</td><td>142</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	80.17	-----	-----	78.02	31.84	7.22	36.91	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2483.74	32.42	54.00	-21.58	30.28	31.93	7.26	37.05	0.00	100	142	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	2462.00	80.17	-----	-----	78.02	31.84	7.22	36.91	0.00	100	142	AVERAGE																																																																																																	




Mode	68																																																																																																									
	Harmonic																																																																																																									
	2400-2483.5_2400-2483.5_802.11ax HE20_CH11_Full_2462MHz																																																																																																									
ANT	CDD 6+17																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>40.75</td><td>74.00</td><td>-33.25</td><td>61.90</td><td>33.80</td><td>10.35</td><td>65.30</td></tr><tr><td>2</td><td>7386.00</td><td>38.16</td><td>74.00</td><td>-35.84</td><td>56.80</td><td>35.57</td><td>12.73</td><td>66.94</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	40.75	74.00	-33.25	61.90	33.80	10.35	65.30	2	7386.00	38.16	74.00	-35.84	56.80	35.57	12.73	66.94	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4924.00</td><td>41.56</td><td>74.00</td><td>-32.44</td><td>62.71</td><td>33.80</td><td>10.35</td><td>65.30</td></tr><tr><td>2</td><td>7386.00</td><td>38.64</td><td>74.00</td><td>-35.36</td><td>57.28</td><td>35.57</td><td>12.73</td><td>66.94</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	41.56	74.00	-32.44	62.71	33.80	10.35	65.30	2	7386.00	38.64	74.00	-35.36	57.28	35.57	12.73	66.94
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4924.00	40.75	74.00	-33.25	61.90	33.80	10.35	65.30																																																																																																		
2	7386.00	38.16	74.00	-35.84	56.80	35.57	12.73	66.94																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	4924.00	41.56	74.00	-32.44	62.71	33.80	10.35	65.30																																																																																																		
2	7386.00	38.64	74.00	-35.36	57.28	35.57	12.73	66.94																																																																																																		


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.97	1.391	0.719	0.75 kHz
802.11ax HE20	95.88	1.012	0.989	1 kHz
802.11ax HE40	92.46	0.533	1.875	2 kHz
802.11ax HE80	86.84	0.287	3.485	3.6 kHz
802.11ax HE20-RU26	98.84	-	-	10 Hz
802.11ax HE20-RU52	98.82	-	-	10 Hz
802.11ax HE20-RU106	98.73	-	-	10 Hz


802.11a



802.11ax HE20




802.11ax HE40






802.11ax HE80




802.11ax HE20-RU26





802.11ax HE20-RU52



802.11ax HE20-RU106

