

### UHF Professional 2-Channel Rechargeable Wireless Microphone System

#### User manual

If you have any questions, please feel free to contact us.  
E-mail: [amazon@bietrun.com](mailto:amazon@bietrun.com)

#### 1. Product introduction

This UHF Professional 2-Channel Rechargeable Wireless Microphone System uses UHF frequency band transmission, which has the advantages of high transmission rate, low interference, anti-interference ability, low delay, and clear sound quality. It is easy to use and operate.

⚠️ **Note:** Please read and follow all warnings carefully before use, and keep this manual for subsequent use.

#### 2. Product description

**Bluetooth Rechargeable Transmitter MIC X**

No.	Part Name	Function Description	Notes
1	Microphone	Microphone and antenna	(1) This microphone will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
2	Receiver	Power supply, Power and Antenna	(1) The receiver will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
3	Headset	Headset and antenna	(1) The headset will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
4	Speaker	Speaker and antenna	(1) The speaker will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
5	Charging port	Charging port and antenna	(1) The charging port will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
6	Antenna	Antenna	(1) The antenna will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.

**Bluetooth MIC X**

**Headset MIC X**

**Speaker MIC X**

**Charging port MIC X**

**Antenna MIC X**

**Bluetooth MIC X**

**Headset MIC X**

**Speaker MIC X**

**Charging port MIC X**

**Antenna MIC X**

No.	Part Name	Function Description	Notes
1	Microphone	Microphone and antenna	(1) This microphone will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
2	Receiver	Power supply, Power and Antenna	(1) The receiver will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
3	Headset	Headset and antenna	(1) The headset will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
4	Speaker	Speaker and antenna	(1) The speaker will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
5	Charging port	Charging port and antenna	(1) The charging port will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.
6	Antenna	Antenna	(1) The antenna will be tested before leaving the factory. If there is any problem, please contact the factory for replacement.

#### 3.1 Bluetooth connection

For smart devices with Bluetooth audio, support for the Bluetooth connection is supported. Please refer to the Bluetooth connection instructions for details.

#### 3.2 Output connection

Audio amplifier devices with XLR interface, 6.35mm and 3.5mm audio interface, and other audio interface devices can be connected to the multimedia speakers, Bluetooth speakers, power amplifiers, and other speakers.

**Bluetooth connection**

**Output connection**

No.	Problem	Solution
1	Receiver can't receive	(1) Check the receiver's power supply and antenna connection.
2	Microphone can't send	(1) Check the microphone's power supply and antenna connection.
3	No sound	(1) Check the receiver's volume and the microphone's volume.
4	Low sound	(1) Check the receiver's volume and the microphone's volume.
5	Interference sound	(1) Check the receiver's volume and the microphone's volume.
6	Not working	(1) Check the receiver's power supply and antenna connection.

No.	Parameter	Value
1	Frequency	470MHz
2	Power	20W
3	Antenna	2m
4	Receiver	2m
5	Headset	2m
6	Speaker	2m
7	Charging port	2m
8	Antenna	2m

No.	Parameter	Value
1	Frequency	470MHz
2	Power	20W
3	Antenna	2m
4	Receiver	2m
5	Headset	2m
6	Speaker	2m
7	Charging port	2m
8	Antenna	2m

No.	Parameter	Value
1	Frequency	470MHz
2	Power	20W
3	Antenna	2m
4	Receiver	2m
5	Headset	2m
6	Speaker	2m
7	Charging port	2m
8	Antenna	2m

日期	
产品名称	Bietrun WXM28 专业一拖二话筒套装说明书
型号	
文件名	
图纸类型	手板 <input type="checkbox"/> 打样 <input type="checkbox"/> 生产 <input type="checkbox"/>
版本号	1
设计	
确认	
批准	
深圳璟都科技有限公司	
图例：	

工艺要求说明：	
尺寸：21*14 cm	
材质：157g铜版纸，彩色印刷，装订成册	
备注：	

## FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:  
(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**Note:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.