


<Photographs of EUT>

Refer to the EUT external photographs.

<Antenna Location>



Supported frequency bands

Antenna	GSM	WCDMA	LTE
WWAN Ant. 0	GSM 850	Band V	Band 5/ 12/ 17/71
WWAN Ant. 1	PCS 1900	Band II / IV	Band 2/ 4/ 7/ 38/66

The separation distance for antenna to edge:

Antenna	Overall Diagonal (mm)	Display Diagonal (mm)	To Left Side (mm)	To Right Side (mm)	To Top Side (mm)	To Bottom Side (mm)
WWAN Ant. 0	179	174	0	0	157	0
WWAN Ant. 1			0	46	0	158
WLAN / BT			56	0	0	151

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com [Http://www.uttlab.com](http://www.uttlab.com)
UTTR-SAR-IEEC Std 1528-2013-V1.0_Appendix D

<Photographs of SAR Setup>



Right Cheek



Right Tilted




Left Cheek



Left Tilted

Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <http://www.uttlab.com>
UTTR-SAR-IEEE Std 1528-2013-V1.0_Appendix D



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
 Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <http://www.uttlab.com>
 UTTR-SAR-IEEE Std 1528-2013-V1.0_Appendix D