


Modular Approval Request FCC (Per 15.212)		FCC ID: 2AB2Q-LA02303B
Items to be covered	Answer From Applicant	
1. The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly;	Yes	
2. The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal;	Yes	
3. The module must contain power supply regulation on the module;	Yes	
4. The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per §§ 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b);	Yes	
5. The module must demonstrate compliance in a stand-alone configuration;	Yes	
6. The module must be labeled with its permanently affixed FCC ID label, or use an electronic display (see KDB Publication 784748);	Yes	
7. The module must comply with all specific rules applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee;	Yes	
8. The module must comply with RF exposure requirements (see KDB996369 D01 Module Equip Auth Guide v02 Clause V below).	Yes	

Note: If compliance with one or more of the numbered requirements, listed above, cannot be demonstrated, it may be possible to obtain a “Limited Modular Approval” (LMA).



Vick Zhang
Safety Engineer

LEEDARSON LIGHTING CO., LTD.

