



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.71	0.52	-0.19	17.00	Complies
46	5230	0.21	0.52	0.73	17.00	Complies

CH38




CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.68	0.52	-0.16	17.00	Complies
46	5230	-0.89	0.52	-0.37	17.00	Complies

CH38



CH46




Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.19	12.02	Complies
46	5230	6.40	12.02	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.53	1.04	-1.51	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.86	1.04	-0.82	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.97	1.04	-0.93	17.00	Complies


CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.63	1.04	-1.59	17.00	Complies

CH42




Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.82	12.02	Complies

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.58	0.94	7.52	30.00	Complies
157	5785	6.15	0.94	7.09	30.00	Complies
165	5825	5.93	0.94	6.87	30.00	Complies

CH149




Date: 8.JUL.2020 11:00:24

CH157



Date: 8.JUL.2020 11:00:47

CH165




Date: 8.JUL.2020 11:01:09

Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.59	0.94	7.53	30.00	Complies
157	5785	6.20	0.94	7.14	30.00	Complies
165	5825	6.13	0.94	7.07	30.00	Complies

CH149




Date: 8.JUL.2020 14:21:41

CH157



Date: 8.JUL.2020 14:22:08




CH165



Date: 8.JUL.2020 14:23:02




Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.26	0.94	7.20	30.00	Complies
157	5785	6.19	0.94	7.13	30.00	Complies
165	5825	5.59	0.94	6.53	30.00	Complies



Test Mode UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.53	0.94	6.47	30.00	Complies
157	5785	5.58	0.94	6.52	30.00	Complies
165	5825	5.85	0.94	6.79	30.00	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.22	26.36	Complies
157	5785	13.00	26.36	Complies
165	5825	12.84	26.36	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.13	0.52	3.65	30.00	Complies
159	5795	2.69	0.52	3.21	30.00	Complies




Date: 8.JUL.2020 11:01:49




Date: 8.JUL.2020 11:02:19

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.56	0.52	3.08	30.00	Complies
159	5795	2.20	0.52	2.72	30.00	Complies




Date: 8.JUL.2020 14:23:42




Date: 8.JUL.2020 14:24:14

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.52	0.52	3.04	30.00	Complies
159	5795	2.19	0.52	2.71	30.00	Complies




Date: 8.JUL.2020 14:27:45




Date: 8.JUL.2020 14:28:12

Test Mode UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.22	0.52	2.74	30.00	Complies
159	5795	1.69	0.52	2.21	30.00	Complies



Date: 8.JUL.2020 14:51:06



Date: 8.JUL.2020 14:51:35


Test Mode UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	9.17	26.36	Complies
159	5795	8.75	26.36	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.58	1.04	-0.54	30.00	Complies

CH155




Date: 8_JUL_2020 10:59:37

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.70	1.04	-0.66	30.00	Complies

CH155




Date: 8_JUL_2020 14:21:05

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.67	1.04	-0.63	30.00	Complies

CH155




Date: 8_JUL_2020 14:28:40

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.10	1.04	-1.06	30.00	Complies

CH155



Date: 8_JUL_2020 14:52:05

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.30	26.36	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9750
120	5179.9750
102	5179.9799
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.8263

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9800
10	5179.9750
20	5179.9750
30	5179.9800
40	5179.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.8238

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9799
120	5744.9902
102	5744.9800
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.5009

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9750
10	5744.9799
20	5744.9950
30	5744.9799
40	5744.9799
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.3494

End of Test Report