

PAP 22
Raccolta Carta

Product Number: A1727
51005005037 V2

ANKER SOLIX

Anker SOLIX C200 DC Portable Power Station



USER GUIDE

BENUTZERHANDBUCH | GUÍA DEL USUARIO
GUIDE DE L'UTILISATEUR | GUIDA PER L'UTENTE | GEBRUIKERSGIDS
PRZEWODNIK UŻYTKOWNIKA | GUIA DO UTILIZADOR
РУКОВОДСТВО ПОЛЬЗОВАТЕЛЯ
ANVÄNDARHÄNDEBOK | KULLANICI KILAVUZU | 取扱説明書はこちら
用戶指南 | دليل المستخدم | מִדְרִיךְ לַמִּשְׁתַּמֵּשׁ





Scan for online support.

DE: Scannen für Online-Support.

ES: Escanear para obtener asistencia en línea.

FR: Scannez pour obtenir une assistance en ligne.

IT : Scansionare per l'assistenza on-line.

NL: Scan voor online ondersteuning.

PL: Skanuj w poszukiwaniu wsparcia online.

PT: Digitalizar para obter suporte online.

RU: Сканирование для получения онлайн-поддержки.

SV: Sök efter online-support.

TR: Çevrimiçi destek için tarayın.

JP: QRコードをスキャンすると、よくある質問をご確認いただけます。

简中：扫码获取在线支持。

AR : امسح للحصول على الدعم عبر الإنترنت.

HE : סרוק לתמיכה מקוונת.



Scan to download the Anker app.

DE: Scannen, um die Anker-App herunterzuladen.

ES: Escanear para descargar la aplicación Anker.

FR: Scannez pour télécharger l'application Anker.

IT : Scansionare per scaricare l'app Anker.

NL: Scan om de Anker-app te downloaden.

PL: Skanuj, aby pobrać aplikację Anker.

PT: Digitalizar para descarregar a aplicação Anker.

RU: Сканирование для загрузки приложения Anker.

SV: Skanna för att ladda ner Anker-appen.

TR: Anker uygulamasını indirmek için tarayın.

JP: App Store (iOS端末) またはGoogle Play (Android端末) から、Ankerアプリをダウンロードしてください。

简中：扫码下载 Anker 应用。

AR : امسح لتحميل تطبيق Anker.

HE : סרוק כדי להוריד את אפליקציית Anker.



support@anker.com

support.me@anker.com (For Middle East and Africa Only)

ced-cn@anker.com (中国)



(US/CA) +1 (800) 988 7973

(UK) +44 (0) 1604 936 200

(DE) +49 (0) 69 9579 7960

+49 (800) 000 2522 (Anker SOLIX)

(UAE) +971 8000 320 817

(KSA) +966 8008 500 030

(Kuwait) +965 2206 9086

(Egypt) +20 8000 000 826

(India) 000-8000-504-414

(中国) +86 400 0550 036

(日本) 03 4455 7823

(한국) +82 1666-8470



@anker_official

@anker_jp

@ankersolix_official



@AnkerDeutschland

@AnkerJapan

@Anker

@Anker SOLIX







@AnkerOfficial

@Anker_JP

@Anker SOLIX

IMPORTANT SAFETY INSTRUCTIONS

Symbol	Description
 CAUTION	Caution Indicates a low-risk hazard. Failure to avoid this hazard could result in minor or moderate injury.
 WARNING	Warning Indicates a hazard with a moderate level of risk. Failure to avoid this hazard could result in death or serious injury.
 DANGER	Danger Indicates a highly risky hazard. Failure to avoid this hazard could result in death or serious injury.
	Refer to operating instructions Indicates that users should refer to operating or installation instructions before proceeding.

INSTRUCTIONS PERTAINING TO RISK OF FIRE, ELECTRIC SHOCK, OR INJURY TO PERSONS



SAVE THESE INSTRUCTIONS

- Warning**– When using this product, basic precautions should always be followed, including the following:
- Read all the instructions before using the product.
 - To reduce the risk of injury, close supervision is necessary when the product is used near children.
 - Do not put fingers or hands into the product.
 - Do not expose the product to rain or snow.
 - Use of an attachment not recommended or sold by power pack manufacturer may result in a risk of fire, electric shock, or injury to persons.
 - To reduce risk of damage to the electric plug and cord, pull the plug rather than the cord when disconnecting the power pack.
 - Do not use a battery pack or appliance that is damaged or modified. Damaged or modified batteries may exhibit unpredictable behavior resulting in fire, explosion or risk of injury.
 - Do not operate the power pack with a damaged cord or plug, or a damaged output cable.
 - When charging the internal battery, work in a well ventilated area and do not restrict ventilation in any way.
 - Do not use the product in excess of its output rating. Overload outputs above rating may result in a risk of fire or injury.
 - When charging a device, the product may feel warm. This is a normal operating condition and should not be cause of concern.
 - Do not disassemble the product, take it to a qualified service person when service or repair is required. Incorrect reassembly may result in a risk of fire, electric shock and injury to persons.
 - To reduce the risk of electric shock, unplug the power pack from the outlet before attempting any instructed service.

- Have servicing performed by a qualified repair person using only identical replacement parts. This will ensure that the safety of the product is maintained.
- Attach output cables to a battery and chassis as indicated below. Never allow the output clamps to touch one another.
 - a) Instructions shall include step by step directions for the proper use of the booster function detailing the correct steps to connect and disconnect the booster cables to the battery.
 - b) Each step shall be a different numbered item.
- **CAUTION:** Risk of explosion if the battery is replaced by an incorrect type.
- Do not expose a power pack to fire or excessive temperature. Exposure to fire or temperature above 130°C may cause explosion.
- In normal conditions, the battery performance will decline over several years.
- In case of fire, only a dry powder fire extinguisher is suitable for the product.
- Do not clean the product with harmful chemicals or detergents.
- Misuse, dropping or excessive force may cause product damage.
- When disposing of secondary cells or batteries, keep cells or batteries of different electrochemical systems separate from each other.
- Replacement of a battery with an incorrect type can defeat a safeguard (for example, in the case of some lithium battery types).
- Leaving a battery in an extremely high-temperature environment can result in an explosion or the leakage of flammable liquid or gas.
- Disposal of a battery into a fire or hot oven, or mechanically crushing or cutting off a battery, can result in an explosion.
- Leaving a battery in an extremely high-temperature environment or low air pressure can result in an explosion or leakage of flammable liquid or gas.
- The USB-C2/3 output ports are PS3 classification. Risk of fire during connection of additional equipment to USB-C2/3, safeguards against fire of the connected equipment or accessory should be considered. Only connect your Power Bank to the equipment or accessory which should be comply with clauses 6.3, 6.4 and 6.5 of standard IEC 62368-1 and by a USB-C2/3 5A cable to achieve max power (20VDC/5A, 100W / 28VDC/5A, 140W) through a single port.
- Under abusive conditions, liquid may be ejected from the battery, avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help. Liquid ejected from the battery may cause irritation or burns.
- Do not open or mutilate batteries. Released electrolytes are harmful to the skin and eyes. It may be toxic.
- A battery can present a risk of electric shock and burns by high short-circuit current.
- Failed batteries can reach temperatures that exceed the burn thresholds for touchable surfaces.

- The following precautions should be observed when working on batteries:
- a) disconnect the charging source prior to connecting or disconnecting battery terminals;
 - b) do not wear any metal objects including watches and rings;
 - c) do not lay tools or metal parts on top of batteries;
 - d) use tools with insulated handles;
 - e) wear rubber gloves and boots;
 - f) determine if battery is either intentionally or inadvertently grounded. Contact with any part of a grounded battery can result in electric shock and burns by high short-circuit current. The risk of such hazards can be reduced if grounds are removed during installation and maintenance by a skilled person.

Storage and Maintenance Instructions:

- 1. Store product in a cool and dry place. Do not store the product in hot or humid environment.
- 2. If the product is not used for long periods of time, you should charge and discharge once every three months.
- 3. Keep the product on a flat surface when using, charging, and storing.
- 4. Store the product between 32°F–104°F (0°C–40°C).
- 5. Do not use or store the power station in direct sunlight for a long period, such as in a car, cargo bed, or any other place where it will be exposed to high temperatures. Doing so may cause the product to malfunction, deteriorate, or generate heat.

FCC Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- (1) Reorient or relocate the receiving antenna.
- (2) Increase the separation between the equipment and receiver.
- (3) Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- (4) Consult the dealer or an experienced radio / TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance of 0 cm between the radiator & your body.

The following importer is the responsible party.

Company Name: Fantasia Trading LLC

Address: 5350 Ontario Mills Pkwy, Suite 100, Ontario, CA 91764

Telephone: +1-800-988-7973

IC Statement:

This device contains licence exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
 - 2. This device must accept any interference, including interference that may cause undesired operation of the device.
- L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:
- 1. L'appareil ne doit pas produire de brouillage;

2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

IC RF exposure statement:

This equipment complies with IC Radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 0cm between the product and your body.

IC RF déclaration d'exposition:

Cet appareil est conforme aux limites d'exposition aux rayonnements IC fixées pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec une distance minimale de 0 cm entre le produit et votre corps.

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B est conforme à la norme NMB-003 du Canada CAN ICES-003 (B)/NMB-003(B).

Anker Innovations Limited

Unit 56, 8th Floor, Tower 2, Admiralty Centre, 18 Harcourt Road, Hong Kong

Attention



Not permitted on aircraft.



This symbol means the product must not be discarded as household waste, and should be delivered to an appropriate collection facility for recycling. Proper disposal and recycling helps protect natural resources, human health, and the environment. For more information on the disposal and recycling of this product, contact your local municipality, disposal service, or the shop where you bought this product.



Declaration of Conformity

This product complies with the radio interference requirements of the European Community. Hereby, Anker Innovations Limited declares that the radio equipment is in compliance with Directive 2014/53/EU & 2011/65/EU and amendment (EU) 2015/863. The full text of the EU Declaration of Conformity is available at the following website: https://support.anker.com/s/articleRecommend?otherType=Anker_EN_Extetal_Manual_and_Download&secondType=doc

Maximum output power: < 20 dBm (For EU)

Frequency band: 2.4G band (2.4000GHz - 2.4835GHz)

This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

UK PSTI Statement

Hereby, Anker Innovations Limited declares that this device is in compliance with The Product Security and Telecommunications Infrastructure (Security Requirements for Relevant Connectable Products) Regulations 2023. For the Statement of Compliance, visit the Web site <https://www.anker.com/uk/psti-related>



The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by Anker Innovations Limited is under license. Other trademarks and trade names are those of their respective owners.

.....