More Colors, More Design Freedom!

New 7-Color ESL RS075 SPECIFICATION

Datasheet V1.0











HIGHLIGHTS



Seven-color display



7.3-inch large screen



Updating in seconds



5-year battery life



REST API



LED location indicator



Managed by Cloud/APP




Customized templates



2.5D transparent shell



Replaceable battery



RS075

BRIEF INTRODUCTION

RS075 is a brand-new 7-color electronic shelf label launched by MinewTag. The product has a 7.3-inch electronic ink screen, which features low power consumption and 7-color display (including black, white, red, yellow, blue, green and orange). Ultilizing Bluetooth Low Energy 5.0 technology, it realizes fast refresh speed and good stability while consuming ultra-low power. The screen is protected by a 2.5D transparent panel with high light transmittance. RS075 delivers long service life with high capacity replaceable battery.

SPECIFICATION

Material	AC2300
Color	White
Dimension	182.5*128.9*16.3 mm
Display Technology	EPD
Screen size	7.3-inch
Display Area	159.6*95.6 mm
Resolution	800*480px
Pixel Density	127dpi
Weight	293g
Battery Lifetime	5Years
Fixing Ways	Stands, hooks, etc
Display Color	Black/White/Red/Yellow/Blue/Green/Orange

TECHNICAL PARAMETER		
Communication Protocol	Bluetooth®Low Energy 5.0	
Battery	CR2477 * 6	
Transmitting Distance	30-70 Meters	
Working Humidity	50±20%RH	
Operating Temperature	15° C- 35° C	
Storage Temperature	-20 °C -60 °C	
COMPLIANCE		
Certification	BQB/FCC/CE/RoHS	

FCC warning

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



Address: Building I, Gangzhilong Science Park, Qinglong Road,

Longhua District, Shenzhen, 518109, China

Phone: +86(755)2103 8160 Email: info@minewtag.com

Website: https://www.minewtag.com











