


1 Annex A – Test setup


1.1 List of Pictures

Picture 1: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	2
Picture 2: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	2
Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view)	3
Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	3
Picture 5: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	4
Picture 6: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)	4
Picture 7: Test setup AC power line conducted emissions (front view)	5
Picture 8: Test setup AC power line conducted emissions (rear view)	5
Picture 9: Test setup frequency stability	6
Picture 10: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	7
Picture 11: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	7
Picture 12: SAC, radiated emission test 30 MHz - 1 GHz (front view)	8
Picture 13: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	8
Picture 14: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	9
Picture 15: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)	9
Picture 16: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)	10
Picture 17: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)	10
Picture 18: SAC, radiated emission test 30 MHz - 1 GHz (front view)	11
Picture 19: SAC, radiated emission test 30 MHz - 1 GHz (rear view)	11
Picture 20: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)	12
Picture 21: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)	12
Picture 22: EUT position X	13
Picture 23: EUT position Y	13
Picture 24: USB cable	14
Picture 25: RS-485 adapter	14
Picture 26: Wiegand adapter	15
Picture 27: RFID tag	15


USB mode




Picture 1: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 2: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 3: SAC, radiated emission test 30 MHz - 1 GHz (front view)



Picture 4: SAC, radiated emission test 30 MHz - 1 GHz (rear view)




Picture 5: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)




Picture 6: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)



Picture 7: Test setup AC power line conducted emissions (front view)




Picture 8: Test setup AC power line conducted emissions (rear view)



Picture 9: Test setup frequency stability


RS-485 mode




Picture 10: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 11: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 12: SAC, radiated emission test 30 MHz - 1 GHz (front view)



Picture 13: SAC, radiated emission test 30 MHz - 1 GHz (rear view)




Picture 14: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)




Picture 15: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)


Wiegand mode




Picture 16: SAC, test setup radiated emission test 9 kHz - 30 MHz (front view)




Picture 17: SAC, test setup radiated emission test 9 kHz - 30 MHz (rear view)




Picture 18: SAC, radiated emission test 30 MHz - 1 GHz (front view)



Picture 19: SAC, radiated emission test 30 MHz - 1 GHz (rear view)



Picture 20: SAC, radiated emission test 1 GHz – 12.5 GHz (front view)




Picture 21: SAC, radiated emission test 1 GHz – 12.5 GHz (rear view)

Note(s):


1. Position Y is the normal position of use.
2. Position X was only used for the radiated tests below 30 MHz, because the measurement antenna can only be polarized vertical




Picture 22: EUT position X




Picture 23: EUT position Y




Picture 24: USB cable



Picture 25: RS-485 adapter



Picture 26: Wiegand adapter



Picture 27: RFID tag