



TX CH157



Date: 31.JUL.2018 15:53:31

TX CH165



Date: 31.JUL.2018 15:54:39


Test Mode: UNII-3/ TX N10 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	15.02	27.59
CH157	5785	14.03	27.59
CH165	5825	13.53	27.59

Test Mode: UNII-3/TX A20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.96	0.00	9.96	27.59
CH157	5785	9.14	0.00	9.14	27.59
CH165	5825	7.88	0.00	7.88	27.59

TX CH149




Date: 31.JUL.2018 11:22:08

TX CH157



Date: 31.JUL.2018 11:26:43

TX CH165




Date: 31.JUL.2018 11:27:48

Test Mode: UNII-3/TX A20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	9.82	0.00	9.82	27.59
CH157	5785	9.32	0.00	9.32	27.59
CH165	5825	8.40	0.00	8.40	27.59

TX CH149




Date: 31.JUL.2018 11:53:05

TX CH157



Date: 31.JUL.2018 11:58:19

TX CH165



Date: 31.JUL.2018 12:00:34


Test Mode: UNII-3/TX A20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	12.90	27.59
CH157	5785	12.24	27.59
CH165	5825	11.16	27.59

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.92	0.00	8.92	27.59
CH157	5785	7.87	0.00	7.87	27.59
CH165	5825	7.04	0.00	7.04	27.59

TX CH149




Date: 31.JUL.2018 11:36:45

TX CH157



Date: 31.JUL.2018 11:37:58

TX CH165




Date: 31.JUL.2018 11:39:17

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	8.77	0.00	8.77	27.59
CH157	5785	7.66	0.00	7.66	27.59
CH165	5825	7.43	0.00	7.43	27.59

TX CH149




Date: 31.JUL.2018 12:02:00

TX CH157



Date: 31.JUL.2018 12:02:58

TX CH165



Date: 31.JUL.2018 12:03:46


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	11.86	27.59
CH157	5785	10.78	27.59
CH165	5825	10.25	27.59

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.42	0.10	6.52	27.59
CH159	5795	5.40	0.10	5.50	27.59

TX CH151



Date: 31.JUL.2018 11:41:02

TX CH159




Date: 31.JUL.2018 11:42:21

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	6.22	0.10	6.32	27.59
CH159	5795	5.27	0.10	5.37	27.59

TX CH151



Date: 31.JUL.2018 12:04:43

TX CH159



Date: 31.JUL.2018 12:05:35

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	9.43	27.59
CH159	5795	8.45	27.59

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9550
120	5744.9799
108	5744.9600
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8307

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
-40	5744.9800
-30	5744.9599
-20	5744.9599
-10	5744.9550
0	5744.9800
10	5744.9599
20	5744.9750
30	5744.9800
40	5744.9599
50	5744.9750
60	5744.9599
70	5744.9599
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8329