



802.11n (HT20) CH140



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1297.500000	45.05	---	68.20	23.15	500.0	200.0	H	332.0	3.2
1409.500000	---	34.39	54.00	19.61	500.0	100.0	V	340.0	3.9
1706.125000	---	35.48	54.00	18.52	500.0	100.0	H	18.0	5.3
1955.500000	47.54	---	68.20	20.66	500.0	200.0	H	232.0	6.3
2512.875000	49.57	---	68.20	18.63	500.0	200.0	V	41.0	8.5
2801.625000	---	38.28	54.00	15.72	500.0	100.0	H	29.0	9.1
3555.875000	52.48	---	68.20	15.72	500.0	200.0	H	0.0	11.4
3997.750000	---	41.47	54.00	12.53	500.0	200.0	H	232.0	12.6
5124.750000	---	42.89	54.00	11.11	500.0	200.0	V	304.0	13.7
5207.000000	54.52	---	68.20	13.68	500.0	200.0	V	139.0	14.1
7320.125000	---	44.93	54.00	9.07	500.0	200.0	H	2.0	17.7
7971.125000	57.40	---	68.20	10.80	500.0	200.0	V	314.0	19.0



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8901.250000	43.88	---	68.20	24.32	500.0	100.0	H	283.0	-1.4
9120.000000	---	36.31	54.00	17.69	500.0	100.0	V	2.0	-1.2
10008.750000	46.18	---	68.20	22.02	500.0	200.0	H	21.0	-0.9
10571.250000	44.34	---	68.20	23.86	500.0	200.0	H	196.0	-0.9
10881.250000	---	32.69	54.00	21.31	500.0	200.0	V	332.0	-0.7
11676.250000	---	33.57	54.00	20.43	500.0	100.0	V	46.0	-0.3
13360.000000	---	34.16	54.00	19.84	500.0	100.0	H	0.0	2.4
13728.750000	46.00	---	68.20	22.20	500.0	100.0	H	198.0	3.3
14868.750000	48.45	---	68.20	19.76	500.0	100.0	V	0.0	4.9
15607.500000	---	38.15	54.00	15.85	500.0	100.0	V	85.0	6.5
17582.500000	52.12	---	68.20	16.08	500.0	100.0	V	31.0	10.1
17988.750000	---	41.15	54.00	12.85	500.0	200.0	H	21.0	11.0

802.11n (HT20) CH144



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1121.625000	---	27.93	54.00	26.07	500.0	100.0	V	44.0	-9.2
1261.625000	39.87	---	68.20	28.33	500.0	100.0	V	106.0	-8.3
1392.875000	---	29.56	54.00	24.44	500.0	100.0	V	80.0	-7.5
1573.125000	---	30.40	54.00	23.60	500.0	200.0	V	220.0	-6.5
1970.375000	42.60	---	68.20	25.60	500.0	200.0	H	143.0	-4.6
2654.625000	45.43	---	68.20	22.77	500.0	100.0	V	76.0	-1.9
2822.625000	---	33.68	54.00	20.32	500.0	100.0	V	49.0	-1.3
3408.000000	49.14	---	68.20	19.06	500.0	200.0	H	202.0	0.9
3995.125000	---	37.95	54.00	16.05	500.0	200.0	H	42.0	2.9
4496.500000	49.83	---	68.20	18.37	500.0	200.0	V	186.0	4.3
7016.500000	52.82	---	68.20	15.38	500.0	100.0	H	339.0	6.5
7455.750000	---	40.70	54.00	13.30	500.0	200.0	H	68.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8463.750000	---	31.58	54.00	22.42	500.0	200.0	V	163.0	-1.7
8866.250000	43.49	---	68.20	24.71	500.0	200.0	H	284.0	-1.4
9466.250000	---	32.81	54.00	21.19	500.0	100.0	V	326.0	-0.3
10112.500000	43.85	---	68.20	24.35	500.0	200.0	H	0.0	-0.8
10492.500000	44.43	---	68.20	23.77	500.0	100.0	V	0.0	-0.9
10670.000000	---	32.76	54.00	21.24	500.0	100.0	V	321.0	-0.7
13297.500000	---	34.62	54.00	19.38	500.0	200.0	V	294.0	3.3
13523.750000	46.99	---	68.20	21.21	500.0	100.0	H	38.0	3.6
15257.500000	48.00	---	68.20	20.20	500.0	100.0	V	191.0	5.8
15561.250000	---	37.56	54.00	16.44	500.0	100.0	H	234.0	6.6
17677.500000	51.47	---	68.20	16.73	500.0	200.0	V	80.0	10.2
17907.500000	---	39.85	54.00	14.15	500.0	200.0	H	263.0	10.2

802.11n (HT20) CH149



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1256.375000	41.01	---	68.20	27.19	500.0	200.0	V	38.0	-8.3
1401.625000	---	29.26	54.00	24.74	500.0	100.0	V	128.0	-7.5
1689.500000	---	30.49	54.00	23.51	500.0	100.0	V	298.0	-5.9
1901.250000	43.01	---	68.20	25.19	500.0	100.0	H	290.0	-4.9
2673.875000	44.53	---	68.20	23.67	500.0	100.0	V	67.0	-1.9
2804.250000	---	33.62	54.00	20.38	500.0	100.0	H	134.0	-1.4
3518.250000	48.07	---	68.20	20.13	500.0	200.0	V	162.0	1.3
3989.000000	---	37.86	54.00	16.14	500.0	200.0	V	81.0	2.9
4455.375000	48.36	---	68.20	19.84	500.0	200.0	V	225.0	4.0
4654.875000	---	38.41	54.00	15.59	500.0	100.0	V	269.0	4.4
7373.500000	---	39.90	54.00	14.10	500.0	100.0	H	211.0	7.1
7951.875000	52.42	---	68.20	15.78	500.0	200.0	V	187.0	8.3



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8056.250000	---	31.60	54.00	22.40	500.0	100.0	H	91.0	-1.5
8966.250000	43.19	---	68.20	25.01	500.0	200.0	H	165.0	-1.4
9191.250000	---	36.03	54.00	17.97	500.0	100.0	V	179.0	-0.9
9507.500000	43.72	---	68.20	24.48	500.0	200.0	H	8.0	-0.4
10566.250000	43.85	---	68.20	24.35	500.0	200.0	V	148.0	-0.8
10681.250000	---	32.73	54.00	21.27	500.0	100.0	V	274.0	-0.7
13305.000000	---	34.63	54.00	19.37	500.0	100.0	V	0.0	3.3
13727.500000	46.45	---	68.20	21.75	500.0	200.0	V	337.0	3.8
15321.250000	48.00	---	68.20	20.20	500.0	200.0	H	119.0	5.9
15590.000000	---	37.55	54.00	16.45	500.0	200.0	V	113.0	6.7
17667.500000	50.94	---	68.20	17.26	500.0	200.0	V	270.0	10.2
17885.000000	---	39.79	54.00	14.21	500.0	100.0	V	274.0	10.2

802.11n (HT20) CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1254.625000	40.03	---	68.20	28.17	500.0	100.0	V	138.0	-8.3
1381.500000	---	29.31	54.00	24.69	500.0	100.0	V	46.0	-7.5
1698.250000	---	30.30	54.00	23.71	500.0	200.0	H	120.0	-5.9
1941.500000	42.94	---	68.20	25.26	500.0	200.0	H	205.0	-4.7
2554.000000	44.66	---	68.20	23.54	500.0	200.0	V	280.0	-2.2
2813.875000	---	33.56	54.00	20.44	500.0	200.0	V	0.0	-1.3
3598.750000	47.97	---	68.20	20.23	500.0	100.0	H	252.0	1.6
3993.375000	---	38.45	54.00	15.55	500.0	100.0	V	246.0	2.9
4460.625000	48.99	---	68.20	19.21	500.0	200.0	H	175.0	4.0
4938.375000	---	38.60	54.00	15.40	500.0	200.0	V	314.0	5.1
7058.500000	52.83	---	68.20	15.37	500.0	100.0	V	187.0	6.6
7473.250000	---	41.09	54.00	12.91	500.0	100.0	H	266.0	7.1



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8042.500000	---	31.83	54.00	22.17	500.0	200.0	H	145.0	-1.5
8517.500000	43.22	---	68.20	24.98	500.0	200.0	H	207.0	-1.6
9458.750000	---	32.89	54.00	21.11	500.0	100.0	H	95.0	-0.3
9707.500000	44.10	---	68.20	24.10	500.0	100.0	V	133.0	-0.7
10497.500000	44.11	---	68.20	24.09	500.0	100.0	H	287.0	-0.9
11570.000000	---	33.34	54.00	20.66	500.0	100.0	V	138.0	-0.1
13320.000000	---	34.66	54.00	19.34	500.0	100.0	V	282.0	3.3
13508.750000	46.22	---	68.20	21.98	500.0	100.0	V	112.0	3.5
15266.250000	48.24	---	68.20	19.96	500.0	200.0	V	2.0	5.9
15582.500000	---	37.83	54.00	16.17	500.0	200.0	V	335.0	6.7
17676.250000	50.84	---	68.20	17.36	500.0	200.0	H	145.0	10.2
17897.500000	---	39.94	54.00	14.06	500.0	100.0	V	143.0	10.2

802.11n (HT20) CH165



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1299.250000	40.29	---	68.20	27.91	500.0	200.0	V	188.0	-8.0
1375.375000	---	29.61	54.00	24.39	500.0	200.0	H	148.0	-7.6
1690.375000	---	30.35	54.00	23.65	500.0	200.0	H	32.0	-5.9
1951.125000	42.87	---	68.20	25.33	500.0	100.0	H	109.0	-4.6
2467.375000	45.03	---	68.20	23.17	500.0	200.0	V	102.0	-2.6
2742.125000	---	33.71	54.00	20.29	500.0	200.0	V	182.0	-1.6
3540.125000	48.20	---	68.20	20.00	500.0	100.0	H	313.0	1.4
3989.000000	---	38.15	54.00	15.85	500.0	200.0	V	237.0	2.9
4429.125000	50.56	---	68.20	17.64	500.0	200.0	H	0.0	3.9
4516.625000	---	38.58	54.00	15.42	500.0	200.0	V	217.0	4.3
6693.625000	52.59	---	68.20	15.61	500.0	200.0	V	286.0	6.6
7691.125000	---	40.92	54.00	13.08	500.0	100.0	H	347.0	7.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8043.750000	---	32.12	54.00	21.88	500.0	200.0	V	114.0	-1.5
8990.000000	44.17	---	68.20	24.03	500.0	200.0	V	129.0	-1.4
9461.250000	---	33.52	54.00	20.48	500.0	200.0	V	209.0	-0.3
9923.750000	44.21	---	68.20	23.99	500.0	200.0	H	41.0	-0.8
10538.750000	43.88	---	68.20	24.32	500.0	200.0	H	201.0	-0.9
10683.750000	---	33.21	54.00	20.79	500.0	100.0	H	223.0	-0.7
13307.500000	---	35.20	54.00	18.80	500.0	200.0	V	102.0	3.3
13522.500000	47.66	---	68.20	20.54	500.0	100.0	V	358.0	3.6
15261.250000	49.03	---	68.20	19.17	500.0	100.0	V	158.0	5.9
15572.500000	---	38.08	54.00	15.92	500.0	100.0	V	67.0	6.6
17690.000000	51.26	---	68.20	16.94	500.0	200.0	V	265.0	10.2
17908.750000	---	40.29	54.00	13.71	500.0	200.0	H	317.0	10.2

802.11n (HT40) CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1063.875000	---	32.48	54.00	21.52	500.0	200.0	V	145.0	1.2
1294.875000	45.61	---	68.20	22.59	500.0	100.0	V	83.0	3.2
1402.500000	---	34.41	54.00	19.59	500.0	200.0	V	220.0	3.9
1667.625000	---	35.36	54.00	18.64	500.0	100.0	V	359.0	5.2
1773.500000	47.69	---	68.20	20.51	500.0	200.0	H	257.0	5.6
2461.250000	49.90	---	68.20	18.30	500.0	200.0	H	226.0	8.4
2764.000000	---	38.21	54.00	15.79	500.0	200.0	V	259.0	8.9
3569.875000	52.15	---	68.20	16.05	500.0	200.0	V	354.0	11.4
3950.500000	---	41.47	54.00	12.53	500.0	200.0	V	226.0	12.3
5760.000000	57.41	---	68.20	10.79	500.0	200.0	H	175.0	14.6
6920.250000	59.64	---	68.20	8.56	500.0	200.0	H	180.0	16.8
7566.000000	---	45.38	54.00	8.62	500.0	100.0	V	0.0	17.9



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8965.000000	43.75	---	68.20	24.45	500.0	100.0	H	77.0	-1.3
9150.000000	---	32.43	54.00	21.57	500.0	100.0	H	57.0	-1.1
9807.500000	45.26	---	68.20	22.94	500.0	200.0	V	244.0	-0.4
10532.500000	43.85	---	68.20	24.35	500.0	200.0	H	185.0	-1.0
10653.750000	---	33.89	54.00	20.11	500.0	100.0	V	293.0	-0.8
12266.250000	---	32.64	54.00	21.36	500.0	200.0	V	295.0	0.2
13396.250000	---	34.12	54.00	19.88	500.0	100.0	V	236.0	2.4
13721.250000	46.89	---	68.20	21.31	500.0	100.0	V	105.0	3.3
15217.500000	48.45	---	68.20	19.75	500.0	100.0	V	140.0	5.4
15605.000000	---	38.39	54.00	15.61	500.0	100.0	V	125.0	6.5
17582.500000	52.38	---	68.20	15.82	500.0	200.0	H	0.0	10.1
17985.000000	---	41.19	54.00	12.81	500.0	200.0	H	207.0	11.0

802.11n (HT40) CH46



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1278.250000	40.21	---	68.20	27.99	500.0	100.0	V	47.0	-8.2
1380.625000	---	29.46	54.00	24.54	500.0	100.0	V	56.0	-7.5
1690.375000	---	30.47	54.00	23.53	500.0	100.0	V	207.0	-5.9
1963.375000	43.30	---	68.20	24.90	500.0	200.0	H	309.0	-4.6
2443.750000	45.02	---	68.20	23.18	500.0	100.0	H	179.0	-2.6
2766.625000	---	33.55	54.00	20.45	500.0	100.0	V	102.0	-1.5
3317.000000	48.29	---	68.20	19.91	500.0	200.0	V	243.0	0.7
3995.125000	---	38.09	54.00	15.91	500.0	100.0	V	117.0	2.9
5125.625000	---	38.43	54.00	15.57	500.0	200.0	H	294.0	5.2
5574.500000	50.81	---	68.20	17.39	500.0	200.0	V	136.0	6.2
6973.625000	57.09	---	68.20	11.11	500.0	100.0	V	16.0	6.6
7544.125000	---	40.91	54.00	13.09	500.0	100.0	H	58.0	7.4



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8036.250000	---	31.77	54.00	22.23	500.0	100.0	V	229.0	-1.5
8986.250000	43.57	---	68.20	24.63	500.0	200.0	V	286.0	-1.4
9457.500000	---	33.03	54.00	20.97	500.0	200.0	H	135.0	-0.3
10115.000000	44.41	---	68.20	23.79	500.0	200.0	H	160.0	-0.8
10531.250000	43.50	---	68.20	24.70	500.0	100.0	H	116.0	-0.9
10668.750000	---	33.07	54.00	20.93	500.0	200.0	H	150.0	-0.7
13313.750000	---	35.19	54.00	18.81	500.0	200.0	V	0.0	3.3
13483.750000	46.97	---	68.20	21.23	500.0	100.0	V	223.0	3.5
14330.000000	48.75	---	68.20	19.45	500.0	100.0	H	240.0	4.7
15603.750000	---	37.99	54.00	16.01	500.0	100.0	V	178.0	6.7
17670.000000	51.68	---	68.20	16.52	500.0	100.0	H	0.0	10.2
17902.500000	---	40.19	54.00	13.81	500.0	100.0	H	153.0	10.2

802.11n (HT40) CH54



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.750000	40.77	---	68.20	27.43	500.0	200.0	H	260.0	-8.1
1408.625000	---	29.74	54.00	24.26	500.0	100.0	V	182.0	-7.4
1672.875000	---	30.42	54.00	23.58	500.0	100.0	V	153.0	-6.0
1774.375000	43.14	---	68.20	25.06	500.0	200.0	H	46.0	-5.5
2477.000000	44.39	---	68.20	23.81	500.0	100.0	V	148.0	-2.5
2824.375000	---	33.65	54.00	20.35	500.0	100.0	V	157.0	-1.2
3579.500000	48.00	---	68.20	20.20	500.0	200.0	V	0.0	1.5
3993.375000	---	38.09	54.00	15.91	500.0	100.0	H	233.0	2.9
5126.500000	---	38.49	54.00	15.51	500.0	200.0	V	132.0	5.2
5564.875000	50.62	---	68.20	17.58	500.0	100.0	H	341.0	6.1
7027.000000	57.73	---	68.20	10.47	500.0	100.0	V	26.0	6.5
7494.250000	---	40.84	54.00	13.16	500.0	200.0	H	57.0	7.2



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8040.000000	---	31.92	54.00	22.08	500.0	100.0	H	255.0	-1.5
8507.500000	43.53	---	68.20	24.67	500.0	200.0	H	286.0	-1.6
9458.750000	---	33.01	54.00	20.99	500.0	100.0	H	311.0	-0.3
9655.000000	44.73	---	68.20	23.47	500.0	100.0	H	316.0	-0.8
10567.500000	44.22	---	68.20	23.98	500.0	100.0	V	14.0	-0.8
10671.250000	---	33.19	54.00	20.81	500.0	100.0	V	64.0	-0.7
13308.750000	---	35.04	54.00	18.96	500.0	200.0	V	176.0	3.3
13523.750000	47.10	---	68.20	21.10	500.0	200.0	V	146.0	3.6
15282.500000	48.67	---	68.20	19.53	500.0	100.0	H	199.0	5.9
15600.000000	---	37.91	54.00	16.09	500.0	100.0	V	54.0	6.7
17671.250000	51.46	---	68.20	16.74	500.0	200.0	V	317.0	10.2
17908.750000	---	40.18	54.00	13.82	500.0	200.0	H	85.0	10.2

802.11n (HT40) CH62



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1065.625000	---	31.79	54.00	22.21	500.0	100.0	H	72.0	1.2
1389.375000	---	34.10	54.00	19.90	500.0	200.0	V	217.0	3.8
1707.875000	---	35.36	54.00	18.64	500.0	100.0	H	14.0	5.3
1801.500000	47.59	---	68.20	20.61	500.0	200.0	H	331.0	5.7
2539.125000	49.44	---	68.20	18.76	500.0	100.0	H	159.0	8.5
2817.375000	---	38.20	54.00	15.80	500.0	200.0	V	134.0	9.1
3464.000000	52.10	---	68.20	16.10	500.0	100.0	V	108.0	11.4
3995.125000	---	41.42	54.00	12.58	500.0	100.0	V	163.0	12.6
4440.500000	52.15	---	68.20	16.05	500.0	200.0	H	215.0	12.7
5760.000000	56.76	---	68.20	11.44	500.0	100.0	H	332.0	14.6
7080.375000	57.22	---	68.20	10.98	500.0	100.0	V	289.0	17.3
7274.625000	---	44.88	54.00	9.12	500.0	100.0	H	323.0	17.6



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8821.250000	44.31	---	68.20	23.89	500.0	200.0	H	0.0	-1.4
9152.500000	---	32.24	54.00	21.76	500.0	200.0	H	337.0	-1.1
10047.500000	45.42	---	68.20	22.78	500.0	100.0	H	111.0	-0.6
10557.500000	44.29	---	68.20	23.91	500.0	200.0	V	27.0	-0.9
10668.750000	---	33.81	54.00	20.19	500.0	100.0	H	301.0	-0.8
12300.000000	---	33.15	54.00	20.85	500.0	200.0	H	108.0	0.2
13380.000000	---	34.54	54.00	19.46	500.0	200.0	V	316.0	2.4
13466.250000	46.59	---	68.20	21.61	500.0	200.0	H	347.0	2.6
14883.750000	48.70	---	68.20	19.50	500.0	200.0	V	207.0	5.0
15606.250000	---	38.19	54.00	15.81	500.0	200.0	V	17.0	6.5
17555.000000	52.72	---	68.20	15.48	500.0	200.0	V	121.0	10.0
17985.000000	---	41.12	54.00	12.88	500.0	200.0	V	47.0	11.0