




Fig.67




Fig.68



Fig.69



Fig.70




Fig.71



Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82



Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
66	1720	132072	20	1	0	Fig.1
	1745	132322		1	0	Fig.2
	1770	132572		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band Edges Compliance						
Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
66	1710.7	131979	1.4	1	0	Fig.1
				6	0	Fig.2
	1779.3	132665		1	5	Fig.3
				6	0	Fig.4
	1711.5	131987	3	1	0	Fig.5
				15	0	Fig.6
	1778.5	132657		1	14	Fig.7
				15	0	Fig.8
	1712.5	131997	5	1	0	Fig.9
				25	0	Fig.10
	1777.5	132647		1	24	Fig.11
				25	0	Fig.12
	1715	132022	10	1	0	Fig.13
				50	0	Fig.14
	1775	132622		1	49	Fig.15
				50	0	Fig.16
	1717.5	132047	15	1	0	Fig.17
				75	0	Fig.18
	1772.5	132597		1	74	Fig.19
				75	0	Fig.20
	1720	132072	20	1	0	Fig.21
				100	0	Fig.22
	1770	132572		1	99	Fig.23
				100	0	Fig.24




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5










Fig.6






Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band66 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.020	-0.006	-0.026	-0.024	-0.017	-0.013
0	NV	-0.016	-0.009	-0.002	-0.024	-0.010	-0.022
+10	NV	-0.024	-0.027	-0.017	-0.080	-0.021	-0.016
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.016	-0.029	-0.028	-0.007	-0.008	-0.012
+40	NV	-0.017	-0.015	-0.024	-0.026	-0.013	-0.006
+50	NV	-0.018	-0.020	-0.025	-0.007	-0.023	-0.005
+55	NV	-0.011	-0.021	-0.022	-0.011	-0.018	-0.006
+20	LV	-0.006	-0.026	-0.027	-0.009	-0.015	-0.008
+20	HV	-0.031	-0.026	-0.024	-0.019	-0.004	-0.009

Temperature(°C)	Voltage	Test Result (ppm) Band66 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.005	-0.011	-0.018	0.000	-0.020	-0.011
0	NV	-0.006	-0.017	-0.011	-0.015	-0.024	-0.005
+10	NV	0.005	-0.027	-0.028	-0.018	-0.001	-0.007
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.021	-0.023	-0.021	-0.023	-0.020	-0.019
+40	NV	-0.004	-0.012	-0.013	-0.023	-0.003	-0.021
+50	NV	-0.006	-0.001	-0.004	-0.013	0.000	-0.017
+55	NV	-0.008	-0.009	-0.009	-0.010	0.006	-0.008
+20	LV	-0.014	-0.014	-0.018	-0.002	-0.020	-0.007
+20	HV	-0.008	-0.004	-0.003	-0.027	-0.012	-0.006

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1710.7	131979	1.4	1	0	24.03	22.83	0.192	
				1	3	24.09	22.89	0.195	
				1	5	24.04	22.84	0.192	
				3	0	24.13	22.93	0.196	
				3	1	24.06	22.86	0.193	
				3	3	24.15	22.95	0.197	
				6	0	23.04	21.84	0.153	
	1755	132422		1	0	24.34	23.14	0.206	
				1	3	24.40	23.20	0.209	
				1	5	24.40	23.20	0.209	
				3	0	24.20	23.00	0.200	
				3	1	24.28	23.08	0.203	
				3	3	24.26	23.06	0.202	
				6	0	23.15	21.95	0.157	
	1779.3	132665		1	0	24.07	22.87	0.194	
				1	3	24.05	22.85	0.193	
				1	5	24.07	22.87	0.194	
				3	0	24.21	23.01	0.200	
				3	1	24.21	23.01	0.200	
				3	3	24.19	22.99	0.199	
				6	0	23.12	21.92	0.156	
	16QAM	1710.7		131979	1	0	23.82	22.62	0.183
					1	3	23.91	22.71	0.187
					1	5	23.90	22.70	0.186
3					0	22.91	21.71	0.148	
3					1	22.93	21.73	0.149	
3					3	23.06	21.86	0.153	
6					0	22.16	20.96	0.125	
1755		132422		1	0	23.31	22.11	0.163	
				1	3	23.35	22.15	0.164	
				1	5	23.41	22.21	0.166	
				3	0	23.18	21.98	0.158	
				3	1	23.23	22.03	0.160	
				3	3	23.17	21.97	0.157	
				6	0	22.48	21.28	0.134	
1779.3		132665		1	0	22.94	21.74	0.149	
				1	3	23.02	21.82	0.152	
				1	5	23.01	21.81	0.152	
				3	0	23.18	21.98	0.158	
				3	1	23.22	22.02	0.159	
				3	3	23.18	21.98	0.158	
				6	0	22.33	21.13	0.130	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1710.7	131979	1.4	1	0	22.16	20.96	0.125
				1	3	22.16	20.96	0.125
				1	5	22.16	20.96	0.125
				3	0	22.17	20.97	0.125
				3	1	22.16	20.96	0.125
				3	3	22.16	20.96	0.125
				6	0	22.16	20.96	0.125
	1755	132422		1	0	22.42	21.22	0.132
				1	3	22.49	21.29	0.135
				1	5	22.51	21.31	0.135
				3	0	22.42	21.22	0.132
				3	1	22.42	21.22	0.132
				3	3	22.42	21.22	0.132
				6	0	22.41	21.21	0.132
	1779.3	132665		1	0	22.33	21.13	0.130
				1	3	22.33	21.13	0.130
				1	5	22.33	21.13	0.130
				3	0	22.33	21.13	0.130
				3	1	22.33	21.13	0.130
				3	3	22.27	21.07	0.128
				6	0	22.33	21.13	0.130

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1711.5	131987	3	1	0	24.04	22.84	0.192	
				1	8	23.93	22.73	0.187	
				1	14	24.00	22.80	0.191	
				8	0	23.04	21.84	0.153	
				8	4	22.96	21.76	0.150	
				8	7	22.96	21.76	0.150	
				15	0	23.11	21.91	0.155	
	1755	132422		1	0	24.42	23.22	0.210	
				1	8	24.38	23.18	0.208	
				1	14	24.34	23.14	0.206	
				8	0	23.22	22.02	0.159	
				8	4	23.24	22.04	0.160	
				8	7	23.23	22.03	0.160	
				15	0	23.26	22.06	0.161	
	1778.5	132657		1	0	24.01	22.81	0.191	
				1	8	24.10	22.90	0.195	
				1	14	24.11	22.91	0.195	
				8	0	23.02	21.82	0.152	
				8	4	23.03	21.83	0.152	
				8	7	23.02	21.82	0.152	
				15	0	23.03	21.83	0.152	
	16QAM	1711.5		131987	1	0	22.99	21.79	0.151
					1	8	22.86	21.66	0.147
					1	14	22.86	21.66	0.147
8					0	22.31	21.11	0.129	
8					4	22.24	21.04	0.127	
8					7	22.24	21.04	0.127	
15					0	22.23	21.03	0.127	
1755		132422		1	0	23.36	22.16	0.164	
				1	8	23.45	22.25	0.168	
			1	14	23.35	22.15	0.164		
			8	0	22.45	21.25	0.133		
			8	4	22.48	21.28	0.134		
			8	7	22.49	21.29	0.135		
			15	0	22.34	21.14	0.130		
1778.5		132657	1	0	22.94	21.74	0.149		
			1	8	22.99	21.79	0.151		
			1	14	22.98	21.78	0.151		
			8	0	22.27	21.07	0.128		
			8	4	22.34	21.14	0.130		
			8	7	22.34	21.14	0.130		
			15	0	22.18	20.98	0.125		

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1711.5	131987	3	1	0	22.22	21.02	0.126
				1	8	22.23	21.03	0.127
				1	14	22.23	21.03	0.127
				8	0	22.23	21.03	0.127
				8	4	22.19	20.99	0.126
				8	7	22.23	21.03	0.127
				15	0	22.23	21.03	0.127
	1755	132422		1	0	22.35	21.15	0.130
				1	8	22.35	21.15	0.130
				1	14	22.35	21.15	0.130
				8	0	22.35	21.15	0.130
				8	4	22.35	21.15	0.130
				8	7	22.34	21.14	0.130
				15	0	22.27	21.07	0.128
	1778.5	132657		1	0	22.18	20.98	0.125
				1	8	22.18	20.98	0.125
				1	14	22.18	20.98	0.125
				8	0	22.18	20.98	0.125
				8	4	22.18	20.98	0.125
				8	7	22.18	20.98	0.125
				15	0	22.18	20.98	0.125

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1712.5	131997	5	1	0	24.05	22.85	0.193	
				1	12	23.80	22.60	0.182	
				1	24	23.97	22.77	0.189	
				12	0	23.19	21.99	0.158	
				12	7	23.07	21.87	0.154	
				12	13	23.06	21.86	0.153	
				25	0	23.10	21.90	0.155	
	1755	132422		1	0	24.17	22.97	0.198	
				1	12	24.11	22.91	0.195	
				1	24	24.12	22.92	0.196	
				12	0	23.25	22.05	0.160	
				12	7	23.21	22.01	0.159	
				12	13	23.19	21.99	0.158	
				25	0	23.26	22.06	0.161	
	1777.5	132647		1	0	24.10	22.90	0.195	
				1	12	24.08	22.88	0.194	
				1	24	24.01	22.81	0.191	
				12	0	23.17	21.97	0.157	
				12	7	23.05	21.85	0.153	
				12	13	23.04	21.84	0.153	
				25	0	23.08	21.88	0.154	
	16QAM	1712.5		131997	1	0	22.82	21.62	0.145
					1	12	22.67	21.47	0.140
					1	24	22.66	21.46	0.140
12					0	22.00	20.80	0.120	
12					7	21.90	20.70	0.117	
12					13	21.91	20.71	0.118	
25					0	21.93	20.73	0.118	
1755		132422	1	0	22.51	21.31	0.135		
			1	12	22.58	21.38	0.137		
			1	24	22.58	21.38	0.137		
			12	0	22.22	21.02	0.126		
			12	7	22.33	21.13	0.130		
			12	13	22.32	21.12	0.129		
			25	0	22.35	21.15	0.130		
1777.5		132647	1	0	22.77	21.57	0.144		
			1	12	22.68	21.48	0.141		
			1	24	22.75	21.55	0.143		
			12	0	22.03	20.83	0.121		
			12	7	21.96	20.76	0.119		
			12	13	21.95	20.75	0.119		
			25	0	22.17	20.97	0.125		

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1712.5	131997	5	1	0	21.93	20.73	0.118
				1	12	21.93	20.73	0.118
				1	24	21.93	20.73	0.118
				12	0	21.93	20.73	0.118
				12	7	21.93	20.73	0.118
				12	13	21.93	20.73	0.118
				25	0	21.93	20.73	0.118
	1755	132422		1	0	22.34	21.14	0.130
				1	12	22.34	21.14	0.130
				1	24	22.35	21.15	0.130
				12	0	22.34	21.14	0.130
				12	7	22.34	21.14	0.130
				12	13	22.34	21.14	0.130
				25	0	22.34	21.14	0.130
	1777.5	132647		1	0	22.16	20.96	0.125
				1	12	22.30	21.10	0.129
				1	24	22.06	20.86	0.122
				12	0	22.07	20.87	0.122
				12	7	22.06	20.86	0.122
				12	13	22.30	21.10	0.129
				25	0	22.29	21.09	0.129

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1715	132022	10	1	0	24.08	22.88	0.194	
				1	25	23.87	22.67	0.185	
				1	49	23.83	22.63	0.183	
				25	0	22.96	21.76	0.150	
				25	12	22.88	21.68	0.147	
				25	25	22.86	21.66	0.147	
				50	0	22.91	21.71	0.148	
	1755	132422		1	0	24.20	23.00	0.200	
				1	25	24.35	23.15	0.207	
				1	49	24.39	23.19	0.208	
				25	0	23.25	22.05	0.160	
				25	12	23.20	22.00	0.158	
				25	25	23.20	22.00	0.158	
				50	0	23.20	22.00	0.158	
	1775	132622		1	0	24.02	22.82	0.191	
				1	25	24.06	22.86	0.193	
				1	49	24.07	22.87	0.194	
				25	0	23.14	21.94	0.156	
				25	12	23.05	21.85	0.153	
				25	25	23.04	21.84	0.153	
				50	0	23.06	21.86	0.153	
	16QAM	1715		132022	1	0	23.04	21.84	0.153
					1	25	22.81	21.61	0.145
					1	49	22.66	21.46	0.140
25					0	22.31	21.11	0.129	
25					12	22.23	21.03	0.127	
25					25	22.23	21.03	0.127	
50					0	22.12	20.92	0.124	
1755		132422		1	0	23.16	21.96	0.157	
				1	25	23.23	22.03	0.160	
				1	49	23.22	22.02	0.159	
				25	0	22.32	21.12	0.129	
				25	12	22.42	21.22	0.132	
				25	25	22.42	21.22	0.132	
				50	0	22.37	21.17	0.131	
1775		132622		1	0	23.06	21.86	0.153	
				1	25	22.90	21.70	0.148	
				1	49	22.98	21.78	0.151	
				25	0	22.36	21.16	0.131	
				25	12	22.28	21.08	0.128	
				25	25	22.39	21.19	0.132	
				50	0	22.25	21.05	0.127	

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1715	132022	10	1	0	22.14	20.94	0.124
				1	25	22.13	20.93	0.124
				1	49	22.03	20.83	0.121
				25	0	22.03	20.83	0.121
				25	12	22.03	20.83	0.121
				25	25	22.03	20.83	0.121
				50	0	22.03	20.83	0.121
	1755	132422		1	0	22.37	21.17	0.131
				1	25	22.25	21.05	0.127
				1	49	22.26	21.06	0.128
				25	0	22.26	21.06	0.128
				25	12	22.38	21.18	0.131
				25	25	22.38	21.18	0.131
				50	0	22.25	21.05	0.127
	1775	132622		1	0	22.25	21.05	0.127
				1	25	22.25	21.05	0.127
				1	49	22.25	21.05	0.127
				25	0	22.25	21.05	0.127
				25	12	22.25	21.05	0.127
				25	25	22.25	21.05	0.127
				50	0	22.25	21.05	0.127

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1717.5	132047	15	1	0	23.92	22.72	0.187	
				1	37	23.72	22.52	0.179	
				1	74	23.68	22.48	0.177	
				36	0	22.99	21.79	0.151	
				36	29	22.95	21.75	0.150	
				36	30	22.94	21.74	0.149	
				75	0	22.94	21.74	0.149	
	1755	132422		1	0	24.08	22.88	0.194	
				1	37	24.26	23.06	0.202	
				1	74	24.21	23.01	0.200	
				36	0	23.12	21.92	0.156	
				36	29	23.07	21.87	0.154	
				36	30	23.06	21.86	0.153	
				75	0	23.08	21.88	0.154	
	1772.5	132597		1	0	24.15	22.95	0.197	
				1	37	23.95	22.75	0.188	
				1	74	23.99	22.79	0.190	
				36	0	23.15	21.95	0.157	
				36	29	23.13	21.93	0.156	
				36	30	23.11	21.91	0.155	
				75	0	23.08	21.88	0.154	
	16QAM	1717.5		132047	1	0	23.35	22.15	0.164
					1	37	23.18	21.98	0.158
					1	74	23.17	21.97	0.157
36					0	22.08	20.88	0.122	
36					29	22.05	20.85	0.122	
36					30	22.05	20.85	0.122	
75					0	21.94	20.74	0.119	
1755		132422	1	0	23.28	22.08	0.161		
			1	37	23.40	22.20	0.166		
			1	74	23.39	22.19	0.166		
			36	0	22.34	21.14	0.130		
			36	29	22.40	21.20	0.132		
			36	30	22.40	21.20	0.132		
			75	0	22.25	21.05	0.127		
1772.5		132597	1	0	23.54	22.34	0.171		
			1	37	23.37	22.17	0.165		
			1	74	23.41	22.21	0.166		
			36	0	22.23	21.03	0.127		
			36	29	22.26	21.06	0.128		
			36	30	22.26	21.06	0.128		
			75	0	22.24	21.04	0.127		

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1717.5	132047	15	1	0	21.93	20.73	0.118
				1	37	21.93	20.73	0.118
				1	74	21.93	20.73	0.118
				36	0	22.04	20.84	0.121
				36	29	22.03	20.83	0.121
				36	30	22.03	20.83	0.121
				75	0	22.03	20.83	0.121
	1755	132422		1	0	22.26	21.06	0.128
				1	37	22.26	21.06	0.128
				1	74	22.26	21.06	0.128
				36	0	22.26	21.06	0.128
				36	29	22.26	21.06	0.128
				36	30	22.26	21.06	0.128
				75	0	22.25	21.05	0.127
	1772.5	132597		1	0	22.24	21.04	0.127
				1	37	22.24	21.04	0.127
				1	74	22.23	21.03	0.127
				36	0	22.23	21.03	0.127
				36	29	22.24	21.04	0.127
				36	30	22.24	21.04	0.127
				75	0	22.24	21.04	0.127

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1720	132072	20	1	0	24.10	22.90	0.195	
				1	49	23.86	22.66	0.185	
				1	99	23.92	22.72	0.187	
				50	0	22.96	21.76	0.150	
				50	24	22.81	21.61	0.145	
				50	50	22.80	21.60	0.145	
				100	0	22.85	21.65	0.146	
	1755	132422		1	0	24.15	22.95	0.197	
				1	49	24.31	23.11	0.205	
				1	99	24.37	23.17	0.207	
				50	0	23.08	21.88	0.154	
				50	24	23.11	21.91	0.155	
				50	50	23.09	21.89	0.155	
				100	0	23.16	21.96	0.157	
	1770	132572		1	0	24.29	23.09	0.204	
				1	49	24.11	22.91	0.195	
				1	99	24.13	22.93	0.196	
				50	0	23.33	22.13	0.163	
				50	24	23.18	21.98	0.158	
				50	50	23.17	21.97	0.157	
				100	0	23.25	22.05	0.160	
	16QAM	1720		132072	1	0	23.80	22.60	0.182
					1	49	23.58	22.38	0.173
					1	99	23.58	22.38	0.173
50					0	22.07	20.87	0.122	
50					24	21.93	20.73	0.118	
50					50	21.93	20.73	0.118	
100					0	22.12	20.92	0.124	
1755		132422		1	0	23.62	22.42	0.175	
				1	49	23.80	22.60	0.182	
			1	99	23.78	22.58	0.181		
			50	0	22.18	20.98	0.125		
			50	24	22.24	21.04	0.127		
			50	50	22.24	21.04	0.127		
			100	0	22.32	21.12	0.129		
1770		132572	1	0	23.87	22.67	0.185		
			1	49	23.80	22.60	0.182		
			1	99	23.77	22.57	0.181		
			50	0	22.30	21.10	0.129		
			50	24	22.25	21.05	0.127		
			50	50	22.25	21.05	0.127		
			100	0	22.34	21.14	0.130		

Modulation	Carrier frequen cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1720	132072	20	1	0	22.12	20.92	0.124
				1	49	22.11	20.91	0.123
				1	99	22.12	20.92	0.124
				50	0	22.11	20.91	0.123
				50	24	22.11	20.91	0.123
				50	50	22.11	20.91	0.123
				100	0	22.11	20.91	0.123
	1755	132422		1	0	22.32	21.12	0.129
				1	49	22.20	21.00	0.126
				1	99	22.21	21.01	0.126
				50	0	22.20	21.00	0.126
				50	24	22.20	21.00	0.126
				50	50	22.20	21.00	0.126
				100	0	22.20	21.00	0.126
	1770	132572		1	0	22.35	21.15	0.130
				1	49	22.35	21.15	0.130
				1	99	22.35	21.15	0.130
				50	0	22.34	21.14	0.130
				50	24	22.36	21.16	0.131
				50	50	22.36	21.16	0.131
				100	0	22.35	21.15	0.130