




1. COMPONENTS AND OR PARTS TO COMPLY WITH EU DIRECTIVE 2011/65/EC (RoHS).
2. MATERIAL: COATED PAPER WITH PERMANENT LATEX ADHESIVE.  
USE LABEL P/N: 3000021.005 OR HES APPROVED EQUIVALENT.
3. WHITE LABEL WITH BLACK LETTERING,
4. FINISH: PRINTED IN DENSE BLACK INK. TEXT SHALL BE SHARP AND LEGIBLE.
5. FONT: ARIAL  
FONT HEIGHT: 4 POINT MINIMUM  
ALIGNMENT: LEFT JUSTIFIED
6.  HES LOGO DEFINED BY DRAWING 4000505.001.
7.  APERIO LOGO DEFINED BY DRAWING 4000505.002.
8. PARTS SHALL BE CLEAN AND FREE OF FOREIGN MATERIAL.
9. PARTS SHALL BE PACKAGED TO PREVENT DAMAGE RESULTING FROM SHIPPING, STORAGE, AND HANDLING.




UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
TOLERANCES ARE:  
FRACTIONAL  $\pm 1/32$   
ANGLES  $\pm 1^\circ$   
.XX  $\pm .01$   
.XXX  $\pm .005$


DO NOT SCALE DRAWING  
INTERPRET PER ASME Y14.5M-200

FAMTI Y NAME.

FCC label  
FCC ID: VC3-KKSR100PA



K100-622-PA2 FCC label position



KS100-640-PA2 FCC label position



R100-PA2 FCC label position