

11N20MIMO\_Ant0\_2412\_0~Reference



11N20MIMO\_Ant0\_2412\_30~1000



11N20MIMO\_Ant0\_2412\_1000~26500



11N20MIMO\_Ant0\_2437\_0~Reference



11N20MIMO\_Ant0\_2437\_30~1000



11N20MIMO\_Ant0\_2437\_1000~26500



11N20MIMO\_Ant0\_2462\_0~Reference



11N20MIMO\_Ant0\_2462\_30~1000



11N20MIMO\_Ant0\_2462\_1000~26500





11N40MIMO\_Ant0\_2422\_0~Reference




11N40MIMO\_Ant0\_2422\_30~1000



11N40MIMO\_Ant0\_2422\_1000~26500



11N40MIMO\_Ant0\_2437\_0~Reference



11N40MIMO\_Ant0\_2437\_30~1000



11N40MIMO\_Ant0\_2437\_1000~26500



11N40MIMO\_Ant0\_2452\_0~Reference



11N40MIMO\_Ant0\_2452\_30~1000



11N40MIMO\_Ant0\_2452\_1000~26500





11AX20MIMO Ant0 2412 0~Reference



11AX20MIMO Ant0 2412 30~1000



11AX20MIMO Ant0 2412 1000~26500



11AX20MIMO Ant0 2437 0~Reference



11AX20MIMO Ant0 2437 30~1000



11AX20MIMO Ant0 2437 1000~26500






11AX20MIMO Ant0 2462 0~Reference



11AX20MIMO Ant0 2462 30~1000




11AX20MIMO Ant0 2462 1000~26500



11AX40MIMO Ant0 2422 0~Reference



11AX40MIMO Ant0 2422 30~1000



11AX40MIMO Ant0 2422 1000~26500



11AX40MIMO Ant0 2437 0~Reference



11AX40MIMO Ant0 2437 30~1000



11AX40MIMO Ant0 2437 1000~26500






11AX40MIMO Ant0 2452 0~Reference



11AX40MIMO Ant0 2452 30~1000



11AX40MIMO Ant0 2452 1000~26500



## Appendix B.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

### 30MHz - 1GHz (Worst case)

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11b_Ch6        |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 37.237692       | 15.85            | 40.00          | 24.15       | 100.0       | H   | 126.0         | -21.4        |
| 59.547692       | 16.38            | 40.00          | 23.62       | 100.0       | H   | 311.0         | -19.2        |
| 108.793846      | 23.53            | 43.50          | 19.97       | 100.0       | H   | 38.0          | -19.3        |
| 156.323846      | 26.34            | 43.50          | 17.16       | 100.0       | H   | 0.0           | -22.2        |
| 330.737308      | 32.25            | 46.00          | 13.75       | 100.0       | H   | 78.0          | -15.7        |
| 354.763462      | 28.18            | 46.00          | 17.82       | 100.0       | H   | 54.0          | -15.1        |
| 725.900385      | 24.35            | 46.00          | 21.65       | 100.0       | H   | 94.0          | -8.0         |

## Final\_Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 37.871923       | 29.24            | 40.00          | 10.76       | 100.0       | V   | 4.0           | -21.1        |
| 59.808846       | 24.78            | 40.00          | 15.22       | 100.0       | V   | 0.0           | -19.3        |
| 131.551539      | 21.03            | 43.50          | 22.47       | 100.0       | V   | 206.0         | -22.2        |
| 330.326923      | 28.02            | 46.00          | 17.98       | 100.0       | V   | 141.0         | -15.7        |
| 379.423846      | 26.13            | 46.00          | 19.87       | 100.0       | V   | 0.0           | -14.6        |
| 489.668077      | 24.61            | 46.00          | 21.39       | 100.0       | V   | 248.0         | -12.4        |
| 939.188462      | 25.89            | 46.00          | 20.11       | 100.0       | V   | 133.0         | -5.0         |

## Final Result

| Frequency (MHz) | QuasiPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|--------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---                | ---            | ---         | ---         | --- | ---           | ---          |




## 1GHz - 18GHz

Note: The highest waveform in the figure is Wi-Fi Fundamental.

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11b_Ch1        |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1889.500000     | 52.35            | ---              | 74.00          | 21.65       | 150.0       | H   | 100.0         | 5.5          |
| 1889.500000     | ---              | 44.23            | 54.00          | 9.77        | 150.0       | H   | 100.0         | 5.5          |
| 4820.000000     | 50.33            | ---              | 74.00          | 23.67       | 150.0       | H   | 226.0         | 11.8         |
| 4824.000000     | ---              | 43.09            | 54.00          | 10.91       | 150.0       | H   | 113.0         | 11.8         |

## Final\_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 4819.500000     | 50.42            | ---              | 74.00          | 23.58       | 150.0       | V   | 166.0         | 11.8         |
| 4824.000000     | ---              | 42.25            | 54.00          | 11.75       | 150.0       | V   | 81.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7233.975000     | ---              | 50.55            | 54.00          | 3.45        | 150.0       | H   | 226.0         | 8.6          |
| 7234.466667     | 55.56            | ---              | 74.00          | 18.44       | 150.0       | H   | 226.0         | 8.6          |
| 9647.566667     | 46.53            | ---              | 74.00          | 27.47       | 150.0       | H   | 214.0         | 10.4         |
| 9648.058333     | ---              | 42.43            | 54.00          | 11.57       | 150.0       | H   | 214.0         | 10.4         |
| 12058.208333    | 49.89            | ---              | 74.00          | 24.11       | 150.0       | H   | 29.0          | 14.0         |
| 12061.158333    | ---              | 43.45            | 54.00          | 10.55       | 150.0       | H   | 29.0          | 14.0         |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7234.958333     | ---              | 41.90            | 54.00          | 12.10       | 150.0       | V   | 285.0         | 8.6          |
| 7237.416667     | 48.90            | ---              | 74.00          | 25.10       | 150.0       | V   | 285.0         | 8.6          |
| 12061.650000    | 48.38            | ---              | 74.00          | 25.62       | 150.0       | V   | 98.0          | 14.0         |
| 12061.650000    | ---              | 42.11            | 54.00          | 11.89       | 150.0       | V   | 98.0          | 14.0         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.500000     | 51.85            | ---              | 74.00          | 22.15       | 150.0       | H   | 244.0         | 1.1          |
| 1197.500000     | ---              | 36.28            | 54.00          | 17.72       | 150.0       | H   | 244.0         | 1.1          |
| 4841.000000     | 50.48            | ---              | 74.00          | 23.52       | 150.0       | H   | 137.0         | 11.8         |
| 4873.500000     | ---              | 41.16            | 54.00          | 12.84       | 150.0       | H   | 301.0         | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1197.000000     | ---              | 38.42            | 54.00          | 15.58       | 150.0       | V   | 118.0         | 1.1          |
| 1198.500000     | 51.08            | ---              | 74.00          | 22.92       | 150.0       | V   | 321.0         | 1.1          |
| 4859.000000     | 50.56            | ---              | 74.00          | 23.44       | 150.0       | V   | 356.0         | 11.8         |
| 4874.000000     | ---              | 41.50            | 54.00          | 12.50       | 150.0       | V   | 92.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7309.200000     | 53.32            | ---              | 74.00          | 20.68       | 150.0       | H   | 227.0         | 8.2          |
| 7309.200000     | ---              | 49.19            | 54.00          | 4.81        | 150.0       | H   | 227.0         | 8.2          |
| 9747.866667     | 45.99            | ---              | 74.00          | 28.01       | 150.0       | H   | 250.0         | 10.4         |
| 9747.866667     | ---              | 40.70            | 54.00          | 13.30       | 150.0       | H   | 250.0         | 10.4         |
| 12184.075000    | 49.64            | ---              | 74.00          | 24.36       | 150.0       | H   | 27.0          | 14.6         |
| 12186.533333    | ---              | 44.13            | 54.00          | 9.87        | 150.0       | H   | 27.0          | 14.6         |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7309.691667     | ---              | 39.43            | 54.00          | 14.57       | 150.0       | V   | 272.0         | 8.2          |
| 7310.675000     | 46.29            | ---              | 74.00          | 27.71       | 150.0       | V   | 57.0          | 8.2          |
| 12183.583333    | ---              | 41.49            | 54.00          | 12.51       | 150.0       | V   | 297.0         | 14.6         |
| 12184.075000    | 48.72            | ---              | 74.00          | 25.28       | 150.0       | V   | 120.0         | 14.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.500000     | ---              | 37.10            | 54.00          | 16.90       | 150.0       | H   | 310.0         | 1.1          |
| 1197.000000     | 51.99            | ---              | 74.00          | 22.01       | 150.0       | H   | 185.0         | 1.1          |
| 4910.000000     | 51.12            | ---              | 74.00          | 22.88       | 150.0       | H   | 109.0         | 11.8         |
| 4924.000000     | ---              | 42.88            | 54.00          | 11.12       | 150.0       | H   | 59.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.000000     | 51.84            | ---              | 74.00          | 22.16       | 150.0       | V   | 269.0         | 1.1          |
| 1197.000000     | ---              | 39.01            | 54.00          | 14.99       | 150.0       | V   | 269.0         | 1.1          |
| 4871.500000     | 51.38            | ---              | 74.00          | 22.62       | 150.0       | V   | 231.0         | 11.8         |
| 4924.000000     | ---              | 41.92            | 54.00          | 12.08       | 150.0       | V   | 83.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7386.883333     | ---              | 48.41            | 54.00          | 5.59        | 150.0       | H   | 210.0         | 8.2          |
| 7387.375000     | 52.40            | ---              | 74.00          | 21.60       | 150.0       | H   | 210.0         | 8.2          |
| 9847.675000     | 47.89            | ---              | 74.00          | 26.11       | 150.0       | H   | 210.0         | 10.6         |
| 9847.675000     | ---              | 44.21            | 54.00          | 9.79        | 150.0       | H   | 210.0         | 10.6         |
| 12308.466667    | ---              | 50.98            | 54.00          | 3.02        | 150.0       | H   | 26.0          | 14.9         |
| 12308.958333    | 55.55            | ---              | 74.00          | 18.45       | 150.0       | H   | 334.0         | 14.9         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7384.425000     | 46.36            | ---              | 74.00          | 27.64       | 150.0       | V   | 275.0         | 8.2          |
| 7386.391667     | ---              | 40.91            | 54.00          | 13.09       | 150.0       | V   | 275.0         | 8.2          |
| 9847.675000     | ---              | 38.53            | 54.00          | 15.47       | 150.0       | V   | 309.0         | 10.6         |
| 9848.166667     | 44.16            | ---              | 74.00          | 29.84       | 150.0       | V   | 263.0         | 10.6         |
| 12308.958333    | ---              | 47.61            | 54.00          | 6.39        | 150.0       | V   | 263.0         | 14.9         |
| 12309.941667    | 53.35            | ---              | 74.00          | 20.65       | 150.0       | V   | 252.0         | 14.9         |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
 Model: TX5  
 Test Mode: WIFI 2.4G\_11g\_Ch6  
 Order No/Sample No: 168449632/A003634023-001  
 Test Voltage: AC 120V, 60Hz  
 Remark: Temp 22 Humi:55%  
 Test Standard: FCC 15.247  
 Tested By: Kei Zhang  
 Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.000000     | 50.55            | ---              | 74.00          | 23.45       | 150.0       | H   | 235.0         | 1.1          |
| 1196.000000     | ---              | 35.16            | 54.00          | 18.84       | 150.0       | H   | 235.0         | 1.1          |
| 4859.000000     | 50.33            | ---              | 74.00          | 23.67       | 150.0       | H   | 190.0         | 11.8         |
| 4874.000000     | ---              | 39.68            | 54.00          | 14.32       | 150.0       | H   | 6.0           | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1198.500000     | ---              | 37.98            | 54.00          | 16.02       | 150.0       | V   | 52.0          | 1.1          |
| 1199.500000     | 52.47            | ---              | 74.00          | 21.53       | 150.0       | V   | 52.0          | 1.1          |
| 4873.500000     | ---              | 39.68            | 54.00          | 14.32       | 150.0       | V   | 298.0         | 11.8         |
| 4886.000000     | 51.12            | ---              | 74.00          | 22.88       | 150.0       | V   | 41.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7307.725000     | ---              | 47.56            | 54.00          | 6.44        | 150.0       | H   | 225.0         | 8.3          |
| 7312.150000     | 55.68            | ---              | 74.00          | 18.32       | 150.0       | H   | 225.0         | 8.2          |
| 9739.016667     | 45.62            | ---              | 74.00          | 28.38       | 150.0       | H   | 264.0         | 10.4         |
| 9746.391667     | ---              | 35.75            | 54.00          | 18.25       | 150.0       | H   | 264.0         | 10.4         |
| 12174.733333    | 59.59            | ---              | 74.00          | 14.41       | 150.0       | H   | 325.0         | 14.5         |
| 12185.550000    | ---              | 48.93            | 54.00          | 5.07        | 150.0       | H   | 214.0         | 14.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7310.675000     | ---              | 41.26            | 54.00          | 12.74       | 150.0       | V   | 275.0         | 8.2          |
| 7317.066667     | 48.16            | ---              | 74.00          | 25.84       | 150.0       | V   | 68.0          | 8.2          |
| 12183.583333    | 55.17            | ---              | 74.00          | 18.83       | 150.0       | V   | 130.0         | 14.6         |
| 12183.583333    | ---              | 46.10            | 54.00          | 7.90        | 150.0       | V   | 130.0         | 14.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1196.500000     | ---              | 34.86            | 54.00          | 19.14       | 150.0       | H   | 170.0         | 1.1          |
| 1197.500000     | 50.18            | ---              | 74.00          | 23.82       | 150.0       | H   | 170.0         | 1.1          |
| 4872.000000     | 51.24            | ---              | 74.00          | 22.76       | 150.0       | H   | 114.0         | 11.8         |
| 4873.000000     | ---              | 39.78            | 54.00          | 14.22       | 150.0       | H   | 89.0          | 11.8         |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1194.000000     | 50.82            | ---              | 74.00          | 23.18       | 150.0       | V   | 260.0         | 1.1          |
| 1197.500000     | ---              | 35.22            | 54.00          | 18.78       | 150.0       | V   | 131.0         | 1.1          |
| 4895.000000     | ---              | 39.68            | 54.00          | 14.32       | 150.0       | V   | 0.0           | 11.8         |
| 4897.000000     | 50.43            | ---              | 74.00          | 23.57       | 150.0       | V   | 147.0         | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7312.150000     | ---              | 48.82            | 54.00          | 5.18        | 150.0       | H   | 0.0           | 8.2          |
| 7317.558333     | 57.74            | ---              | 74.00          | 16.26       | 150.0       | H   | 0.0           | 8.2          |
| 12180.141667    | ---              | 44.89            | 54.00          | 9.11        | 150.0       | H   | 26.0          | 14.6         |
| 12182.108333    | 53.88            | ---              | 74.00          | 20.12       | 150.0       | H   | 204.0         | 14.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7311.166667     | 60.71            | ---              | 74.00          | 13.29       | 150.0       | V   | 17.0          | 8.2          |
| 7311.166667     | ---              | 49.89            | 54.00          | 4.11        | 150.0       | V   | 17.0          | 8.2          |
| 9743.933333     | 46.87            | ---              | 74.00          | 27.13       | 150.0       | V   | 356.0         | 10.4         |
| 9754.258333     | ---              | 37.80            | 54.00          | 16.20       | 150.0       | V   | 0.0           | 10.4         |
| 12183.583333    | ---              | 44.07            | 54.00          | 9.93        | 150.0       | V   | 296.0         | 14.6         |
| 12184.566667    | 54.39            | ---              | 74.00          | 19.61       | 150.0       | V   | 308.0         | 14.6         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1195.500000     | 52.43            | ---              | 74.00          | 21.57       | 150.0       | H   | 248.0         | 1.1          |
| 1196.500000     | ---              | 35.69            | 54.00          | 18.31       | 150.0       | H   | 248.0         | 1.1          |
| 4859.500000     | 50.36            | ---              | 74.00          | 23.64       | 150.0       | H   | 153.0         | 11.8         |
| 4908.000000     | ---              | 39.61            | 54.00          | 14.39       | 150.0       | H   | 107.0         | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 1199.000000     | 50.97            | ---              | 74.00          | 23.03       | 150.0       | V   | 224.0         | 1.1          |
| 1199.000000     | ---              | 36.93            | 54.00          | 17.07       | 150.0       | V   | 224.0         | 1.1          |
| 4862.500000     | 50.48            | ---              | 74.00          | 23.52       | 150.0       | V   | 127.0         | 11.8         |
| 4870.500000     | ---              | 39.66            | 54.00          | 14.34       | 150.0       | V   | 32.0          | 11.8         |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7312.641667     | 53.14            | ---              | 74.00          | 20.86       | 150.0       | H   | 356.0         | 8.2          |
| 7316.083333     | ---              | 45.79            | 54.00          | 8.21        | 150.0       | H   | 20.0          | 8.2          |
| 12187.516667    | ---              | 43.33            | 54.00          | 10.67       | 150.0       | H   | 32.0          | 14.6         |
| 12189.975000    | 52.74            | ---              | 74.00          | 21.26       | 150.0       | H   | 32.0          | 14.6         |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch6  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 7308.216667     | ---              | 45.38            | 54.00          | 8.62        | 150.0       | V   | 19.0          | 8.2          |
| 7317.066667     | 54.04            | ---              | 74.00          | 19.96       | 150.0       | V   | 19.0          | 8.2          |
| 9757.208333     | 44.04            | ---              | 74.00          | 29.96       | 150.0       | V   | 339.0         | 10.4         |
| 9762.125000     | ---              | 35.96            | 54.00          | 18.04       | 150.0       | V   | 358.0         | 10.4         |
| 12175.225000    | ---              | 41.20            | 54.00          | 12.80       | 150.0       | V   | 249.0         | 14.5         |
| 12180.141667    | 50.21            | ---              | 74.00          | 23.79       | 150.0       | V   | 358.0         | 14.6         |

## Final Result


| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## Appendix B.6: Test Results of Radiated Emissions in Restricted Bands

Wi-Fi 802.11 b mode

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11b_Ch1        |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical\_Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2386.764706     | ---              | 44.20            | 54.00          | 9.80        | 150.0       | H   | 190.0         | 7.0          |
| 2387.352941     | 52.03            | ---              | 74.00          | 21.97       | 150.0       | H   | 190.0         | 7.0          |

### Final\_Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         | --- | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11b\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2385.588235     | 54.39            | ---              | 74.00          | 19.61       | 150.0       | V   | 123.0         | 7.0          |
| 2386.470588     | ---              | 46.51            | 54.00          | 7.49        | 150.0       | V   | 123.0         | 7.0          |

## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11b_Ch11       |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2496.764706     | 55.54            | ---              | 74.00          | 18.46       | 150.0       | H   | 320.0         | 7.4          |
| 2497.058824     | ---              | 48.05            | 54.00          | 5.95        | 150.0       | H   | 158.0         | 7.4          |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11b_Ch11       |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2495.000000     | 53.32            | ---              | 74.00          | 20.68       | 150.0       | V   | 122.0         | 7.4          |
| 2496.764706     | ---              | 45.66            | 54.00          | 8.34        | 150.0       | V   | 122.0         | 7.4          |


## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## Wi-Fi 802.11 g mode

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11g_Ch1        |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2388.529412     | 65.75            | ---              | 74.00          | 8.25        | 150.0       | H   | 179.0         | 7.0          |
| 2388.529412     | ---              | 49.85            | 54.00          | 4.15        | 150.0       | H   | 179.0         | 7.0          |


### Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |



## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2389.654264     | 69.23            | ---              | 74.00          | 4.77        | 150.0       | V   | 119.0         | 7.0          |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2389.654264     | 51.85            | 54.00          | 2.15        | 148.0       | V   | 90.0          | 7.0          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.823529     | 66.27            | ---              | 74.00          | 7.73        | 150.0       | H   | 330.0         | 7.4          |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.529412     | 51.11            | 54.00          | 2.89        | 148.0       | H   | 151.0         | 7.4          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11g\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.823529     | 64.65            | ---              | 74.00          | 9.35        | 150.0       | V   | 121.0         | 7.4          |
| 2484.117647     | ---              | 50.61            | 54.00          | 3.39        | 150.0       | V   | 121.0         | 7.4          |


## Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## Wi-Fi 802.11 ax(HE20) mode

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11ax20_Ch1     |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2386.176471     | 64.72            | ---              | 74.00          | 9.28        | 150.0       | H   | 189.0         | 7.0          |
| 2387.058824     | ---              | 49.59            | 54.00          | 4.41        | 150.0       | H   | 357.0         | 7.0          |

### Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch1  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2388.529412     | 66.89            | ---              | 74.00          | 7.11        | 150.0       | V   | 141.0         | 7.0          |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2387.941177     | 51.71            | 54.00          | 2.29        | 148.0       | V   | 93.0          | 7.0          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax20\_Ch11  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.823529     | 66.25            | ---              | 74.00          | 7.75        | 150.0       | H   | 329.0         | 7.4          |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.529412     | 50.04            | 54.00          | 3.96        | 148.0       | H   | 246.0         | 7.4          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11ax20_Ch11    |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.529412     | 70.67            | ---              | 74.00          | 3.33        | 150.0       | V   | 355.0         | 7.4          |

## Final Result


| Frequency (MHz) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2483.529412     | 51.60            | 54.00          | 2.40        | 148.0       | V   | 354.0         | 7.4          |



## Wi-Fi 802.11 ax(HE40) mode

### EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11ax40_Ch3     |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



### Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2385.588235     | 59.39            | ---              | 74.00          | 14.61       | 150.0       | H   | 198.0         | 7.0          |
| 2387.352941     | ---              | 47.85            | 54.00          | 6.15        | 150.0       | H   | 198.0         | 7.0          |

### Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch3  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2385.294118     | 63.70            | ---              | 74.00          | 10.30       | 150.0       | V   | 114.0         | 7.0          |
| 2387.352941     | ---              | 50.94            | 54.00          | 3.06        | 150.0       | V   | 121.0         | 7.0          |

## Final Result

| Frequency (MHz) | MaxPeak (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| ---             | ---              | ---            | ---         | ---         |     | ---           | ---          |

## EUT Information

EUT Name: DJI SDR Transmission  
Model: TX5  
Test Mode: WIFI 2.4G\_11ax40\_Ch9  
Order No/Sample No: 168449632/A003634023-001  
Test Voltage: AC 120V, 60Hz  
Remark: Temp 22 Humi:55%  
Test Standard: FCC 15.247  
Tested By: Kei Zhang  
Reviewed By: Terry Yin



## Critical Freqs


| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2494.117647     | 69.76            | ---              | 74.00          | 4.24        | 150.0       | H   | 28.0          | 7.4          |

## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2489.117647     | 51.83            | 54.00          | 2.17        | 148.0       | H   | 328.0         | 7.4          |

## EUT Information

|                     |                          |
|---------------------|--------------------------|
| EUT Name:           | DJI SDR Transmission     |
| Model:              | TX5                      |
| Test Mode:          | WIFI 2.4G_11ax40_Ch9     |
| Order No/Sample No: | 168449632/A003634023-001 |
| Test Voltage:       | AC 120V, 60Hz            |
| Remark:             | Temp 22 Humi:55%         |
| Test Standard:      | FCC 15.247               |
| Tested By:          | Kei Zhang                |
| Reviewed By:        | Terry Yin                |



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV/m) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2490.000000     | 65.70            | ---              | 74.00          | 8.30        | 150.0       | V   | 184.0         | 7.4          |


## Final Result

| Frequency (MHz) | Average (dBµV/m) | Limit (dBµV/m) | Margin (dB) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|----------------|-------------|-------------|-----|---------------|--------------|
| 2484.462353     | 51.90            | 54.00          | 2.10        | 148.0       | V   | 179.0         | 7.4          |

## Appendix B.7: Test Results of Conducted Emission on AC Mains

### EUT Information

|                     |                             |
|---------------------|-----------------------------|
| EUT Name            | DJI SDR Transmission        |
| Order Number:       | 168449632(P01262068)        |
| Model:              | TX5                         |
| Test Mode:          | Normal operation + Charging |
| Test Voltage:       | AC 120V/60Hz                |
| Test Standard:      | FCC 15C                     |
| Test By:/Review By: | Charlie Zha / Gary Chen     |
| Tem./Hum./Pressure: | 23.3°C/50.8%/101kPa         |
| Remark:             | SR1                         |




### Critical Freqs

| Frequency (MHz) | MaxPeak (dBμV) | Average (dBμV) | Limit (dBμV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.438000        | ---            | 31.46          | 47.10        | 15.64       | L1   | 9.9        |
| 0.454000        | 43.52          | ---            | 56.80        | 13.29       | L1   | 9.9        |
| 0.470000        | ---            | 31.05          | 46.51        | 15.46       | L1   | 9.9        |
| 0.474000        | 41.27          | ---            | 56.44        | 15.18       | L1   | 9.9        |
| 0.494000        | 41.02          | ---            | 56.10        | 15.08       | L1   | 9.9        |
| 0.500000        | ---            | 26.62          | 46.00        | 19.38       | L1   | 9.9        |
| 0.564000        | 33.21          | ---            | 56.00        | 22.79       | L1   | 9.9        |
| 0.564000        | ---            | 19.31          | 46.00        | 26.69       | L1   | 9.9        |
| 0.788000        | ---            | 18.98          | 46.00        | 27.02       | L1   | 9.8        |
| 0.788000        | 32.06          | ---            | 56.00        | 23.94       | L1   | 9.8        |
| 9.772000        | ---            | 24.52          | 50.00        | 25.48       | L1   | 9.9        |
| 9.924000        | 36.01          | ---            | 60.00        | 23.99       | L1   | 9.9        |

## EUT Information

EUT Name: DJI SDR Transmission  
Order Number: 168449632(P01262068)  
Model: TX5  
Test Mode: Normal operation + Charging  
Test Voltage: AC 120V/60Hz  
Test Standard: FCC 15C  
Test By:/Review By: Charlie Zha / Gary Chen  
Tem./Hum./Pressure: 23.3°C/50.8%/101kPa  
Remark: SR1



## Critical Freqs

| Frequency (MHz) | MaxPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Line | Corr. (dB) |
|-----------------|----------------|----------------|--------------|-------------|------|------------|
| 0.440500        | ---            | 36.81          | 47.10        | 10.29       | N    | 9.7        |
| 0.452500        | 52.87          | ---            | 56.80        | 3.93        | N    | 9.7        |
| 0.490000        | 49.59          | ---            | 56.17        | 6.57        | N    | 9.7        |
| 0.498000        | ---            | 34.64          | 46.03        | 11.39       | N    | 9.7        |
| 0.624000        | ---            | 31.29          | 46.00        | 14.71       | N    | 9.8        |
| 0.628000        | 44.25          | ---            | 56.00        | 11.75       | N    | 9.8        |
| 1.008000        | ---            | 24.90          | 46.00        | 21.10       | N    | 9.6        |
| 1.080000        | 41.95          | ---            | 56.00        | 14.05       | N    | 9.6        |
| 1.912000        | ---            | 21.69          | 46.00        | 24.31       | N    | 9.9        |
| 2.244000        | 39.65          | ---            | 56.00        | 16.35       | N    | 10.0       |
| 4.736000        | ---            | 22.68          | 46.00        | 23.32       | N    | 10.0       |
| 4.736000        | 38.24          | ---            | 56.00        | 17.76       | N    | 10.0       |

## Final Result

| Frequency (MHz) | QuasiPeak (dBµV) | Average (dBµV) | Limit (dBµV) | Margin (dB) | Meas. Time (ms) | Bandwidth (kHz) | Line | Corr. (dB) |
|-----------------|------------------|----------------|--------------|-------------|-----------------|-----------------|------|------------|
| 0.440500        | ---              | 37.60          | 47.05        | 9.45        | 1000.0          | 9.000           | N    | 9.7        |
| 0.452500        | 42.86            | ---            | 56.83        | 13.97       | 1000.0          | 9.000           | N    | 9.7        |