

Table 127 Examples of Services (continued)

NAME	PROTOCOL	PORT(S)	DESCRIPTION
TACACS	UDP	49	Login Host Protocol used for (Terminal Access Controller Access Control System).
TELNET	TCP	23	Telnet is the login and terminal emulation protocol common on the Internet and in UNIX environments. It operates over TCP/IP networks. Its primary function is to allow users to log into remote host systems.
VDOLIVE	TCP UDP	7000 user- defined	A videoconferencing solution. The UDP port number is specified in the application.

APPENDIX D

Legal Information

Copyright

Copyright © 2019 by Zyxel Communications Corporation.

The contents of this publication may not be reproduced in any part or as a whole, transcribed, stored in a retrieval system, translated into any language, or transmitted in any form or by any means, electronic, mechanical, magnetic, optical, chemical, photocopying, manual, or otherwise, without the prior written permission of Zyxel Communications Corporation.

Published by Zyxel Communications Corporation. All rights reserved.

Disclaimer

Zyxel does not assume any liability arising out of the application or use of any products, or software described herein. Neither does it convey any license under its patent rights nor the patent rights of others. Zyxel further reserves the right to make changes in any products described herein without notice. This publication is subject to change without notice.

Regulatory Notice and Statement

UNITED STATES of AMERICA



The following information applies if you use the product within USA area.

FCC EMC Statement

- The device complies with Part 15 of FCC rules. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference, and
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the device.
- This product has been tested and complies with the specifications for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used according to the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.
- If this device does cause harmful interference to radio or television reception, which is found by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
 - Reorient or relocate the receiving antenna
 - Increase the separation between the devices
 - Connect the equipment to an outlet other than the receiver's
 - Consult a dealer or an experienced radio/TV technician for assistance

The following information applies if you use the product with RF function within USA area.

FCC Radiation Exposure Statement

- This device complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.
- This transmitter must be at least 27 cm from the user and must not be co-located or operating in conjunction with any other antenna or transmitter.
- Operation of this device is restricted to indoor use only, except for relevant user's manual mention that this device can be installed into the external environment.

CANADA

The following information applies if you use the product within Canada area.

Innovation, Science and Economic Development Canada ICES Statement

CAN ICES-3 (B)/NMB-3(B)

Innovation, Science and Economic Development Canada RSS-GEN & RSS-247 Statement

- This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.
- This radio transmitter (2468C-EX5510B0) has been approved by Innovation, Science and Economic Development Canada to operate with the antenna types listed below with the maximum permissible gain indicated. Antenna types not included in this list that have a gain greater than the maximum gain indicated for any type listed, are strictly prohibited for use with this device.

Antenna Information

NO.	MODEL NAME	TYPE	MANUFACTURER	GAIN	CONNECTOR
1	65-034-000014B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
2	65-034-000015B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
3	65-034-000016B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
4	65-034-000017B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
5	65-034-000018B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
6	65-034-000019B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
7	65-034-000020B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
8	65-034-000021B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)

If the product with 5G wireless function operating in 5150-5250 MHz and 5725-5850 MHz, the following attention must be paid.

- The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.
- For devices with detachable antenna(s), the maximum antenna gain permitted for devices in the band 5725-5850 MHz shall be such that the equipment still complies with the e.i.r.p. limits as appropriate; and
- Where applicable, antenna type(s), antenna models(s), and the worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in Section 6.2.2.3 of RSS 247 shall be clearly indicated.

If the product with 5G wireless function operating in 5250-5350 MHz and 5470-5725 MHz, the following attention must be paid.

- For devices with detachable antenna(s), the maximum antenna gain permitted for devices in the bands 5250-5350 MHz and 5470-5725 MHz shall be such that the equipment still complies with the e.i.r.p. limit.
- L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage; (2) l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.
- Le présent émetteur radio (2468C-EX5510B0) a été approuvé par Innovation, Sciences et Développement économique Canada pour fonctionner avec les types d'antenne énumérés ci-dessous et ayant un gain admissible maximal. Les types d'antenne non inclus dans cette liste, et dont le gain est supérieur au gain maximal indiqué pour tout type figurant sur la liste, sont strictement interdits pour l'exploitation de l'émetteur.

Informations Antenne

NUMÉRO	NOM DU MODÈLE	TYPE	FABRICANT	GAIN	CONNECTEUR
1	65-034-000014B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
2	65-034-000015B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
3	65-034-000016B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
4	65-034-000017B	Dipole	Airgain	0.12 dBi (2.4~2.4835 GHz)	i-pex (MHF)
5	65-034-000018B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
6	65-034-000019B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
7	65-034-000020B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)
8	65-034-000021B	Dipole	Airgain	0 dBi (5.15~5.85 GHz)	i-pex (MHF)

Lorsque la fonction sans fil 5G fonctionnant en 5150-5250 MHz and 5725-5850 MHz est activée pour ce produit, il est nécessaire de porter une attention particulière aux choses suivantes

- Les dispositifs fonctionnant dans la bande de 5 150 à 5 250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- Pour les dispositifs munis d'antennes amovibles, le gain maximal d'antenne permis (pour les dispositifs utilisant la bande de 5 725 à 5 850 MHz) doit être conforme à la limite de la p.i.r.e. spécifiée, selon le cas;
- Lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3 du CNR-247, doivent être clairement indiqués.

Lorsque la fonction sans fil 5G fonctionnant en 5250-5350 MHz et 5470-5725 MHz est activée pour ce produit, il est nécessaire de porter une attention particulière aux choses suivantes.

- Pour les dispositifs munis d'antennes amovibles, le gain maximal d'antenne permis pour les dispositifs utilisant les bandes de 5 250 à 5 350 MHz et de 5 470 à 5 725 MHz doit être conforme à la limite de la p.i.r.e.

Industry Canada radiation exposure statement

This device complies with ISSED radiation exposure limits set forth for an uncontrolled environment. This device should be installed and operated with a minimum distance of 32 cm between the radiator and your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements ISSED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 32 cm de distance entre la source de rayonnement et votre corps.

EUROPEAN UNION

The following information applies if you use the product within the European Union.

Declaration of Conformity with Regard to EU Directive 2014/53/EU (Radio Equipment Directive, RED)

- Compliance information for wireless products relevant to the EU and other Countries following the EU Directive 2014/53/EU (RED). And this product may be used in all EU countries (and other countries following the EU Directive 2014/53/EU) without any limitation except for the countries mentioned below table:
- In the majority of the EU and other European countries, the 5GHz bands have been made available for the use of wireless local area networks (LANs). Later in this document you will find an overview of countries in which additional restrictions or requirements or both are applicable. The requirements for any country may evolve. Zyxel recommends that you check with the local authorities for the latest status of their national regulations for the 5GHz wireless LANs.
- If this device for operation in the band 5150-5350 MHz, it is for indoor use only.
- This equipment should be installed and operated with a minimum distance of 20 cm between the radio equipment and your body.

Български (Bulgarian)	С настоящото Zyxel декларира, че това оборудване е в съответствие със съществените изисквания и другите приложими разпоредбите на Директива 2014/53/ЕС. National Restrictions <ul style="list-style-type: none"> The Belgian Institute for Postal Services and Telecommunications (BIPT) must be notified of any outdoor wireless link having a range exceeding 300 meters. Please check http://www.bipt.be for more details. Draadloze verbindingen voor buitengebruik en met een reikwijdte van meer dan 300 meter dienen aangemeld te worden bij het Belgisch Instituut voor postdiensten en telecommunicatie (BIPT). Zie http://www.bipt.be voor meer gegevens. Les liaisons sans fil pour une utilisation en extérieur d'une distance supérieure à 300 mètres doivent être notifiées à l'Institut Belge des services Postaux et des Télécommunications (IBPT). Visitez http://www.ibpt.be pour de plus amples détails.
Español (Spanish)	Por medio de la presente Zyxel declara que el equipo cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2014/53/UE..
Čeština (Czech)	Zyxel tímto prohlašuje, že tento zařízení je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 2014/53/EU.
Dansk (Danish)	Undertegnede Zyxel erklærer herved, at følgende udstyr overholder de væsentlige krav og øvrige relevante krav i direktiv 2014/53/EU. National Restrictions <ul style="list-style-type: none"> In Denmark, the band 5150 - 5350 MHz is also allowed for outdoor usage. I Danmark må frekvensbåndet 5150 - 5350 også anvendes udendørs.
Deutsch (German)	Hiermit erklärt Zyxel, dass sich das Gerät Ausstattung in Übereinstimmung mit den grundlegenden Anforderungen und den übrigen einschlägigen Bestimmungen der Richtlinie 2014/53/EU befindet.
Eesti keel (Estonian)	Käesolevaga kinnitab Zyxel seadme seadmed vastavust direktiivi 2014/53/EL põhinõuetele ja nimetatud direktiivist tulenevatele teistele asjakohastele sätetele.
Ελληνικά (Greek)	ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ Zyxel ΔΗΛΩΝΕΙ ΟΤΙ εξοπλισμός ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 2014/53/ΕΕ.
English	Hereby, Zyxel declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU.
Français (French)	Par la présente Zyxel déclare que l'appareil équipements est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 2014/53/UE.
Hrvatski (Croatian)	Zyxel ovime izjavljuje da je radijska oprema tipa u skladu s Direktivom 2014/53/UE.
Íslenska (Icelandic)	Hér með lýsir, Zyxel því yfir að þessi búnaður er í samræmi við grunnkröfur og önnur viðeigandi ákvæði tilskipunar 2014/53/UE.

Italiano (Italian)	<p>Con la presente Zyxel dichiara che questo attrezzatura è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 2014/53/UE.</p> <p>National Restrictions</p> <ul style="list-style-type: none"> This product meets the National Radio Interface and the requirements specified in the National Frequency Allocation Table for Italy. Unless this wireless LAN product is operating within the boundaries of the owner's property, its use requires a "general authorization." Please check http://www.sviluppoeconomico.gov.it/ for more details. Questo prodotto è conforme alla specifiche di Interfaccia Radio Nazionali e rispetta il Piano Nazionale di ripartizione delle frequenze in Italia. Se non viene installato all'interno del proprio fondo, l'utilizzo di prodotti Wireless LAN richiede una "Autorizzazione Generale". Consultare http://www.sviluppoeconomico.gov.it/ per maggiori dettagli.
Latviešu valoda (Latvian)	<p>Ar šo Zyxel deklarē, ka iekārtas atbilst Direktīvas 2014/53/ES būtiskajām prasībām un citiem ar to saistītajiem noteikumiem.</p> <p>National Restrictions</p> <ul style="list-style-type: none"> The outdoor usage of the 2.4 GHz band requires an authorization from the Electronic Communications Office. Please check http://www.esd.lv for more details. 2.4 GHz frekvenču joslas izmantošanai ārpus telpām nepieciešama atļauja no Elektronisko sakaru direkcijas. Vairāk informācijas: http://www.esd.lv.
Lietuvių kalba (Lithuanian)	Šiuo Zyxel deklaruoja, kad šis įranga atitinka esminius reikalavimus ir kitas 2014/53/ES Direktyvos nuostatas.
Magyar (Hungarian)	Alulírott, Zyxel nyilatkozik, hogy a berendezés megfelel a vonatkozó alapvető követelményeknek és az 2014/53/EU irányelv egyéb előírásainak.
Malti (Maltese)	Hawnhekk, Zyxel, jiddikjara li dan tagħmir jikkonforma mal-htigijiet essenzjali u ma provvedimenti oħrajn rilevanti li hemm fid-Direttiva 2014/53/UE.
Nederlands (Dutch)	Hierbij verklaart Zyxel dat het toestel uitrusting in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2014/53/EU.
Polski (Polish)	Niniejszym Zyxel oświadcza, że sprzęt jest zgodny z zasadniczymi wymogami oraz pozostałymi stosownymi postanowieniami Dyrektywy 2014/53/UE.
Português (Portuguese)	Zyxel declara que este equipamento está conforme com os requisitos essenciais e outras disposições da Directiva 2014/53/UE.
Română (Romanian)	Prin prezenta, Zyxel declară că acest echipament este în conformitate cu cerințele esențiale și alte prevederi relevante ale Directivei 2014/53/UE.
Slovenčina (Slovak)	Zyxel týmto vyhlasuje, že zariadenia spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 2014/53/EÚ.
Slovenščina (Slovene)	Zyxel izjavlja, da je ta oprema v skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 2014/53/EU.
Suomi (Finnish)	Zyxel vakuuttaa täten että laitteet tyyppinen laite on direktiivin 2014/53/EU oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.
Svenska (Swedish)	Härmed intygar Zyxel att denna utrustning står i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 2014/53/EU.
Norsk (Norwegian)	Erklærer herved Zyxel at dette utstyret er i samsvar med de grunnleggende kravene og andre relevante bestemmelser i direktiv 2014/53/EU.

Notes:

- Although Norway, Switzerland and Liechtenstein are not EU member states, the EU Directive 2014/53/EU has also been implemented in those countries.
- The regulatory limits for maximum output power are specified in EIRP. The EIRP level (in dBm) of a device can be calculated by adding the gain of the antenna used (specified in dBi) to the output power available at the connector (specified in dBm).

List of national codes

COUNTRY	ISO 3166 2 LETTER CODE	COUNTRY	ISO 3166 2 LETTER CODE
Austria	AT	Liechtenstein	LI
Belgium	BE	Lithuania	LT
Bulgaria	BG	Luxembourg	LU
Croatia	HR	Malta	MT
Cyprus	CY	Netherlands	NL
Czech Republic	CZ	Norway	NO
Denmark	DK	Poland	PL
Estonia	EE	Portugal	PT
Finland	FI	Romania	RO
France	FR	Serbia	RS
Germany	DE	Slovakia	SK
Greece	GR	Slovenia	SI
Hungary	HU	Spain	ES
Iceland	IS	Switzerland	CH
Ireland	IE	Sweden	SE
Italy	IT	Turkey	TR
Latvia	LV	United Kingdom	GB

Safety Warnings

- Do not use this product near water, for example, in a wet basement or near a swimming pool.
- Do not expose your device to dampness, dust or corrosive liquids.
- Do not store things on the device.
- Do not obstruct the device ventilation slots as insufficient airflow may harm your device. For example, do not place the device in an enclosed space such as a box or on a very soft surface such as a bed or sofa.
- Do not install, use, or service this device during a thunderstorm. There is a remote risk of electric shock from lightning.
- Connect ONLY suitable accessories to the device.
- Do not open the device or unit. Opening or removing covers can expose you to dangerous high voltage points or other risks.
- Only qualified service personnel should service or disassemble this device. Please contact your vendor for further information.
- Make sure to connect the cables to the correct ports.
- Place connecting cables carefully so that no one will step on them or stumble over them.
- Always disconnect all cables from this device before servicing or disassembling.
- Do not remove the plug and connect it to a power outlet by itself; always attach the plug to the power adaptor first before connecting it to a power outlet.
- Do not allow anything to rest on the power adaptor or cord and do NOT place the product where anyone can walk on the power adaptor or cord.
- Please use the provided or designated connection cables/power cables/adaptors. Connect it to the right supply voltage (for example, 110V AC in North America or 230V AC in Europe). If the power adaptor or cord is damaged, it might cause electrocution. Remove it from the device and the power source, repairing the power adaptor or cord is prohibited. Contact your local vendor to order a new one.
- Do not use the device outside, and make sure all the connections are indoors. There is a remote risk of electric shock from lightning.
- CAUTION: Risk of explosion if battery is replaced by an incorrect type, dispose of used batteries according to the instruction. Dispose them at the applicable collection point for the recycling of electrical and electronic devices. For detailed information about recycling of this product, please contact your local city office, your household waste disposal service or the store where you purchased the product.
- The following warning statements apply, where the disconnect device is not incorporated in the device or where the plug on the power supply cord is intended to serve as the disconnect device,
 - For permanently connected devices, a readily accessible disconnect device shall be incorporated external to the device;
 - For pluggable devices, the socket-outlet shall be installed near the device and shall be easily accessible.

Important Safety Instructions

- Caution! The RJ-45 jacks are not used for telephone line connection.
- Caution! Do not use this product near water, for example a wet basement or near a swimming pool.
- Caution! Avoid using this product (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- Caution! Always disconnect all telephone lines from the wall outlet before servicing or disassembling this product.
- Attention: Les prises RJ-45 ne sont pas utilisés pour la connexion de la ligne téléphonique.
- Attention: Ne pas utiliser ce produit près de l'eau, par exemple un sous-sol humide ou près d'une piscine.
- Attention: Évitez d'utiliser ce produit (autre qu'un type sans fil) pendant un orage. Il peut y avoir un risque de choc électrique de la foudre.
- Attention: Toujours débrancher toutes les lignes téléphoniques de la prise murale avant de réparer ou de démonter ce produit.

Environment Statement**ErP (Energy-related Products)**

Zyxel products put on the EU market in compliance with the requirement of the European Parliament and the Council published Directive 2009/125/EC establishing a framework for the setting of ecodesign requirements for energy-related products (recast), so called as "ErP Directive

(Energy-related Products directive) as well as ecodesign requirement laid down in applicable implementing measures, power consumption has satisfied regulation requirements which are:

- Network standby power consumption < 8W, and/or
- Off mode power consumption < 0.5W, and/or
- Standby mode power consumption < 0.5W.

(Wireless setting, please refer to the chapter about wireless settings for more detail.)

European Union - Disposal and Recycling Information

The symbol below means that according to local regulations your product and/or its battery shall be disposed of separately from domestic waste. If this product is end of life, take it to a recycling station designated by local authorities. At the time of disposal, the separate collection of your product and/or its battery will help save natural resources and ensure that the environment is sustainable development.

Die folgende Symbol bedeutet, dass Ihr Produkt und/oder seine Batterie gemäß den örtlichen Bestimmungen getrennt vom Hausmüll entsorgt werden muss. Wenden Sie sich an eine Recyclingstation, wenn dieses Produkt das Ende seiner Lebensdauer erreicht hat. Zum Zeitpunkt der Entsorgung wird die getrennte Sammlung von Produkt und/oder seiner Batterie dazu beitragen, natürliche Ressourcen zu sparen und die Umwelt und die menschliche Gesundheit zu schützen.

El símbolo de abajo indica que según las regulaciones locales, su producto y/o su batería deberán depositarse como basura separada de la doméstica. Cuando este producto alcance el final de su vida útil, llévelo a un punto limpio. Cuando llegue el momento de desechar el producto, la recogida por separado éste y/o su batería ayudará a salvar los recursos naturales y a proteger la salud humana y medioambiental.

Le symbole ci-dessous signifie que selon les réglementations locales votre produit et/ou sa batterie doivent être éliminés séparément des ordures ménagères. Lorsque ce produit atteint sa fin de vie, amenez-le à un centre de recyclage. Au moment de la mise au rebut, la collecte séparée de votre produit et/ou de sa batterie aidera à économiser les ressources naturelles et protéger l'environnement et la santé humaine.

Il simbolo sotto significa che secondo i regolamenti locali il vostro prodotto e/o batteria deve essere smaltito separatamente dai rifiuti domestici. Quando questo prodotto raggiunge la fine della vita di servizio portarlo a una stazione di riciclaggio. Al momento dello smaltimento, la raccolta separata del vostro prodotto e/o della sua batteria aiuta a risparmiare risorse naturali e a proteggere l'ambiente e la salute umana.

Symbolen innebär att enligt lokal lagstiftning ska produkten och/eller dess batteri kastas separat från hushållsavfallet. När den här produkten når slutet av sin livslängd ska du ta den till en återvinningsstation. Vid tiden för kasseringen bidrar du till en bättre miljö och mänsklig hälsa genom att göra dig av med den på ett återvinningsställe.



台灣

以下訊息僅適用於產品具有無線功能且銷售至台灣地區

- 第十二條 經型式認證合格之低功率射頻電機，非經許可，公司，商號或使用者均不得擅自變更頻率、加大功率或變更原設計之特性及功能。
- 第十四條 低功率射頻電機之使用不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停用，並改善至無干擾時方得繼續使用。前項合法通信，指依電信法規定作業之無線電通信。低功率射頻電機須忍受合法通信或工業、科學及醫療用電波輻射性電機設備之干擾。
- 無線資訊傳輸設備須忍受合法通信之干擾且不得干擾合法通信；如造成干擾，應立即停用，俟無干擾之虞，始得繼續使用。
- 無線資訊傳輸設備的製造廠商應確保頻率穩定性，如依製造廠商使用手冊上所述正常操作，發射的信號應維持於操作頻帶中。
- 使用無線產品時，應避免影響附近雷達系統之操作。
- 高增益指向性天線只得應用於固定式點對點系統。

以下訊息僅適用於產品屬於專業安裝並銷售至台灣地區

- 本器材須經專業工程人員安裝及設定，始得設置使用，且不得直接販售給一般消費者。

安全警告 - 為了您的安全，請先閱讀以下警告及指示：





- 請勿將此產品接近水、火焰或放置在高溫的環境。
- 避免設備接觸：
 - 任何液體 - 切勿讓設備接觸水、雨水、高濕度、污水腐蝕性的液體或其他水份。
 - 灰塵及污物 - 切勿接觸灰塵、污物、沙土、食物或其他不合適的材料。

- 雷雨天氣時，不要安裝，使用或維修此設備。有遭受電擊的風險。
- 切勿重摔或撞擊設備，並勿使用不正確的電源變壓器。
- 若接上不正確的電源變壓器會有爆炸的風險。
- 請勿隨意更換產品內的電池。
- 如果更換不正確之電池型式，會有爆炸的風險，請依製造商說明書處理使用過之電池。
- 請將廢電池丟棄在適當的電器或電子設備回收處。
- 請勿將設備解體。
- 請勿阻礙設備的散熱孔，空氣對流不足將會造成設備損害。
- 請插在正確的電壓供給插座（如：北美 / 台灣電壓 110V AC，歐洲是 230V AC）。
- 假若電源變壓器或電源變壓器的纜線損壞，請從插座拔除，若您還繼續插電使用，會有觸電死亡的風險。
- 請勿試圖修理電源變壓器或電源變壓器的纜線，若有毀損，請直接聯絡您購買的店家，購買一個新的電源變壓器。
- 請勿將此設備安裝於室外，此設備僅適合放置於室內。
- 請勿隨一般垃圾丟棄。
- 請參閱產品背貼上的設備額定功率。
- 請參考產品型錄或是彩盒上的作業溫度。
- 產品沒有斷電裝置或者採用電源線的插頭視為斷電裝置的一部分，以下警語將適用：
 - 對永久連接之設備，在設備外部須安裝可觸及之斷電裝置；
 - 對插接式之設備，插座必須接近安裝之地點而且是易於觸及的。

About the Symbols

Various symbols are used in this product to ensure correct usage, to prevent danger to the user and others, and to prevent property damage. The meaning of these symbols are described below. It is important that you read these descriptions thoroughly and fully understand the contents.

Explanation of the Symbols

SYMBOL	EXPLANATION
	Alternating current (AC): AC is an electric current in which the flow of electric charge periodically reverses direction.
	Direct current (DC): DC is the unidirectional flow or movement of electric charge carriers.
	Earth; ground: A wiring terminal intended for connection of a Protective Earthing Conductor.
	Class II equipment: The method of protection against electric shock in the case of class II equipment is either double insulation or reinforced insulation.

Viewing Certifications

Go to <http://www.zyxel.com> to view this product's documentation and certifications.

Zyxel Limited Warranty

Zyxel warrants to the original end user (purchaser) that this product is free from any defects in material or workmanship for a specific period (the Warranty Period) from the date of purchase. The Warranty Period varies by region. Check with your vendor and/or the authorized Zyxel local distributor for details about the Warranty Period of this product. During the warranty period, and upon proof of purchase, should the product have indications of failure due to faulty workmanship and/or materials, Zyxel will, at its discretion, repair or replace the defective products or components without charge for either parts or labor, and to whatever extent it shall deem necessary to restore the product or components to proper operating condition. Any replacement will consist of a new or re-manufactured functionally equivalent product of equal or higher value, and will be solely at the discretion of Zyxel. This warranty shall not apply if the product has been modified, misused, tampered with, damaged by an act of God, or subjected to abnormal working conditions.

Note

Repair or replacement, as provided under this warranty, is the exclusive remedy of the purchaser. This warranty is in lieu of all other warranties, express or implied, including any implied warranty of merchantability or fitness for a particular use or purpose. Zyxel shall in no event be held liable for indirect or consequential damages of any kind to the purchaser.

To obtain the services of this warranty, contact your vendor. You may also refer to the warranty policy for the region in which you bought the device at http://www.zyxel.com/web/support_warranty_info.php.

Registration

Register your product online to receive e-mail notices of firmware upgrades and information at www.zyxel.com for global products, or at www.us.zyxel.com for North American products.

Open Source Licenses

This product contains in part some free software distributed under GPL license terms and/or GPL like licenses. Open source licenses are provided with the firmware package. You can download the latest firmware at www.zyxel.com. To obtain the source code covered under those Licenses, please contact support@zyxel.com.tw to get it.

Index

Numbers

2.5G WAN port [21](#)
2.5G WiFi LED [20](#)
5G WiFi LED [20](#)
6rd
 IPv6 [72](#)

A

ACL rule
 add/edit [206](#)
activation
 firewalls [202](#)
 SIP ALG [178](#)
 SSID [91](#)
Address Resolution Protocol [234](#)
antenna information [303](#)
AP steering [103](#)
applications
 Internet access [17](#)
applications, NAT [183](#)
ARP Table [234](#), [236](#)
authentication [108](#), [109](#)
 RADIUS server [109](#)

B

backup
 configuration [267](#)
band steering [103](#)
bandwidth capacity
 cable type [16](#)
Basic Service Set, see BSS
blinking LEDs [20](#)
Bridge mode [80](#)
broadband [71](#)

Broadband screen
 overview [71](#)
broadcast [83](#)
BSS [110](#)
 example [111](#)
button
 power [21](#)
 reset [21](#)
 WPS [21](#)

C

CA [220](#)
cable type
 Ethernet [16](#)
Canonical Format Indicator See CFI
CCMs [270](#)
certificate
 factory default [221](#)
certificates [220](#)
 authentication [220](#)
 creating [221](#)
 public key [220](#)
 replacing [221](#)
 storage space [221](#)
Certification Authority [220](#)
Certification Authority, see CA
certifications [306](#)
 viewing [308](#)
CFI [83](#)
CFM [270](#)
 CCMs [270](#)
 link trace test [270](#)
 loopback test [270](#)
 MA [270](#)
 MD [270](#)
 MEG [273](#)
 MEP [270](#)
 MIP [270](#)
channel

- WiFi [107](#)
- client list [125](#)
- configuration
 - backup [267](#)
 - firewalls [202](#)
 - reset [268](#)
 - restoring [268](#)
 - static route [140, 142, 186](#)
- connection status screen [24](#)
 - overview [58](#)
- Connectivity Check Messages, see CCMs
- contact information
 - customer support [284](#)
- copyright [302](#)
- CoS [164](#)
- CoS technologies [148](#)
- creating certificates [221](#)
- CTS threshold [101, 108](#)
- customer support [284](#)

D

- data fragment threshold [101, 108](#)
- DDNS
 - access the Zyxel Device example [54](#)
 - configure on Zyxel Device example [55](#)
- DDNS account
 - register [54](#)
- DDNS setup
 - testing [55](#)
- DDoS [202](#)
- default server address [177](#)
- Denials of Service, see DoS
- DHCP [120, 136](#)
- Differentiated Services, see DiffServ [164](#)
- DiffServ [164](#)
 - marking rule [164](#)
- digital IDs [220](#)
- disclaimer [302](#)
- distance maximum
 - cable type [16](#)
- DMZ [176](#)
- DNS [120, 137](#)
- DNS server address assignment [84](#)

- Domain Name [184](#)
- Domain Name System, see DNS
- DoS [202](#)
- DS field [164](#)
- DS, see differentiated services
- DSCP [164](#)
- Dual Stack Lite [73](#)
- dual-band application [18](#)
- dual-band gateway [17](#)
- Dynamic DNS [54](#)
- dynamic DNS [185](#)
 - wildcard [185](#)
- Dynamic Host Configuration Protocol, see DHCP
- DYNDNS wildcard [185](#)

E

- EasyMesh
 - warning when you enable [106](#)
- EasyMesh application [105](#)
- EasyMesh settings [103](#)
- ECHO [184](#)
- e-mail
 - log example [262](#)
- Encapsulation [82](#)
 - MER [82](#)
 - PPP over Ethernet [82](#)
- encapsulation method
 - technical reference [82](#)
- encryption [110](#)
- Ethernet port [21](#)
- Ethernet WAN port [21](#)
- Extended Service Set IDentification [88, 94](#)

F

- factory-default configuration
 - reload [21](#)
- Fast Leave
 - enable [191](#)
- filters
 - MAC address [95, 109](#)

- Finger services [184](#)
- firewall [201](#)
 - LAND attack [202](#)
- firewalls
 - add protocols [204](#)
 - configuration [202](#)
 - DDoS [202](#)
 - DoS [202](#)
 - Ping of Death [202](#)
 - SYN attack [202](#)
- firmware [264](#)
 - version [61](#)
- forwarding ports [169](#)
- fragmentation threshold [101](#), [108](#)
- front panel
 - LED indicators [19](#)
- FTP [19](#), [169](#), [184](#)

G

- guest WiFi settings
 - configuring [64](#)

H

- HTTP [184](#)

I

- ICMPv6 [189](#)
- icon
 - Language [30](#)
 - layout [59](#)
 - Logout [30](#)
 - Restart [30](#)
 - Theme [29](#)
 - Wizard [29](#)
- IEEE 802.11ax [86](#)
- IEEE 802.1Q [83](#)
- IGA [181](#)
- IGMP [84](#)
 - multicast group list [189](#), [239](#), [240](#)

- version [84](#)
- IGMP Fast Leave [189](#)
- IGMPv2 [189](#)
- IGMPv3 [189](#)
- ILA [181](#)
- Inside Global Address, see IGA
- Inside Local Address, see ILA
- interface group [195](#)
- Internet access [17](#)
 - wizard setup [31](#)
- Internet access application
 - Ethernet WAN [17](#)
- Internet connection
 - add or edit [75](#)
- INTERNET LED [20](#)
- Internet Protocol version 6 [72](#)
- Internet Protocol version 6, see IPv6
- Intra LAN Multicast [191](#)
- IP address [119](#), [137](#)
 - ping [271](#)
 - private [138](#)
 - WAN [72](#)
- IP address assignment [83](#)
- IP alias
 - NAT applications [183](#)
- IP over Ethernet [82](#)
- IP packet
 - transmission method [83](#)
- IPoE technical reference [82](#)
- IPv6 [72](#), [290](#)
 - addressing [72](#), [84](#), [290](#)
 - EUI-64 [292](#)
 - global address [290](#)
 - interface ID [292](#)
 - link-local address [290](#)
 - Neighbor Discovery Protocol [290](#)
 - ping [290](#)
 - prefix [72](#), [84](#), [290](#)
 - prefix and length [72](#)
 - prefix delegation [74](#)
 - prefix length [72](#), [84](#), [290](#)
 - subnet mask [72](#)
 - unspecified address [291](#)
- IPv6 address
 - abbreviation method [84](#)
- IPv6 rapid deployment [72](#)

J

Java permission [22](#)

JavaScript [22](#)

L

LAN [119](#)

client list [125](#)

DHCP [120, 136](#)

DNS [120, 137](#)

IP address [119, 121, 137](#)

MAC address [126](#)

status [62, 67](#)

subnet mask [120, 121, 137](#)

LAN setup [66](#)

LAN to LAN multicast [191](#)

LAND attack [202](#)

Language icon [30](#)

layout icon [70](#)

LBR [270](#)

LED

2.4G WiFi [20](#)

5G WiFi [20](#)

INTERNET [20](#)

POWER [20](#)

WAN [20](#)

WPS [20](#)

LED description [20](#)

LED indicators [19](#)

limitations

WiFi [110](#)

WPS [117](#)

link trace [270](#)

Link Trace Message, see LTM

Link Trace Response, see LTR

login [22](#)

password [22](#)

Logout icon [30](#)

logs [227, 230, 239, 260](#)

Loop Back Response, see LBR

loopback [270](#)

LTM [270](#)

LTR [270](#)

M

MA [270](#)

MAC address [96, 126](#)

filter [95, 109](#)

MAC address filter

example configuration [56](#)

MAC authentication [95](#)

MAC filter [210](#)

Maintenance Association, see MA

Maintenance Domain, see MD

Maintenance End Point, see MEP

managing the device

good habits [19](#)

MBSSID [111](#)

MD [270](#)

menu icon [25](#)

MEP [270](#)

MLD [189](#)

MLDv1 [189](#)

MLDv2 [189](#)

MTU (Multi-Tenant Unit) [83](#)

multicast [83](#)

Multicast Listener Discovery, see MLD

multi-gigabit [16](#)

Multiple BSS, see MBSSID

Multy Pro [103](#)

Multy Pro app download [104](#)

Multy Pro-supported extender
configuration [104](#)

N

NAT [168, 170, 181, 182](#)

applications [183](#)

IP alias [183](#)

example [183](#)

global [182](#)

IGA [181](#)

ILA [181](#)

inside [182](#)

local [182](#)

outside [182](#)

port forwarding [169](#)

- port number [184](#)
- services [184](#)
- SIP ALG [177](#)
 - activation [178](#)
- NAT example [184](#)
- navigation panel [26](#)
- Network Address Translation, see NAT
- network map [26](#), [59](#)
- NNTP [184](#)

P

- parental control
 - define schedule [70](#)
 - schedule setup [69](#)
 - setup [67](#)
- parental control profile
 - create [69](#)
- password [22](#)
- PBC [112](#)
 - WPS [38](#)
- Per-Hop Behavior, see PHB [164](#)
- PHB [164](#)
- PIN configuration
 - WPS [38](#)
- PIN configuration method
 - example [40](#)
- PIN, WPS [113](#)
 - example [114](#)
- Ping of Death [202](#)
- Point-to-Point Tunneling Protocol, see PPTP
- POP3 [184](#)
- port
 - LAN [21](#)
 - USB [21](#)
 - WAN [21](#)
- port forwarding [169](#)
- ports [20](#)
- power button [21](#)
- POWER LED [20](#)
- PPPoE [82](#)
 - Benefits [82](#)
 - technical reference [82](#)
- PPTP [184](#)

- preamble [102](#), [108](#)
- preamble mode [111](#)
- prefix delegation [74](#)
- private IP address [138](#)
- Push Button Configuration
 - WPS [38](#)
- Push Button Configuration, see PBC
- push button, WPS [112](#)

Q

- QoS [147](#), [164](#)
 - marking [148](#)
 - setup [147](#)
 - tagging [148](#)
 - versus CoS [148](#)
- QoS queue and class
 - example configuration [50](#)
- Quality of Service, see QoS
- quick start wizard
 - overview [31](#)

R

- RADIUS server [109](#)
- rear panel
 - buttons [21](#)
 - Zyxel device [20](#)
- reset [21](#), [268](#)
- RESET button
 - using [21](#)
- restart [269](#)
- Restart icon [30](#)
- restoring configuration [268](#)
- RFC 1058. See RIP.
- RFC 1389. See RIP.
- RFC 3164 [227](#)
- RIP [146](#)
- router features [17](#)
- Routing Information Protocol. See RIP
- RTS threshold [101](#), [108](#)

S

- screen order
 - change [59](#)
- screen resolution recommended [22](#)
- security
 - WiFi [108](#)
- Security Log [229](#)
- Security Parameter Index, see SPI
- service access control [247](#)
- Service Set [88, 94](#)
- services
 - port forwarding [184](#)
- setup
 - firewalls [202](#)
 - static route [140, 142, 186](#)
- Single Rate Three Color Marker, see srTCM
- SIP ALG [177](#)
 - activation [178](#)
- SMTP [184](#)
- SNMP [184](#)
- SNMP trap [184](#)
- SPI [202](#)
- srTCM [166](#)
- SSID [109](#)
 - activation [91](#)
 - MBSSID [111](#)
- static route [139, 146](#)
 - configuration [140, 142, 186](#)
 - example [139](#)
 - example configuration [48](#)
- status [58](#)
 - firmware version [61](#)
 - LAN [62, 67](#)
 - WAN [62](#)
 - WiFi [62](#)
- status indicators [20](#)
- subnet mask [120, 137](#)
- SYN attack [202](#)
- syslog
 - protocol [227](#)
 - severity levels [227](#)
- system
 - firmware [264](#)
 - version [61](#)
 - password [22](#)

- reset [21](#)
- status [58](#)
 - LAN [62, 67](#)
 - WAN [62](#)
 - WiFi [62](#)
- time [254](#)
- system information [60](#)

T

- Tag Protocol Identifier See TPID
- Theme icon [29](#)
- thresholds
 - data fragment [101, 108](#)
 - RTS/CTS [101, 108](#)
- time [254](#)
- time zone
 - set [31](#)
- TPID [83](#)
- transmission speed
 - cable type [16](#)
- trTCM [167](#)
- Two Rate Three Color Marker, see trTCM
- TWT (Target Wakeup Time) [86](#)

U

- unicast [83](#)
- Universal Plug and Play, see UPnP
- upgrading firmware [264](#)
- UPnP [127](#)
 - cautions [120](#)
 - NAT traversal [120](#)
 - turn on in Windows 10 Example [130](#)
 - turn on in Windows 7 Example [128](#)
- USB port [21](#)

V

- Vendor ID [134](#)
- Virtual Local Area Network See VLAN
- VLAN [83](#)

Introduction [83](#)

VLAN ID [83](#)

VLAN tag [83](#)

W

Wake on LAN [134](#)

WAN

status [62](#)

Wide Area Network, see WAN [71](#)

WAN IP address [72](#)

WAN LED [20](#)

warranty [308](#)

note [308](#)

web browser pop-up [22](#)

web browser version recommended [22](#)

Web Configurator

layout [25](#)

login [22](#)

overview [22](#)

password [22](#)

WEP Encryption [90](#)

WiFi [106](#)

authentication [108, 109](#)

BSS [110](#)

example [111](#)

channel [107](#)

encryption [110](#)

example [106](#)

fragmentation threshold [101, 108](#)

limitations [110](#)

MAC address filter [95, 109](#)

MBSSID [111](#)

preamble [102, 108](#)

RADIUS server [109](#)

RTS/CTS threshold [101, 108](#)

security [108](#)

SSID [109](#)

activation [91](#)

status [62](#)

WPS [112, 114](#)

example [115](#)

limitations [117](#)

PIN [113](#)

push button [112](#)

WiFi overview [85](#)

WiFi setting

configuration [63](#)

WiFi6 introduction [86](#)

wireless basics [85](#)

wireless group

multiple setup [43](#)

wireless network

secure setup [36](#)

wireless tutorial [38](#)

Wizard icon [29](#)

wizard setup

Internet [31](#)

WPS [112, 114](#)

activate [21](#)

example [115](#)

limitations [117](#)

PIN [113](#)

example [114](#)

push button [112](#)

WPS button [21](#)

EasyMesh [104](#)

using [21](#)

WPS LED [20](#)

WPS methods

tutorial [38](#)

WPS process

example [40](#)

Z

Zyxel Device

managing [18](#)

Zyxel Family Safety page [216](#)