





SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 121 of 154



BAND 26_10MHz_16QAM_26990_1RB#0




BAND 26_15MHz_QPSK_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 122 of 154



BAND 26_15MHz_QPSK_26865_1RB#0




BAND 26_15MHz_QPSK_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 123 of 154



BAND 26_15MHz_QPSK_26865_1RB#0




BAND 26_15MHz_QPSK_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 124 of 154



BAND 26_15MHz_QPSK_26865_1RB#0




BAND 26_15MHz_QPSK_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 125 of 154



BAND 26_15MHz_QPSK_26915_1RB#0




BAND 26_15MHz_QPSK_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 126 of 154



BAND 26_15MHz_QPSK_26915_1RB#0




BAND 26_15MHz_QPSK_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 127 of 154



BAND 26_15MHz_QPSK_26915_1RB#0




BAND 26_15MHz_QPSK_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 128 of 154



BAND 26_15MHz_QPSK_26965_1RB#0




BAND 26_15MHz_QPSK_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 129 of 154



BAND 26_15MHz_QPSK_26965_1RB#0




BAND 26_15MHz_QPSK_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 130 of 154



BAND 26_15MHz_QPSK_26965_1RB#0




BAND 26_15MHz_64QAM_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 131 of 154



BAND 26_15MHz_64QAM_26865_1RB#0




BAND 26_15MHz_64QAM_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 132 of 154



BAND 26_15MHz_64QAM_26865_1RB#0




BAND 26_15MHz_64QAM_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 133 of 154



BAND 26_15MHz_64QAM_26865_1RB#0




BAND 26_15MHz_64QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 134 of 154



BAND 26_15MHz_64QAM_26915_1RB#0




BAND 26_15MHz_64QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 135 of 154



BAND 26_15MHz_64QAM_26915_1RB#0




BAND 26_15MHz_64QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 136 of 154



BAND 26_15MHz_64QAM_26915_1RB#0




BAND 26_15MHz_64QAM_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 137 of 154



BAND 26_15MHz_64QAM_26965_1RB#0




BAND 26_15MHz_64QAM_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601



Page: 138 of 154



BAND 26_15MHz_64QAM_26965_1RB#0



BAND 26_15MHz_64QAM_26965_1RB#0







SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 140 of 154



BAND 26_15MHz_16QAM_26865_1RB#0




BAND 26_15MHz_16QAM_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 141 of 154



BAND 26_15MHz_16QAM_26865_1RB#0




BAND 26_15MHz_16QAM_26865_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 142 of 154



BAND 26_15MHz_16QAM_26865_1RB#0




BAND 26_15MHz_16QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 143 of 154



BAND 26_15MHz_16QAM_26915_1RB#0




BAND 26_15MHz_16QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 144 of 154



BAND 26_15MHz_16QAM_26915_1RB#0




BAND 26_15MHz_16QAM_26915_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 145 of 154



BAND 26_15MHz_16QAM_26915_1RB#0




BAND 26_15MHz_16QAM_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 146 of 154



BAND 26_15MHz_16QAM_26965_1RB#0




BAND 26_15MHz_16QAM_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 147 of 154



BAND 26_15MHz_16QAM_26965_1RB#0




BAND 26_15MHz_16QAM_26965_1RB#0




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 148 of 154



BAND 26_15MHz_16QAM_26965_1RB#0





7. Field Strength of Spurious Radiation

7.1. Test BAND = LTE BAND 26

7.1.1. Test Mode =LTE/TM1 10MHz RB1#0

7.1.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
71.440000	-77.06	-13.00	64.06	Vertical
181.806667	-81.15	-13.00	68.15	Vertical
547.487500	-79.70	-13.00	66.70	Vertical
1650.000000	-65.38	-13.00	52.38	Vertical
3505.537500	-68.80	-13.00	55.80	Vertical
6579.225000	-65.28	-13.00	52.28	Vertical
62.713333	-78.17	-13.00	65.17	Horizontal
160.666667	-73.25	-13.00	60.25	Horizontal
605.650000	-78.41	-13.00	65.41	Horizontal
1649.500000	-65.32	-13.00	52.32	Horizontal
3505.537500	-68.38	-13.00	55.38	Horizontal
6585.562500	-65.49	-13.00	52.49	Horizontal

7.1.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
72.186667	-76.31	-13.00	63.31	Vertical
181.666667	-79.23	-13.00	66.23	Vertical
541.391667	-79.49	-13.00	66.49	Vertical
1659.500000	-65.04	-13.00	52.04	Vertical
3526.012500	-68.50	-13.00	55.50	Vertical
6052.237500	-65.18	-13.00	52.18	Vertical
62.853333	-77.14	-13.00	64.14	Horizontal
179.846667	-72.73	-13.00	59.73	Horizontal
613.487500	-77.98	-13.00	64.98	Horizontal
1659.500000	-64.85	-13.00	51.85	Horizontal



3525.525000	-68.14	-13.00	55.14	Horizontal
6016.650000	-65.86	-13.00	52.86	Horizontal

7.1.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
71.533333	-74.76	-13.00	61.76	Vertical
179.846667	-79.10	-13.00	66.10	Vertical
540.383333	-79.24	-13.00	66.24	Vertical
1669.500000	-64.99	-13.00	51.99	Vertical
3545.512500	-68.32	-13.00	55.32	Vertical
6582.637500	-65.26	-13.00	52.26	Vertical
62.713333	-76.90	-13.00	63.90	Horizontal
157.773333	-72.45	-13.00	59.45	Horizontal
611.562500	-78.07	-13.00	65.07	Horizontal
1669.500000	-64.82	-13.00	51.82	Horizontal
3545.512500	-67.82	-13.00	54.82	Horizontal
6489.525000	-65.22	-13.00	52.22	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case. the disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



8. Frequency Stability

8.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND 26	10MHz	QPSK	26840	50RB#0	VL	NT	1.10	0.001327	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	VN	NT	0.30	0.000362	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	VH	NT	1.00	0.001206	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	VL	NT	-1.30	-0.001554	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	VN	NT	-2.80	-0.003347	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	VH	NT	1.40	0.001674	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	VL	NT	-2.20	-0.002607	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	VN	NT	1.30	0.001540	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	VH	NT	-2.60	-0.003081	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	VL	NT	2.60	0.003136	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	VN	NT	-0.10	-0.000121	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	VH	NT	-1.80	-0.002171	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	VL	NT	-1.70	-0.002032	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	VN	NT	1.00	0.001195	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	VH	NT	2.10	0.002510	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	VL	NT	2.40	0.002844	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	VN	NT	0.70	0.000829	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	VH	NT	-0.90	-0.001066	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	VL	NT	-1.70	-0.002051	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	VN	NT	-0.70	-0.000844	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	VH	NT	-2.10	-0.002533	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	VL	NT	-0.40	-0.000478	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	VN	NT	-1.00	-0.001195	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	VH	NT	-2.50	-0.002989	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	VL	NT	0.50	0.000592	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	VN	NT	-0.10	-0.000118	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	VH	NT	0.50	0.000592	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	VL	NT	-1.60	-0.001924	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	VN	NT	-2.00	-0.002405	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	VH	NT	1.00	0.001203	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	VL	NT	-2.30	-0.002750	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	VN	NT	-0.90	-0.001076	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	VH	NT	0.60	0.000717	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	VL	NT	-2.40	-0.002852	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	VN	NT	-2.30	-0.002733	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	VH	NT	0.40	0.000475	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	VL	NT	-4.20	-0.005051	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	VN	NT	-4.50	-0.005412	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	VH	NT	-6.00	-0.007216	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	VL	NT	-7.20	-0.008607	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	VN	NT	-2.60	-0.003108	±2.5	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 152 of 154

BAND 26	15MHz	64QAM	26915	75RB#0	VH	NT	-8.30	-0.009922	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	VL	NT	-5.40	-0.006417	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	VN	NT	-5.10	-0.006061	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	VH	NT	-6.30	-0.007487	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	VL	NT	0.30	0.000361	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	VN	NT	1.10	0.001323	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	VH	NT	0.70	0.000842	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	VL	NT	0.20	0.000239	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	VN	NT	1.80	0.002152	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	VH	NT	0.50	0.000598	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	VL	NT	-2.60	-0.003090	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	VN	NT	-1.90	-0.002258	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	VH	NT	-2.90	-0.003446	±2.5	PASS

8.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
BAND 26	10MHz	QPSK	26840	50RB#0	NV	-30	0.50	0.000603	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	NV	-20	-1.10	-0.001327	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	NV	0	-2.20	-0.002654	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	NV	10	-3.10	-0.003739	±2.5	PASS
BAND 26	10MHz	QPSK	26840	50RB#0	NV	20	-1.10	-0.001327	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	NV	-30	0.30	0.000359	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	NV	-20	1.50	0.001793	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	NV	0	-0.20	-0.000239	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	NV	10	0.40	0.000478	±2.5	PASS
BAND 26	10MHz	QPSK	26915	50RB#0	NV	20	0.90	0.001076	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	NV	-30	-1.50	-0.001777	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	NV	-20	0.60	0.000711	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	NV	0	1.10	0.001303	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	NV	10	1.50	0.001777	±2.5	PASS
BAND 26	10MHz	QPSK	26990	50RB#0	NV	20	1.10	0.001303	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	NV	-30	-1.10	-0.001327	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	NV	-20	0.60	0.000724	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	NV	0	0.70	0.000844	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	NV	10	2.30	0.002774	±2.5	PASS
BAND 26	10MHz	64QAM	26840	50RB#0	NV	20	0.60	0.000724	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	NV	-30	-2.60	-0.003108	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	NV	-20	-1.10	-0.001315	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	NV	0	0.90	0.001076	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	NV	10	-0.50	-0.000598	±2.5	PASS
BAND 26	10MHz	64QAM	26915	50RB#0	NV	20	-1.00	-0.001195	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	NV	-30	-4.00	-0.004739	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	NV	-20	1.10	0.001303	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	NV	0	-2.60	-0.003081	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	NV	10	1.40	0.001659	±2.5	PASS
BAND 26	10MHz	64QAM	26990	50RB#0	NV	20	0.50	0.000592	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	NV	-30	-1.80	-0.002171	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	NV	-20	-2.00	-0.002413	±2.5	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 153 of 154

BAND 26	10MHz	16QAM	26840	50RB#0	NV	0	-1.20	-0.001448	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	NV	10	-0.20	-0.000241	±2.5	PASS
BAND 26	10MHz	16QAM	26840	50RB#0	NV	20	-1.70	-0.002051	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	NV	-30	-0.90	-0.001076	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	NV	-20	1.30	0.001554	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	NV	0	0.30	0.000359	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	NV	10	-0.10	-0.000120	±2.5	PASS
BAND 26	10MHz	16QAM	26915	50RB#0	NV	20	-1.50	-0.001793	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	NV	-30	0.60	0.000711	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	NV	-20	0.00	0.000000	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	NV	0	0.30	0.000355	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	NV	10	1.30	0.001540	±2.5	PASS
BAND 26	10MHz	16QAM	26990	50RB#0	NV	20	1.90	0.002251	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	NV	-30	1.20	0.001443	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	NV	-20	0.40	0.000481	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	NV	0	-0.40	-0.000481	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	NV	10	1.00	0.001203	±2.5	PASS
BAND 26	15MHz	QPSK	26865	75RB#0	NV	20	0.10	0.000120	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	NV	-30	1.60	0.001913	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	NV	-20	2.30	0.002750	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	NV	0	0.60	0.000717	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	NV	10	1.00	0.001195	±2.5	PASS
BAND 26	15MHz	QPSK	26915	75RB#0	NV	20	-0.50	-0.000598	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	NV	-30	-1.80	-0.002139	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	NV	-20	-1.20	-0.001426	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	NV	0	-1.10	-0.001307	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	NV	10	-1.10	-0.001307	±2.5	PASS
BAND 26	15MHz	QPSK	26965	75RB#0	NV	20	-3.40	-0.004040	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	NV	-30	-4.50	-0.005412	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	NV	-20	-8.80	-0.010583	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	NV	0	-5.00	-0.006013	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	NV	10	-2.00	-0.002405	±2.5	PASS
BAND 26	15MHz	64QAM	26865	75RB#0	NV	20	-2.70	-0.003247	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	NV	-30	-6.00	-0.007173	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	NV	-20	-9.30	-0.011118	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	NV	0	-6.60	-0.007890	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	NV	10	-6.60	-0.007890	±2.5	PASS
BAND 26	15MHz	64QAM	26915	75RB#0	NV	20	-7.20	-0.008607	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	NV	-30	-4.40	-0.005229	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	NV	-20	-6.30	-0.007487	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	NV	0	-9.40	-0.011171	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	NV	10	-2.20	-0.002614	±2.5	PASS
BAND 26	15MHz	64QAM	26965	75RB#0	NV	20	-10.00	-0.011884	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	NV	-30	1.10	0.001323	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	NV	-20	1.50	0.001804	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	NV	0	2.30	0.002766	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	NV	10	0.90	0.001082	±2.5	PASS
BAND 26	15MHz	16QAM	26865	75RB#0	NV	20	1.60	0.001924	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	NV	-30	1.10	0.001315	±2.5	PASS



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

Report No.: SZEM180500453601

Page: 154 of 154

BAND 26	15MHz	16QAM	26915	75RB#0	NV	-20	-0.60	-0.000717	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	NV	0	0.40	0.000478	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	NV	10	-1.90	-0.002271	±2.5	PASS
BAND 26	15MHz	16QAM	26915	75RB#0	NV	20	-0.80	-0.000956	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	NV	-30	-2.20	-0.002614	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	NV	-20	-1.60	-0.001901	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	NV	0	-1.10	-0.001307	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	NV	10	-2.10	-0.002496	±2.5	PASS
BAND 26	15MHz	16QAM	26965	75RB#0	NV	20	-2.40	-0.002852	±2.5	PASS

The End