

Appendix L_NR Bands *P_{limit}* Conducted Power

L.1 NR FDD Band n2 Maximum Conducted Power

NR FDD Band n2 Conducted Power_ Measured Pmax, RSI = 1 (Free) _ MAIN1

Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10	24.06	23.88	0
				1	13	24.03	24.05	23.80	0
				1	23	24.07	24.15	23.88	0
				12	0	23.63	23.63	23.37	0.5
				12	7	24.15	24.14	23.86	0
				12	13	23.62	23.67	23.40	0.5
				25	0	23.64	23.70	23.42	0.5
			QPSK	1	1	24.18	24.15	23.99	0
				1	13	24.09	24.10	23.89	0
				1	23	24.14	24.16	23.95	0
				12	0	23.20	23.12	22.92	1
				12	7	24.15	24.13	23.94	0
				12	13	23.16	23.17	22.93	1
				25	0	23.17	23.15	22.91	1
			16QAM	1	1	23.05	23.08	22.81	1
			64QAM	1	1	21.62	21.63	21.59	2.5
			256QAM	1	1	19.52	19.53	19.35	4.5
		CP	QPSK	1	1	22.58	22.57	22.33	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.17	24.08	24.06	0
				1	26	24.17	24.19	23.98	0
				1	50	24.02	24.15	23.93	0
				25	0	23.63	23.64	23.61	0.5
				25	14	24.12	24.13	23.97	0
				25	27	23.58	23.68	23.46	0.5
			QPSK	50	0	23.63	23.68	23.50	0.5
				1	1	24.26	24.10	24.15	0
				1	26	24.28	24.34	24.06	0
				1	50	24.05	24.18	23.95	0
				25	0	23.17	23.20	23.06	1
				25	14	24.14	24.19	24.00	0
				25	27	23.12	23.21	22.92	1
				50	0	23.19	23.17	23.04	1
			16QAM	1	1	23.20	23.06	23.08	1
			64QAM	1	1	21.70	21.56	21.55	2.5
			256QAM	1	1	19.84	19.53	19.62	4.5
		CP	QPSK	1	1	22.62	22.54	22.58	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.09	23.98	24.07	0
				1	40	23.92	24.06	23.90	0
				1	77	23.99	24.09	23.84	0
				36	0	23.58	23.58	23.60	0.5
				36	22	24.09	24.19	24.01	0
				36	43	23.52	23.64	23.40	0.5
				75	0	23.57	23.67	23.55	0.5
			QPSK	1	1	24.23	24.06	24.13	0
				1	40	23.96	24.15	23.96	0
				1	77	24.06	24.12	23.89	0
				36	0	23.14	23.15	23.19	1
				36	22	24.05	24.16	24.00	0
				36	43	23.04	23.16	22.95	1
				75	0	23.07	23.15	23.04	1
			16QAM	1	1	23.11	23.05	23.07	1
			64QAM	1	1	21.72	21.47	21.54	2.5
			256QAM	1	1	19.38	19.43	19.36	4.5
		CP	QPSK	1	1	22.62	22.48	22.53	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.12	23.91	24.09	0
				1	53	24.04	24.16	24.25	0
				1	104	23.92	24.12	23.93	0
				50	0	23.61	23.58	23.69	0.5
				50	28	24.00	24.21	24.14	0
				50	56	23.49	23.64	23.53	0.5
				100	0	23.53	23.65	23.67	0.5
			QPSK	1	1	24.20	23.95	24.16	0
				1	53	24.16	24.21	24.25	0
				1	104	23.95	24.16	23.94	0
				50	0	23.14	23.07	23.16	1
				50	28	24.01	24.17	24.17	0
				50	56	22.95	23.15	22.98	1
				100	0	23.05	23.16	23.21	1
			16QAM	1	1	23.05	22.91	23.35	1
			64QAM	1	1	21.54	21.41	21.74	2.5
			256QAM	1	1	19.55	19.43	19.51	4.5
		CP	QPSK	1	1	22.60	22.37	22.55	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.05		24.04	0
				1	66	24.02		24.37	0
				1	131	24.01		23.87	0
				64	0	23.56		23.70	0.5
				64	35	24.02		24.24	0
				64	69	23.49		23.54	0.5
				128	0	23.53		23.71	0.5
			QPSK	1	1	24.10		24.11	0
				1	66	24.11		24.32	0
				1	131	23.97		23.86	0
				64	0	23.07		23.19	1
				64	35	24.00		24.23	0
				64	69	22.98		23.07	1
				128	0	23.02		23.22	1
			16QAM	1	1	23.10		22.96	1
			64QAM	1	1	21.66		21.62	2.5
			256QAM	1	1	19.42		19.58	4.5
		CP	QPSK	1	1	22.51		22.52	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10		24.09	0
				1	80	24.11		24.30	0
				1	158	24.12		23.85	0
				80	0	23.55		23.67	0.5
				80	40	24.06		24.20	0
				80	80	23.53		23.59	0.5
				160	0	23.54		23.69	0.5
			QPSK	1	1	24.16		24.14	0
				1	80	24.08		24.28	0
				1	158	24.16		23.89	0
				80	0	23.11		23.22	1
				80	40	24.08		24.27	0
				80	80	23.04		23.14	1
				160	0	22.99		23.21	1
			16QAM	1	1	23.04		23.35	1
			64QAM	1	1	21.49		21.61	2.5
			256QAM	1	1	19.47		19.56	4.5
		CP	QPSK	1	1	22.60		22.52	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						376000			
						1880 MHz			
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.77			0
				1	98	24.18			0
				1	186	24.13			0
				90	0	23.45			0.5
				90	45	24.15			0
				90	90	23.60			0.5
				180	0	23.64			0.5
			QPSK	1	1	23.97			0
				1	98	24.20			0
				1	186	24.13			0
				90	0	23.02			1
				90	45	24.16			0
				90	90	23.17			1
				180	0	23.17			1
			16QAM	1	1	22.96			1
			64QAM	1	1	21.29			2.5
			256QAM	1	1	19.45			4.5
		CP	QPSK	1	1	22.27			1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.80	0
				1	108	24.20	0
				1	214	23.81	0
				108	0	23.47	0.5
				108	54	24.20	0
				108	108	23.66	0.5
				216	0	23.65	0.5
			QPSK	1	1	23.62	0
				1	108	24.29	0
				1	214	23.69	0
				108	0	22.95	1
				108	54	24.23	0
				108	108	23.17	1
				216	0	23.20	1
			16QAM	1	1	22.80	1
			64QAM	1	1	21.34	2.5
			256QAM	1	1	19.27	4.5
		CP	QPSK	1	1	22.25	1.5

NR FDD Band n2 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3) _

MAIN1 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.56	17.55	17.32	0
				1	13	17.49	17.45	17.20	0
				1	23	17.49	17.61	17.30	0
				12	0	17.56	17.53	17.33	0
				12	7	17.56	17.62	17.24	0
				12	13	17.52	17.58	17.25	0
				25	0	17.54	17.59	17.28	0
			QPSK	1	1	17.64	17.59	17.28	0
				1	13	17.45	17.50	17.16	0
				1	23	17.49	17.56	17.27	0
				12	0	17.59	17.57	17.31	0
				12	7	17.59	17.60	17.27	0
				12	13	17.51	17.61	17.28	0
				25	0	17.55	17.58	17.28	0
			16QAM	1	1	17.55	17.46	17.37	0
			64QAM	1	1	17.58	17.59	17.40	0
			256QAM	1	1	17.39	17.46	17.31	0
		CP	QPSK	1	1	17.60	17.52	17.26	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.65	17.47	17.53	0
				1	26	17.62	17.61	17.42	0
				1	50	17.54	17.54	17.32	0
				25	0	17.65	17.57	17.51	0
				25	14	17.56	17.56	17.32	0
				25	27	17.49	17.58	17.30	0
				50	0	17.54	17.60	17.38	0
			QPSK	1	1	17.66	17.52	17.53	0
				1	26	17.61	17.61	17.41	0
				1	50	17.50	17.58	17.35	0
				25	0	17.60	17.55	17.51	0
				25	14	17.60	17.63	17.39	0
				25	27	17.57	17.57	17.36	0
				50	0	17.60	17.63	17.37	0
			16QAM	1	1	17.79	17.56	17.61	0
			64QAM	1	1	17.59	17.56	17.46	0
			256QAM	1	1	17.57	17.59	17.71	0
		CP	QPSK	1	1	17.61	17.49	17.48	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.58	17.43	17.60	0
				1	40	17.38	17.48	17.34	0
				1	77	17.44	17.58	17.31	0
				36	0	17.56	17.51	17.60	0
				36	22	17.48	17.59	17.46	0
				36	43	17.50	17.59	17.31	0
				75	0	17.54	17.62	17.44	0
			QPSK	1	1	17.54	17.37	17.58	0
				1	40	17.37	17.47	17.31	0
				1	77	17.42	17.51	17.26	0
				36	0	17.59	17.54	17.59	0
				36	22	17.49	17.61	17.41	0
				36	43	17.45	17.59	17.32	0
				75	0	17.49	17.63	17.47	0
			16QAM	1	1	17.67	17.40	17.53	0
			64QAM	1	1	17.77	17.40	17.61	0
			256QAM	1	1	17.56	17.58	17.58	0
		CP	QPSK	1	1	17.58	17.45	17.61	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.56	17.41	17.57	0
				1	53	17.49	17.63	17.64	0
				1	104	17.37	17.51	17.33	0
				50	0	17.53	17.48	17.63	0
				50	28	17.43	17.60	17.56	0
				50	56	17.38	17.58	17.38	0
				100	0	17.48	17.57	17.56	0
			QPSK	1	1	17.53	17.38	17.51	0
				1	53	17.43	17.65	17.67	0
				1	104	17.40	17.51	17.30	0
				50	0	17.58	17.50	17.65	0
				50	28	17.42	17.61	17.58	0
				50	56	17.39	17.53	17.45	0
				100	0	17.47	17.60	17.59	0
			16QAM	1	1	17.60	17.32	17.63	0
			64QAM	1	1	17.61	17.28	17.52	0
			256QAM	1	1	17.71	17.22	17.54	0
		CP	QPSK	1	1	19.70	19.65	19.86	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.47		17.53	0
				1	66	17.41		17.79	0
				1	131	17.47		17.30	0
				64	0	17.46		17.64	0
				64	35	17.38		17.67	0
				64	69	17.38		17.46	0
				128	0	17.42		17.65	0
			QPSK	1	1	17.58		17.58	0
				1	66	17.49		17.71	0
				1	131	17.46		17.37	0
				64	0	17.52		17.62	0
				64	35	17.41		17.65	0
				64	69	17.40		17.45	0
				128	0	17.44		17.67	0
			16QAM	1	1	17.47		17.64	0
			64QAM	1	1	17.55		17.57	0
			256QAM	1	1	17.53		17.69	0
		CP	QPSK	1	1	17.54		17.64	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.62		17.58	0
				1	80	17.51		17.74	0
				1	158	17.59		17.32	0
				80	0	17.51		17.59	0
				80	40	17.46		17.68	0
				80	80	17.49		17.50	0
				160	0	17.50		17.68	0
			QPSK	1	1	17.65		17.65	0
				1	80	17.54		17.72	0
				1	158	17.61		17.35	0
				80	0	17.53		17.59	0
				80	40	17.45		17.72	0
				80	80	17.51		17.51	0
				160	0	17.51		17.70	0
			16QAM	1	1	17.66		17.55	0
			64QAM	1	1	17.88		17.81	0
			256QAM	1	1	17.61		17.56	0
		CP	QPSK	1	1	17.62		17.62	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.35	0
				1	98	17.57	0
				1	186	17.62	0
				90	0	17.40	0
				90	45	17.56	0
				90	90	17.57	0
				180	0	17.58	0
			QPSK	1	1	17.34	0
				1	98	17.60	0
				1	186	17.57	0
				90	0	17.43	0
				90	45	17.59	0
				90	90	17.62	0
				180	0	17.60	0
			16QAM	1	1	17.25	0
			64QAM	1	1	17.39	0
			256QAM	1	1	17.42	0
		CP	QPSK	1	1	17.38	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.36	0
				1	108	17.78	0
				1	214	17.57	0
				108	0	17.34	0
				108	54	17.63	0
				108	108	17.57	0
				216	0	17.58	0
			QPSK	1	1	17.37	0
				1	108	17.70	0
				1	214	17.55	0
				108	0	17.38	0
				108	54	17.59	0
				108	108	17.54	0
				216	0	17.58	0
			16QAM	1	1	17.56	0
			64QAM	1	1	17.36	0
			256QAM	1	1	17.37	0
		CP	QPSK	1	1	17.29	0

NR FDD Band n2 Conducted Power_ Measured RSI = 2 (Grip Sensor #2) _ MAIN1

Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.51	11.43	11.26	0
				1	13	11.35	11.40	11.12	0
				1	23	11.43	11.48	11.18	0
				12	0	11.48	11.47	11.22	0
				12	7	11.47	11.50	11.18	0
				12	13	11.43	11.50	11.19	0
				25	0	11.49	11.50	11.22	0
			QPSK	1	1	11.47	11.45	11.24	0
				1	13	11.34	11.31	11.11	0
				1	23	11.36	11.48	11.17	0
				12	0	11.47	11.47	11.20	0
				12	7	11.44	11.49	11.22	0
				12	13	11.45	11.51	11.21	0
				25	0	11.49	11.49	11.19	0
			16QAM	1	1	11.40	11.49	11.30	0
			64QAM	1	1	11.62	11.38	11.25	0
			256QAM	1	1	11.47	11.51	11.13	0
		CP	QPSK	1	1	11.55	11.45	11.15	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.52	11.41	11.46	0
				1	26	11.55	11.57	11.34	0
				1	50	11.41	11.48	11.27	0
				25	0	11.55	11.44	11.42	0
				25	14	11.45	11.50	11.28	0
				25	27	11.45	11.49	11.22	0
				50	0	11.49	11.50	11.34	0
			QPSK	1	1	11.62	11.34	11.41	0
				1	26	11.50	11.55	11.32	0
				1	50	11.39	11.41	11.27	0
				25	0	11.52	11.47	11.38	0
				25	14	11.48	11.49	11.31	0
				25	27	11.47	11.48	11.25	0
				50	0	11.45	11.49	11.33	0
			16QAM	1	1	11.39	11.32	11.27	0
			64QAM	1	1	11.63	11.39	11.46	0
			256QAM	1	1	11.46	11.43	11.40	0
		CP	QPSK	1	1	11.59	11.42	11.47	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.52	11.39	11.50	0
				1	40	11.28	11.42	11.29	0
				1	77	11.42	11.48	11.17	0
				36	0	11.41	11.43	11.46	0
				36	22	11.43	11.56	11.37	0
				36	43	11.35	11.51	11.25	0
				75	0	11.41	11.53	11.40	0
			QPSK	1	1	11.54	11.34	11.45	0
				1	40	11.31	11.35	11.23	0
				1	77	11.32	11.41	11.23	0
				36	0	11.48	11.45	11.50	0
				36	22	11.44	11.47	11.35	0
				36	43	11.39	11.47	11.27	0
				75	0	11.40	11.51	11.39	0
			16QAM	1	1	11.54	11.47	11.39	0
			64QAM	1	1	11.41	11.39	11.64	0
			256QAM	1	1	11.59	11.42	11.59	0
		CP	QPSK	1	1	11.51	11.36	11.52	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.53	11.29	11.51	0
				1	53	11.41	11.54	11.52	0
				1	104	11.31	11.48	11.24	0
				50	0	11.42	11.41	11.58	0
				50	28	11.35	11.48	11.48	0
				50	56	11.30	11.52	11.33	0
				100	0	11.35	11.48	11.48	0
			QPSK	1	1	11.47	11.29	11.51	0
				1	53	11.40	11.53	11.47	0
				1	104	11.28	11.47	11.18	0
				50	0	11.47	11.38	11.59	0
				50	28	11.34	11.49	11.48	0
				50	56	11.33	11.54	11.36	0
				100	0	11.39	11.52	11.50	0
			16QAM	1	1	11.42	11.35	11.50	0
			64QAM	1	1	11.55	11.32	11.40	0
			256QAM	1	1	11.40	11.32	11.43	0
		CP	QPSK	1	1	11.46	11.27	11.54	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.49		11.48	0
				1	66	11.45		11.60	0
				1	131	11.38		11.23	0
				64	0	11.41		11.57	0
				64	35	11.31		11.58	0
				64	69	11.36		11.36	0
				128	0	11.32		11.57	0
			QPSK	1	1	11.52		11.47	0
				1	66	11.54		11.63	0
				1	131	11.35		11.27	0
				64	0	11.41		11.52	0
				64	35	11.35		11.55	0
				64	69	11.28		11.36	0
				128	0	11.33		11.57	0
			16QAM	1	1	11.41		11.45	0
			64QAM	1	1	11.52		11.61	0
			256QAM	1	1	11.43		11.38	0
		CP	QPSK	1	1	11.47		11.44	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.55		11.53	0
				1	80	11.47		11.71	0
				1	158	11.51		11.23	0
				80	0	11.47		11.55	0
				80	40	11.39		11.59	0
				80	80	11.38		11.47	0
				160	0	11.35		11.59	0
			QPSK	1	1	11.53		11.57	0
				1	80	11.39		11.57	0
				1	158	11.46		11.25	0
				80	0	11.43		11.56	0
				80	40	11.37		11.65	0
				80	80	11.41		11.44	0
				160	0	11.38		11.61	0
			16QAM	1	1	11.55		11.33	0
			64QAM	1	1	11.64		11.45	0
			256QAM	1	1	11.39		11.51	0.5
		CP	QPSK	1	1	11.56		11.35	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.32	0
				1	98	11.48	0
				1	186	11.55	0
				90	0	11.35	0
				90	45	11.48	0
				90	90	11.50	0
				180	0	11.52	0
			QPSK	1	1	11.33	0
				1	98	11.47	0
				1	186	11.55	0
				90	0	11.32	0
				90	45	11.52	0
				90	90	11.49	0
				180	0	11.49	0
			16QAM	1	1	11.50	0
			64QAM	1	1	11.41	0
			256QAM	1	1	11.21	0
		CP	QPSK	1	1	11.30	0

NR FDD Band n2 _ 40 Mhz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 Mhz	
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.30	0
				1	108	11.72	0
				1	214	11.48	0
				108	0	11.58	0
				108	54	11.53	0
				108	108	11.47	0
				216	0	11.48	0
			QPSK	1	1	11.40	0
				1	108	11.63	0
				1	214	11.54	0
				108	0	11.39	0
				108	54	11.59	0
				108	108	11.50	0
				216	0	11.52	0
			16QAM	1	1	11.22	0
			64QAM	1	1	11.45	0
			256QAM	1	1	11.18	0
		CP	QPSK	1	1	11.28	0

L.2 NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ Measured Pmax, RSI = 0 (Free) MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.59	24.36	23.99	0
				1	13	24.53	24.20	23.90	0
				1	23	24.55	24.22	23.98	0
				12	0	24.12	23.79	23.47	0.5
				12	7	24.62	24.28	24.02	0
				12	13	24.14	23.73	23.52	0.5
				25	0	24.17	23.78	23.52	0.5
			QPSK	1	1	24.66	24.33	24.07	0
				1	13	24.59	24.22	23.90	0
				1	23	24.67	24.30	23.99	0
				12	0	23.68	23.35	22.99	1
				12	7	24.64	24.31	24.04	0
				12	13	23.62	23.28	23.01	1
				25	0	23.66	23.33	23.01	1
			16QAM	1	1	23.68	23.37	22.90	1
			64QAM	1	1	22.17	21.86	21.61	2.5
			256QAM	1	1	20.15	19.68	19.42	4.5
		CP	QPSK	1	1	23.14	22.85	22.52	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.41	0
				1	26	24.33	0
				1	50	24.10	0
				25	0	23.86	0.5
				25	14	24.27	0
				25	27	23.63	0.5
				50	0	23.78	0.5
			QPSK	1	1	24.48	0
				1	26	24.42	0
				1	50	24.17	0
				25	0	23.40	1
				25	14	24.28	0
				25	27	23.21	1
				50	0	23.30	1
			16QAM	1	1	23.46	1
			64QAM	1	1	21.99	2.5
			256QAM	1	1	19.83	4.5
		CP	OPSK	1	1	22.99	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.42	0
				1	40	24.18	0
				1	77	24.02	0
				36	0	23.93	0.5
				36	22	24.31	0
				36	43	23.64	0.5
				75	0	23.81	0.5
			QPSK	1	1	24.55	0
				1	40	24.25	0
				1	77	23.99	0
				36	0	23.44	1
				36	22	24.27	0
				36	43	23.18	1
				75	0	23.31	1
			16QAM	1	1	23.53	1
			64QAM	1	1	22.08	2.5
			256QAM	1	1	20.01	4.5
		CP	QPSK	1	1	22.92	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.51	0
				1	53	24.28	0
				1	104	23.93	0
				50	0	23.96	0.5
				50	28	24.28	0
				50	56	23.56	0.5
				100	0	23.77	0.5
			QPSK	1	1	24.56	0
				1	53	24.39	0
				1	104	24.01	0
				50	0	23.52	1
				50	28	24.26	0
				50	56	23.10	1
				100	0	23.36	1
			16QAM	1	1	23.58	1
			64QAM	1	1	22.08	2.5
			256QAM	1	1	20.15	4.5
		CP	QPSK	1	1	22.99	1.5

NR FDD Band n5 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3)_ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.95	23.67	23.29	0
				1	13	23.82	23.46	23.19	0
				1	23	23.94	23.50	23.25	0
				12	0	23.46	23.18	22.75	0
				12	7	23.98	23.61	23.30	0
				12	13	23.43	23.02	22.74	0
				25	0	23.48	23.09	22.77	0
			QPSK	1	1	23.92	23.69	23.24	0
				1	13	23.80	23.46	23.18	0
				1	23	23.85	23.48	23.21	0
				12	0	22.95	22.67	22.28	0
				12	7	23.97	23.59	23.28	0
				12	13	22.96	22.56	22.30	0
				25	0	23.00	22.64	22.31	0
			16QAM	1	1	22.84	22.77	22.23	0
			64QAM	1	1	21.56	21.25	20.68	1.5
			256QAM	1	1	19.32	19.22	18.59	3.5
		CP	QPSK	1	1	22.35	22.26	21.70	0.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.78	0
				1	26	23.63	0
				1	50	23.41	0
				25	0	23.21	0
				25	14	23.57	0
				25	27	23.00	0
				50	0	23.08	0
			QPSK	1	1	23.79	0
				1	26	23.67	0
				1	50	23.39	0
				25	0	22.72	0
				25	14	23.62	0
				25	27	22.52	0
				50	0	22.62	0
			16QAM	1	1	22.83	0
			64QAM	1	1	21.19	1.5
			256QAM	1	1	19.21	3.5
		CP	OPSK	1	1	22.35	0.5

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	0
				1	40	23.53	0
				1	77	23.30	0
				36	0	23.30	0
				36	22	23.58	0
				36	43	22.98	0
				75	0	23.13	0
			QPSK	1	1	23.84	0
				1	40	23.46	0
				1	77	23.34	0
				36	0	22.80	0
				36	22	23.62	0
				36	43	22.48	0
				75	0	22.64	0
			16QAM	1	1	22.63	0
			64QAM	1	1	21.37	1.5
			256QAM	1	1	19.31	3.5
		CP	QPSK	1	1	22.30	0.5

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.88	0
				1	53	23.74	0
				1	104	23.21	0
				50	0	23.31	0
				50	28	23.59	0
				50	56	22.84	0
				100	0	23.12	0
			QPSK	1	1	23.91	0
				1	53	23.69	0
				1	104	23.21	0
				50	0	22.83	0
				50	28	23.75	0
				50	56	22.44	0
				100	0	22.62	0
			16QAM	1	1	22.99	0
			64QAM	1	1	21.58	1.5
			256QAM	1	1	19.44	3.5
		CP	QPSK	1	1	22.38	0.5

NR FDD Band n5 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.21	13.97	13.61	0
				1	13	14.12	13.75	13.50	0
				1	23	14.17	13.80	13.58	0
				12	0	14.20	13.94	13.60	0
				12	7	14.18	13.84	13.58	0
				12	13	14.16	13.81	13.58	0
				25	0	14.20	13.86	13.61	0
			QPSK	1	1	14.19	13.96	13.63	0
				1	13	14.04	13.75	13.50	0
				1	23	14.13	13.79	13.55	0
				12	0	14.20	13.94	13.61	0
				12	7	14.21	13.86	13.60	0
				12	13	14.18	13.81	13.58	0
				25	0	14.19	13.83	13.60	0
			16QAM	1	1	14.21	13.93	13.64	0
			64QAM	1	1	14.29	14.01	13.65	0
			256QAM	1	1	14.23	13.87	13.56	0
		CP	QPSK	1	1	14.25	13.99	13.70	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.04	0	
				1	26	13.92	0	
				1	50	13.69	0	
				25	0	13.99	0	
				25	14	13.85	0	
				25	27	13.77	0	
				50	0	13.86	0	
			QPSK	1	1	14.07	0	
				1	26	13.89	0	
				1	50	13.68	0	
				25	0	14.00	0	
				25	14	13.85	0	
				25	27	13.77	0	
				50	0	13.85	0	
			16QAM	1	1	14.06	0	
			64QAM	1	1	14.05	0	
			256QAM	1	1	14.00	0	
		CP	QPSK	1	1	14.03	0	

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.13	0
				1	40	13.77	0
				1	77	13.63	0
				36	0	14.03	0
				36	22	13.86	0
				36	43	13.72	0
				75	0	13.87	0
			QPSK	1	1	14.13	0
				1	40	13.73	0
				1	77	13.58	0
				36	0	14.04	0
				36	22	13.87	0
				36	43	13.72	0
				75	0	13.89	0
			16QAM	1	1	14.09	0
			64QAM	1	1	14.13	0
			256QAM	1	1	14.06	0
		CP	QPSK	1	1	14.10	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.19	0
				1	53	13.93	0
				1	104	13.58	0
				50	0	14.08	0
				50	28	13.88	0
				50	56	13.70	0
				100	0	13.93	0
			QPSK	1	1	14.15	0
				1	53	13.91	0
				1	104	13.56	0
				50	0	14.10	0
				50	28	13.86	0
				50	56	13.69	0
				100	0	13.91	0
			16QAM	1	1	14.24	0
			64QAM	1	1	14.15	0
			256QAM	1	1	14.07	0
		CP	QPSK	1	1	14.26	0

L.3 NR FDD Band n25 Maximum Conducted Power

NR FDD Band n25 Conducted Power_ Measured Pmax, RSI = 1 (Free) _ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.11	24.10	23.80	0
				1	13	24.03	24.01	23.74	0
				1	23	24.09	24.13	23.84	0
				12	0	23.64	23.64	23.37	0.5
				12	7	24.12	24.10	23.84	0
				12	13	23.63	23.66	23.35	0.5
				25	0	23.61	23.64	23.38	0.5
			QPSK	1	1	24.20	24.14	23.90	0
				1	13	24.06	24.09	23.81	0
				1	23	24.13	24.11	23.93	0
				12	0	23.19	23.14	22.90	1
				12	7	24.15	24.17	23.93	0
				12	13	23.14	23.14	22.91	1
				25	0	23.15	23.14	22.87	1
			16QAM	1	1	23.18	23.22	22.86	1
			64QAM	1	1	21.67	21.70	21.38	2.5
			256QAM	1	1	19.60	19.56	19.33	4.5
		CP	QPSK	1	1	22.61	22.50	22.24	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.21	24.06	23.92	0
				1	26	24.21	24.28	23.91	0
				1	50	24.09	24.11	23.90	0
				25	0	23.68	23.60	23.37	0.5
				25	14	24.15	24.18	23.87	0
				25	27	23.58	23.66	23.42	0.5
				50	0	23.67	23.65	23.41	0.5
			QPSK	1	1	24.32	24.12	24.00	0
				1	26	24.24	24.26	23.96	0
				1	50	24.15	24.15	23.89	0
				25	0	23.19	23.14	22.92	1
				25	14	24.16	24.13	23.89	0
				25	27	23.12	23.18	22.93	1
				50	0	23.16	23.18	22.88	1
			16QAM	1	1	23.18	23.18	22.96	1
			64QAM	1	1	21.67	21.77	21.36	2.5
			256QAM	1	1	19.58	19.43	19.25	4.5
		CP	QPSK	1	1	22.64	22.52	22.36	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.15	24.04	24.03	0
				1	40	23.95	24.01	23.79	0
				1	77	23.98	24.14	23.88	0
				36	0	23.68	23.63	23.51	0.5
				36	22	24.07	24.15	23.95	0
				36	43	23.57	23.58	23.43	0.5
				75	0	23.57	23.65	23.41	0.5
			QPSK	1	1	24.20	24.09	24.11	0
				1	40	24.00	24.08	23.85	0
				1	77	24.02	24.11	23.96	0
				36	0	23.17	23.18	23.05	1
				36	22	24.12	24.19	23.91	0
				36	43	23.06	23.17	22.92	1
				75	0	23.10	23.17	22.91	1
			16QAM	1	1	23.32	22.97	23.01	1
			64QAM	1	1	21.70	21.46	21.57	2.5
			256QAM	1	1	19.62	19.54	19.57	4.5
		CP	QPSK	1	1	22.59	22.54	22.56	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10	23.97	24.17	0
				1	53	24.03	24.29	24.02	0
				1	104	23.97	24.14	23.91	0
				50	0	23.61	23.62	23.66	0.5
				50	28	24.03	24.19	24.01	0
				50	56	23.51	23.66	23.47	0.5
				100	0	23.51	23.69	23.54	0.5
			QPSK	1	1	24.19	24.06	24.23	0
				1	53	24.22	24.32	24.07	0
				1	104	23.98	24.14	23.92	0
				50	0	23.11	23.15	23.23	1
				50	28	24.03	24.21	24.04	0
				50	56	23.02	23.16	22.99	1
				100	0	23.06	23.14	23.05	1
			16QAM	1	1	23.03	22.99	23.13	1
			64QAM	1	1	21.59	21.35	21.56	2.5
			256QAM	1	1	19.53	19.52	19.58	4.5
		CP	QPSK	1	1	22.59	22.40	22.66	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.07		24.01	0
				1	66	24.04		24.12	0
				1	131	23.99		23.79	0
				64	0	23.58		23.61	0.5
				64	35	24.00		24.00	0
				64	69	23.49		23.37	0.5
				128	0	23.51		23.51	0.5
			QPSK	1	1	24.02		24.12	0
				1	66	24.08		24.12	0
				1	131	23.94		23.83	0
				64	0	22.99		23.15	1
				64	35	23.96		24.04	0
				64	69	22.93		22.91	1
				128	0	22.98		23.05	1
			16QAM	1	1	23.13		22.97	1
			64QAM	1	1	21.70		21.52	2.5
			256QAM	1	1	19.42		19.48	4.5
		CP	QPSK	1	1	22.55		22.41	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.00		23.96	0
				1	80	23.98		24.18	0
				1	158	24.07		23.81	0
				80	0	23.49		23.58	0.5
				80	40	23.95		24.14	0
				80	80	23.52		23.39	0.5
				160	0	23.48		23.59	0.5
			QPSK	1	1	24.16		24.03	0
				1	80	24.11		24.27	0
				1	158	24.14		23.87	0
				80	0	23.11		23.14	1
				80	40	24.05		24.16	0
				80	80	23.07		22.95	1
				160	0	22.98		23.17	1
			16QAM	1	1	23.24		23.04	1
			64QAM	1	1	21.64		21.65	2.5
			256QAM	1	1	19.51		19.49	4.5
		CP	QPSK	1	1	22.57		22.55	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.76	0
				1	98	24.05	0
				1	186	23.98	0
				90	0	23.43	0.5
				90	45	24.10	0
				90	90	23.61	0.5
				180	0	23.60	0.5
			QPSK	1	1	23.84	0
				1	98	24.16	0
				1	186	24.07	0
				90	0	22.94	1
				90	45	24.17	0
				90	90	23.15	1
				180	0	23.13	1
			16QAM	1	1	22.69	1
			64QAM	1	1	21.26	2.5
			256QAM	1	1	19.31	4.5
		CP	QPSK	1	1	22.30	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.75	0
				1	108	24.15	0
				1	214	23.66	0
				108	0	23.43	0.5
				108	54	24.15	0
				108	108	23.60	0.5
				216	0	23.65	0.5
			QPSK	1	1	23.64	0
				1	108	24.27	0
				1	214	23.59	0
				108	0	22.88	1
				108	54	24.10	0
				108	108	23.10	1
				216	0	23.07	1
			16QAM	1	1	22.63	1
			64QAM	1	1	21.21	2.5
			256QAM	1	1	19.27	4.5
		CP	QPSK	1	1	22.25	1.5

NR FDD Band n25 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3) _ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.58	17.55	17.25	0
				1	13	17.48	17.46	17.21	0
				1	23	17.49	17.54	17.29	0
				12	0	17.59	17.57	17.26	0
				12	7	17.54	17.51	17.27	0
				12	13	17.56	17.51	17.29	0
				25	0	17.54	17.56	17.32	0
			QPSK	1	1	17.54	17.54	17.28	0
				1	13	17.42	17.47	17.17	0
				1	23	17.50	17.53	17.27	0
				12	0	17.59	17.58	17.27	0
				12	7	17.53	17.52	17.30	0
				12	13	17.52	17.54	17.31	0
				25	0	17.61	17.53	17.30	0
			16QAM	1	1	17.73	17.51	17.22	0
			64QAM	1	1	17.54	17.69	17.46	0
			256QAM	1	1	17.69	17.55	17.06	0
		CP	QPSK	1	1	17.63	17.52	17.24	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.67	17.54	17.28	0
				1	26	17.64	17.67	17.32	0
				1	50	17.50	17.57	17.36	0
				25	0	17.62	17.55	17.24	0
				25	14	17.53	17.56	17.29	0
				25	27	17.52	17.54	17.31	0
				50	0	17.56	17.55	17.30	0
			QPSK	1	1	17.63	17.54	17.34	0
				1	26	17.58	17.56	17.32	0
				1	50	17.46	17.52	17.30	0
				25	0	17.58	17.60	17.28	0
				25	14	17.58	17.57	17.30	0
				25	27	17.56	17.55	17.34	0
				50	0	17.57	17.56	17.32	0
			16QAM	1	1	17.76	17.66	17.39	0
			64QAM	1	1	17.77	17.63	17.51	0
			256QAM	1	1	17.54	17.24	17.45	0
		CP	QPSK	1	1	17.62	17.61	17.34	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.63	17.44	17.47	0
				1	40	17.40	17.50	17.16	0
				1	77	17.43	17.52	17.34	0
				36	0	17.58	17.53	17.42	0
				36	22	17.49	17.56	17.30	0
				36	43	17.47	17.59	17.37	0
				75	0	17.51	17.56	17.32	0
			QPSK	1	1	17.60	17.48	17.49	0
				1	40	17.39	17.44	17.15	0
				1	77	17.43	17.55	17.39	0
				36	0	17.62	17.57	17.40	0
				36	22	17.51	17.53	17.28	0
				36	43	17.49	17.54	17.33	0
				75	0	17.56	17.60	17.36	0
			16QAM	1	1	17.68	17.43	17.45	0
			64QAM	1	1	17.67	17.47	17.70	0
			256QAM	1	1	17.77	17.43	17.39	0
		CP	QPSK	1	1	17.61	17.38	17.55	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.58	17.40	17.64	0
				1	53	17.48	17.71	17.40	0
				1	104	17.39	17.57	17.35	0
				50	0	17.55	17.55	17.58	0
				50	28	17.45	17.57	17.38	0
				50	56	17.45	17.53	17.34	0
				100	0	17.46	17.57	17.41	0
			QPSK	1	1	17.53	17.43	17.62	0
				1	53	17.46	17.65	17.40	0
				1	104	17.48	17.57	17.36	0
				50	0	17.54	17.53	17.62	0
				50	28	17.48	17.55	17.44	0
				50	56	17.47	17.56	17.37	0
				100	0	17.46	17.59	17.45	0
			16QAM	1	1	17.63	17.55	17.67	0
			64QAM	1	1	17.76	17.59	17.89	0
			256QAM	1	1	17.44	17.34	17.72	0
		CP	QPSK	1	1	17.54	17.41	17.56	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.55		17.52	0
				1	66	17.48		17.58	0
				1	131	17.49		17.32	0
				64	0	17.48		17.63	0
				64	35	17.41		17.43	0
				64	69	17.39		17.28	0
				128	0	17.42		17.51	0
			QPSK	1	1	17.54		17.52	0
				1	66	17.46		17.46	0
				1	131	17.43		17.36	0
				64	0	17.50		17.59	0
				64	35	17.43		17.48	0
				64	69	17.43		17.29	0
				128	0	17.47		17.51	0
			16QAM	1	1	17.62		17.45	0
			64QAM	1	1	17.63		17.62	0
			256QAM	1	1	17.56		17.51	0
		CP	QPSK	1	1	17.53		17.48	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.64		17.53	0
				1	80	17.55		17.61	0
				1	158	17.62		17.34	0
				80	0	17.52		17.59	0
				80	40	17.50		17.51	0
				80	80	17.53		17.32	0
				160	0	17.50		17.59	0
			QPSK	1	1	17.68		17.54	0
				1	80	17.50		17.64	0
				1	158	17.65		17.37	0
				80	0	17.56		17.64	0
				80	40	17.53		17.58	0
				80	80	17.51		17.32	0
				160	0	17.52		17.59	0
			16QAM	1	1	17.67		17.65	0
			64QAM	1	1	17.81		17.71	0
			256QAM	1	1	17.74		17.51	0
		CP	QPSK	1	1	17.61		17.59	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.36	0
				1	98	17.49	0
				1	186	17.54	0
				90	0	17.41	0
				90	45	17.60	0
				90	90	17.60	0
				180	0	17.57	0
			QPSK	1	1	17.35	0
				1	98	17.50	0
				1	186	17.50	0
				90	0	17.44	0
				90	45	17.62	0
				90	90	17.64	0
				180	0	17.57	0
			16QAM	1	1	17.36	0
			64QAM	1	1	17.35	0
			256QAM	1	1	17.20	0
		CP	QPSK	1	1	17.31	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.32	0
				1	108	17.64	0
				1	214	17.47	0
				108	0	17.41	0
				108	54	17.57	0
				108	108	17.63	0
				216	0	17.57	0
			QPSK	1	1	17.40	0
				1	108	17.67	0
				1	214	17.55	0
				108	0	17.43	0
				108	54	17.64	0
				108	108	17.63	0
				216	0	17.60	0
			16QAM	1	1	17.52	0
			64QAM	1	1	17.42	0
			256QAM	1	1	17.43	0
		CP	QPSK	1	1	17.40	0

NR FDD Band n25 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.50	11.50	11.19	0
				1	13	11.38	11.38	11.11	0
				1	23	11.46	11.49	11.24	0
				12	0	11.48	11.47	11.18	0
				12	7	11.47	11.42	11.17	0
				12	13	11.50	11.46	11.18	0
				25	0	11.49	11.42	11.19	0
			QPSK	1	1	11.52	11.50	11.18	0
				1	13	11.31	11.35	11.14	0
				1	23	11.40	11.49	11.21	0
				12	0	11.49	11.47	11.21	0
				12	7	11.44	11.47	11.20	0
				12	13	11.45	11.45	11.21	0
				25	0	11.44	11.50	11.23	0
			16QAM	1	1	11.49	11.24	11.25	0
			64QAM	1	1	11.47	11.58	11.14	0
			256QAM	1	1	11.51	11.40	11.17	0
		CP	QPSK	1	1	11.45	11.47	11.19	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.53	11.47	11.23	0
				1	26	11.50	11.63	11.21	0
				1	50	11.43	11.47	11.27	0
				25	0	11.50	11.50	11.19	0
				25	14	11.46	11.45	11.22	0
				25	27	11.46	11.48	11.23	0
				50	0	11.48	11.53	11.22	0
			QPSK	1	1	11.49	11.44	11.18	0
				1	26	11.46	11.47	11.19	0
				1	50	11.39	11.44	11.21	0
				25	0	11.54	11.48	11.14	0
				25	14	11.47	11.45	11.20	0
				25	27	11.44	11.44	11.25	0
				50	0	11.52	11.51	11.24	0
			16QAM	1	1	11.55	11.62	11.16	0
			64QAM	1	1	11.48	11.71	11.22	0
			256QAM	1	1	11.56	11.43	11.37	0
		CP	QPSK	1	1	11.54	11.42	11.18	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.57	11.40	11.47	0
				1	40	11.32	11.40	11.11	0
				1	77	11.34	11.45	11.26	0
				36	0	11.51	11.47	11.31	0
				36	22	11.40	11.46	11.21	0
				36	43	11.38	11.51	11.25	0
				75	0	11.39	11.47	11.21	0
			QPSK	1	1	11.55	11.34	11.37	0
				1	40	11.34	11.34	11.07	0
				1	77	11.34	11.44	11.27	0
				36	0	11.47	11.45	11.33	0
				36	22	11.41	11.48	11.20	0
				36	43	11.38	11.43	11.24	0
				75	0	11.41	11.50	11.21	0
			16QAM	1	1	11.56	11.25	11.52	0
			64QAM	1	1	11.57	11.41	11.40	0
			256QAM	1	1	11.55	11.33	11.42	0
		CP	QPSK	1	1	11.49	11.32	11.40	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.51	11.33	11.56	0
				1	53	11.42	11.63	11.33	0
				1	104	11.35	11.46	11.29	0
				50	0	11.41	11.39	11.51	0
				50	28	11.36	11.48	11.34	0
				50	56	11.36	11.50	11.28	0
				100	0	11.36	11.49	11.37	0
			QPSK	1	1	11.53	11.33	11.51	0
				1	53	11.44	11.53	11.35	0
				1	104	11.32	11.48	11.28	0
				50	0	11.47	11.44	11.46	0
				50	28	11.39	11.47	11.33	0
				50	56	11.33	11.49	11.31	0
				100	0	11.40	11.47	11.35	0
			16QAM	1	1	11.46	11.27	11.55	0
			64QAM	1	1	11.47	11.39	11.61	0
			256QAM	1	1	11.48	11.30	11.68	0
		CP	QPSK	1	1	11.48	11.27	11.64	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.50		11.46	0
				1	66	11.40		11.48	0
				1	131	11.37		11.22	0
				64	0	11.42		11.53	0
				64	35	11.36		11.36	0
				64	69	11.32		11.23	0
				128	0	11.34		11.41	0
			QPSK	1	1	11.46		11.41	0
				1	66	11.35		11.40	0
				1	131	11.38		11.18	0
				64	0	11.37		11.56	0
				64	35	11.33		11.34	0
				64	69	11.32		11.20	0
				128	0	11.34		11.38	0
			16QAM	1	1	11.49		11.53	0
			64QAM	1	1	11.59		11.64	0
			256QAM	1	1	11.40		11.40	0
		CP	QPSK	1	1	11.47		11.51	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.55		11.48	0
				1	80	11.48		11.52	0
				1	158	11.57		11.26	0
				80	0	11.46		11.56	0
				80	40	11.39		11.46	0
				80	80	11.39		11.25	0
				160	0	11.37		11.45	0
			QPSK	1	1	11.60		11.46	0
				1	80	11.47		11.57	0
				1	158	11.54		11.28	0
				80	0	11.46		11.53	0
				80	40	11.44		11.46	0
				80	80	11.38		11.25	0
				160	0	11.44		11.49	0
			16QAM	1	1	11.67		11.45	0
			64QAM	1	1	11.72		11.60	0
			256QAM	1	1	11.66		11.42	0
		CP	QPSK	1	1	11.55		11.37	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.24	0
				1	98	11.50	0
				1	186	11.46	0
				90	0	11.33	0
				90	45	11.50	0
				90	90	11.45	0
				180	0	11.54	0
			QPSK	1	1	11.28	0
				1	98	11.42	0
				1	186	11.50	0
				90	0	11.37	0
				90	45	11.52	0
				90	90	11.50	0
				180	0	11.50	0
			16QAM	1	1	11.24	0
			64QAM	1	1	11.27	0
			256QAM	1	1	11.07	0
		CP	QPSK	1	1	11.31	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.27	0
				1	108	11.60	0
				1	214	11.41	0
				108	0	11.31	0
				108	54	11.55	0
				108	108	11.51	0
				216	0	11.50	0
			QPSK	1	1	11.34	0
				1	108	11.56	0
				1	214	11.35	0
				108	0	11.35	0
				108	54	11.50	0
				108	108	11.54	0
				216	0	11.52	0
			16QAM	1	1	11.32	0
			64QAM	1	1	11.28	0
			256QAM	1	1	11.18	0
		CP	QPSK	1	1	11.25	0

L.4 NR FDD Band n30 Maximum Conducted Power

NR FDD Band n30 Conducted Power_ Measured Pmax, RSI = 0 (Free) _ MAIN1 Antenna

Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.13	0
				1	13	22.96	0
				1	23	23.10	0
				12	0	22.71	0.5
				12	7	23.18	0
				12	13	22.66	0.5
				25	0	22.64	0.5
			QPSK	1	1	23.25	0
				1	13	23.08	0
				1	23	23.21	0
				12	0	22.20	1
				12	7	23.18	0
				12	13	22.16	1
				25	0	22.18	1
			16QAM	1	1	22.22	1
			64QAM	1	1	20.71	2.5
			256QAM	1	1	18.61	4.5
		CP	QPSK	1	1	21.67	1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.95	0
				1	26	23.18	0
				1	50	23.13	0
				25	0	22.73	0.5
				25	14	23.17	0
				25	27	22.66	0.5
				50	0	22.66	0.5
			QPSK	1	1	22.89	0
				1	26	23.16	0
				1	50	23.10	0
				25	0	22.22	1
				25	14	23.19	0
				25	27	22.17	1
				50	0	22.15	1
			16QAM	1	1	22.17	1
			64QAM	1	1	20.78	2.5
			256QAM	1	1	18.73	4.5
		CP	QPSK	1	1	21.74	1.5

NR FDD Band n30 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3)_ MAIN1 Antenna
NR FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.19	0
				1	13	20.05	0
				1	23	20.15	0
				12	0	20.19	0
				12	7	20.15	0
				12	13	20.14	0
				25	0	20.13	0
			QPSK	1	1	20.23	0
				1	13	20.05	0
				1	23	20.17	0
				12	0	20.21	0
				12	7	20.18	0
				12	13	20.18	0
				25	0	20.19	0
			16QAM	1	1	20.10	0
			64QAM	1	1	20.18	0
			256QAM	1	1	18.63	2
		CP	QPSK	1	1	20.22	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.85	0
				1	26	20.86	0
				1	50	20.86	0
				25	0	20.83	0
				25	14	20.85	0
				25	27	20.81	0
				50	0	20.83	0
			QPSK	1	1	20.82	0
				1	26	20.88	0
				1	50	20.77	0
				25	0	20.84	0
				25	14	20.83	0
				25	27	20.82	0
				50	0	20.81	0
			16QAM	1	1	20.79	0
			64QAM	1	1	20.65	0
			256QAM	1	1	18.64	2
		CP	QPSK	1	1	20.27	0

NR FDD Band n30 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna
Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.50	0
				1	13	11.35	0
				1	23	11.49	0
				12	0	11.49	0
				12	7	11.40	0
				12	13	11.43	0
				25	0	11.46	0
			QPSK	1	1	11.46	0
				1	13	11.36	0
				1	23	11.41	0
				12	0	11.49	0
				12	7	11.47	0
				12	13	11.43	0
				25	0	11.45	0
			16QAM	1	1	11.53	0
			64QAM	1	1	11.59	0
			256QAM	1	1	11.45	0
		CP	QPSK	1	1	11.42	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.61	0
				1	26	11.60	0
				1	50	11.44	0
				25	0	11.53	0
				25	14	11.43	0
				25	27	11.45	0
				50	0	11.52	0
			QPSK	1	1	11.58	0
				1	26	11.49	0
				1	50	11.40	0
				25	0	11.44	0
				25	14	11.48	0
				25	27	11.47	0
				50	0	11.49	0
			16QAM	1	1	11.54	0
			64QAM	1	1	11.65	0
			256QAM	1	1	11.59	0
		CP	QPSK	1	1	11.62	0

L5 NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN1 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.47	18.40	18.11	18.43	18.33	0
				1	12	18.45	18.43	18.21	18.49	18.36	0
				1	22	18.48	18.41	18.17	18.48	18.34	0
				12	0	18.43	18.36	18.11	18.40	18.31	0
				12	6	18.44	18.36	18.13	18.42	18.29	0
				12	12	18.44	18.38	18.13	18.45	18.31	0
				24	0	18.42	18.37	18.12	18.42	18.33	0
			QPSK	1	1	18.42	18.35	18.09	18.37	18.30	0
				1	12	18.49	18.40	18.15	18.45	18.34	0
				1	22	18.42	18.34	18.15	18.44	18.32	0
				12	0	18.43	18.37	18.11	18.39	18.29	0
				12	6	18.44	18.37	18.13	18.42	18.31	0
				12	12	18.46	18.36	18.13	18.45	18.32	0
				24	0	18.46	18.38	18.12	18.43	18.33	0
			16QAM	1	1	18.41	18.37	18.13	18.31	18.31	0
			64QAM	1	1	18.28	18.20	18.02	18.36	18.30	0
			256QAM	1	1	18.44	18.45	18.02	18.41	18.30	0
		CP	QPSK	1	1	17.94	18.36	18.40	18.36	18.41	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.48	18.38	18.33	18.33	18.56	0
				1	18	18.46	18.36	18.37	18.29	18.52	0
				1	36	18.47	18.39	18.47	18.43	18.52	0
				18	0	18.48	18.38	18.38	18.37	18.49	0
				18	9	18.48	18.38	18.41	18.38	18.51	0
				18	18	18.47	18.38	18.44	18.41	18.51	0
				36	0	18.47	18.37	18.42	18.38	18.50	0
			QPSK	1	1	18.50	18.37	18.35	18.36	18.45	0
				1	18	18.44	18.31	18.34	18.34	18.45	0
				1	36	18.45	18.36	18.44	18.41	18.49	0
				18	0	18.49	18.36	18.38	18.37	18.50	0
				18	9	18.50	18.39	18.42	18.40	18.50	0
				18	18	18.50	18.39	18.43	18.42	18.50	0
				36	0	18.51	18.38	18.43	18.38	18.50	0
			16QAM	1	1	18.47	18.35	18.34	18.34	18.62	0
			64QAM	1	1	18.61	18.34	18.37	18.45	18.45	0
			256QAM	1	1	18.46	18.46	18.30	18.31	18.47	0
		CP	QPSK	1	1	18.35	18.37	18.33	17.71	18.48	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.30	18.40	18.38	18.31	18.42	0
				1	26	18.31	18.43	18.41	18.35	18.46	0
				1	49	18.27	18.38	18.47	18.40	18.47	0
				25	0	18.30	18.40	18.35	18.36	18.43	0
				25	13	18.31	18.40	18.41	18.32	18.46	0
				25	26	18.26	18.38	18.43	18.38	18.47	0
				50	0	18.29	18.41	18.39	18.32	18.46	0
			QPSK	1	1	18.27	18.36	18.33	18.32	18.41	0
				1	26	18.26	18.36	18.38	18.32	18.46	0
				1	49	18.21	18.34	18.43	18.39	18.48	0
				25	0	18.31	18.40	18.34	18.36	18.44	0
				25	13	18.31	18.42	18.40	18.35	18.49	0
				25	26	18.28	18.38	18.42	18.39	18.48	0
				50	0	18.31	18.41	18.39	18.32	18.46	0
			16QAM	1	1	18.31	18.26	18.29	18.23	18.31	0
			64QAM	1	1	18.38	18.43	18.38	18.31	18.39	0
			256QAM	1	1	18.28	18.37	18.35	18.19	18.11	0
		CP	QPSK	1	1	18.41	18.42	18.39	18.48	18.39	0

NR TDD Band n41 _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.07	18.42	18.61	18.49	18.55	0
				1	39	18.08	18.52	18.74	18.57	18.64	0
				1	76	17.98	18.32	18.63	18.52	18.57	0
				36	0	18.11	18.43	18.44	18.50	18.53	0
				36	21	18.07	18.44	18.49	18.51	18.54	0
				36	42	18.01	18.39	18.49	18.53	18.57	0
				75	0	18.06	18.44	18.53	18.52	18.55	0
			QPSK	1	1	18.08	18.39	18.35	18.44	18.51	0
				1	39	18.03	18.49	18.46	18.53	18.59	0
				1	76	17.94	18.33	18.45	18.48	18.50	0
				36	0	18.11	18.46	18.39	18.47	18.53	0
				36	21	18.07	18.44	18.45	18.52	18.54	0
				36	42	18.02	18.40	18.47	18.52	18.57	0
				75	0	18.08	18.43	18.43	18.52	18.54	0
			16QAM	1	1	17.99	18.42	18.32	18.45	18.36	0
			64QAM	1	1	18.12	18.40	18.43	18.45	18.52	0
			256QAM	1	1	18.37	18.47	18.08	18.35	18.51	0
		CP	QPSK	1	1	18.46	18.43	18.47	18.52	18.57	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.27	18.23		18.05	18.43	0
				1	53	18.25	18.29		18.08	18.53	0
				1	104	18.28	18.24		18.08	18.48	0
				50	0	18.28	18.29		18.08	18.42	0
				50	28	18.23	18.19		18.06	18.42	0
				50	56	18.20	18.20		18.08	18.48	0
				100	0	18.23	18.22		18.06	18.43	0
			QPSK	1	1	18.27	18.19		18.08	18.41	0
				1	53	18.26	18.22		18.14	18.50	0
				1	104	18.29	18.25		18.11	18.47	0
				50	0	18.28	18.29		18.09	18.43	0
				50	28	18.23	18.22		18.05	18.44	0
				50	56	18.23	18.21		18.07	18.47	0
				100	0	18.22	18.22		18.06	18.41	0
			16QAM	1	1	18.32	18.14		17.72	18.53	0
			64QAM	1	1	18.14	18.06		17.84	18.54	0
			256QAM	1	1	18.19	18.07		18.33	18.36	0
		CP	QPSK	1	1	18.29	18.22		18.07	18.41	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.31		18.29		18.52	0
				1	67	18.34		18.41		18.50	0
				1	131	18.27		18.39		18.49	0
				64	0	18.40		18.31		18.54	0
				64	35	18.36		18.42		18.53	0
				64	69	18.38		18.44		18.52	0
				128	0	18.32		18.41		18.49	0
			QPSK	1	1	18.38		18.28		18.49	0
				1	67	18.31		18.41		18.50	0
				1	131	18.24		18.38		18.46	0
				64	0	18.40		18.31		18.52	0
				64	35	18.35		18.42		18.52	0
				64	69	18.37		18.44		18.52	0
				128	0	18.33		18.41		18.47	0
			16QAM	1	1	18.40		18.13		18.58	0
			64QAM	1	1	18.33		18.18		18.54	0
			256QAM	1	1	18.52		18.01		18.16	0
		CP	QPSK	1	1	18.31		18.41		18.47	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526		2592.99		2659.98	
						MHz		MHz		MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.49		18.29		18.39	0
				1	81	18.26		18.49		18.52	0
				1	160	18.34		18.32		18.49	0
				81	0	18.21		18.28		18.47	0
				81	41	18.20		18.38		18.46	0
				81	81	18.31		18.42		18.46	0
			162	0	18.20		18.37		18.43	0	
			QPSK	1	1	18.22		18.27		18.38	0
				1	81	18.23		18.45		18.51	0
				1	160	18.31		18.32		18.48	0
				81	0	18.21		18.28		18.43	0
				81	41	18.17		18.38		18.44	0
				81	81	18.32		18.40		18.44	0
			162	0	18.19		18.37		18.41	0	
			16QAM	1	1	18.05		18.25		18.18	0
			64QAM	1	1	18.01		18.65		18.47	0
			256QAM	1	1	17.90		18.36		18.35	0
			CP	QPSK	1	1	18.32		18.40		18.41

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.28				18.32	0
				1	95	18.34				18.31	0
				1	187	18.25				18.33	0
				90	0	18.28				18.36	0
				90	50	18.32				18.31	0
				90	99	18.25				18.32	0
				180	0	18.28				18.30	0
			QPSK	1	1	18.26				18.17	0
				1	95	18.30				18.31	0
				1	187	18.22				18.36	0
				90	0	18.30				18.27	0
				90	50	18.32				18.32	0
				90	99	18.25				18.33	0
				180	0	18.29				18.30	0
			16QAM	1	1	18.34				18.21	0
			64QAM	1	1	18.28				18.24	0
			256QAM	1	1	18.16				18.24	0
		CP	QPSK	1	1	18.28				18.36	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.26				18.33	0
				1	109	18.27				18.44	0
				1	215	18.19				18.45	0
				108	0	18.26				18.36	0
				108	55	18.26				18.43	0
				108	109	18.28				18.40	0
				216	0	18.23				18.40	0
			QPSK	1	1	18.22				18.30	0
				1	109	18.23				18.40	0
				1	215	18.18				18.41	0
				108	0	18.16				18.36	0
				108	55	18.27				18.42	0
				108	109	18.28				18.40	0
				216	0	18.25				18.42	0
			16QAM	1	1	18.27				18.43	0
			64QAM	1	1	18.23				18.29	0
			256QAM	1	1	18.28				18.33	0
		CP	QPSK	1	1	18.22				18.40	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.24				18.42	0
				1	123	18.41				18.56	0
				1	243	18.24				18.40	0
				120	0	18.26				18.44	0
				120	63	18.40				18.53	0
				120	125	18.28				18.42	0
				243	0	18.37				18.49	0
			QPSK	1	1	18.31				18.37	0
				1	123	18.43				18.51	0
				1	243	18.25				18.38	0
				120	0	18.27				18.42	0
				120	63	18.40				18.54	0
				120	125	18.28				18.42	0
				243	0	18.36				18.51	0
			16QAM	1	1	18.33				18.37	0
			64QAM	1	1	18.24				18.38	0
			256QAM	1	1	18.32				18.42	0
		CP	QPSK	1	1	18.40				18.42	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
								518598			
								2592.99 MHz			
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.34			0
				1	137			18.41			0
				1	271			18.37			0
				135	0			18.37			0
				135	69			18.39			0
				135	138			18.34			0
				270	0			18.34			0
			QPSK	1	1			18.48			0
				1	137			18.37			0
				1	271			18.38			0
				135	0			18.38			0
				135	69			18.18			0
				135	138			18.04			0
				270	0			18.04			0
			16QAM	1	1			18.06			0
			64QAM	1	1			18.08			0
			256QAM	1	1			18.25			0
		CP	QPSK	1	1			18.34			0

NR TDD Band n41 (PC2, PC3) Conducted Power_ Measured RSI = 2 (Grip Sensor #2) _ MAIN1

Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	10.85	10.83	10.92	10.93	10.80	0
				1	12	10.90	10.89	10.97	11.03	10.80	0
				1	22	10.89	10.85	11.02	10.98	10.77	0
				12	0	10.89	10.85	11.02	10.98	10.77	0
				12	6	10.85	10.81	10.91	10.97	10.76	0
				12	12	10.86	10.81	10.93	10.98	10.78	0
				24	0	10.84	10.78	10.91	10.97	10.49	0
			QPSK	1	1	10.84	10.80	10.87	10.92	10.66	0
				1	12	10.91	10.85	10.89	10.97	10.62	0
				1	22	10.84	10.81	10.95	11.01	10.51	0
				12	0	10.83	10.83	10.93	10.96	10.79	0
				12	6	10.83	10.83	10.93	10.96	10.80	0
				12	12	10.84	10.83	10.92	10.98	10.78	0
				24	0	10.83	10.80	10.92	10.95	10.77	0
			16QAM	1	1	10.85	10.81	10.74	11.10	10.83	0
			64QAM	1	1	10.83	10.82	10.89	10.95	10.81	0
			256QAM	1	1	10.81	10.71	10.86	10.95	10.76	0
		CP	QPSK	1	1	10.79	10.77	10.90	10.93	10.78	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	10.89	10.80	10.87	10.89	10.98	0
				1	18	10.87	10.79	10.93	10.85	10.91	0
				1	36	10.87	10.81	10.98	10.93	10.93	0
				18	0	10.91	10.84	10.93	10.92	10.98	0
				18	9	10.91	10.84	10.93	10.92	10.98	0
				18	18	10.90	10.84	10.97	10.94	10.96	0
				36	0	10.93	10.84	10.21	10.89	10.50	0
			QPSK	1	1	10.88	10.81	10.86	10.89	10.94	0
				1	18	10.87	10.80	10.88	10.85	10.91	0
				1	36	10.86	10.83	10.95	10.92	10.94	0
				18	0	10.91	10.84	10.88	10.85	10.91	0
				18	9	10.90	10.84	10.93	10.91	10.95	0
				18	18	10.87	10.84	10.93	10.93	10.97	0
				36	0	10.89	10.83	10.92	10.91	10.97	0
			16QAM	1	1	10.84	10.82	10.84	10.80	10.95	0
			64QAM	1	1	10.88	10.64	10.87	10.84	10.97	0
			256QAM	1	1	10.88	10.84	10.86	10.87	10.97	0
		CP	QPSK	1	1	10.86	10.81	10.85	10.89	10.94	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	10.69	10.84	10.88	10.86	10.92	0
				1	26	10.72	10.87	10.94	10.90	10.95	0
				1	49	10.69	10.84	10.98	10.97	10.90	0
				25	0	10.70	10.85	10.92	10.90	10.95	0
				25	13	10.74	10.87	10.93	10.90	10.95	0
				25	26	10.71	10.84	10.94	10.92	10.93	0
				50	0	10.26	10.88	10.92	10.88	10.94	0
			QPSK	1	1	10.69	10.81	10.85	10.86	10.91	0
				1	26	10.70	10.85	10.92	10.90	10.95	0
				1	49	10.66	10.82	10.95	10.92	10.93	0
				25	0	10.29	10.88	10.37	10.14	10.25	0
				25	13	10.74	10.87	10.92	10.88	10.94	0
				25	26	10.71	10.86	10.96	10.93	10.92	0
				50	0	10.71	10.87	10.91	10.87	10.94	0
			16QAM	1	1	10.80	10.80	10.87	10.83	10.64	0
			64QAM	1	1	10.70	10.77	10.75	10.83	10.89	0
			256QAM	1	1	10.70	10.84	10.94	10.76	10.90	0
		CP	QPSK	1	1	10.69	10.84	10.85	10.88	10.94	0

NR TDD Band n41 _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	10.78	10.84	10.85	11.00	11.07	0
				1	39	10.87	10.99	11.01	11.07	11.12	0
				1	76	10.75	10.80	11.01	11.04	11.01	0
				36	0	10.84	10.92	10.85	11.02	11.03	0
				36	21	10.82	10.92	10.94	11.04	11.05	0
				36	42	10.74	10.88	10.97	11.05	11.04	0
				75	0	10.80	10.93	10.92	11.02	11.04	0
			QPSK	1	1	10.78	10.85	10.79	10.98	10.99	0
				1	39	10.80	10.95	10.95	11.06	11.10	0
				1	76	10.73	10.81	10.99	11.03	10.98	0
				36	0	10.83	10.92	10.84	11.01	11.04	0
				36	21	10.81	10.91	10.93	11.05	11.05	0
				36	42	10.75	10.88	10.95	11.06	11.04	0
				75	0	10.79	10.91	10.89	11.02	11.05	0
			16QAM	1	1	10.79	10.76	10.78	10.98	10.91	0
			64QAM	1	1	10.80	10.82	10.78	10.97	11.07	0
			256QAM	1	1	10.81	10.83	10.78	11.01	11.02	0
		CP	QPSK	1	1	10.82	10.54	10.82	10.98	11.05	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	11.09	10.67		10.88	10.98	0
				1	53	10.68	10.75		10.93	11.10	0
				1	104	10.72	10.75		10.94	10.90	0
				50	0	10.72	10.45		10.61	10.65	0
				50	28	10.67	10.41		10.61	10.65	0
				50	56	10.67	10.42		10.62	10.67	0
				100	0	10.66	10.40		10.61	10.65	0
			QPSK	1	1	10.68	10.43		10.60	10.65	0
				1	53	10.70	10.40		10.71	10.67	0
				1	104	10.70	10.47		10.65	10.65	0
				50	0	10.71	10.46		10.61	10.66	0
				50	28	10.67	10.42		10.60	10.65	0
				50	56	10.66	10.42		10.64	10.68	0
				100	0	10.66	10.41		10.60	10.64	0
			16QAM	1	1	10.60	10.53		10.62	10.59	0
			64QAM	1	1	10.74	10.45		10.52	10.70	0
			256QAM	1	1	10.93	10.68		10.68	10.95	0
		CP	QPSK	1	1	10.80	10.60		10.89	10.94	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	10.78		10.75		11.07	0
				1	67	10.81		10.91		11.05	0
				1	131	10.71		10.90		10.94	0
				64	0	10.81		10.79		11.05	0
				64	35	10.77		10.94		11.03	0
				64	69	10.82		10.95		10.99	0
				128	0	10.75		10.91		11.01	0
			QPSK	1	1	10.78		10.80		11.05	0
				1	67	10.74		10.93		11.02	0
				1	131	10.65		10.93		10.95	0
				64	0	10.83		10.81		11.04	0
				64	35	10.79		10.92		11.01	0
				64	69	10.82		10.97		11.02	0
				128	0	10.76		10.90		11.00	0
			16QAM	1	1	10.97		10.89		11.06	0
			64QAM	1	1	10.93		10.99		11.00	0
			256QAM	1	1	10.73		10.74		11.26	0
		CP	QPSK	1	1	10.71		10.76		11.16	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	10.68		10.84		10.89	0
				1	81	10.75		11.01		10.99	0
				1	160	10.83		10.91		10.91	0
				81	0	10.67		10.82		10.96	0
				81	41	10.66		10.94		10.95	0
				81	81	10.79		10.98		10.90	0
				162	0	10.67		10.92		10.91	0
			QPSK	1	1	10.66		10.79		10.88	0
				1	81	10.70		11.02		10.97	0
				1	160	10.84		10.91		10.90	0
				81	0	10.66		10.82		10.96	0
				81	41	10.67		10.95		10.94	0
				81	81	10.80		10.97		10.92	0
				162	0	10.66		10.91		10.91	0
			16QAM	1	1	10.88		10.96		10.82	0
			64QAM	1	1	10.47		10.52		10.98	0
			256QAM	1	1	10.50		10.88		10.79	0
		CP	QPSK	1	1	10.33		10.77		10.78	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	10.90				10.76	0
				1	95	10.79				10.83	0
				1	187	10.74				10.87	0
				90	0	10.90				10.87	0
				90	50	10.82				10.89	0
				90	99	10.52				10.87	0
				180	0	10.52				10.89	0
			QPSK	1	1	10.76				10.90	0
				1	95	10.83				10.89	0
				1	187	10.83				10.90	0
				90	0	10.83				10.88	0
				90	50	10.81				10.88	0
				90	99	10.75				10.25	0
				180	0	10.76				10.85	0
			16QAM	1	1	10.74				10.75	0
			64QAM	1	1	10.76				10.72	0
			256QAM	1	1	10.70				10.26	0
		CP	QPSK	1	1	10.73				10.79	0

NR TDD Band n41 _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	10.68				10.88	0
				1	109	10.77				10.98	0
				1	215	10.76				10.88	0
				108	0	10.76				10.62	0
				108	55	10.76				10.71	0
				108	109	10.79				10.71	0
				216	0	10.74				10.97	0
			QPSK	1	1	10.66				10.86	0
				1	109	10.73				11.02	0
				1	215	10.71				10.91	0
				108	0	10.63				10.94	0
				108	55	10.75				10.99	0
				108	109	10.78				10.93	0
				216	0	10.75				10.98	0
			16QAM	1	1	10.80				10.91	0
			64QAM	1	1	10.87				10.87	0
			256QAM	1	1	10.66				10.91	0
		CP	QPSK	1	1	10.75				10.89	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	10.75				10.93	0
				1	123	10.93				11.08	0
				1	243	10.80				10.84	0
				120	0	10.89				11.02	0
				120	63	10.89				10.87	0
				120	125	10.80				10.94	0
				243	0	10.85				11.05	0
			QPSK	1	1	10.75				10.92	0
				1	123	10.89				11.08	0
				1	243	10.77				10.85	0
				120	0	10.73				11.01	0
				120	63	10.88				11.10	0
				120	125	10.81				10.95	0
				243	0	10.85				11.05	0
			16QAM	1	1	10.79				11.02	0
			64QAM	1	1	10.73				10.93	0
			256QAM	1	1	10.78				11.14	0
		CP	QPSK	1	1	10.76				10.94	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
								518598			
								2592.99 MHz			
100 MHz	30	DFT-s	pi/2 BPSK	1	1			10.83			0
				1	137			10.88			0
				1	271			10.88			0
				135	0			10.56			0
				135	69			10.87			0
				135	138			10.87			0
				270	0			10.84			0
			QPSK	1	1			10.82			0
				1	137			10.92			0
				1	271			10.90			0
				135	0			10.74			0
				135	69			10.89			0
				135	138			10.88			0
				270	0			10.86			0
			16QAM	1	1			10.89			0
			64QAM	1	1			10.90			0
			256QAM	1	1			10.88			0
		CP	QPSK	1	1			10.78			0

L.6 NR TDD Band n48 Maximum Conducted Power

NR TDD Band n48 Conducted Power_ Measured RSI = 0, 1, 2, 3, 4, 5 (Free, Grip Sensor #1, #2, #3, #4, #5) _

SUB2 Antenna

NR TDD Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3 555 MHz	3 601.68 MHz	3 648.33 MHz	3 694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.09	8.69	9.14	8.83	0
				1	12	8.16	8.74	9.22	8.87	0
				1	22	8.20	8.72	9.25	8.86	0
				12	0	8.14	8.64	9.19	8.84	0
				12	6	8.17	8.68	9.13	8.89	0
				12	12	8.01	8.72	9.13	8.84	0
				24	0	8.17	8.48	9.12	8.83	0
			QPSK	1	1	8.14	8.41	9.11	8.82	0
				1	12	8.12	9.14	9.16	8.79	0
				1	22	8.14	9.41	9.18	8.81	0
				12	0	8.02	8.68	9.11	8.86	0
				12	6	8.02	8.73	9.13	8.82	0
				12	12	8.05	8.53	9.13	8.84	0
				24	0	8.15	8.54	9.13	8.82	0
			16QAM	1	1	8.12	8.80	9.01	8.61	0
			64QAM	1	1	8.18	8.65	9.11	8.81	0
			256QAM	1	1	8.15	8.63	9.08	8.79	0
		CP	QPSK	1	1	8.10	8.42	9.11	8.81	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637168	640166	643166	646166	
						3 557.52 MHz	3 602.49 MHz	3 647.49 MHz	3 692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.20	8.67	9.16	8.98	0
				1	18	8.18	8.71	9.14	9.00	0
				1	36	8.21	8.87	9.21	9.08	0
				18	0	8.32	8.58	9.11	9.12	0
				18	9	8.28	8.60	9.12	9.23	0
				18	18	8.17	8.73	9.14	9.02	0
				36	0	8.22	8.50	9.11	9.01	0
			QPSK	1	1	8.17	8.46	9.07	8.99	0
				1	18	8.13	8.79	9.13	8.97	0
				1	36	8.16	9.15	9.22	8.97	0
				18	0	8.29	9.19	9.02	9.13	0
				18	9	8.19	8.70	9.15	9.02	0
				18	18	8.19	8.75	9.17	9.02	0
				36	0	8.21	8.71	9.13	9.01	0
			16QAM	1	1	8.21	8.63	9.08	8.86	0
			64QAM	1	1	8.21	8.62	9.06	8.97	0
			256QAM	1	1	8.23	8.67	9.08	9.01	0
		CP	QPSK	1	1	8.36	8.65	9.12	9.02	0

NR TDD Band n48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.29	8.67	9.08	8.96	0
				1	26	8.25	8.76	9.13	8.97	0
				1	49	8.16	8.99	9.27	9.02	0
				25	0	8.32	8.58	9.11	9.12	0
				25	13	8.26	8.91	9.10	8.95	0
				25	26	8.22	8.81	9.13	8.75	0
			QPSK	50	0	8.26	8.55	9.11	8.95	0
				1	1	8.28	8.93	9.08	8.94	0
				1	26	8.23	8.92	9.08	8.94	0
				1	49	8.16	9.21	9.21	8.96	0
				25	0	8.25	8.70	9.09	8.96	0
				25	13	8.26	8.77	9.10	8.98	0
				25	26	8.18	8.82	9.17	8.97	0
				50	0	8.24	8.76	9.10	8.95	0
			16QAM	1	1	8.22	8.63	9.09	8.96	0
			64QAM	1	1	8.31	8.68	9.23	8.96	0
			256QAM	1	1	8.28	8.90	9.01	8.91	0
		CP	QPSK	1	1	8.27	8.64	9.08	8.94	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.24	8.42	9.06	9.23	0
				1	32	8.20	8.57	9.05	9.11	0
				1	63	8.13	8.77	9.14	9.08	0
				32	0	8.19	8.47	9.14	9.08	0
				32	17	8.15	8.34	9.03	9.06	0
				32	33	8.11	8.62	9.09	9.07	0
			QPSK	64	0	8.15	8.66	9.03	9.05	0
				1	1	8.23	8.39	9.07	9.22	0
				1	32	8.18	8.53	9.04	9.06	0
				1	63	8.15	8.76	9.17	9.08	0
				32	0	8.19	8.76	9.01	9.13	0
				32	17	8.15	8.56	9.05	9.07	0
				32	33	8.13	8.64	9.07	9.06	0
				64	0	8.16	8.55	9.02	9.06	0
			16QAM	1	1	8.26	8.43	9.05	9.16	0
			64QAM	1	1	8.17	8.45	9.06	9.17	0
			256QAM	1	1	8.16	8.42	9.07	9.25	0
		CP	QPSK	1	1	8.16	8.41	9.08	9.20	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.19	8.90		9.23	0
				1	53	8.25	9.40		9.04	0
				1	104	8.37	9.25		9.00	0
				50	0	8.51	9.19		9.17	0
				50	28	8.21	8.69		9.03	0
				50	56	8.26	8.69		9.05	0
				100	0	8.18	9.31		9.00	0
			QPSK	1	1	8.26	8.89		9.16	0
				1	53	8.23	9.34		8.97	0
				1	104	8.36	9.27		8.97	0
				50	0	8.27	8.91		9.02	0
				50	28	8.22	9.33		8.97	0
				50	56	8.21	9.35		8.99	0
				100	0	8.17	9.32		9.01	0
			16QAM	1	1	8.37	8.88		9.25	0
			64QAM	1	1	8.34	9.07		9.05	0
			256QAM	1	1	8.03	8.85		9.19	0
		CP	QPSK	1	1	8.19	8.84		9.21	0

L.7 NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ Measured Pmax, RSI = 0 (Free) _ MAIN1 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.78	24.27	23.82	0
				1	13	23.60	24.13	23.70	0
				1	23	23.73	24.17	23.81	0
				12	0	23.31	23.82	23.40	0.5
				12	7	23.78	24.27	23.83	0
				12	13	23.24	23.78	23.35	0.5
				25	0	23.27	23.80	23.37	0.5
			QPSK	1	1	23.85	24.31	23.82	0
				1	13	23.74	24.20	23.81	0
				1	23	23.76	24.22	23.89	0
				12	0	22.84	23.35	22.91	1
				12	7	23.82	24.28	23.88	0
				12	13	22.83	23.23	22.87	1
				25	0	22.78	23.27	22.92	1
			16QAM	1	1	22.91	23.43	22.75	1
			64QAM	1	1	21.31	21.65	21.39	2.5
			256QAM	1	1	19.22	19.65	19.35	4.5
		CP	QPSK	1	1	22.29	22.74	22.32	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	24.24	23.82	0
				1	26	23.92	24.34	23.89	0
				1	50	23.72	24.07	23.90	0
				25	0	23.35	23.79	23.37	0.5
				25	14	23.81	24.22	23.91	0
				25	27	23.27	23.66	23.39	0.5
				50	0	23.32	23.77	23.42	0.5
			QPSK	1	1	23.96	24.39	23.85	0
				1	26	23.89	24.38	24.03	0
				1	50	23.78	24.18	23.90	0
				25	0	22.88	23.36	22.99	1
				25	14	23.85	24.27	23.97	0
				25	27	22.82	23.23	22.94	1
				50	0	22.87	23.31	22.92	1
			16QAM	1	1	22.84	23.30	22.80	1
			64QAM	1	1	21.62	21.90	21.46	2.5
			256QAM	1	1	19.32	19.74	19.26	4.5
		CP	QPSK	1	1	22.21	22.75	22.33	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	24.22	23.66	0
				1	40	23.57	24.18	23.78	0
				1	77	23.74	23.97	23.82	0
				36	0	23.28	23.81	23.27	0.5
				36	22	23.73	24.32	23.86	0
				36	43	23.20	23.66	23.40	0.5
				75	0	23.24	23.81	23.36	0.5
			QPSK	1	1	23.98	24.29	23.71	0
				1	40	23.74	24.20	23.78	0
				1	77	23.78	23.98	23.88	0
				36	0	22.84	23.35	22.84	1
				36	22	23.81	24.34	23.91	0
				36	43	22.76	23.16	22.88	1
				75	0	22.79	23.34	22.86	1
			16QAM	1	1	23.05	23.35	22.61	1
			64QAM	1	1	21.49	21.72	21.36	2.5
			256QAM	1	1	19.18	19.76	19.05	4.5
		CP	QPSK	1	1	22.38	22.73	22.15	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.83	24.07	23.61	0
				1	53	23.83	24.37	23.88	0
				1	104	23.85	23.78	23.83	0
				50	0	23.25	23.80	23.20	0.5
				50	28	23.67	24.28	23.85	0
				50	56	23.24	23.61	23.42	0.5
				100	0	23.22	23.78	23.31	0.5
			QPSK	1	1	23.89	24.20	23.72	0
				1	53	23.75	24.32	23.97	0
				1	104	23.88	23.85	23.88	0
				50	0	22.80	23.32	22.76	1
				50	28	23.74	24.33	23.87	0
				50	56	22.74	23.09	22.94	1
				100	0	22.73	23.30	22.86	1
			16QAM	1	1	22.86	23.24	22.54	1
			64QAM	1	1	21.48	21.71	21.25	2.5
			256QAM	1	1	19.23	19.62	18.90	4.5
		CP	QPSK	1	1	22.31	22.61	22.03	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.74	24.00	23.57	0
				1	66	23.75	24.28	23.93	0
				1	131	23.99	23.69	23.75	0
				64	0	23.23	23.79	23.16	0.5
				64	35	23.69	24.31	23.75	0
				64	69	23.39	23.55	23.33	0.5
			QPSK	128	0	23.19	23.31	23.29	0.5
				1	1	23.87	23.85	23.84	0
				1	66	23.76	24.29	23.91	0
				1	131	24.08	23.63	23.93	0
				64	0	22.76	23.27	22.66	1
				64	35	23.73	24.24	23.86	0
				64	69	22.94	22.91	22.91	1
				128	0	22.72	23.27	22.84	1
			16QAM	1	1	22.71	23.12	22.76	1
			64QAM	1	1	21.54	21.55	21.13	2.5
			256QAM	1	1	19.12	19.33	19.12	4.5
		CP	QPSK	1	1	22.24	22.44	22.20	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.80	0
				1	80	24.34	0
				1	158	23.57	0
				80	0	23.73	0.5
				80	40	24.29	0
				80	80	23.36	0.5
			160	0	23.72	0.5	
			QPSK	1	1	23.89	0
				1	80	24.39	0
				1	158	23.66	0
				80	0	23.28	1
				80	40	24.31	0
				80	80	22.95	1
				160	0	23.25	1
			16QAM	1	1	23.02	1
			64QAM	1	1	21.53	2.5
			256QAM	1	1	19.22	4.5
		CP	QPSK	1	1	22.33	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.58	0
				1	108	24.31	0
				1	214	23.53	0
				108	0	23.61	0.5
				108	54	24.25	0
				108	108	23.29	0.5
				216	0	23.73	0.5
			QPSK	1	1	23.66	0
				1	108	24.34	0
				1	214	23.58	0
				108	0	23.17	1
				108	54	24.32	0
				108	108	22.77	1
				216	0	23.25	1
			16QAM	1	1	22.72	1
			64QAM	1	1	21.22	2.5
			256QAM	1	1	19.15	4.5
		CP	QPSK	1	1	22.10	1.5

NR FDD Band n66 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3) _ MAIN1 Antenna

NR FDD Band n66 _5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 Mhz	1745 Mhz	1777.5 Mhz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.63	21.21	20.72	0
				1	13	20.53	21.07	20.67	0
				1	23	20.60	21.08	20.76	0
				12	0	20.72	21.22	20.74	0
				12	7	20.65	21.14	20.78	0
				12	13	20.62	21.12	20.74	0
				25	0	20.70	21.15	20.79	0
			QPSK	1	1	20.74	21.23	20.76	0
				1	13	20.58	21.09	20.65	0
				1	23	20.65	21.11	20.81	0
				12	0	20.71	21.21	20.76	0
				12	7	20.70	21.16	20.79	0
				12	13	20.65	21.08	20.81	0
				25	0	20.73	21.17	20.74	0
			16QAM	1	1	20.60	21.27	20.78	0
			64QAM	1	1	20.85	21.23	20.81	0
			256QAM	1	1	19.28	19.72	19.17	1.5
		CP	QPSK	1	1	20.70	21.14	20.71	0

NR FDD Band n66 _10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 Mhz	1745 Mhz	1775 Mhz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.79	21.14	20.72	0
				1	26	20.75	21.22	20.76	0
				1	50	20.60	20.94	20.76	0
				25	0	20.71	21.19	20.77	0
				25	14	20.66	21.14	20.82	0
				25	27	20.63	21.03	20.82	0
				50	0	20.68	21.15	20.78	0
			QPSK	1	1	20.78	21.23	20.82	0
				1	26	20.73	21.28	20.82	0
				1	50	20.66	21.00	20.84	0
				25	0	20.79	21.23	20.82	0
				25	14	20.74	21.20	20.78	0
				25	27	20.68	21.08	20.82	0
				50	0	20.74	21.17	20.84	0
			16QAM	1	1	20.92	21.31	20.85	0
			64QAM	1	1	20.90	21.36	20.84	0
			256QAM	1	1	19.39	19.81	19.23	1.5
		CP	QPSK	1	1	20.76	21.14	20.70	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.70	21.13	20.54	0
				1	40	20.48	21.04	20.56	0
				1	77	20.62	20.84	20.74	0
				36	0	20.67	21.24	20.62	0
				36	22	20.62	21.12	20.69	0
				36	43	20.62	20.97	20.77	0
				75	0	20.65	21.17	20.74	0
			QPSK	1	1	20.83	21.16	20.56	0
				1	40	20.56	21.06	20.56	0
				1	77	20.70	20.87	20.82	0
				36	0	20.70	21.24	20.68	0
				36	22	20.66	21.16	20.74	0
				36	43	20.66	20.96	20.75	0
				75	0	20.66	21.19	20.72	0
			16QAM	1	1	20.86	21.13	20.55	0
			64QAM	1	1	20.83	21.20	20.64	0
			256QAM	1	1	19.42	19.62	19.08	1.5
		CP	QPSK	1	1	20.78	21.13	20.53	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.70	21.05	20.44	0
				1	53	20.67	21.23	20.74	0
				1	104	20.75	20.65	20.72	0
				50	0	20.66	21.24	20.55	0
				50	28	20.56	21.18	20.69	0
				50	56	20.68	20.88	20.77	0
				100	0	20.64	21.15	20.71	0
			QPSK	1	1	20.75	21.10	20.56	0
				1	53	20.69	21.29	20.85	0
				1	104	20.82	20.68	20.79	0
				50	0	20.66	21.27	20.63	0
				50	28	20.62	21.22	20.74	0
				50	56	20.72	20.96	20.77	0
				100	0	20.64	21.19	20.72	0
			16QAM	1	1	20.88	21.05	20.46	0
			64QAM	1	1	21.06	21.08	20.51	0
			256QAM	1	1	19.33	19.61	19.03	1.5
		CP	QPSK	1	1	20.76	21.03	20.48	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.61	20.93	20.61	0
				1	66	20.62	21.18	20.79	0
				1	131	20.86	20.62	20.76	0
				64	0	20.55	21.13	20.58	0
				64	35	20.52	21.15	20.63	0
				64	69	20.74	20.85	20.78	0
				128	0	20.56	21.17	20.65	0
			QPSK	1	1	20.69	21.00	20.65	0
				1	66	20.66	21.28	20.78	0
				1	131	20.94	20.64	20.74	0
				64	0	20.67	21.20	20.53	0
				64	35	20.62	21.18	20.70	0
				64	69	20.85	20.85	20.79	0
				128	0	20.61	21.18	20.69	0
			16QAM	1	1	20.76	21.21	20.83	0
			64QAM	1	1	20.76	20.86	20.52	0
			256QAM	1	1	19.33	19.41	18.93	1.5
		CP	QPSK	1	1	20.75	20.99	20.58	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.78	0
				1	80	21.22	0
				1	158	20.49	0
				80	0	21.15	0
				80	40	21.17	0
				80	80	20.75	0
				160	0	21.16	0
			QPSK	1	1	20.97	0
				1	80	21.23	0
				1	158	20.61	0
				80	0	21.20	0
				80	40	21.19	0
				80	80	20.79	0
				160	0	21.17	0
			16QAM	1	1	20.90	0
			64QAM	1	1	20.79	0
			256QAM	1	1	19.32	1.5
		CP	QPSK	1	1	20.90	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.60	0
				1	108	21.25	0
				1	214	20.54	0
				108	0	21.00	0
				108	54	21.13	0
				108	108	20.67	0
				216	0	21.12	0
			QPSK	1	1	20.75	0
				1	108	21.24	0
				1	214	20.58	0
				108	0	21.08	0
				108	54	21.13	0
				108	108	20.70	0
				216	0	21.16	0
			16QAM	1	1	20.80	0
			64QAM	1	1	20.80	0
			256QAM	1	1	19.43	1.5
		CP	QPSK	1	1	20.63	0

NR FDD Band n66 Conducted Power_ Measured RSI = 2 (Grip Sensor #2) _MAIN1 Antenna

NR FDD Band n66 _5 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.54	11.96	11.56	0
				1	13	11.33	11.84	11.45	0
				1	23	11.41	11.85	11.53	0
				12	0	11.50	11.95	11.51	0
				12	7	11.47	11.95	11.53	0
				12	13	11.43	11.88	11.55	0
				25	0	11.45	11.88	11.54	0
			QPSK	1	1	11.50	12.01	11.58	0
				1	13	11.35	11.83	11.50	0
				1	23	11.30	11.82	11.59	0
				12	0	11.53	11.97	11.61	0
				12	7	11.45	11.94	11.51	0
				12	13	11.46	11.86	11.57	0
				25	0	11.50	11.87	11.56	0
			16QAM	1	1	11.30	12.13	11.54	0
			64QAM	1	1	11.72	12.11	11.58	0
			256QAM	1	1	11.42	11.81	11.54	0
		CP	QPSK	1	1	11.47	12.00	11.57	0

NR FDD Band n66 _10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.60	11.99	11.56	0
				1	26	11.53	12.02	11.59	0
				1	50	11.40	11.73	11.54	0
				25	0	11.52	11.94	11.60	0
				25	14	11.44	11.92	11.54	0
				25	27	11.41	11.83	11.55	0
				50	0	11.45	11.97	11.58	0
			QPSK	1	1	11.59	11.97	11.52	0
				1	26	11.47	11.90	11.64	0
				1	50	11.35	11.68	11.55	0
				25	0	11.50	11.98	11.54	0
				25	14	11.46	11.97	11.58	0
				25	27	11.45	11.82	11.57	0
				50	0	11.45	11.94	11.59	0
			16QAM	1	1	11.59	12.12	11.42	0
			64QAM	1	1	11.59	11.89	11.76	0
			256QAM	1	1	11.73	12.08	11.62	0
		CP	QPSK	1	1	11.61	11.91	11.51	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.55	11.99	11.30	0
				1	40	11.29	11.88	11.40	0
				1	77	11.45	11.59	11.53	0
				36	0	11.48	12.01	11.42	0
				36	22	11.39	11.95	11.46	0
				36	43	11.39	11.75	11.56	0
				75	0	11.41	11.98	11.53	0
			QPSK	1	1	11.60	12.02	11.32	0
				1	40	11.33	11.87	11.41	0
				1	77	11.44	11.58	11.53	0
				36	0	11.46	11.96	11.44	0
				36	22	11.43	11.91	11.53	0
				36	43	11.39	11.79	11.57	0
				75	0	11.40	11.97	11.52	0
			16QAM	1	1	11.56	11.94	11.46	0
			64QAM	1	1	11.81	11.95	11.32	0
			256QAM	1	1	11.55	12.05	11.38	0
		CP	QPSK	1	1	11.58	11.95	11.28	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.55	11.85	11.27	0
				1	53	11.48	12.04	11.58	0
				1	104	11.57	11.43	11.53	0
				50	0	11.44	12.04	11.37	0
				50	28	11.37	11.97	11.50	0
				50	56	11.42	11.72	11.54	0
				100	0	11.33	11.99	11.50	0
			QPSK	1	1	11.52	11.89	11.32	0
				1	53	11.49	11.96	11.60	0
				1	104	11.57	11.43	11.56	0
				50	0	11.46	12.03	11.40	0
				50	28	11.36	11.97	11.53	0
				50	56	11.47	11.71	11.63	0
				100	0	11.37	11.96	11.51	0
			16QAM	1	1	11.52	11.83	11.40	0
			64QAM	1	1	11.59	11.86	11.51	0
			256QAM	1	1	11.39	11.76	11.27	0
		CP	QPSK	1	1	11.51	11.84	11.27	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.52	11.76	11.38	0
				1	66	11.41	12.14	11.64	0
				1	131	11.74	11.35	11.55	0
				64	0	11.36	11.98	11.33	0
				64	35	11.36	11.90	11.47	0
				64	69	11.56	11.58	11.51	0
				128	0	11.35	11.99	11.42	0
			QPSK	1	1	11.55	11.71	11.43	0
				1	66	11.47	11.99	11.53	0
				1	131	11.75	11.37	11.54	0
				64	0	11.42	12.02	11.27	0
				64	35	11.36	11.97	11.44	0
				64	69	11.54	11.64	11.56	0
				128	0	11.37	11.97	11.44	0
			16QAM	1	1	11.58	11.67	11.47	0
			64QAM	1	1	11.57	11.63	11.40	0
			256QAM	1	1	11.57	11.72	11.40	0
		CP	QPSK	1	1	11.49	11.73	11.44	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.65	0
				1	80	12.02	0
				1	158	11.31	0
				80	0	11.95	0
				80	40	11.98	0
				80	80	11.52	0
				160	0	11.92	0
			QPSK	1	1	11.75	0
				1	80	12.07	0
				1	158	11.29	0
				80	0	11.96	0
				80	40	11.96	0
				80	80	11.58	0
				160	0	11.89	0
			16QAM	1	1	11.75	0
			64QAM	1	1	11.49	0
			256QAM	1	1	11.64	0
		CP	QPSK	1	1	11.69	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	11.50	0
				1	108	12.04	0
				1	214	11.31	0
				108	0	11.84	0
				108	54	11.93	0
				108	108	11.47	0
				216	0	11.91	0
			QPSK	1	1	11.54	0
				1	108	12.05	0
				1	214	11.36	0
				108	0	11.86	0
				108	54	12.01	0
				108	108	11.46	0
				216	0	11.90	0
			16QAM	1	1	11.37	0
			64QAM	1	1	11.37	0
			256QAM	1	1	11.55	0
		CP	QPSK	1	1	11.48	0

L.8 NR FDD Band n70 Maximum Conducted Power

NR FDD Band n70 Conducted Power_ Measured Pmax, RSI = 0 (Free) _ MAIN1 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.25	23.58	23.74	0
				1	13	23.38	23.60	23.65	0
				1	23	23.59	23.79	23.74	0
				12	0	22.93	23.15	23.25	0.5
				12	7	23.55	23.74	23.78	0
				12	13	23.10	23.29	23.27	0.5
				25	0	23.01	23.20	23.27	0.5
			QPSK	1	1	23.43	23.65	23.77	0
				1	13	23.45	23.65	23.70	0
				1	23	23.62	23.84	23.75	0
				12	0	22.43	22.68	22.84	1
				12	7	23.56	23.78	23.81	0
				12	13	22.60	22.79	22.82	1
				25	0	22.55	22.72	22.80	1
			16QAM	1	1	22.31	22.76	22.72	1
			64QAM	1	1	21.03	21.21	21.43	2.5
			256QAM	1	1	18.82	19.13	19.27	4.5
		CP	QPSK	1	1	21.82	21.94	22.24	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.31	23.51	23.62	0
				1	26	23.73	23.76	23.89	0
				1	50	23.79	23.73	23.78	0
				25	0	22.96	23.08	23.29	0.5
				25	14	23.67	23.72	23.82	0
				25	27	23.24	23.29	23.29	0.5
				50	0	23.11	23.24	23.32	0.5
			QPSK	1	1	23.40	23.62	23.71	0
				1	26	23.71	23.77	23.99	0
				1	50	23.83	23.74	23.81	0
				25	0	22.54	22.67	22.82	1
				25	14	23.70	23.74	23.83	0
				25	27	22.80	22.79	22.86	1
				50	0	22.70	22.76	22.83	1
			16QAM	1	1	22.49	22.47	22.73	1
			64QAM	1	1	20.82	21.06	21.25	2.5
			256QAM	1	1	18.69	18.73	19.05	4.5
		CP	QPSK	1	1	21.84	21.92	22.20	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.44	0
				1	40	23.57	0
				1	77	23.74	0
				36	0	23.06	0.5
				36	22	23.67	0
				36	43	23.28	0.5
				75	0	23.18	0.5
			QPSK	1	1	23.37	0
				1	40	23.65	0
				1	77	23.79	0
				36	0	22.61	1
				36	22	23.77	0
				36	43	22.75	1
				75	0	22.69	1
			16QAM	1	1	22.26	1
			64QAM	1	1	20.86	2.5
			256QAM	1	1	18.78	4.5
		CP	QPSK	1	1	21.74	1.5

NR FDD Band n70 Conducted Power_ Measured RSI = 1, 3 (Grip Sensor #1, #3)_ MAIN1 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.51	18.77	18.90	0
				1	13	18.61	18.77	18.81	0
				1	23	18.81	18.93	18.91	0
				12	0	18.62	18.78	18.93	0
				12	7	18.67	18.89	18.94	0
				12	13	18.79	18.89	18.92	0
				25	0	18.69	18.90	18.93	0
			QPSK	1	1	18.53	18.77	18.96	0
				1	13	18.57	18.79	18.88	0
				1	23	18.79	18.94	18.92	0
				12	0	18.62	18.82	18.95	0
				12	7	18.67	18.89	18.97	0
				12	13	18.79	18.92	18.92	0
				25	0	18.72	18.89	18.95	0
			16QAM	1	1	18.64	18.72	18.81	0
			64QAM	1	1	18.61	18.82	18.98	0
			256QAM	1	1	18.47	18.70	18.80	0
		CP	QPSK	1	1	18.56	18.75	18.91	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.45	18.64	18.80	0
				1	26	18.85	18.89	19.24	0
				1	50	18.91	18.91	18.94	0
				25	0	18.67	18.80	18.93	0
				25	14	18.81	18.91	18.99	0
				25	27	18.89	18.97	18.94	0
				50	0	18.79	18.90	19.00	0
			QPSK	1	1	18.48	18.68	18.88	0
				1	26	18.81	18.92	19.05	0
				1	50	18.93	18.91	18.97	0
				25	0	18.69	18.78	18.96	0
				25	14	18.79	18.92	19.01	0
				25	27	18.90	18.97	18.97	0
				50	0	18.80	18.94	18.99	0
			16QAM	1	1	18.57	18.76	18.72	0
			64QAM	1	1	18.67	18.74	18.94	0
			256QAM	1	1	18.33	18.58	18.75	0
		CP	QPSK	1	1	18.53	18.69	18.86	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.64	0
				1	40	18.70	0
				1	77	18.85	0
				36	0	18.67	0
				36	22	18.88	0
				36	43	18.91	0
				75	0	18.84	0
			QPSK	1	1	18.46	0
				1	40	18.79	0
				1	77	18.88	0
				36	0	18.76	0
				36	22	18.89	0
				36	43	18.92	0
				75	0	18.87	0
			16QAM	1	1	18.58	0
			64QAM	1	1	18.53	0
			256QAM	1	1	18.42	0
		CP	QPSK	1	1	18.48	0

NR FDD Band n70 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_ MAIN1 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	12.13	12.35	12.44	0
				1	13	12.21	12.32	12.29	0
				1	23	12.38	12.42	12.35	0
				12	0	12.17	12.34	12.41	0
				12	7	12.26	12.41	12.42	0
				12	13	12.34	12.43	12.41	0
				25	0	12.29	12.39	12.38	0
			QPSK	1	1	12.07	12.31	12.42	0
				1	13	12.16	12.30	12.32	0
				1	23	12.35	12.39	12.34	0
				12	0	12.24	12.34	12.41	0
				12	7	12.26	12.41	12.38	0
				12	13	12.33	12.40	12.37	0
				25	0	12.25	12.40	12.38	0
			16QAM	1	1	12.12	12.29	12.43	0
			64QAM	1	1	12.15	12.40	12.38	0
			256QAM	1	1	12.08	12.23	12.40	0
		CP	QPSK	1	1	12.10	12.30	12.48	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	12.15	12.24	12.40	0
				1	26	12.46	12.43	12.51	0
				1	50	12.47	12.38	12.38	0
				25	0	12.27	12.30	12.45	0
				25	14	12.36	12.40	12.47	0
				25	27	12.47	12.46	12.43	0
				50	0	12.37	12.41	12.49	0
			QPSK	1	1	12.11	12.24	12.44	0
				1	26	12.38	12.49	12.52	0
				1	50	12.47	12.40	12.43	0
				25	0	12.26	12.35	12.46	0
				25	14	12.40	12.40	12.47	0
				25	27	12.43	12.44	12.43	0
				50	0	12.37	12.40	12.48	0
			16QAM	1	1	12.21	12.22	12.43	0
			64QAM	1	1	12.25	12.40	12.35	0
			256QAM	1	1	12.05	12.20	12.40	0
		CP	QPSK	1	1	12.08	12.28	12.39	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth h	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	12.11	0
				1	40	12.35	0
				1	77	12.38	0
				36	0	12.35	0
				36	22	12.47	0
				36	43	12.44	0
				75	0	12.42	0
			QPSK	1	1	12.19	0
				1	40	12.44	0
				1	77	12.40	0
				36	0	12.35	0
				36	22	12.46	0
				36	43	12.48	0
				75	0	12.41	0
			16QAM	1	1	12.13	0
			64QAM	1	1	12.20	0
			256QAM	1	1	12.00	0
		CP	QPSK	1	1	12.07	0

L.9 NR FDD Band n71 Maximum Conducted Power

NR FDD Band n71 Conducted Power_ Measured Pmax, RSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.98	24.32	23.92	0
				1	13	23.97	24.21	23.86	0
				1	23	24.12	24.34	23.84	0
				12	0	23.52	23.85	23.46	0.5
				12	7	24.07	24.36	23.90	0
				12	13	23.62	23.82	23.39	0.5
			QPSK	25	0	23.58	23.88	23.42	0.5
				1	1	24.00	24.37	23.97	0
				1	13	24.01	24.27	23.85	0
				1	23	24.13	24.28	23.86	0
				12	0	23.02	23.36	22.93	1
				12	7	24.08	24.36	23.92	0
				12	13	23.10	23.36	22.90	1
				25	0	23.08	23.41	22.95	1
			16QAM	1	1	22.96	23.37	23.07	1
			64QAM	1	1	21.42	21.89	21.46	2.5
			256QAM	1	1	19.32	19.68	19.47	4.5
		CP	QPSK	1	1	22.49	22.85	22.40	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.92	24.29	24.04	0
				1	26	24.16	24.41	23.97	0
				1	50	24.21	24.26	23.80	0
				25	0	23.51	23.86	23.58	0.5
				25	14	24.10	24.33	23.94	0
				25	27	23.68	23.79	23.42	0.5
				50	0	23.56	23.87	23.40	0.5
			QPSK	1	1	23.95	24.30	24.11	0
				1	26	24.20	24.39	24.00	0
				1	50	24.31	24.24	23.87	0
				25	0	23.02	23.38	23.07	1
				25	14	24.10	24.33	23.90	0
				25	27	23.21	23.31	22.88	1
				50	0	23.16	23.40	22.93	1
			16QAM	1	1	22.93	23.50	22.87	1
			64QAM	1	1	21.40	21.84	21.44	2.5
			256QAM	1	1	19.37	19.81	19.54	4.5
		CP	QPSK	1	1	22.46	22.79	22.58	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.19	0
				1	40	24.24	0
				1	77	24.18	0
				36	0	23.81	0.5
				36	22	24.37	0
				36	43	23.75	0.5
				75	0	23.89	0.5
			QPSK	1	1	24.31	0
				1	40	24.26	0
				1	77	24.18	0
				36	0	23.40	1
				36	22	24.36	0
				36	43	23.29	1
				75	0	23.37	1
			16QAM	1	1	23.38	1
			64QAM	1	1	21.76	2.5
			256QAM	1	1	19.58	4.5
		CP	QPSK	1	1	22.74	1.5

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.08	0
				1	53	24.39	0
				1	104	24.00	0
				50	0	23.81	0.5
				50	28	24.34	0
				50	56	23.74	0.5
				100	0	23.86	0.5
			QPSK	1	1	24.07	0
				1	53	24.36	0
				1	104	23.93	0
				50	0	23.35	1
				50	28	24.34	0
				50	56	23.26	1
				100	0	23.35	1
			16QAM	1	1	23.16	1
			64QAM	1	1	21.71	2.5
			256QAM	1	1	19.60	4.5
		CP	QPSK	1	1	22.60	1.5

NR FDD Band n71 Conducted Power_ Measured RSI = 2 (Grip Sensor #2)_MAIN1 Antenna

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.59	15.95	15.51	0
				1	13	15.56	15.85	15.37	0
				1	23	15.70	15.85	15.41	0
				12	0	15.59	15.92	15.47	0
				12	7	15.64	15.88	15.44	0
				12	13	15.64	15.90	15.46	0
			QPSK	25	0	15.70	15.92	15.49	0
				1	1	15.66	15.94	15.53	0
				1	13	15.58	15.86	15.37	0
				1	23	15.66	15.94	15.41	0
				12	0	15.66	15.95	15.50	0
				12	7	15.65	15.90	15.49	0
				12	13	15.67	15.89	15.41	0
				25	0	15.67	15.89	15.45	0
			16QAM	1	1	15.49	15.89	15.34	0
			64QAM	1	1	15.59	15.84	15.56	0
			256QAM	1	1	15.58	15.75	15.43	0
		CP	QPSK	1	1	15.60	15.92	15.48	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.59	15.91	15.65	0
				1	26	15.77	15.96	15.57	0
				1	50	15.82	15.87	15.39	0
				25	0	15.63	15.95	15.56	0
				25	14	15.67	15.91	15.45	0
				25	27	15.80	15.91	15.41	0
			QPSK	50	0	15.70	15.90	15.48	0
				1	1	15.61	15.99	15.67	0
				1	26	15.82	15.96	15.53	0
				1	50	15.81	15.81	15.41	0
				25	0	15.66	15.96	15.61	0
				25	14	15.71	15.93	15.47	0
				25	27	15.77	15.89	15.42	0
				50	0	15.71	15.90	15.50	0
			16QAM	1	1	15.60	16.00	15.48	0
			64QAM	1	1	15.48	15.79	15.69	0
			256QAM	1	1	15.61	15.79	15.68	0
		CP	QPSK	1	1	15.57	15.88	15.66	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.81	0
				1	40	15.79	0
				1	77	15.72	0
				36	0	15.94	0
				36	22	15.91	0
				36	43	15.89	0
				75	0	15.94	0
			QPSK	1	1	15.83	0
				1	40	15.83	0
				1	77	15.69	0
				36	0	15.99	0
				36	22	15.92	0
				36	43	15.89	0
				75	0	15.92	0
			16QAM	1	1	15.85	0
			64QAM	1	1	15.89	0
			256QAM	1	1	15.72	0
		CP	QPSK	1	1	15.76	0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.74	0
				1	53	15.96	0
				1	104	15.62	0
				50	0	15.89	0
				50	28	15.93	0
				50	56	15.79	0
				100	0	15.92	0
			QPSK	1	1	15.74	0
				1	53	15.99	0
				1	104	15.63	0
				50	0	15.91	0
				50	28	15.93	0
				50	56	15.85	0
				100	0	15.90	0
			16QAM	1	1	15.75	0
			64QAM	1	1	15.78	0
			256QAM	1	1	15.78	0
		CP	QPSK	1	1	15.73	0

L.10 NR TDD Band n77 Maximum Conducted Power

NR TDD Band n77 (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.03	17.96	17.84	17.95	17.80	17.90	0
				1	12	18.26	18.06	17.96	17.85	18.01	18.11	0
				1	22	18.31	18.03	17.92	17.84	18.07	18.06	0
				12	0	18.19	18.03	17.91	17.78	17.90	18.03	0
				12	6	18.22	18.00	17.91	17.78	17.93	18.05	0
				12	12	18.25	18.00	17.88	17.80	17.99	18.04	0
				24	0	18.22	18.02	17.89	17.78	17.95	18.03	0
			QPSK	1	1	18.14	18.06	17.91	17.78	17.91	18.07	0
				1	12	18.24	18.00	17.95	17.80	17.93	18.04	0
				1	22	18.26	17.99	17.88	17.79	18.03	18.05	0
				12	0	18.16	18.03	17.89	17.80	17.90	18.05	0
				12	6	18.21	18.01	17.90	17.79	17.93	18.03	0
				12	12	18.25	17.97	17.88	17.81	18.01	18.04	0
				24	0	18.21	17.98	17.90	17.80	17.93	18.04	0
			16QAM	1	1	18.20	17.86	17.90	17.80	17.79	18.02	0
			64QAM	1	1	18.26	18.05	18.03	17.75	17.86	18.04	0
			256QAM	1	1	17.98	18.08	17.83	17.76	17.89	18.04	0
		CP	QPSK	1	1	18.16	18.04	17.94	17.74	17.95	18.04	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52	3 760.5	3 813.51	3 866.5	3 919.5	3 972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.08	18.01	18.18	17.81	17.76	18.15	0
				1	18	18.21	17.68	18.06	17.72	17.70	18.08	0
				1	36	18.24	17.97	18.05	17.81	17.88	18.09	0
				18	0	18.18	18.01	18.06	17.81	17.89	18.12	0
				18	9	18.25	17.98	18.03	17.82	17.91	18.15	0
				18	18	18.29	17.98	17.98	17.83	17.99	18.10	0
				36	0	18.26	17.99	17.98	17.83	17.91	18.13	0
			QPSK	1	1	18.15	18.06	18.01	17.77	17.88	18.03	0
				1	18	18.16	17.92	17.90	17.73	17.83	18.07	0
				1	36	18.20	17.95	17.94	17.82	18.06	18.06	0
				18	0	18.21	18.04	17.82	17.80	17.90	18.13	0
				18	9	18.26	18.00	17.96	17.81	17.91	18.14	0
				18	18	18.28	17.97	17.83	17.83	17.97	18.11	0
				36	0	18.25	17.99	17.95	17.81	17.91	18.11	0
			16QAM	1	1	18.11	18.09	18.04	17.92	17.87	18.21	0
			64QAM	1	1	18.17	18.07	18.04	17.80	17.91	18.13	0
			256QAM	1	1	18.15	18.03	17.99	17.76	17.87	18.06	0
		CP	QPSK	1	1	18.20	18.03	17.80	17.77	17.91	18.05	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.05	17.89	17.77	17.85	18.11	18.10	0
				1	26	18.30	18.00	17.74	17.75	17.85	17.73	0
				1	49	18.15	17.97	17.80	17.78	18.08	18.05	0
				25	0	18.26	18.04	17.93	17.74	17.85	17.97	0
				25	13	18.32	18.01	17.89	17.77	17.85	18.10	0
				25	26	18.21	17.99	17.87	17.78	17.94	18.08	0
				50	0	18.32	18.00	17.89	17.76	17.85	18.11	0
			QPSK	1	1	18.19	18.07	17.96	17.68	17.78	17.81	0
				1	26	18.28	17.95	17.85	17.73	17.83	18.06	0
				1	49	18.12	17.94	17.76	17.74	18.03	18.00	0
				25	0	18.26	18.04	17.92	17.75	17.83	17.98	0
				25	13	18.32	18.02	17.89	17.78	17.86	18.11	0
				25	26	18.22	17.97	17.88	17.79	17.95	18.07	0
				50	0	18.32	17.99	17.89	17.76	17.86	18.12	0
			16QAM	1	1	18.24	18.08	18.05	17.73	17.84	17.86	0
			64QAM	1	1	18.23	18.11	17.99	17.73	17.79	17.87	0
			256QAM	1	1	18.22	18.10	17.88	17.71	17.77	17.85	0
		CP	QPSK	1	1	18.20	18.07	17.94	17.79	17.77	17.88	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.04	18.13	18.13	17.82	17.85	17.95	0
				1	32	18.28	18.08	17.91	17.88	17.79	17.87	0
				1	63	18.07	18.02	17.77	17.81	18.13	17.87	0
				32	0	18.28	18.04	17.91	17.75	17.82	17.85	0
				32	17	18.26	18.01	17.88	17.80	17.86	18.02	0
				32	33	18.13	17.97	17.83	17.81	17.95	18.08	0
				64	0	18.26	18.01	17.87	17.79	17.85	18.02	0
			QPSK	1	1	18.19	18.13	17.96	17.68	17.83	17.79	0
				1	32	18.26	18.03	17.90	17.82	17.87	18.05	0
				1	63	18.05	18.03	17.73	17.81	18.10	18.07	0
				32	0	18.28	18.03	17.93	17.76	17.82	17.86	0
				32	17	18.28	18.00	17.88	17.80	17.85	18.04	0
				32	33	18.12	17.96	17.84	17.80	17.94	18.08	0
				64	0	18.25	18.00	17.89	17.78	17.87	18.02	0
			16QAM	1	1	18.20	18.08	17.93	17.68	17.86	17.78	0
			64QAM	1	1	18.22	18.08	17.98	17.64	17.84	17.79	0
			256QAM	1	1	18.24	18.12	17.66	17.71	17.61	17.77	0
		CP	QPSK	1	1	18.19	17.98	17.97	17.89	17.82	17.78	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.81	17.77	17.85	17.78	17.53	17.95	0
				1	39	18.21	17.87	17.80	17.87	17.55	18.06	0
				1	76	18.06	17.75	17.71	17.75	17.83	18.02	0
				36	0	18.17	17.81	17.78	17.81	17.49	17.90	0
				36	21	18.14	17.82	17.77	17.82	17.53	18.00	0
				36	42	18.02	17.80	17.76	17.80	17.62	18.09	0
				75	0	18.16	17.83	17.78	17.83	17.51	18.00	0
			QPSK	1	1	18.04	17.78	17.83	17.78	17.54	17.91	0
				1	39	18.14	17.87	17.84	17.87	17.56	18.02	0
				1	76	18.05	17.70	17.68	17.70	17.84	18.01	0
				36	0	18.16	17.82	17.79	17.82	17.49	17.89	0
				36	21	18.12	17.84	17.77	17.84	17.52	18.01	0
				36	42	18.04	17.84	17.84	17.79	17.63	18.10	0
				75	0	18.14	17.83	17.63	17.83	17.51	17.98	0
			16QAM	1	1	17.95	17.77	17.63	17.69	17.62	17.85	0
			64QAM	1	1	18.05	17.63	17.84	17.72	17.47	17.90	0
			256QAM	1	1	18.04	17.81	17.73	17.73	17.83	17.88	0
		CP	QPSK	1	1	17.63	17.63	17.78	17.72	17.48	17.56	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.89	18.20	17.95	17.74	17.17	17.70	0
				1	53	18.21	18.10	17.92	17.96	18.06	17.69	0
				1	104	18.11	18.14	17.69	17.79	18.21	17.81	0
				50	0	18.33	18.00	17.89	17.84	18.04	17.60	0
				50	28	18.14	17.99	17.89	17.89	17.97	17.63	0
				50	56	18.14	18.10	17.78	17.84	18.00	17.87	0
				100	0	17.89	17.99	17.85	17.90	17.94	17.62	0
			QPSK	1	1	17.58	18.08	17.92	17.70	17.94	17.93	0
				1	53	18.18	18.04	17.96	17.95	18.01	17.69	0
				1	104	18.07	18.14	17.67	17.81	18.18	17.79	0
				50	0	18.03	18.00	17.89	17.85	18.01	17.60	0
				50	28	18.11	18.01	17.88	17.90	17.97	17.62	0
				50	56	17.76	18.11	17.80	17.85	18.01	17.89	0
				100	0	17.85	17.99	17.86	17.90	17.94	17.61	0
			16QAM	1	1	18.16	18.30	17.93	17.72	17.91	17.87	0
			64QAM	1	1	17.91	18.17	17.99	17.77	17.81	17.75	0
			256QAM	1	1	18.19	18.06	17.60	17.71	18.00	18.17	0
		CP	QPSK	1	1	17.86	17.70	17.61	17.67	17.90	18.20	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.19	18.08	17.59		17.81	18.19	0
				1	67	18.10	18.21	17.65		18.06	17.97	0
				1	131	18.21	17.97	17.90		18.02	18.07	0
				64	0	18.19	18.05	17.48		17.86	18.24	0
				64	35	18.09	18.19	17.31		18.05	17.97	0
				64	69	18.13	18.12	17.48		17.98	18.08	0
				128	0	18.07	18.18	17.32		18.00	17.94	0
			QPSK	1	1	18.07	18.04	17.51		17.78	18.30	0
				1	67	18.09	18.18	17.29		18.07	17.97	0
				1	131	18.18	17.92	17.52		18.02	18.05	0
				64	0	18.18	18.05	17.48		17.87	18.23	0
				64	35	18.08	18.19	17.33		18.05	17.97	0
				64	69	18.16	18.11	17.48		17.98	18.10	0
				128	0	18.07	18.15	17.32		18.02	17.94	0
			16QAM	1	1	18.17	18.06	17.70		17.89	18.19	0
			64QAM	1	1	17.96	17.96	17.71		17.89	18.34	0
			256QAM	1	1	17.92	17.95	17.83		17.99	18.30	0
		CP	QPSK	1	1	18.19	18.01	17.92		17.83	18.23	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.13	18.20			17.90	17.79	0
				1	81	18.20	18.10			17.88	17.96	0
				1	160	18.03	17.66			18.02	18.05	0
				81	0	18.22	18.20			17.79	18.20	0
				81	41	18.13	18.04			17.84	17.90	0
				81	81	18.16	17.90			17.98	18.02	0
				162	0	18.11	18.02			17.80	17.89	0
			QPSK	1	1	18.12	18.06			17.56	17.90	0
				1	81	18.11	18.07			17.80	17.89	0
				1	160	17.99	17.62			17.97	18.05	0
				81	0	18.24	18.21			17.80	18.22	0
				81	41	18.12	18.03			17.84	17.91	0
				81	81	18.17	17.91			17.97	18.01	0
				162	0	18.11	18.02			17.80	17.90	0
			16QAM	1	1	18.18	18.03			17.55	18.07	0
			64QAM	1	1	18.14	18.15			17.33	17.78	0
			256QAM	1	1	18.14	17.97			17.54	17.96	0
		CP	QPSK	1	1	18.08	18.07			17.59	17.92	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.01	18.03			17.03	18.00	0
				1	95	18.08	18.04			17.89	18.01	0
				1	187	18.06	17.52			18.06	18.13	0
				90	0	18.07	18.22			18.03	17.98	0
				90	50	18.10	18.03			18.03	18.00	0
				90	99	18.15	17.83			18.01	17.94	0
				180	0	18.05	18.04			18.05	18.01	0
			QPSK	1	1	18.04	18.06			18.01	17.69	0
				1	95	18.10	18.03			17.82	17.97	0
				1	187	18.05	17.49			18.01	18.10	0
				90	0	18.07	18.23			17.69	18.03	0
				90	50	18.09	18.05			17.79	18.00	0
				90	99	18.16	17.83			17.97	17.94	0
				180	0	18.05	18.02			17.76	17.79	0
			16QAM	1	1	18.15	18.16			18.03	17.94	0
			64QAM	1	1	18.14	18.09			17.43	17.69	0
			256QAM	1	1	18.03	18.07			17.36	18.03	0
		CP	QPSK	1	1	18.05	17.73			17.42	18.01	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.01		17.87		18.12		0
				1	109	18.01		17.54		18.19		0
				1	215	18.03		17.74		18.02		0
				108	0	18.01		17.76		17.83		0
				108	55	18.07		17.21		18.19		0
				108	109	18.01		17.74		17.83		0
				216	0	18.05		17.34		18.12		0
			QPSK	1	1	18.06		17.84		17.84		0
				1	109	18.07		17.51		18.15		0
				1	215	18.00		17.68		17.99		0
				108	0	18.01		17.77		17.81		0
				108	55	18.07		17.38		18.17		0
				108	109	17.96		17.46		17.81		0
				216	0	18.09		17.51		18.13		0
			16QAM	1	1	18.09		17.87		17.93		0
			64QAM	1	1	17.59		17.13		17.83		0
			256QAM	1	1	18.02		17.87		17.86		0
		CP	QPSK	1	1	18.10		17.39		17.84		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02 MHz		3840 MHz		3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.01		17.93		17.76	0
				1	123	18.03		17.53		18.23	0
				1	243	18.18		17.76		17.91	0
				120	0	17.87		17.76		18.12	0
				120	63	18.01		17.51		18.18	0
				120	125	17.94		17.75		17.75	0
				243	0	17.99		17.47		18.12	0
			QPSK	1	1	18.00		17.94		17.92	0
				1	123	18.03		17.54		18.22	0
				1	243	18.16		17.78		17.91	0
				120	0	17.90		17.77		17.92	0
				120	63	18.01		17.51		18.18	0
				120	125	17.79		17.75		17.74	0
				243	0	17.98		17.48		18.14	0
			16QAM	1	1	18.01		17.96		17.95	0
			64QAM	1	1	17.95		17.92		17.92	0
			256QAM	1	1	18.00		17.92		17.89	0
		CP	QPSK	1	1	17.96		17.92		17.77	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.99				17.71	0
				1	137	18.09				18.17	0
				1	271	17.99				18.08	0
				135	0	17.95				17.85	0
				135	69	18.07				18.15	0
				135	138	17.96				17.80	0
			QPSK	270	0	18.04				18.09	0
				1	1	18.14				17.71	0
				1	137	18.11				18.19	0
				1	271	18.00				18.07	0
				135	0	17.96				17.85	0
				135	69	18.07				18.15	0
				135	138	17.96				17.80	0
				270	0	18.04				18.08	0
			16QAM	1	1	18.16				17.63	0
			64QAM	1	1	18.14				17.68	0
			256QAM	1	1	18.13				17.69	0
		CP	QPSK	1	1	18.09				17.55	0

NR TDD Band n77 (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4) _ MAIN2

Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.54	8.55	8.58	8.33	8.29	8.17	0
				1	12	8.56	8.56	8.66	8.39	8.40	8.16	0
				1	22	8.55	8.54	8.66	8.34	8.38	8.14	0
				12	0	8.54	8.54	8.59	8.33	8.31	8.15	0
				12	6	8.57	8.54	8.64	8.32	8.36	8.16	0
				12	12	8.56	8.52	8.67	8.35	8.36	8.14	0
				24	0	8.55	8.54	8.62	8.33	8.35	8.15	0
			QPSK	1	1	8.50	8.52	8.57	8.28	8.28	8.14	0
				1	12	8.52	8.47	8.63	8.30	8.35	8.14	0
				1	22	8.52	8.50	8.62	8.31	8.36	8.08	0
				12	0	8.54	8.51	8.61	8.30	8.33	8.15	0
				12	6	8.56	8.52	8.63	8.33	8.33	8.15	0
				12	12	8.55	8.49	8.65	8.33	8.35	8.15	0
				24	0	8.56	8.53	8.61	8.33	8.32	8.15	0
			16QAM	1	1	8.48	8.54	8.70	8.41	8.18	8.23	0
			64QAM	1	1	8.54	8.58	8.56	8.35	8.41	8.42	0
			256QAM	1	1	8.47	8.45	8.45	8.28	8.38	8.48	0
		CP	QPSK	1	1	8.56	8.54	8.42	8.29	8.42	8.50	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52	3 760.5	3 813.51	3 866.5	3 919.5	3 972.48	
						MHz	MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.50	8.45	8.41	8.29	8.39	8.47	0
				1	18	8.55	8.34	8.32	8.26	8.36	8.53	0
				1	36	8.55	8.36	8.30	8.33	8.60	8.48	0
				18	0	8.56	8.39	8.37	8.30	8.40	8.56	0
				18	9	8.59	8.39	8.35	8.32	8.40	8.55	0
				18	18	8.63	8.39	8.34	8.33	8.49	8.55	0
				36	0	8.60	8.39	8.36	8.32	8.41	8.57	0
			QPSK	1	1	8.47	8.45	8.42	8.26	8.38	8.48	0
				1	18	8.53	8.32	8.31	8.24	8.35	8.48	0
				1	36	8.54	8.34	8.33	8.32	8.58	8.51	0
				18	0	8.55	8.43	8.39	8.28	8.40	8.54	0
				18	9	8.60	8.39	8.36	8.31	8.41	8.58	0
				18	18	8.64	8.39	8.35	8.33	8.48	8.53	0
				36	0	8.61	8.40	8.38	8.31	8.41	8.58	0
			16QAM	1	1	8.49	8.43	8.38	8.30	8.39	8.45	0
			64QAM	1	1	8.49	8.47	8.45	8.27	8.38	8.47	0
			256QAM	1	1	8.52	8.39	8.46	8.36	8.42	8.45	0
		CP	QPSK	1	1	8.20	8.48	8.39	7.97	8.37	8.51	0

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
						MHz	MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.56	8.51	8.44	8.23	8.37	8.58	0
				1	26	8.68	8.41	8.35	8.32	8.40	8.51	0
				1	49	8.51	8.40	8.33	8.32	8.60	8.19	0
				25	0	8.58	8.42	8.39	8.26	8.37	8.53	0
				25	13	8.64	8.40	8.37	8.31	8.38	8.50	0
				25	26	8.56	8.39	8.34	8.34	8.45	8.33	0
				50	0	8.63	8.41	8.36	8.30	8.38	8.51	0
			QPSK	1	1	8.51	8.45	8.41	8.20	8.35	8.50	0
				1	26	8.59	8.37	8.30	8.25	8.39	8.45	0
				1	49	8.46	8.37	8.25	8.30	8.57	8.15	0
				25	0	8.58	8.43	8.39	8.27	8.37	8.52	0
				25	13	8.65	8.40	8.36	8.31	8.39	8.48	0
				25	26	8.56	8.37	8.33	8.34	8.47	8.32	0
				50	0	8.65	8.39	8.35	8.31	8.40	8.52	0
			16QAM	1	1	8.51	8.44	8.43	8.25	8.38	8.50	0
			64QAM	1	1	8.52	8.47	8.44	8.30	8.35	8.50	0
			256QAM	1	1	8.50	8.48	8.41	8.21	8.39	8.34	0
		CP	QPSK	1	1	8.51	8.47	8.45	8.24	8.40	8.35	0

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
						MHz	MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.55	8.49	8.42	8.14	8.18	8.45	0
				1	32	8.59	8.43	8.35	8.35	8.32	8.50	0
				1	63	8.42	8.39	8.19	8.29	8.44	8.13	0
				32	0	8.63	8.42	8.37	8.23	8.24	8.51	0
				32	17	8.62	8.38	8.34	8.27	8.33	8.46	0
				32	33	8.47	8.36	8.29	8.29	8.39	8.27	0
				64	0	8.60	8.37	8.31	8.25	8.32	8.49	0
			QPSK	1	1	8.53	8.43	8.39	8.12	8.16	8.43	0
				1	32	8.61	8.35	8.38	8.22	8.33	8.44	0
				1	63	8.37	8.38	8.17	8.24	8.42	8.13	0
				32	0	8.62	8.42	8.36	8.22	8.23	8.50	0
				32	17	8.63	8.39	8.34	8.27	8.35	8.48	0
				32	33	8.48	8.37	8.30	8.29	8.39	8.25	0
				64	0	8.61	8.38	8.34	8.27	8.34	8.47	0
			16QAM	1	1	8.52	8.46	8.36	8.13	8.22	8.48	0
			64QAM	1	1	8.51	8.64	8.45	8.12	8.11	8.59	0
			256QAM	1	1	8.56	8.48	8.64	8.10	8.31	8.11	0
		CP	QPSK	1	1	8.30	8.45	8.57	8.09	8.35	8.28	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.39	8.34	8.27	8.29	8.50	8.52	0
				1	39	8.53	8.36	8.32	8.40	8.54	8.72	0
				1	76	8.39	8.46	8.20	8.26	8.75	8.59	0
				36	0	8.48	8.29	8.25	8.34	8.47	8.77	0
				36	21	8.47	8.29	8.24	8.38	8.48	8.70	0
				36	42	8.36	8.35	8.24	8.32	8.56	8.39	0
				75	0	8.46	8.35	8.26	8.35	8.47	8.71	0
			QPSK	1	1	8.36	8.26	8.26	8.27	8.46	8.65	0
				1	39	8.46	8.26	8.26	8.37	8.49	8.68	0
				1	76	8.36	8.15	8.15	8.23	8.73	8.21	0
				36	0	8.51	8.28	8.23	8.34	8.47	8.76	0
				36	21	8.47	8.30	8.26	8.37	8.73	8.71	0
				36	42	8.39	8.34	8.24	8.28	8.57	8.40	0
				75	0	8.45	8.28	8.23	8.36	8.44	8.71	0
			16QAM	1	1	8.38	8.24	8.30	8.24	8.36	8.60	0
			64QAM	1	1	8.34	8.25	8.11	8.22	8.28	8.67	0
			256QAM	1	1	8.15	8.28	8.29	8.28	8.48	8.22	0
		CP	QPSK	1	1	8.11	8.32	8.28	8.29	8.52	8.67	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.58	8.66	8.50	8.20	8.16	8.79	0
				1	53	8.62	8.47	8.65	8.45	8.50	8.40	0
				1	104	8.55	8.59	8.48	8.31	8.70	8.51	0
				50	0	8.72	8.43	8.66	8.35	8.52	8.35	0
				50	28	8.55	8.44	8.67	8.41	8.47	8.36	0
				50	56	8.49	8.55	8.28	8.35	8.49	8.60	0
				100	0	8.55	8.42	8.87	8.40	8.44	8.34	0
			QPSK	1	1	8.53	8.46	8.35	8.18	8.42	8.57	0
				1	53	8.50	8.42	8.44	8.41	8.45	8.35	0
				1	104	8.50	8.59	8.21	8.28	8.63	8.49	0
				50	0	8.73	8.44	8.32	8.34	8.53	8.33	0
				50	28	8.54	8.42	8.32	8.41	8.46	8.37	0
				50	56	8.47	8.54	8.26	8.37	8.49	8.60	0
				100	0	8.54	8.42	8.39	8.39	8.43	8.35	0
			16QAM	1	1	8.29	8.56	8.60	8.35	8.46	8.64	0
			64QAM	1	1	8.48	8.35	8.34	8.38	8.45	8.54	0
			256QAM	1	1	8.60	8.12	8.24	8.09	8.46	8.82	0
		CP	QPSK	1	1	8.61	8.50	8.35	8.25	8.46	8.58	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.34	8.13	8.49		7.94	8.74	0
				1	67	8.39	8.59	8.09		8.23	8.35	0
				1	131	8.52	8.36	8.32		8.20	8.40	0
				64	0	8.50	8.41	8.25		8.02	8.65	0
				64	35	8.41	8.57	8.07		8.23	8.38	0
				64	69	8.47	8.49	8.26		8.14	8.46	0
				128	0	8.39	8.54	8.08		8.19	8.35	0
			QPSK	1	1	8.41	8.40	8.26		7.94	8.73	0
				1	67	8.36	8.55	8.07		8.18	8.40	0
				1	131	8.50	8.34	8.28		8.13	8.37	0
				64	0	8.50	8.40	8.24		8.03	8.66	0
				64	35	8.41	8.56	8.08		8.26	8.37	0
				64	69	8.46	8.50	8.25		8.45	8.48	0
				128	0	8.39	8.54	8.08		8.47	8.35	0
			16QAM	1	1	8.18	8.52	8.21		8.34	8.95	0
			64QAM	1	1	8.37	8.51	8.25		8.24	8.99	0
			256QAM	1	1	8.37	8.47	8.24		8.26	8.70	0
		CP	QPSK	1	1	8.37	8.43	8.28		8.14	8.64	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.41	8.44			8.05	8.35	0
				1	81	8.53	8.53			8.39	8.39	0
				1	160	8.38	8.10			8.51	8.45	0
				81	0	8.51	8.59			8.27	8.64	0
				81	41	8.44	8.46			8.31	8.34	0
				81	81	8.50	8.31			8.46	8.41	0
				162	0	8.40	8.40			8.26	8.29	0
			QPSK	1	1	8.45	8.37			7.99	8.32	0
				1	81	8.42	8.51			8.36	8.33	0
				1	160	8.32	8.10			8.46	8.4	0
				81	0	8.52	8.59			8.26	8.65	0
				81	41	8.43	8.45			8.31	8.34	0
				81	81	8.50	8.31			8.47	8.41	0
				162	0	8.40	8.43			8.26	8.29	0
			16QAM	1	1	8.42	8.73			8.20	8.23	0
			64QAM	1	1	8.58	8.38			7.96	8.35	0
			256QAM	1	1	8.43	8.46			8.06	8.18	0
		CP	QPSK	1	1	8.44	8.11			7.81	8.15	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.36	8.74			8.40	8.52	0
				1	95	8.37	8.41			8.28	8.46	0
				1	187	8.40	7.96			8.48	8.55	0
				90	0	8.35	8.59			8.19	8.48	0
				90	50	8.41	8.43			8.28	8.49	0
				90	99	8.46	8.25			8.47	8.41	0
				180	0	8.36	8.44			8.26	8.50	0
			QPSK	1	1	8.30	8.38			7.86	8.18	0
				1	95	8.38	8.43			8.24	8.44	0
				1	187	8.37	7.93			8.46	8.52	0
				90	0	8.35	8.60			8.17	8.47	0
				90	50	8.41	8.44			8.30	8.47	0
				90	99	8.47	8.25			8.47	8.42	0
				180	0	8.37	8.42			8.26	8.49	0
			16QAM	1	1	8.34	8.48			8.00	8.03	0
			64QAM	1	1	8.35	8.45			8.02	8.27	0
			256QAM	1	1	8.38	8.36			7.89	8.18	0
		CP	QPSK	1	1	8.18	7.75			7.93	8.00	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.46		8.33		8.43		0
				1	109	8.47		8.06		8.71		0
				1	215	8.44		8.28		8.47		0
				108	0	8.37		8.30		8.40		0
				108	55	8.49		8.08		8.69		0
				108	109	8.38		8.31		8.33		0
				216	0	8.44		8.00		8.64		0
			QPSK	1	1	8.40		8.34		8.38		0
				1	109	8.43		8.06		8.67		0
				1	215	8.43		8.23		8.46		0
				108	0	8.38		8.29		8.40		0
				108	55	8.46		8.07		8.70		0
				108	109	8.36		8.32		8.32		0
				216	0	8.41		8.00		8.63		0
			16QAM	1	1	8.47		8.22		8.48		0
			64QAM	1	1	8.46		8.42		8.39		0
			256QAM	1	1	8.42		8.33		8.38		0
		CP	QPSK	1	1	7.86		7.71		8.52		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02 MHz		3840 MHz		3934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.39		8.41		8.50	0
				1	123	8.47		8.08		8.77	0
				1	243	8.66		8.35		8.41	0
				120	0	8.27		8.32		8.48	0
				120	63	8.45		8.06		8.71	0
				120	125	8.39		8.33		8.25	0
				243	0	8.42		8.02		8.68	0
			QPSK	1	1	8.36		8.37		8.44	0
				1	123	8.45		8.04		8.71	0
				1	243	8.62		8.29		8.33	0
				120	0	8.27		8.28		8.48	0
				120	63	8.44		8.06		8.72	0
				120	125	8.40		8.32		8.26	0
				243	0	8.43		8.02		8.68	0
			16QAM	1	1	8.35		8.50		8.25	0
			64QAM	1	1	8.32		8.34		8.45	0
			256QAM	1	1	8.38		8.38		8.45	0
		CP	QPSK	1	1	7.94		7.95		8.03	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750 MHz				3930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	8.52				8.27	0
				1	137	8.56				8.75	0
				1	271	8.50				8.53	0
				135	0	8.39				8.40	0
				135	69	8.49				8.70	0
				135	138	8.40				8.31	0
				270	0	8.49				8.61	0
			QPSK	1	1	8.49				8.22	0
				1	137	8.56				8.68	0
				1	271	8.45				8.48	0
				135	0	8.39				8.42	0
				135	69	8.51				8.71	0
				135	138	8.44				8.30	0
				270	0	8.50				8.61	0
			16QAM	1	1	8.42				8.27	0
			64QAM	1	1	8.61				8.14	0
			256QAM	1	1	8.44				8.22	0
		CP	QPSK	1	1	8.46				8.54	0

L.11 NR TDD Band n77 DoD Maximum Conducted Power

NR TDD Band n77 DoD (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2

Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.15	17.91	18.06	0
				1	12	18.14	17.93	18.02	0
				1	22	18.15	17.88	18.06	0
				12	0	18.12	17.84	18.00	0
				12	6	18.09	17.85	18.02	0
				12	12	18.08	17.85	18.03	0
				24	0	18.10	17.84	18.02	0
			QPSK	1	1	18.12	17.87	18.01	0
				1	12	18.16	17.86	18.09	0
				1	22	18.08	17.86	18.06	0
				12	0	18.11	17.87	18.01	0
				12	6	18.09	17.86	18.00	0
				12	12	18.10	17.85	18.02	0
				24	0	18.09	17.85	18.02	0
			16QAM	1	1	18.12	17.85	17.98	0
			64QAM	1	1	18.11	17.87	18.08	0
			256QAM	1	1	18.12	17.84	17.95	0
		CP	QPSK	1	1	18.14	17.55	18.08	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.18	17.89	17.98	0
				1	18	18.10	17.81	17.90	0
				1	36	18.10	17.83	17.98	0
				18	0	18.16	17.86	17.93	0
				18	9	18.14	17.85	17.93	0
				18	18	18.12	17.85	17.94	0
				36	0	18.14	17.85	17.92	0
			QPSK	1	1	18.18	17.88	17.89	0
				1	18	18.11	17.80	17.86	0
				1	36	18.07	17.82	17.98	0
				18	0	18.15	17.86	17.90	0
				18	9	18.13	17.86	17.95	0
				18	18	18.11	17.84	17.97	0
				36	0	18.13	17.86	17.93	0
			16QAM	1	1	18.10	17.85	17.96	0
			64QAM	1	1	18.17	17.90	17.91	0
			256QAM	1	1	18.21	17.98	17.89	0
		CP	QPSK	1	1	18.16	17.90	17.89	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.24	17.90	17.84	0
				1	26	18.17	17.86	17.89	0
				1	49	18.10	17.84	17.98	0
				25	0	18.19	17.86	17.84	0
				25	13	18.18	17.86	17.91	0
				25	26	18.11	17.83	17.92	0
				50	0	18.17	17.85	17.87	0
			QPSK	1	1	18.22	17.88	17.81	0
				1	26	18.15	17.87	17.89	0
				1	49	18.03	17.81	17.95	0
				25	0	18.19	17.86	17.86	0
				25	13	18.20	17.85	17.88	0
				25	26	18.11	17.85	17.91	0
				50	0	18.16	17.86	17.86	0
			16QAM	1	1	18.23	17.71	17.74	0
			64QAM	1	1	18.25	17.87	17.77	0
			256QAM	1	1	18.24	17.91	17.74	0
		CP	QPSK	1	1	17.92	17.71	17.77	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.86	17.93	17.72	0
				1	26	18.21	17.87	17.84	0
				1	49	18.08	17.81	17.92	0
				25	0	18.25	17.86	17.75	0
				25	13	18.19	17.85	17.80	0
				25	26	18.11	17.82	17.84	0
				50	0	18.19	17.87	17.79	0
			QPSK	1	1	18.28	17.89	17.70	0
				1	26	18.21	17.85	17.81	0
				1	49	18.06	17.77	17.89	0
				25	0	18.24	17.85	17.73	0
				25	13	18.19	17.87	17.80	0
				25	26	18.09	17.81	17.83	0
				50	0	18.17	17.85	17.77	0
			16QAM	1	1	18.30	17.93	17.69	0
			64QAM	1	1	18.26	17.88	17.65	0
			256QAM	1	1	18.30	17.80	17.72	0
		CP	QPSK	1	1	18.23	17.88	17.69	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.10	17.90	17.85	0
				1	39	18.07	17.93	17.98	0
				1	76	17.87	17.77	17.99	0
				36	0	17.76	17.87	17.89	0
				36	21	17.77	17.87	17.96	0
				36	42	18.00	17.80	17.97	0
				75	0	18.00	17.87	17.95	0
			QPSK	1	1	18.06	17.86	17.83	0
				1	39	17.97	17.85	17.96	0
				1	76	17.84	17.77	18.01	0
				36	0	18.04	17.86	17.89	0
				36	21	17.99	17.85	17.95	0
				36	42	17.92	17.80	17.97	0
				75	0	17.99	17.85	17.94	0
			16QAM	1	1	17.97	17.82	17.81	0
			64QAM	1	1	18.11	17.89	17.82	0
			256QAM	1	1	17.74	17.86	17.78	0
		CP	QPSK	1	1	18.13	17.82	17.91	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.02		17.94	0
				1	53	18.18		17.84	0
				1	104	18.00		17.94	0
				50	0	18.00		17.88	0
				50	28	18.07		17.85	0
				50	56	17.95		17.88	0
				100	0	18.06		17.80	0
			QPSK	1	1	18.06		17.77	0
				1	53	18.06		17.85	0
				1	104	17.90		17.92	0
				50	0	18.18		17.74	0
				50	28	18.05		17.80	0
				50	56	17.94		17.87	0
				100	0	18.06		17.80	0
			16QAM	1	1	18.05		17.55	0
			64QAM	1	1	18.20		17.82	0
			256QAM	1	1	18.20		17.57	0
		CP	QPSK	1	1	18.22		17.82	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.09		17.64	0
				1	67	17.88		17.67	0
				1	131	17.81		17.88	0
				64	0	17.99		17.64	0
				64	35	17.89		17.68	0
				64	69	17.81		17.74	0
				128	0	17.86		17.63	0
			QPSK	1	1	18.05		17.67	0
				1	67	17.86		17.64	0
				1	131	17.78		17.84	0
				64	0	17.98		17.64	0
				64	35	17.86		17.68	0
				64	69	17.80		17.76	0
				128	0	17.84		17.64	0
			16QAM	1	1	18.13		17.78	0
			64QAM	1	1	17.99		17.54	0
			256QAM	1	1	18.02		17.70	0
		CP	QPSK	1	1	18.00		17.70	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.85		0
				1	81		17.91		0
				1	160		17.75		0
				81	0		17.85		0
				81	41		17.82		0
				81	81		17.75		0
				162	0		17.83		0
			QPSK	1	1		17.94		0
				1	81		17.86		0
				1	160		17.74		0
				81	0		17.85		0
				81	41		17.84		0
				81	81		17.74		0
				162	0		17.82		0
			16QAM	1	1		17.99		0
			64QAM	1	1		17.72		0
			256QAM	1	1		17.88		0
		CP	QPSK	1	1		17.84		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.76		0
				1	95		17.86		0
				1	187		17.76		0
				90	0		17.85		0
				90	50		17.84		0
				90	99		17.71		0
				180	0		17.81		0
			QPSK	1	1		17.98		0
				1	95		17.85		0
				1	187		17.76		0
				90	0		17.85		0
				90	50		17.83		0
				90	99		17.71		0
				180	0		17.76		0
			16QAM	1	1		18.10		0
			64QAM	1	1		17.98		0
			256QAM	1	1		18.10		0
		CP	QPSK	1	1		17.99		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.82		0
				1	109		17.85		0
				1	215		17.83		0
				108	0		17.83		0
				108	55		17.84		0
				108	109		17.71		0
				216	0		17.82		0
			QPSK	1	1		18.07		0
				1	109		17.84		0
				1	215		17.78		0
				108	0		17.70		0
				108	55		17.83		0
				108	109		17.70		0
				216	0		17.81		0
			16QAM	1	1		18.05		0
			64QAM	1	1		17.97		0
			256QAM	1	1		17.98		0
		CP	QPSK	1	1		18.04		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		17.81		0
				1	123		17.85		0
				1	243		17.85		0
				120	0		17.87		0
				120	63		17.81		0
				120	125		17.70		0
				243	0		17.81		0
			QPSK	1	1		18.11		0
				1	123		17.85		0
				1	243		17.86		0
				120	0		17.87		0
				120	63		17.83		0
				120	125		17.71		0
				243	0		17.82		0
			16QAM	1	1		18.08		0
			64QAM	1	1		18.00		0
			256QAM	1	1		18.12		0
		CP	QPSK	1	1		18.08		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		17.90		0
				1	137		17.85		0
				1	271		17.92		0
				135	0		17.90		0
				135	69		17.82		0
				135	138		17.72		0
				270	0		17.82		0
			QPSK	1	1		18.20		0
				1	137		17.85		0
				1	271		17.92		0
				135	0		18.11		0
				135	69		17.81		0
				135	138		17.73		0
				270	0		17.84		0
			16QAM	1	1		18.22		0
			64QAM	1	1		18.15		0
			256QAM	1	1		17.89		0
		CP	QPSK	1	1		18.13		0

NR TDD Band n77 DoD (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4)_

MAIN2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.33	8.14	8.04	0
				1	12	8.34	8.16	8.11	0
				1	22	8.30	8.14	8.11	0
				12	0	8.29	8.12	8.05	0
				12	6	8.30	8.13	8.07	0
				12	12	8.29	8.14	8.07	0
				24	0	8.29	8.13	8.05	0
			QPSK	1	1	8.30	8.10	8.04	0
				1	12	8.24	8.10	8.06	0
				1	22	8.27	8.10	8.08	0
				12	0	8.29	8.14	8.03	0
				12	6	8.29	8.14	8.04	0
				12	12	8.30	8.14	8.06	0
				24	0	8.29	8.14	8.05	0
			16QAM	1	1	8.30	8.13	8.08	0
			64QAM	1	1	8.67	8.11	8.22	0
			256QAM	1	1	8.31	8.15	8.31	0
		CP	QPSK	1	1	8.20	8.26	8.37	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	8.07	8.15	8.13	0
				1	18	8.01	8.10	8.14	0
				1	36	7.99	8.10	8.32	0
				18	0	8.06	8.13	8.15	0
				18	9	8.04	8.13	8.17	0
				18	18	8.04	8.12	8.23	0
				36	0	8.04	8.15	8.18	0
			QPSK	1	1	8.02	8.13	8.05	0
				1	18	7.95	8.06	8.11	0
				1	36	7.98	8.12	8.22	0
				18	0	8.05	8.13	8.15	0
				18	9	8.04	8.14	8.14	0
				18	18	8.03	8.12	8.22	0
				36	0	8.03	8.16	8.13	0
			16QAM	1	1	8.11	8.17	8.28	0
			64QAM	1	1	7.99	8.10	8.30	0
			256QAM	1	1	8.42	8.11	8.08	0
		CP	QPSK	1	1	8.58	8.24	8.14	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.45	8.11	8.16	0
				1	26	8.38	8.13	8.21	0
				1	49	8.26	8.10	8.33	0
				25	0	8.38	8.12	8.18	0
				25	13	8.38	8.14	8.24	0
				25	26	8.34	8.10	8.26	0
				50	0	8.39	8.14	8.22	0
			QPSK	1	1	8.39	8.13	8.13	0
				1	26	8.34	8.11	8.19	0
				1	49	8.29	8.10	8.27	0
				25	0	8.38	8.13	8.18	0
				25	13	8.40	8.13	8.23	0
				25	26	8.31	8.11	8.26	0
				50	0	8.37	8.14	8.21	0
			16QAM	1	1	8.43	8.12	8.32	0
			64QAM	1	1	8.39	8.13	8.37	0
			256QAM	1	1	8.46	8.07	8.12	0
		CP	QPSK	1	1	8.11	8.64	8.15	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.46	8.11	8.02	0
				1	26	8.42	8.14	8.18	0
				1	49	8.30	8.10	8.22	0
				25	0	8.46	8.13	8.09	0
				25	13	8.41	8.22	8.15	0
				25	26	8.36	8.11	8.20	0
				50	0	8.41	8.14	8.13	0
			QPSK	1	1	8.43	8.09	7.97	0
				1	26	8.39	8.12	8.16	0
				1	49	8.24	8.05	8.21	0
				25	0	8.44	8.13	8.08	0
				25	13	8.40	8.16	8.16	0
				25	26	8.32	8.12	8.20	0
				50	0	8.40	8.13	8.14	0
			16QAM	1	1	8.45	8.12	8.02	0
			64QAM	1	1	8.44	8.12	7.98	0
			256QAM	1	1	8.49	7.84	8.08	0
		CP	QPSK	1	1	8.48	8.21	8.04	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.26	8.11	7.88	0
				1	39	8.25	8.17	8.05	0
				1	76	8.10	8.10	8.05	0
				36	0	8.26	8.14	7.94	0
				36	21	8.20	8.16	8.01	0
				36	42	8.15	8.11	8.06	0
				75	0	8.21	8.13	7.99	0
			QPSK	1	1	8.24	8.07	7.87	0
				1	39	8.18	8.09	8.01	0
				1	76	8.07	8.03	8.05	0
				36	0	8.26	8.14	7.94	0
				36	21	8.21	8.13	7.99	0
				36	42	8.14	8.10	8.05	0
				75	0	8.20	8.15	7.99	0
			16QAM	1	1	8.28	8.27	7.82	0
			64QAM	1	1	8.23	8.15	7.90	0
			256QAM	1	1	8.29	8.12	8.15	0
		CP	QPSK	1	1	8.28	8.30	8.16	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.37		8.07	0
				1	53	8.27		8.23	0
				1	104	8.16		8.26	0
				50	0	8.35		8.06	0
				50	28	8.25		8.17	0
				50	56	8.18		8.23	0
				100	0	8.25		8.16	0
			QPSK	1	1	8.35		8.07	0
				1	53	8.29		8.18	0
				1	104	8.11		8.27	0
				50	0	8.34		8.04	0
				50	28	8.28		8.15	0
				50	56	8.17		8.23	0
				100	0	8.25		8.12	0
			16QAM	1	1	8.48		7.97	0
			64QAM	1	1	8.32		7.89	0
			256QAM	1	1	8.22		8.07	0
		CP	QPSK	1	1	8.11		8.23	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	8.23		8.01	0
				1	67	8.09		8.02	0
				1	131	8.07		8.23	0
				64	0	8.27		7.95	0
				64	35	8.14		8.01	0
				64	69	8.10		8.11	0
				128	0	8.12		7.98	0
			QPSK	1	1	8.28		7.97	0
				1	67	8.07		7.98	0
				1	131	8.03		8.19	0
				64	0	8.21		7.97	0
				64	35	8.14		8.00	0
				64	69	8.08		8.11	0
				128	0	8.10		8.00	0
			16QAM	1	1	8.22		7.96	0
			64QAM	1	1	8.25		8.05	0
			256QAM	1	1	8.20		8.01	0
		CP	QPSK	1	1	7.92		7.90	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		8.15		0
				1	81		8.21		0
				1	160		8.11		0
				81	0		8.13		0
				81	41		8.14		0
				81	81		8.10		0
				162	0		8.11		0
			QPSK	1	1		8.11		0
				1	81		8.16		0
				1	160		8.05		0
				81	0		8.12		0
				81	41		8.14		0
				81	81		8.06		0
				162	0		8.12		0
			16QAM	1	1		8.11		0
			64QAM	1	1		8.53		0
			256QAM	1	1		8.17		0
		CP	QPSK	1	1		7.98		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		8.21		0
				1	95		8.14		0
				1	187		8.11		0
				90	0		8.12		0
				90	50		8.13		0
				90	99		8.03		0
				180	0		8.11		0
			QPSK	1	1		8.17		0
				1	95		8.15		0
				1	187		8.11		0
				90	0		8.12		0
				90	50		8.14		0
				90	99		8.03		0
				180	0		8.10		0
			16QAM	1	1		8.19		0
			64QAM	1	1		8.25		0
			256QAM	1	1		8.12		0
		CP	QPSK	1	1		7.93		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		8.23		0
				1	109		8.13		0
				1	215		8.15		0
				108	0		8.13		0
				108	55		8.11		0
				108	109		8.03		0
				216	0		8.12		0
			QPSK	1	1		8.21		0
				1	109		8.11		0
				1	215		8.13		0
				108	0		8.13		0
				108	55		8.13		0
				108	109		8.03		0
				216	0		8.10		0
			16QAM	1	1		8.21		0
			64QAM	1	1		8.27		0
			256QAM	1	1		8.26		0
		CP	QPSK	1	1		8.09		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		8.31		0
				1	123		8.14		0
				1	243		8.20		0
				120	0		8.13		0
				120	63		8.11		0
				120	125		8.04		0
				243	0		8.08		0
			QPSK	1	1		8.28		0
				1	123		8.11		0
				1	243		8.20		0
				120	0		8.14		0
				120	63		8.12		0
				120	125		8.03		0
				243	0		8.09		0
			16QAM	1	1		8.38		0
			64QAM	1	1		8.23		0
			256QAM	1	1		8.26		0
		CP	QPSK	1	1		8.17		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		8.31		0
				1	137		8.11		0
				1	271		8.14		0
				135	0		8.13		0
				135	69		8.28		0
				135	138		8.20		0
				270	0		8.23		0
			QPSK	1	1		8.44		0
				1	137		8.21		0
				1	271		8.41		0
				135	0		8.52		0
				135	69		8.21		0
				135	138		8.13		0
				270	0		8.19		0
			16QAM	1	1		8.39		0
			64QAM	1	1		8.46		0
			256QAM	1	1		8.40		0
		CP	QPSK	1	1		8.42		0

L.12 NR TDD Band n78 Maximum Conducted Power

NR TDD Band n78 (PC2, PC3) Conducted Power_ Measured RSI= 0 (Free) _ MAIN2 Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.13	18.09	17.98	0
				1	12	18.19	18.13	17.98	0
				1	22	18.23	18.04	17.92	0
				12	0	18.10	18.06	17.93	0
				12	6	18.13	18.06	17.92	0
				12	12	18.16	18.05	17.89	0
				24	0	18.13	18.06	17.90	0
			QPSK	1	1	18.05	18.05	17.93	0
				1	12	18.19	18.07	17.98	0
				1	22	18.18	18.02	17.88	0
				12	0	18.09	18.06	17.91	0
				12	6	18.14	18.05	17.91	0
				12	12	18.17	18.04	17.89	0
				24	0	18.12	18.06	17.91	0
			16QAM	1	1	18.10	18.07	17.93	0
			64QAM	1	1	18.07	18.10	17.96	0
			256QAM	1	1	18.07	18.07	17.59	0
		CP	QPSK	1	1	18.06	18.07	17.93	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						6471668	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.14	18.10	18.06	0
				1	18	18.17	18.04	18.00	0
				1	36	18.20	17.97	17.96	0
				18	0	18.15	18.04	18.04	0
				18	10	18.20	18.00	18.01	0
				18	20	18.20	18.20	18.04	0
				36	0	18.18	18.05	18.02	0
			QPSK	1	1	18.12	18.02	18.04	0
				1	18	18.15	18.01	17.96	0
				1	36	18.17	18.00	17.94	0
				18	0	18.14	18.03	18.06	0
				18	10	18.18	18.05	18.02	0
				18	20	18.20	18.00	17.96	0
				36	0	18.19	18.06	18.00	0
			16QAM	1	1	18.07	18.17	18.02	0
			64QAM	1	1	18.20	18.09	17.99	0
			256QAM	1	1	18.18	18.01	18.07	0
		CP	QPSK	1	1	18.07	18.02	18.02	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.15	18.15	18.01	0
				1	26	18.26	18.05	18.04	0
				1	49	18.09	17.94	17.95	0
				25	0	18.18	18.04	18.01	0
				25	13	18.26	18.05	18.04	0
				25	26	18.15	17.98	17.97	0
				50	0	18.23	18.05	18.03	0
			QPSK	1	1	18.14	18.02	18.00	0
				1	26	18.22	18.04	18.01	0
				1	49	18.05	17.93	17.94	0
				25	0	18.19	18.03	18.00	0
				25	13	18.27	18.05	18.05	0
				25	26	18.14	17.99	17.97	0
				50	0	18.25	18.05	18.02	0
			16QAM	1	1	18.07	17.98	17.99	0
			64QAM	1	1	18.21	18.06	18.10	0
			256QAM	1	1	17.77	18.04	18.01	0
		CP	QPSK	1	1	18.10	18.05	17.98	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.18	18.20	17.92	0
				1	32	18.24	18.06	18.05	0
				1	63	18.02	17.94	17.95	0
				32	0	18.22	18.05	17.96	0
				32	17	18.21	18.05	18.00	0
				32	33	18.06	18.00	17.96	0
				64	0	18.22	18.05	17.99	0
			QPSK	1	1	18.14	17.99	17.91	0
				1	32	18.23	18.05	18.02	0
				1	63	18.00	17.92	17.93	0
				32	0	18.23	18.01	17.97	0
				32	17	18.23	18.06	18.00	0
				32	33	18.09	17.98	18.01	0
				64	0	18.23	18.04	17.98	0
			16QAM	1	1	18.20	18.06	17.96	0
			64QAM	1	1	18.15	18.02	17.87	0
			256QAM	1	1	18.16	17.99	17.91	0
		CP	QPSK	1	1	18.17	17.98	17.87	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.24	18.03	18.00	0
				1	39	18.28	18.12	18.15	0
				1	76	17.97	17.90	17.93	0
				36	0	18.28	18.02	18.03	0
				36	21	18.18	18.05	18.06	0
				36	42	18.00	17.96	18.01	0
				75	0	18.18	18.04	18.04	0
			QPSK	1	1	18.21	17.98	17.96	0
				1	39	18.18	18.11	18.07	0
				1	76	17.98	17.92	17.91	0
				36	0	18.26	18.01	18.03	0
				36	21	18.19	18.06	18.06	0
				36	42	18.03	17.95	18.01	0
				75	0	18.18	18.04	18.04	0
			16QAM	1	1	18.17	17.89	17.91	0
			64QAM	1	1	18.21	18.04	17.89	0
			256QAM	1	1	17.90	17.99	17.93	0
		CP	QPSK	1	1	17.84	17.94	17.94	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.01		17.85	0
				1	53	18.14		18.03	0
				1	104	17.99		17.90	0
				50	0	18.13		17.84	0
				50	28	18.07		18.00	0
				50	56	18.00		18.04	0
				100	0	18.09		17.98	0
			QPSK	1	1	18.02		17.83	0
				1	53	18.14		18.01	0
				1	104	17.99		17.88	0
				50	0	18.13		17.85	0
				50	28	18.07		18.00	0
				50	56	17.98		18.02	0
				100	0	18.06		17.97	0
			16QAM	1	1	18.04		17.80	0
			64QAM	1	1	18.29		17.90	0
			256QAM	1	1	18.00		17.87	0
		CP	QPSK	1	1	17.97		17.90	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.04		17.95	0
				1	67	17.94		17.98	0
				1	131	18.05		17.83	0
				64	0	18.04		17.95	0
				64	35	17.94		17.97	0
				64	69	18.00		17.98	0
				128	0	17.92		17.94	0
			QPSK	1	1	17.94		18.04	0
				1	67	17.92		17.94	0
				1	131	18.01		17.80	0
				64	0	18.07		17.95	0
				64	35	17.93		17.97	0
				64	69	17.99		17.99	0
				128	0	17.92		17.94	0
			16QAM	1	1	17.92		18.04	0
			64QAM	1	1	17.77		17.81	0
			256QAM	1	1	17.91		18.04	0
		CP	QPSK	1	1	17.92		17.99	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.94		0
				1	81		18.08		0
				1	160		17.94		0
				81	0		17.96		0
				81	41		18.04		0
				81	81		17.88		0
				162	0		18.01		0
			QPSK	1	1		17.87		0
				1	81		18.05		0
				1	160		17.87		0
				81	0		17.98		0
				81	41		18.03		0
				81	81		17.87		0
				162	0		18.01		0
			16QAM	1	1		17.72		0
			64QAM	1	1		17.80		0
			256QAM	1	1		17.66		0
		CP	QPSK	1	1		18.00		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.99		0
				1	95		18.03		0
				1	187		17.96		0
				90	0		17.92		0
				90	50		18.01		0
				90	99		17.85		0
				180	0		17.99		0
			QPSK	1	1		17.99		0
				1	95		18.05		0
				1	187		17.96		0
				90	0		17.92		0
				90	50		18.03		0
				90	99		17.84		0
				180	0		18.02		0
			16QAM	1	1		18.01		0
			64QAM	1	1		17.96		0
			256QAM	1	1		17.98		0
		CP	QPSK	1	1		17.99		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		18.11		0
				1	109		18.05		0
				1	215		17.99		0
				108	0		17.91		0
				108	55		18.02		0
				108	109		17.84		0
				216	0		18.00		0
			QPSK	1	1		18.12		0
				1	109		18.07		0
				1	215		17.98		0
				108	0		17.90		0
				108	55		18.03		0
				108	109		17.84		0
				216	0		18.00		0
			16QAM	1	1		18.10		0
			64QAM	1	1		18.08		0
			256QAM	1	1		18.05		0
		CP	QPSK	1	1		18.10		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.10		0
				1	123		18.05		0
				1	243		17.97		0
				120	0		17.89		0
				120	63		18.01		0
				120	125		17.85		0
				243	0		18.00		0
			QPSK	1	1		18.11		0
				1	123		18.04		0
				1	243		17.96		0
				120	0		17.91		0
				120	63		18.03		0
				120	125		17.86		0
				243	0		18.00		0
			16QAM	1	1		18.11		0
			64QAM	1	1		18.08		0
			256QAM	1	1		18.07		0
		CP	QPSK	1	1		18.11		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		18.08		0
				1	137		18.05		0
				1	271		17.93		0
				135	0		17.92		0
				135	69		18.02		0
				135	138		17.88		0
				270	0		18.00		0
			QPSK	1	1		18.10		0
				1	137		18.04		0
				1	271		17.92		0
				135	0		17.92		0
				135	69		18.00		0
				135	138		17.90		0
				270	0		18.00		0
			16QAM	1	1		18.15		0
			64QAM	1	1		18.10		0
			256QAM	1	1		18.07		0
		CP	QPSK	1	1		18.07		0

NR TDD Band n78 (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4) _ MAIN2

Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.58	8.38	8.22	0
				1	12	8.64	8.61	8.20	0
				1	22	8.70	8.57	8.19	0
				12	0	8.57	8.57	8.19	0
				12	6	8.64	8.57	8.18	0
				12	12	8.64	8.56	8.18	0
				24	0	8.60	8.59	8.19	0
			QPSK	1	1	8.52	8.52	8.20	0
				1	12	8.56	8.59	8.21	0
				1	22	8.64	8.49	8.18	0
				12	0	8.56	8.55	8.19	0
				12	6	8.59	8.57	8.18	0
				12	12	8.65	8.56	8.18	0
				24	0	8.60	8.57	8.18	0
			16QAM	1	1	8.51	8.56	7.79	0
			64QAM	1	1	8.58	8.59	8.48	0
			256QAM	1	1	8.52	8.45	8.57	0
		CP	QPSK	1	1	8.54	8.57	8.53	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647168	650000	652832	
						3707.52 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	8.53	8.53	8.63	0
				1	18	8.62	8.51	8.56	0
				1	36	8.64	8.50	8.54	0
				18	0	8.59	8.54	8.64	0
				18	10	8.66	8.56	8.62	0
				18	20	8.68	8.52	8.55	0
				36	0	8.66	8.54	8.60	0
			QPSK	1	1	8.54	8.51	8.62	0
				1	18	8.57	8.49	8.53	0
				1	36	8.59	8.49	8.51	0
				18	0	8.59	8.54	8.62	0
				18	10	8.65	8.56	8.60	0
				18	20	8.66	8.52	8.54	0
				36	0	8.65	8.56	8.60	0
			16QAM	1	1	8.56	8.56	8.55	0
			64QAM	1	1	8.40	8.65	8.77	0
			256QAM	1	1	8.54	8.51	8.56	0
		CP	QPSK	1	1	7.87	8.56	8.60	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.59	8.38	8.37	0
				1	26	8.71	8.41	8.49	0
				1	49	8.54	8.36	8.40	0
				25	0	8.64	8.42	8.48	0
				25	13	8.73	8.43	8.53	0
				25	26	8.62	8.39	8.45	0
				50	0	8.72	8.44	8.50	0
			QPSK	1	1	8.56	8.38	8.42	0
				1	26	8.68	8.40	8.47	0
				1	49	8.53	8.34	8.39	0
				25	0	8.65	8.44	8.47	0
				25	13	8.71	8.45	8.52	0
				25	26	8.61	8.38	8.45	0
				50	0	8.72	8.44	8.51	0
			16QAM	1	1	8.62	8.46	8.46	0
			64QAM	1	1	8.66	8.23	8.47	0
			256QAM	1	1	8.61	8.39	8.44	0
		CP	QPSK	1	1	8.50	8.44	8.48	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.50	8.38	8.38	0
				1	32	8.56	8.46	8.49	0
				1	63	8.36	8.34	8.41	0
				32	0	8.58	8.43	8.43	0
				32	17	8.54	8.45	8.49	0
				32	33	8.41	8.37	8.47	0
				64	0	8.56	8.45	8.46	0
			QPSK	1	1	8.47	8.32	8.29	0
				1	32	8.53	8.41	8.46	0
				1	63	8.30	8.28	8.38	0
				32	0	8.57	8.46	8.42	0
				32	17	8.57	8.45	8.48	0
				32	33	8.41	8.36	8.45	0
				64	0	8.55	8.44	8.47	0
			16QAM	1	1	8.57	8.32	8.25	0
			64QAM	1	1	8.46	8.39	8.30	0
			256QAM	1	1	8.50	8.35	8.32	0
		CP	QPSK	1	1	8.10	8.44	8.32	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3715.02 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.52	8.36	8.44	0
				1	39	8.61	8.50	8.55	0
				1	76	8.31	8.35	8.37	0
				36	0	8.62	8.42	8.46	0
				36	21	8.52	8.47	8.52	0
				36	42	8.38	8.37	8.49	0
				75	0	8.53	8.45	8.51	0
			QPSK	1	1	8.54	8.33	8.37	0
				1	39	8.52	8.47	8.51	0
				1	76	8.30	8.31	8.33	0
				36	0	8.62	8.42	8.46	0
				36	21	8.53	8.45	8.52	0
				36	42	8.37	8.38	8.49	0
				75	0	8.55	8.44	8.53	0
			16QAM	1	1	8.46	8.43	8.38	0
			64QAM	1	1	8.56	8.36	8.53	0
			256QAM	1	1	8.55	8.35	8.47	0
		CP	QPSK	1	1	8.31	8.36	8.36	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.36		8.33	0
				1	53	8.47		8.54	0
				1	104	8.38		8.37	0
				50	0	8.47		8.30	0
				50	28	8.44		8.48	0
				50	56	8.35		8.51	0
				100	0	8.44		8.43	0
			QPSK	1	1	8.32		8.31	0
				1	53	8.41		8.45	0
				1	104	8.32		8.36	0
				50	0	8.49		8.29	0
				50	28	8.44		8.47	0
				50	56	8.36		8.51	0
				100	0	8.45		8.45	0
			16QAM	1	1	8.55		8.20	0
			64QAM	1	1	8.33		8.36	0
			256QAM	1	1	7.99		8.15	0
		CP	QPSK	1	1	8.37		8.24	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	8.34		8.46	0
				1	67	8.32		8.43	0
				1	131	8.44		8.33	0
				64	0	8.42		8.37	0
				64	35	8.35		8.43	0
				64	69	8.40		8.47	0
				128	0	8.31		8.38	0
			QPSK	1	1	8.29		8.46	0
				1	67	8.31		8.41	0
				1	131	8.43		8.34	0
				64	0	8.43		8.39	0
				64	35	8.33		8.43	0
				64	69	8.40		8.46	0
				128	0	8.31		8.39	0
			16QAM	1	1	8.55		8.50	0
			64QAM	1	1	8.27		8.33	0
			256QAM	1	1	8.27		8.25	0
		CP	QPSK	1	1	7.95		8.45	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		8.30		0
				1	81		8.49		0
				1	160		8.43		0
				81	0		8.38		0
				81	41		8.26		0
				81	81		8.33		0
				162	0		8.29		0
			QPSK	1	1		8.28		0
				1	81		8.47		0
				1	160		8.40		0
				81	0		8.35		0
				81	41		8.48		0
				81	81		8.32		0
				162	0		8.44		0
			16QAM	1	1		8.29		0
			64QAM	1	1		8.34		0
			256QAM	1	1		8.28		0
		CP	QPSK	1	1		7.95		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		8.51		0
				1	95		8.44		0
				1	187		8.42		0
				90	0		8.38		0
				90	50		8.46		0
				90	99		8.30		0
				180	0		8.43		0
			QPSK	1	1		8.39		0
				1	95		8.44		0
				1	187		8.41		0
				90	0		8.31		0
				90	50		8.48		0
				90	99		8.31		0
				180	0		8.42		0
			16QAM	1	1		8.31		0
			64QAM	1	1		8.37		0
			256QAM	1	1		8.37		0
		CP	QPSK	1	1		8.14		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		8.19		0
				1	109		8.45		0
				1	215		8.45		0
				108	0		8.31		0
				108	55		8.49		0
				108	109		8.31		0
				216	0		8.43		0
			QPSK	1	1		8.46		0
				1	109		8.46		0
				1	215		8.43		0
				108	0		8.30		0
				108	55		8.47		0
				108	109		8.32		0
				216	0		8.44		0
			16QAM	1	1		8.42		0
			64QAM	1	1		8.50		0
			256QAM	1	1		8.44		0
		CP	QPSK	1	1		8.25		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		8.68		0
				1	123		8.66		0
				1	243		8.58		0
				120	0		8.11		0
				120	63		7.97		0
				120	125		8.42		0
				243	0		7.92		0
			QPSK	1	1		8.53		0
				1	123		8.52		0
				1	243		8.49		0
				120	0		8.37		0
				120	63		7.98		0
				120	125		8.39		0
				243	0		8.48		0
			16QAM	1	1		8.41		0
			64QAM	1	1		8.62		0
			256QAM	1	1		8.53		0
		CP	QPSK	1	1		8.50		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		8.51		0
				1	137		8.52		0
				1	271		8.47		0
				135	0		8.38		0
				135	69		8.49		0
				135	138		8.40		0
				270	0		8.46		0
			QPSK	1	1		8.45		0
				1	137		8.50		0
				1	271		8.45		0
				135	0		8.35		0
				135	69		8.49		0
				135	138		8.39		0
				270	0		8.46		0
			16QAM	1	1		8.52		0
			64QAM	1	1		8.38		0
			256QAM	1	1		8.48		0
		CP	QPSK	1	1		8.48		0

L.13 NR TDD Band n78 DoD Maximum Conducted Power

NR TDD Band n78 DoD (PC2, PC3) Conducted Power_ Measured RSI = 0 (Free) _ MAIN2

Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.97	17.96	18.00	0
				1	12	17.82	17.92	18.03	0
				1	22	17.78	17.85	18.03	0
				12	0	17.80	17.83	17.96	0
				12	6	17.79	17.84	17.98	0
				12	12	17.78	17.85	17.99	0
				24	0	17.79	17.86	17.98	0
			QPSK	1	1	17.79	17.86	17.98	0
				1	12	17.77	17.84	18.04	0
				1	22	17.74	17.85	18.02	0
				12	0	17.78	17.85	17.96	0
				12	6	17.79	17.85	17.99	0
				12	12	17.77	17.83	18.00	0
				24	0	17.78	17.84	17.98	0
			16QAM	1	1	17.62	17.89	17.97	0
			64QAM	1	1	17.78	17.88	18.06	0
			256QAM	1	1	18.16	17.87	17.84	0
		CP	QPSK	1	1	17.89	17.83	17.95	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	18.07	17.76	17.71	0
				1	18	18.08	17.81	17.74	0
				1	36	18.07	17.83	17.80	0
				18	0	18.16	17.84	17.81	0
				18	9	18.13	17.84	17.82	0
				18	18	18.07	17.82	17.78	0
				36	0	18.11	17.83	17.74	0
			QPSK	1	1	18.14	17.84	17.75	0
				1	18	18.07	17.76	17.71	0
				1	36	18.05	17.81	17.75	0
				18	0	18.15	17.84	17.80	0
				18	9	18.13	17.83	17.81	0
				18	18	18.09	17.82	17.72	0
				36	0	18.12	17.84	17.75	0
			16QAM	1	1	18.10	17.91	17.89	0
			64QAM	1	1	18.16	17.88	17.78	0
			256QAM	1	1	18.16	17.85	17.50	0
		CP	QPSK	1	1	18.14	17.81	17.80	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.24	18.24	17.90	0
				1	26	18.15	17.85	17.85	0
				1	49	18.05	17.81	17.82	0
				25	0	18.18	17.80	17.86	0
				25	13	18.17	17.86	17.85	0
				25	26	18.08	17.81	17.80	0
				50	0	18.15	17.83	17.86	0
			QPSK	1	1	18.22	17.83	17.87	0
				1	26	18.12	17.78	17.85	0
				1	49	18.03	17.75	17.80	0
				25	0	18.19	17.86	17.85	0
				25	13	18.16	17.77	17.84	0
				25	26	18.10	17.82	17.82	0
				50	0	18.15	17.84	17.85	0
			16QAM	1	1	18.17	17.78	17.79	0
			64QAM	1	1	18.19	17.77	17.88	0
			256QAM	1	1	18.18	17.84	17.89	0
		CP	QPSK	1	1	18.20	17.86	17.80	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537481 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.71	18.32	17.90	0
				1	26	18.40	17.87	17.73	0
				1	49	18.25	17.84	17.91	0
				25	0	18.08	17.88	17.76	0
				25	13	18.01	17.86	17.78	0
				25	26	17.79	17.81	17.85	0
				50	0	17.25	17.87	17.80	0
			QPSK	1	1	18.33	17.89	17.71	0
				1	26	18.24	17.85	17.83	0
				1	49	18.10	17.82	17.85	0
				25	0	18.27	17.86	17.74	0
				25	13	18.23	17.87	17.79	0
				25	26	18.14	17.84	17.85	0
				50	0	18.24	17.86	17.79	0
			16QAM	1	1	18.27	17.88	17.77	0
			64QAM	1	1	18.29	17.92	17.68	0
			256QAM	1	1	18.32	17.86	17.68	0
		CP	QPSK	1	1	17.93	17.88	17.71	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.84	17.91	17.90	0
				1	39	17.73	17.93	17.98	0
				1	76	17.59	17.78	17.99	0
				36	0	17.75	17.85	17.90	0
				36	21	17.70	17.85	17.95	0
				36	42	17.61	17.81	17.99	0
				75	0	17.68	17.84	17.93	0
			QPSK	1	1	17.80	17.88	17.86	0
				1	39	17.69	17.88	17.97	0
				1	76	17.75	17.78	17.98	0
				36	0	17.93	17.86	17.91	0
				36	21	17.85	17.85	17.96	0
				36	42	17.85	17.82	17.98	0
				75	0	17.90	17.85	17.94	0
			16QAM	1	1	17.97	17.88	17.87	0
			64QAM	1	1	18.02	17.92	17.85	0
			256QAM	1	1	17.92	17.84	17.81	0
		CP	QPSK	1	1	18.01	17.85	17.87	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.20		18.20	0
				1	53	18.09		18.48	0
				1	104	17.90		17.93	0
				50	0	18.13		17.73	0
				50	28	18.04		17.26	0
				50	56	17.92		17.26	0
				100	0	18.04		17.85	0
			QPSK	1	1	18.16		17.74	0
				1	53	18.07		17.80	0
				1	104	17.85		17.85	0
				50	0	17.83		17.73	0
				50	28	17.73		17.81	0
				50	56	18.07		17.85	0
				100	0	17.83		17.82	0
			16QAM	1	1	18.28		17.70	0
			64QAM	1	1	18.34		17.82	0
			256QAM	1	1	18.38		17.72	0
		CP	QPSK	1	1	18.19		17.45	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.78		17.66	0
				1	67	17.89		17.66	0
				1	131	17.81		17.85	0
				64	0	17.98		17.65	0
				64	35	17.88		17.66	0
				64	69	17.34		17.77	0
				128	0	17.34		17.63	0
			QPSK	1	1	18.08		17.69	0
				1	67	17.88		17.63	0
				1	131	17.79		17.84	0
				64	0	17.98		17.63	0
				64	35	17.88		17.66	0
				64	69	17.80		17.75	0
				128	0	17.88		17.64	0
			16QAM	1	1	17.80		17.67	0
			64QAM	1	1	17.81		17.61	0
			256QAM	1	1	18.10		17.70	0
		CP	QPSK	1	1	18.08		17.71	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.73		0
				1	81		17.89		0
				1	160		17.73		0
				81	0		17.83		0
				81	41		17.83		0
				81	81		17.73		0
				162	0		17.82		0
			QPSK	1	1		17.88		0
				1	81		17.83		0
				1	160		17.70		0
				81	0		17.83		0
				81	41		17.54		0
				81	81		17.74		0
				162	0		17.82		0
			16QAM	1	1		18.01		0
			64QAM	1	1		18.04		0
			256QAM	1	1		17.90		0
		CP	QPSK	1	1		17.95		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.95		0
				1	95		17.84		0
				1	187		17.76		0
				90	0		17.85		0
				90	50		17.83		0
				90	99		17.71		0
				180	0		17.81		0
			QPSK	1	1		17.97		0
				1	95		17.85		0
				1	187		17.75		0
				90	0		17.85		0
				90	50		17.83		0
				90	99		17.71		0
				180	0		17.80		0
			16QAM	1	1		17.98		0
			64QAM	1	1		18.00		0
			256QAM	1	1		17.95		0
		CP	QPSK	1	1		17.95		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.80		0
				1	109		17.84		0
				1	215		17.81		0
				108	0		17.87		0
				108	55		17.82		0
				108	109		17.68		0
				216	0		17.80		0
			QPSK	1	1		18.05		0
				1	109		17.84		0
				1	215		17.80		0
				108	0		17.85		0
				108	55		17.82		0
				108	109		17.69		0
				216	0		17.81		0
			16QAM	1	1		18.05		0
			64QAM	1	1		18.05		0
			256QAM	1	1		18.02		0
		CP	QPSK	1	1		17.69		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		18.05		0
				1	123		17.84		0
				1	243		17.85		0
				120	0		17.87		0
				120	63		17.81		0
				120	125		17.69		0
				243	0		17.82		0
			QPSK	1	1		18.10		0
				1	123		17.83		0
				1	243		17.83		0
				120	0		17.87		0
				120	63		17.83		0
				120	125		17.69		0
				243	0		17.82		0
			16QAM	1	1		18.18		0
			64QAM	1	1		18.05		0
			256QAM	1	1		18.08		0
		CP	QPSK	1	1		18.18		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		18.12		0
				1	137		17.84		0
				1	271		17.90		0
				135	0		17.88		0
				135	69		17.81		0
				135	138		17.72		0
				270	0		17.82		0
			QPSK	1	1		18.17		0
				1	137		17.84		0
				1	271		17.91		0
				135	0		17.90		0
				135	69		17.81		0
				135	138		17.72		0
				270	0		17.82		0
			16QAM	1	1		18.21		0
			64QAM	1	1		18.25		0
			256QAM	1	1		18.08		0
		CP	QPSK	1	1		17.82		0

NR TDD Band n78 DoD (PC2, PC3) Conducted Power_ Measured RSI = 4 (Grip Sensor #4)_

MAIN2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	8.07	7.66	7.94	0
				1	12	8.31	8.13	8.32	0
				1	22	8.27	8.12	8.38	0
				12	0	8.27	8.11	8.31	0
				12	6	8.27	7.87	8.33	0
				12	12	8.25	8.11	8.36	0
				24	0	8.29	8.10	8.33	0
			QPSK	1	1	8.24	8.08	8.29	0
				1	12	8.23	8.13	8.25	0
				1	22	8.23	8.10	8.32	0
				12	0	8.27	8.10	8.32	0
				12	6	8.29	8.11	8.34	0
				12	12	8.28	8.13	8.35	0
				24	0	8.27	8.12	8.32	0
			16QAM	1	1	8.38	8.09	8.33	0
			64QAM	1	1	8.32	8.06	8.36	0
			256QAM	1	1	8.27	8.08	8.02	0
		CP	QPSK	1	1	8.29	8.14	8.34	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	8.32	7.94	8.03	0
				1	18	8.30	8.05	8.19	0
				1	36	8.27	8.09	8.28	0
				18	0	8.32	8.12	8.21	0
				18	9	8.30	8.13	8.22	0
				18	18	8.27	8.09	8.17	0
				36	0	8.33	8.11	8.23	0
			QPSK	1	1	8.34	8.10	8.17	0
				1	18	8.24	8.07	8.15	0
				1	36	8.27	8.08	8.25	0
				18	0	8.31	8.09	8.20	0
				18	9	8.32	8.09	8.26	0
				18	18	8.28	8.08	8.26	0
				36	0	8.32	8.10	8.23	0
			16QAM	1	1	8.34	8.12	8.16	0
			64QAM	1	1	8.29	8.07	8.12	0
			256QAM	1	1	8.35	8.05	8.22	0
		CP	QPSK	1	1	8.40	8.14	8.22	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	8.39	8.49	8.09	0
				1	26	8.33	8.08	8.09	0
				1	49	8.24	8.10	8.04	0
				25	0	8.35	8.08	8.09	0
				25	13	8.34	8.11	8.07	0
				25	26	8.27	8.08	8.08	0
				50	0	8.34	8.12	8.09	0
			QPSK	1	1	8.36	8.08	8.08	0
				1	26	8.32	8.10	8.06	0
				1	49	8.21	8.03	8.04	0
				25	0	8.37	8.10	8.08	0
				25	13	8.35	8.10	8.10	0
				25	26	8.29	8.08	8.09	0
				50	0	8.33	8.09	8.11	0
			16QAM	1	1	8.44	8.11	8.01	0
			64QAM	1	1	8.41	8.16	7.88	0
			256QAM	1	1	8.38	8.10	8.07	0
		CP	QPSK	1	1	8.36	7.83	8.11	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3462.51 MHz	3500.01 MHz	3537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	8.40	8.11	8.08	0
				1	26	8.37	8.08	8.11	0
				1	49	8.23	8.04	8.18	0
				25	0	8.41	8.08	8.05	0
				25	13	8.38	8.10	8.11	0
				25	26	8.29	8.06	8.15	0
				50	0	8.36	8.07	8.10	0
			QPSK	1	1	8.37	8.06	7.97	0
				1	26	8.34	8.10	8.08	0
				1	49	8.21	8.03	8.17	0
				25	0	8.41	8.11	8.06	0
				25	13	8.36	8.10	8.12	0
				25	26	8.28	8.07	8.16	0
				50	0	8.36	8.12	8.11	0
			16QAM	1	1	8.40	8.11	8.06	0
			64QAM	1	1	8.35	8.06	8.16	0
			256QAM	1	1	8.45	8.05	7.96	0
		CP	QPSK	1	1	8.46	7.79	7.59	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	8.23	8.12	8.18	0
				1	39	8.24	8.15	8.30	0
				1	76	8.07	8.05	8.31	0
				36	0	8.22	8.08	8.19	0
				36	21	8.17	8.10	8.29	0
				36	42	8.10	8.07	8.29	0
				75	0	8.16	8.09	8.26	0
			QPSK	1	1	8.19	8.04	8.10	0
				1	39	8.13	8.07	8.24	0
				1	76	8.04	8.00	8.32	0
				36	0	8.22	8.09	8.20	0
				36	21	8.16	8.11	8.25	0
				36	42	8.09	8.10	8.30	0
				75	0	8.16	8.10	8.26	0
			16QAM	1	1	8.20	8.12	8.11	0
			64QAM	1	1	8.25	8.07	8.10	0
			256QAM	1	1	8.23	8.03	8.13	0
		CP	QPSK	1	1	7.87	8.18	8.25	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	8.05		8.37	0
				1	53	7.95		8.17	0
				1	104	7.81		8.23	0
				50	0	8.00		8.02	0
				50	28	7.92		8.13	0
				50	56	7.84		8.20	0
				100	0	7.91		8.11	0
			QPSK	1	1	7.98		8.04	0
				1	53	7.90		8.18	0
				1	104	7.76		8.20	0
				50	0	8.00		8.01	0
				50	28	7.90		8.12	0
				50	56	7.84		8.19	0
				100	0	7.91		8.11	0
			16QAM	1	1	8.08		7.98	0
			64QAM	1	1	8.01		8.09	0
			256QAM	1	1	8.25		8.06	0
		CP	QPSK	1	1	7.98		7.98	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	7.93		7.96	0
				1	67	7.76		7.98	0
				1	131	7.74		8.17	0
				64	0	7.87		7.93	0
				64	35	7.77		7.97	0
				64	69	7.73		8.07	0
				128	0	7.75		7.94	0
			QPSK	1	1	7.81		7.92	0
				1	67	7.79		7.95	0
				1	131	7.67		8.12	0
				64	0	7.86		7.93	0
				64	35	7.78		7.98	0
				64	69	7.74		8.08	0
				128	0	7.76		7.97	0
			16QAM	1	1	7.80		7.84	0
			64QAM	1	1	7.89		8.34	0
			256QAM	1	1	8.22		7.98	0
		CP	QPSK	1	1	7.81		7.89	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		7.97		0
				1	81		8.17		0
				1	160		8.03		0
				81	0		8.08		0
				81	41		8.10		0
				81	81		8.00		0
				162	0		8.09		0
			QPSK	1	1		8.10		0
				1	81		8.09		0
				1	160		8.02		0
				81	0		8.06		0
				81	41		8.11		0
				81	81		8.01		0
				162	0		8.12		0
			16QAM	1	1		8.19		0
			64QAM	1	1		7.97		0
			256QAM	1	1		8.14		0
		CP	QPSK	1	1		8.19		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		8.23		0
				1	95		8.09		0
				1	187		8.10		0
				90	0		8.07		0
				90	50		8.08		0
				90	99		8.02		0
				180	0		8.09		0
			QPSK	1	1		8.16		0
				1	95		8.06		0
				1	187		8.07		0
				90	0		8.08		0
				90	50		8.10		0
				90	99		8.01		0
				180	0		8.06		0
			16QAM	1	1		8.29		0
			64QAM	1	1		8.10		0
			256QAM	1	1		8.07		0
		CP	QPSK	1	1		8.15		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		7.96		0
				1	109		7.82		0
				1	215		7.81		0
				108	0		7.78		0
				108	55		7.81		0
				108	109		7.69		0
				216	0		7.78		0
			QPSK	1	1		7.91		0
				1	109		7.78		0
				1	215		7.78		0
				108	0		7.78		0
				108	55		7.77		0
				108	109		7.71		0
				216	0		7.79		0
			16QAM	1	1		8.04		0
			64QAM	1	1		7.94		0
			256QAM	1	1		8.21		0
		CP	QPSK	1	1		7.99		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		8.12		0
				1	123		8.12		0
				1	243		8.17		0
				120	0		8.09		0
				120	63		8.07		0
				120	125		7.99		0
				243	0		8.07		0
			QPSK	1	1		8.22		0
				1	123		8.08		0
				1	243		8.11		0
				120	0		8.09		0
				120	63		8.10		0
				120	125		8.01		0
				243	0		8.07		0
			16QAM	1	1		8.24		0
			64QAM	1	1		8.33		0
			256QAM	1	1		8.31		0
		CP	QPSK	1	1		8.06		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		8.37		0
				1	137		8.12		0
				1	271		8.24		0
				135	0		8.11		0
				135	69		8.11		0
				135	138		8.02		0
				270	0		8.08		0
			QPSK	1	1		8.30		0
				1	137		8.08		0
				1	271		8.32		0
				135	0		8.35		0
				135	69		8.09		0
				135	138		8.01		0
				270	0		8.08		0
			16QAM	1	1		8.37		0
			64QAM	1	1		8.27		0
			256QAM	1	1		8.30		0
		CP	QPSK	1	1		8.22		0