




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
12	704	23060	10	1	0	Fig.1
	707.5	23095		1	0	Fig.2
	711	23130		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
12	699.7	23017	1.4	1	0	Fig.1
				6	0	Fig.2
	715.3	23173		1	5	Fig.3
				6	0	Fig.4
	700.5	23025	3	1	0	Fig.5
				15	0	Fig.6
	714.5	23165		1	14	Fig.7
				15	0	Fig.8
	701.5	23035	5	1	0	Fig.9
				25	0	Fig.10
	713.5	23155		1	24	Fig.11
				25	0	Fig.12
	704	23060	10	1	0	Fig.13
				50	0	Fig.14
	711	23130		1	49	Fig.15
				50	0	Fig.16




Fig.1




Fig.2




Fig.3



Fig.4




Fig.5










Fig.6






Fig.13




Fig.14




Fig.15




Fig.16

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band12 Low Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	-0.011	0.013	-0.048	-0.002
0	NV	-0.003	0.011	0.009	-0.050
+10	NV	0.003	0.014	-0.018	-0.007
+20	NV	-0.038	0.009	-0.029	0.005
+30	NV	0.000	0.000	0.000	0.000
+40	NV	-0.021	0.004	-0.021	-0.001
+50	NV	-0.013	0.017	-0.047	0.002
+55	NV	-0.011	0.005	-0.023	0.011
+20	LV	-0.051	0.024	-0.060	-0.021
+20	HV	0.015	0.009	-0.010	0.020

Temperature(°C)	Voltage	Test Result (ppm) Band12 High Channel QPSK			
		1.4M	3M	5M	10M
-10	NV	0.040	-0.056	-0.034	-0.032
0	NV	0.055	-0.045	-0.037	-0.016
+10	NV	0.022	-0.063	-0.037	-0.026
+20	NV	0.000	0.000	0.000	0.000
+30	NV	-0.045	-0.007	-0.038	-0.022
+40	NV	0.049	0.001	-0.044	-0.017
+50	NV	0.057	-0.062	-0.028	-0.032
+55	NV	0.044	-0.034	-0.022	-0.027
+20	LV	0.001	-0.059	-0.025	-0.021
+20	HV	0.058	-0.049	-0.048	-0.033

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	699.7	23017	1.4	1	0	24.05	19.50	0.089	
				1	3	24.04	19.49	0.089	
				1	5	24.07	19.52	0.090	
				3	0	23.17	18.62	0.073	
				3	1	23.12	18.57	0.072	
				3	3	23.22	18.67	0.074	
				6	0	22.23	17.68	0.059	
	707.5	23095		1	0	24.00	19.45	0.088	
				1	3	23.99	19.44	0.088	
				1	5	23.96	19.41	0.087	
				3	0	23.12	18.57	0.072	
				3	1	23.17	18.62	0.073	
				3	3	23.10	18.55	0.072	
				6	0	22.41	17.86	0.061	
	715.3	23173		1	0	24.21	19.66	0.092	
				1	3	24.16	19.61	0.091	
				1	5	24.18	19.63	0.092	
				3	0	23.16	18.61	0.073	
				3	1	23.15	18.60	0.072	
				3	3	23.24	18.69	0.074	
				6	0	22.43	17.88	0.061	
	16QAM	699.7		23017	1	0	23.36	18.81	0.076
					1	3	23.35	18.80	0.076
					1	5	23.40	18.85	0.077
3					0	22.43	17.88	0.061	
3					1	22.40	17.85	0.061	
3					3	22.53	17.98	0.063	
6					0	21.47	16.92	0.049	
707.5		23095		1	0	23.27	18.72	0.074	
				1	3	23.30	18.75	0.075	
			1	5	23.22	18.67	0.074		
			3	0	22.46	17.91	0.062		
			3	1	22.40	17.85	0.061		
			3	3	22.42	17.87	0.061		
			6	0	21.75	17.20	0.052		
715.3		23173	1	0	23.44	18.89	0.077		
			1	3	23.41	18.86	0.077		
			1	5	23.44	18.89	0.077		
			3	0	22.39	17.84	0.061		
			3	1	22.48	17.93	0.062		
			3	3	22.53	17.98	0.063		
			6	0	21.74	17.19	0.052		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	699.7	23017	1.4	1	0	22.29	17.74	0.059
				1	3	22.50	17.95	0.062
				1	5	22.23	17.68	0.059
				3	0	22.44	17.89	0.062
				3	1	22.59	18.04	0.064
				3	3	22.53	17.98	0.063
	707.5	23095		6	0	22.53	17.98	0.063
				1	0	22.52	17.97	0.063
				1	3	22.41	17.86	0.061
				1	5	22.56	18.01	0.063
				3	0	22.39	17.84	0.061
				3	1	22.55	18.00	0.063
	715.3	23173		3	3	22.54	17.99	0.063
				6	0	22.54	17.99	0.063
				1	0	22.43	17.88	0.061
				1	3	22.42	17.87	0.061
				1	5	22.41	17.86	0.061
				3	0	22.54	17.99	0.063
				3	1	22.40	17.85	0.061
				3	3	22.52	17.97	0.063
				6	0	22.52	17.97	0.063

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	700.5	23025	3	1	0	24.41	19.86	0.097
				1	8	24.26	19.71	0.094
				1	14	24.25	19.70	0.093
				8	0	23.25	18.70	0.074
				8	4	23.25	18.70	0.074
				8	7	23.24	18.69	0.074
				15	0	23.40	18.85	0.077
	707.5	23095		1	0	24.33	19.78	0.095
				1	8	24.35	19.80	0.095
				1	14	24.34	19.79	0.095
				8	0	23.35	18.80	0.076
				8	4	23.38	18.83	0.076
				8	7	23.43	18.88	0.077
				15	0	23.41	18.86	0.077
	714.5	23165		1	0	24.43	19.88	0.097
				1	8	24.57	20.02	0.100
				1	14	24.55	20.00	0.100
				8	0	23.32	18.77	0.075
				8	4	23.42	18.87	0.077
				8	7	23.42	18.87	0.077
				15	0	23.32	18.77	0.075
16QAM	700.5	23025	1	0	23.73	19.18	0.083	
			1	8	23.43	18.88	0.077	
			1	14	23.53	18.98	0.079	
			8	0	22.61	18.06	0.064	
			8	4	22.60	18.05	0.064	
			8	7	22.60	18.05	0.064	
			15	0	22.37	17.82	0.061	
	707.5	23095	1	0	23.59	19.04	0.080	
			1	8	23.56	19.01	0.080	
			1	14	23.48	18.93	0.078	
			8	0	22.32	17.77	0.060	
			8	4	22.42	17.87	0.061	
			8	7	22.39	17.84	0.061	
			15	0	22.35	17.80	0.060	
	714.5	23165	1	0	23.26	18.71	0.074	
			1	8	23.28	18.73	0.075	
			1	14	23.13	18.58	0.072	
			8	0	22.43	17.88	0.061	
			8	4	22.55	18.00	0.063	
			8	7	22.42	17.87	0.061	
			15	0	22.24	17.69	0.059	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	700.5	23025	3	1	0	22.38	17.83	0.061
				1	8	22.37	17.82	0.061
				1	14	22.37	17.82	0.061
				8	0	22.37	17.82	0.061
				8	4	22.37	17.82	0.061
				8	7	22.37	17.82	0.061
				15	0	22.37	17.82	0.061
	707.5	23095		1	0	22.44	17.89	0.062
				1	8	22.40	17.85	0.061
				1	14	22.39	17.84	0.061
				8	0	22.36	17.81	0.060
				8	4	22.36	17.81	0.060
				8	7	22.35	17.80	0.060
				15	0	22.44	17.89	0.062
	714.5	23165		1	0	22.24	17.69	0.059
				1	8	22.19	17.64	0.058
				1	14	22.19	17.64	0.058
				8	0	22.19	17.64	0.058
				8	4	22.25	17.70	0.059
				8	7	22.20	17.65	0.058
				15	0	22.19	17.64	0.058

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	701.5	23035	5	1	0	24.46	19.91	0.098
				1	12	24.28	19.73	0.094
				1	24	24.27	19.72	0.094
				12	0	23.31	18.76	0.075
				12	7	23.21	18.66	0.073
				12	13	23.35	18.80	0.076
				25	0	23.28	18.73	0.075
	707.5	23095		1	0	24.44	19.89	0.097
				1	12	24.36	19.81	0.096
				1	24	24.36	19.81	0.096
				12	0	23.43	18.88	0.077
				12	7	23.42	18.87	0.077
				12	13	23.42	18.87	0.077
				25	0	23.38	18.83	0.076
	713.5	23155		1	0	24.42	19.87	0.097
				1	12	24.37	19.82	0.096
				1	24	24.35	19.80	0.095
				12	0	23.47	18.92	0.078
				12	7	23.40	18.85	0.077
				12	13	23.40	18.85	0.077
				25	0	23.39	18.84	0.077
16QAM	701.5	23035		1	0	22.53	17.98	0.063
				1	12	22.63	18.08	0.064
				1	24	22.53	17.98	0.063
				12	0	22.22	17.67	0.058
				12	7	22.39	17.84	0.061
				12	13	22.24	17.69	0.059
				25	0	22.38	17.83	0.061
	707.5	23095	1	0	23.32	18.77	0.075	
			1	12	23.44	18.89	0.077	
			1	24	23.44	18.89	0.077	
			12	0	22.38	17.83	0.061	
			12	7	22.24	17.69	0.059	
			12	13	22.14	17.59	0.057	
			25	0	22.25	17.70	0.059	
	713.5	23155	1	0	23.07	18.52	0.071	
			1	12	23.00	18.45	0.070	
			1	24	22.99	18.44	0.070	
			12	0	22.09	17.54	0.057	
			12	7	22.05	17.50	0.056	
			12	13	22.05	17.50	0.056	
			25	0	22.13	17.58	0.057	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	701.5	23035	5	1	0	22.38	17.83	0.061
				1	12	22.38	17.83	0.061
				1	24	22.38	17.83	0.061
				12	0	22.38	17.83	0.061
				12	7	22.33	17.78	0.060
				12	13	22.38	17.83	0.061
				25	0	22.33	17.78	0.060
	707.5	23095		1	0	22.25	17.70	0.059
				1	12	22.25	17.70	0.059
				1	24	22.25	17.70	0.059
				12	0	22.30	17.75	0.060
				12	7	22.29	17.74	0.059
				12	13	22.26	17.71	0.059
				25	0	22.25	17.70	0.059
	713.5	23155		1	0	22.13	17.58	0.057
				1	12	22.13	17.58	0.057
				1	24	22.13	17.58	0.057
				12	0	22.14	17.59	0.057
				12	7	22.30	17.75	0.060
				12	13	22.39	17.84	0.061
				25	0	22.29	17.74	0.059

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	704	23060	10	1	0	24.15	19.60	0.091
				1	25	24.43	19.88	0.097
				1	49	24.42	19.87	0.097
				25	0	23.35	18.80	0.076
				25	12	23.22	18.67	0.074
				25	25	23.23	18.68	0.074
				50	0	23.31	18.76	0.075
	707.5	23095		1	0	24.29	19.74	0.094
				1	25	24.33	19.78	0.095
				1	49	24.33	19.78	0.095
				25	0	23.22	18.67	0.074
				25	12	23.47	18.92	0.078
				25	25	23.34	18.79	0.076
				50	0	23.23	18.68	0.074
	711	23130		1	0	24.59	20.04	0.101
				1	25	24.67	20.12	0.103
				1	49	24.51	19.96	0.099
				25	0	23.40	18.85	0.077
				25	12	23.22	18.67	0.074
				25	25	23.45	18.90	0.078
				50	0	23.39	18.84	0.077
16QAM	704	23060		1	0	23.75	19.20	0.083
				1	25	23.56	19.01	0.080
				1	49	23.63	19.08	0.081
				25	0	22.27	17.72	0.059
				25	12	22.15	17.60	0.058
				25	25	22.16	17.61	0.058
				50	0	22.35	17.80	0.060
	707.5	23095	1	0	23.89	19.34	0.086	
			1	25	24.04	19.49	0.089	
			1	49	24.05	19.50	0.089	
			25	0	22.39	17.84	0.061	
			25	12	22.73	18.18	0.066	
			25	25	22.68	18.13	0.065	
			50	0	22.32	17.77	0.060	
	711	23130	1	0	23.17	18.62	0.073	
			1	25	23.09	18.54	0.071	
			1	49	23.08	18.53	0.071	
			25	0	22.81	18.26	0.067	
			25	12	22.49	17.94	0.062	
			25	25	22.45	17.90	0.062	
			50	0	22.74	18.19	0.066	

Modulation	Carrier frequern cy (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	704	23060	10	1	0	22.34	17.79	0.060
				1	25	22.34	17.79	0.060
				1	49	22.34	17.79	0.060
				25	0	22.34	17.79	0.060
				25	12	22.34	17.79	0.060
				25	25	22.34	17.79	0.060
				50	0	22.34	17.79	0.060
	707.5	23095		1	0	22.44	17.89	0.062
				1	25	22.59	18.04	0.064
				1	49	22.65	18.10	0.065
				25	0	22.70	18.15	0.065
				25	12	22.35	17.80	0.060
				25	25	22.61	18.06	0.064
				50	0	22.61	18.06	0.064
	711	23130		1	0	22.74	18.19	0.066
				1	25	22.74	18.19	0.066
				1	49	22.62	18.07	0.064
				25	0	22.62	18.07	0.064
				25	12	22.62	18.07	0.064
				25	25	22.62	18.07	0.064
				50	0	22.62	18.07	0.064