



Report No.: SEWM2302000052RG02

Rev.: 01

Page: 1 of 3

Appendix B.12

LTE Band 71



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国（江苏）自由贸易试验区苏州片区苏州工业园区润胜路1号6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Effective (Isotropic) Radiated Power Output Data

Test for Spot check the max BW power:

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	ERP (dBm)	Limit (dBm)	Verdict
Band71	20MHz	QPSK	133222	1RB#0	22.85	17.55	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#50	23.22	17.92	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#99	22.69	17.39	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.21	16.91	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#25	22.30	17.00	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#50	21.88	16.58	34.77	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.01	16.71	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#0	22.76	17.46	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#50	23.11	17.81	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#99	22.54	17.24	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.09	16.79	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#25	22.09	16.79	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#50	21.79	16.49	34.77	PASS
Band71	20MHz	QPSK	133322	100RB#0	21.88	16.58	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#0	22.88	17.58	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#50	23.31	18.01	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#99	22.67	17.37	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.21	16.91	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#25	22.26	16.96	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#50	21.99	16.69	34.77	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.04	16.74	34.77	PASS

Field Strength of Spurious Radiation

Test for spot check:

Test Band = LTE Band 71_ TM1

Test Channel = Mid

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1348.18	51.95	-48.77	25.50	-66.58	-13.00	53.58	215	112	Horizontal
2	2022.27	49.91	-48.04	26.95	-66.44	-13.00	53.44	226	357	Horizontal
3	2696.36	44.50	-47.07	28.57	-69.26	-13.00	56.26	146	156	Horizontal
4	3370.45	42.03	-46.23	29.45	-70.01	-13.00	57.01	283	229	Horizontal
5	4044.54	40.08	-45.46	30.67	-69.97	-13.00	56.97	201	96	Horizontal
6	4718.63	41.16	-44.56	31.93	-66.74	-13.00	53.74	169	243	Horizontal

Final Data List										
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1348.18	52.09	-48.77	25.50	-66.44	-13.00	53.44	258	43	Vertical
2	2022.27	49.07	-48.04	26.95	-67.28	-13.00	54.28	167	279	Vertical
3	2696.36	43.75	-47.07	28.57	-70.01	-13.00	57.01	142	3	Vertical
4	3370.45	42.22	-46.23	29.45	-69.82	-13.00	56.82	196	43	Vertical
5	4044.54	40.20	-45.46	30.67	-69.85	-13.00	56.85	215	355	Vertical
6	4718.63	40.74	-44.56	31.93	-67.16	-13.00	54.16	169	133	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---

