

Nalloy, LLC

REVISED TEST REPORT TO 104760-8

Model: XVZQ49

Tested to The Following Standards:

FCC Part 15 Subpart C Section(s)

15.207 & 15.247
(FHSS 902-928MHz)

Report No.: 104760-8A

Date of issue: April 6, 2021



Test Certificate # 803.01

This test report bears the accreditation symbol indicating that the testing performed herein meets the test and reporting requirements of ISO/IEC 17025 under the applicable scope of testing for CKC Laboratories, Inc.

We strive to create long-term, trust based relationships by providing sound, adaptive, customer first testing services. We embrace each of our customers' unique EMC challenges, not as an interruption to set processes, but rather as the reason we are in business.

This report contains a total of 70 pages and may be reproduced in full only. Partial reproduction may only be done with the written consent of CKC Laboratories, Inc.



TABLE OF CONTENTS

Administrative Information	3
Test Report Information	3
Revision History	Error! Bookmark not defined.
Report Authorization	3
Test Facility Information	4
Software Versions	4
Site Registration & Accreditation Information	4
Summary of Results	5
Modifications During Testing	5
Conditions During Testing	5
Equipment Under Test	6
General Product Information	7
FCC Part 15 Subpart C	10
15.247(a)(1)(i) Transmitter Characteristics	10
15.247(a)(1) 20 dB Bandwidth	10
15.247(a)(1) Carrier Separation	14
15.247(a)(1)(i) Number of Hopping Channels	15
15.247(a)(1)(i) Time of Occupancy	16
15.247(b)(2) Output Power	18
15.247(d) RF Conducted Emissions & Band Edge	25
15.247(d) Radiated Emissions & Band Edge	37
15.207 AC Conducted Emissions	61
Supplemental Information	69
Measurement Uncertainty	69
Emissions Test Details	69

ADMINISTRATIVE INFORMATION

Test Report Information

REPORT PREPARED FOR:

Nalloy, LLC
2301 5th Avenue
Seattle, WA 98108

Representative: Naga Suryadevara
Customer Reference Number: 2D-04568090

DATE OF EQUIPMENT RECEIPT:**DATE(S) OF TESTING:****REPORT PREPARED BY:**

Kim Romero
CKC Laboratories, Inc.
5046 Sierra Pines Drive
Mariposa, CA 95338

Project Number: 104760

December 11, 2020

December 11, 14, and 17, 2020

February 17, 2021

Revision History

Original: Testing of the Model: XVZQ49 to 15.207 & 15.247 (FHSS)

Revision A: To add Appendix for test set up photos. Update test method in section 15.247(b).

Report Authorization

The test data contained in this report documents the observed testing parameters pertaining to and are relevant for only the equipment provided by the client, tested in the agreed upon operational mode(s) and configuration(s) as identified herein. Compliance assessment remains the client's responsibility. This report may not be used to claim product endorsement by A2LA or any government agencies. This test report has been authorized for release under quality control from CKC Laboratories, Inc.



Steve Behm
Director of Quality Assurance & Engineering Services
CKC Laboratories, Inc.

Test Facility Information



Our laboratories are configured to effectively test a wide variety of product types. CKC utilizes first class test equipment, anechoic chambers, data acquisition and information services to create accurate, repeatable and affordable test results.

TEST LOCATION(S):
CKC Laboratories, Inc.
Canyon Park
22116 23rd Drive S.E., Suite A
Bothell, WA 98021

Software Versions

CKC Laboratories Proprietary Software	Version
EMITest Emissions	5.03.19

Site Registration & Accreditation Information

Location	*NIST CB #	FCC	Canada	Japan
Canyon Park, Bothell, WA	US0103	US1024	3082C	A-0136
Brea, CA	US0103	US1024	3082D	A-0136
Fremont, CA	US0103	US1024	3082B	A-0136
Mariposa, CA	US0103	US1024	3082A	A-0136

*CKC's list of NIST designated countries can be found at: <https://standards.gov/cabs/designations.html>

SUMMARY OF RESULTS

Standard / Specification: FCC Part 15 Subpart C - 15.247 (FHSS 902-928MHz)

Test Procedure	Description	Modifications	Results
15.247(a)(1)(i)	Occupied Bandwidth	NA	PASS
15.247(a)(1)	Carrier Separation	NA	PASS
15.247(a)(1)(i)	Number of Hopping Channels	NA	PASS
15.247(a)(1)(i)	Average Time of Occupancy	NA	PASS
15.247(b)(2)	Output Power	NA	PASS
15.247(d)	RF Conducted Emissions & Band Edge	NA	PASS
15.247(d)	Radiated Emissions & Band Edge	NA	PASS
15.207	AC Conducted Emissions	NA	PASS

NA = Not Applicable

ISO/IEC 17025 Decision Rule

The declaration of pass or fail herein is based upon assessment to the specification(s) listed above, including where applicable, assessment of measurement uncertainties. For performance related tests, equipment was monitored for specified criteria identified in that section of testing.

Modifications During Testing

This list is a summary of the modifications made to the equipment during testing.

Summary of Conditions

No modifications were made during testing.

Conditions During Testing

This list is a summary of the conditions noted to the equipment during testing.

Summary of Conditions

None

EQUIPMENT UNDER TEST (EUT)

During testing, numerous configurations may have been utilized. The configurations listed below support compliance to the standard(s) listed in the Summary of Results section.

Configuration 1

Equipment Tested:

Device	Manufacturer	Model #	S/N
NA	Nalloy, LLC	XVZQ49	(FCC ID 2AVOB-XVZQ49)

Support Equipment:

Device	Manufacturer	Model #	S/N
PoE Injector	Ubiquiti	GP-C500-120G XVZQ49	NA

Configuration 2

Equipment Tested:

Device	Manufacturer	Model #	S/N
NA	Nalloy, LLC	XVZQ49	(FCC ID 2AVOB-XVZQ49)

Support Equipment:

Device	Manufacturer	Model #	S/N
PoE Injector	Allnet	ALL048900V2	NA
Switching Power Supply (For PoE Injector)	Fuyuang	FY5502000	NA

Configuration 3

Equipment Tested:

Device	Manufacturer	Model #	S/N
NA	Nalloy, LLC	XVZQ49	(FCC ID 2AVOB-XVZQ49)

Support Equipment:


Device	Manufacturer	Model #	S/N
PoE Injector	Allnet	ALL048900V2	NA
Switching Power Supply (For PoE Injector)	Fuyuang	FY5502000	NA
Laptop	Lenovo	130S-11IGM	NA
Power Supply (for Laptop)	Lenovo	ADL45WCC	NA
Power Supply (for Module)	Maxtra	MA-305D	P7354

General Product Information:

Product Information	Manufacturer-Provided Details
Equipment Type:	Stand-Alone Equipment
Type of Wideband System:	Proprietary FHSS
Operating Frequency Range:	902.4-927.6MHz
Number of Hopping Channels:	64
Receiver Bandwidth and Synchronization:	The manufacturer declares the receiver input bandwidth matches the transmit channel bandwidth and shifts frequencies in synchronization with the transmitter.
Modulation Type(s):	GFSK-2
Maximum Duty Cycle:	100% as worst case
Number of TX Chains:	2
Antenna Type(s) and Gain:	Swivel Type Dipole, 2.5dBi declared per manufacturer
Beamforming Type:	NA
Antenna Connection Type:	External Connector
Nominal Input Voltage:	Module Input (3.3V nominal)
Firmware / Software used for Test:	Railtest_v2.2.0 Realterm 2.0.0.70


Block Diagram of Test Setup(s)

Test Setup Block Diagram




Configuration 1

Test Setup Block Diagram



Configuration 2

Test Setup Block Diagram



Configuration 3

FCC Part 15 Subpart C

15.247(a)(1)(i) Transmitter Characteristics

Test Setup/Conditions			
Test Location:	Bothell Lab Bench	Test Engineer:	M. Atkinson/M. Harrison
Test Method:	ANSI C63.10 (2013)	Test Date(s):	12/14/2020, 12/17/2020
Configuration:	1		
Test Setup:	EUT is continuously transmitting. EUT has 2 antenna ports, only 1 can be used at a time. Investigated both antenna ports, worst case data reported. Spectrum analyzer and appropriate attenuation connected to antenna port under test, external antenna is removed to make direct RF conducted measurements.		


Environmental Conditions			
Temperature (°C)	19-22	Relative Humidity (%):	34-40

Test Equipment					
Asset#	Description	Manufacturer	Model	Cal Date	Cal Due
02673	Spectrum Analyzer	Agilent	E4446A	2/22/2019	2/22/2021
P06007	Cable	Andrew	Heliac	1/20/2020	1/20/2022
P05748	Attenuator	Pasternack	PE7004-20	3/4/2020	3/4/2022


15.247(a)(1) 20 dB Bandwidth

Test Data Summary					
Frequency (MHz)	Antenna Port	Modulation	Measured (kHz)	Limit (kHz)	Results
902.4	0	GFSK-2	246.217	≤500	Pass
914.8	0	GFSK-2	247.315	≤500	Pass
927.6	0	GFSK-2	247.205	≤500	Pass
902.4	1	GFSK-2	247.720	≤500	Pass
914.8	1	GFSK-2	247.597	≤500	Pass
927.6	1	GFSK-2	247.209	≤500	Pass


Plot(s)




Low Channel, Antenna Port 0




Middle Channel, Antenna Port 0




High Channel, Antenna Port 0



Low Channel, Antenna Port 1



Middle Channel, Antenna Port 1




High Channel, Antenna Port 1

15.247(a)(1) Carrier Separation

Test Data Summary				
Limit applied: 20dB bandwidth of the hopping channel.				
Antenna Port	Operational Mode	Measured (kHz)	Limit (kHz)	Results
0, 1	Continuously Transmitting	400.8	>247.720	Pass


Plot(s)



15.247(a)(1)(i) Number of Hopping Channels

Test Data Summary				
$\text{Limit} = \begin{cases} 50 \text{ Channels} & 20 \text{ dB BW} < 250\text{kHz} \\ 25 \text{ Channels} & 20 \text{ dB BW} \geq 250\text{kHz} \end{cases}$				
Antenna Port	Operational Mode	Measured (Channels)	Limit (Channels)	Results
0, 1	Continuously Transmitting	64	≥ 50	Pass

Plot(s)



15.247(a)(1)(i) Time of Occupancy

Test Data Summary				
Observation Period, P_{obs} is derived from the following: $P_{obs} = \begin{cases} 20 \text{ Seconds} & 20 \text{ dB BW} < 250 \text{ kHz} \\ 10 \text{ Seconds} & 20 \text{ dB BW} \geq 250 \text{ kHz} \end{cases}$				
Antenna Port	Operational Mode	Measured (ms)	Limit (ms/ P_{obs})	Results
0, 1	Continuously Transmitting	303.2	≤ 400	Pass


Measured results are calculated as follows:

$$Dwell\ time = \left(\sum_{Bursts} RF\ Burst\ On\ Time + \sum_{Control} Control\ Signal\ On\ time \right) \Big|_{P_{obs}}$$


Actual Calculated Values:

Parameter	Value
Observation Period (P_{obs}):	20s
Number of RF Bursts / P_{obs} :	62
On time of RF Burst:	4.89ms
Number of Control or other signals / P_{obs} :	0
On time of Control or other Signals:	0
Total Measured On Time:	303.2ms

Plot(s)



7.56ms Pulse, 10s



7.56ms Pulse

Total On Time Measured = 7.56ms - (35.2mm/99.66mm) * 7.56ms = 4.89ms On Time

15.247(b)(2) Output Power

Test Setup/Conditions			
Test Location:	Bothell Lab Bench	Test Engineer:	M. Atkinson/M. Harrison
Test Method:	ANSI C63.10 (2013)	Test Date(s):	12/14/2020, 12/17/2020, and 2/17/2021
Configuration:	1 and 3		
Test Setup:	<p>EUT is continuously transmitting. EUT has 2 antenna ports, only 1 can be used at a time. Measurements collected on both antenna ports. Spectrum analyzer and appropriate attenuation connected to antenna port under test, external antenna is removed to make direct RF conducted measurements.</p> <p>Manufacturer declares this module will always be used with the internal attached UFL to SMA cable.</p> <p>Configuration 3 used for voltage variation only.</p>		

Environmental Conditions			
Temperature (°C)	19-22	Relative Humidity (%):	34-40

Test Equipment					
Asset#	Description	Manufacturer	Model	Cal Date	Cal Due
02673	Spectrum Analyzer	Agilent	E4446A	2/22/2019	2/22/2021
P06007	Cable	Andrew	Helix	1/20/2020	1/20/2022
P05748	Attenuator	Pasternack	PE7004-20	3/4/2020	3/4/2022
01318	Multimeter	Fluke	Fluke 85	7/22/2019	7/22/2021
02871	Spectrum Analyzer	Agilent	E4440A	3/12/2020	3/12/2022
P06008	Cable	Andrew	Helix	2/1/2021	2/1/2023
P05747	Attenuator	Pasternack	PE7004-20	7/1/2020	7/1/2022

Test Data Summary - Voltage Variations					
Frequency (MHz)	Ant Port	V _{Minimum} (dBm)	V _{Nominal} (dBm)	V _{Maximum} (dBm)	Max Deviation from V _{Nominal} (dB)
902.4	0	18.4	19.0	18.9	0.6
914.8	0	18.5	19.0	19.0	0.5
927.6	0	18.3	19.0	19.0	0.7
902.4	1	18.4	19.0	19.0	0.6
914.8	1	18.4	19.0	19.0	0.6
927.6	1	18.4	19.0	19.0	0.6

Test performed using operational mode with the highest output power, representing worst case.


Parameter Definitions:

Measurements performed at input voltage V_{Nominal} ± 15%.


Parameter	Value
V _{Nominal} :	3.3V
V _{Minimum} :	2.8V
V _{Maximum} :	3.8V

Test Data Summary - RF Conducted Measurement					
$Limit = \begin{cases} 30dBm \text{ Conducted} / 36dBm \text{ EIRP} & \geq 50 \text{ Channels} \\ 24dBm \text{ Conducted} / 30dBm \text{ EIRP} & < 50 \text{ Channels (min 25)} \end{cases}$					
Frequency (MHz)	Modulation	Ant. Type / Gain (dBi)	Measured (dBm)	Limit (dBm)	Results
902.4	GFSK-2	Port 0, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass
914.8	GFSK-2	Port 0, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass
927.6	GFSK-2	Port 0, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass
902.4	GFSK-2	Port 1, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass
914.8	GFSK-2	Port 1, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass
927.6	GFSK-2	Port 1, Swivel Type Dipole / 2.5dBi	19.0	≤30	Pass


Plots




Low Channel, Antenna Port 0




Middle Channel, Antenna Port 0




High Channel, Antenna Port 0



Low Channel, Antenna Port 1



Middle Channel, Antenna Port 1



High Channel, Antenna Port 1

Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(b) Power Output (902-928 MHz DTS)**
 Work Order #: **104760** Date: 12/14/2020
 Test Type: **Conducted Emissions** Time: 15:01:40
 Tested By: M. Harrison/M. Atkinson Sequence#: 11
 Software: EMITest 5.03.19 115VAC 60Hz

Equipment Tested:


Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10 (2013) Frequency Range: Fundamental Setup: Continuously Transmitting Antenna 0 and Antenna 1 ports measured Channels measured: (0) 902.4 MHz, (31) 914.8MHz High (63) 927.6MHz



Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T2	ANP06007	Cable	Helix	1/20/2020	1/20/2022
T3	ANP05748	Attenuator	PE7004-20	3/4/2020	3/4/2022

Measurement Data:

Reading listed by margin.

Test Lead: Line

#	Freq MHz	Rdng dBμV	T1 dB	T2 dB	T3 dB	Dist dB	Table	Corr dBμV	Spec dBμV	Margin dB	Polar Ant
1	927.600M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant1	-11.0	Line
2	914.800M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant1	-11.0	Line
3	902.400M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant1	-11.0	Line
4	927.600M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant0	-11.0	Line
5	914.800M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant0	-11.0	Line
6	902.400M	105.5	+0.0	+0.5	+20.0	+0.0		126.0	137.0 ant0	-11.0	Line

15.247(d) RF Conducted Emissions & Band Edge

Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) Conducted Spurious Emissions**
 Work Order #: **104760** Date: 12/17/2020
 Test Type: **Conducted Emissions** Time: 17:33:39
 Tested By: M. Harrison/M. Atkinson Sequence#: 12
 Software: EMITest 5.03.19 115VAC 60Hz

Equipment Tested:


Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions:
Temperature: 20°C
Relative Humidity: 33%
Pressure: 102.1kPa
Test Method: ANSI C63.10 (2013)
Frequency Range: 9kHz-10GHz
Setup:
Continuously Transmitting
Antenna 0 and Antenna 1 ports measured
Channels measured: (0) 902.4 MHz, (31) 914.8MHz High (63) 927.6MHz



Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T1	ANP06007	Cable	Helix	1/20/2020	1/20/2022
T2	ANP05748	Attenuator	PE7004-20	3/4/2020	3/4/2022

Measurement Data:

Reading listed by margin.

Test Lead: RF Port

#	Freq MHz	Rdng dBμV	T1 dB	T2 dB		Dist dB	Corr dBμV	Spec dBμV	Margin dB	Polar Ant
1	1804.000M	45.8	+0.6	+20.0		+0.0	66.4	105.9 ant1	-39.5	Ant1
2	1804.000M	44.9	+0.6	+20.0		+0.0	65.5	105.9 ant0	-40.4	Ant0
3	1832.000M	42.2	+0.7	+20.0		+0.0	62.9	105.9 ant0	-43.0	Ant0
4	1832.000M	41.7	+0.7	+20.0		+0.0	62.4	105.9 ant1	-43.5	Ant1
5	1851.000M	39.9	+0.7	+20.0		+0.0	60.6	105.9 ant0	-45.3	Ant0
6	1851.000M	39.3	+0.7	+20.0		+0.0	60.0	105.9 ant1	-45.9	Ant1

Band Edge

Band Edge Summary

Limit applied: Max Power/100kHz - 20dB.

Operating Mode: Single Channel (Low and High)

Frequency (MHz)	Modulation	Measured (dBμV)	Limit (dBμV)	Results
902 (Ant Port 0)	GFSK-2	78.3	<105.9	Pass
928 (Ant Port 0)	GFSK-2	73.7	<105.9	Pass
902 (Ant Port 1)	GFSK-2	78.4	<105.9	Pass
928 (Ant Port 1)	GFSK-2	73.6	<105.9	Pass



Band Edge Summary



Limit applied: Max Power/100kHz - 20dB.



Operating Mode: Hopping



Frequency (MHz)	Modulation	Measured (dBμV)	Limit (dBμV)	Results
902 (Ant Port 0)	GFSK-2	81.6	<105.9	Pass
928 (Ant Port 0)	GFSK-2	75.9	<105.9	Pass
902 (Ant Port 1)	GFSK-2	73.1	<105.9	Pass
928 (Ant Port 1)	GFSK-2	82.2	<105.9	Pass



Band Edge Plots



















Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) Conducted Spurious Emissions**
 Work Order #: **104760** Date: 12/17/2020
 Test Type: **Conducted Emissions** Time: 17:33:39
 Tested By: M. Harrison/M. Atkinson Sequence#: 12
 Software: EMITest 5.03.19 115VAC 60Hz

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10 (2013) Frequency Range: 9kHz-10GHz Setup: Continuously Transmitting Antenna 0 and Antenna 1 ports measured Channels measured: (0) 902.4 MHz, (31) 914.8MHz High (63) 927.6MHz
--

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T1	ANP06007	Cable	Helix	1/20/2020	1/20/2022
T2	ANP05748	Attenuator	PE7004-20	3/4/2020	3/4/2022

Measurement Data: Reading listed by margin.

Test Lead: RF Port

#	Freq MHz	Rdng dBμV	T1 dB	T2 dB			Dist Table	Corr dBμV	Spec dBμV	Margin dB	Polar Ant
1	902.000M	61.7	+0.5	+20.0			+0.0	82.2	105.9 ant1 hop	-23.7	RF Po
2	902.000M	61.1	+0.5	+20.0			+0.0	81.6	105.9 ant0 hop	-24.3	RF Po
3	902.000M	57.9	+0.5	+20.0			+0.0	78.4	105.9 ant1	-27.5	Ant1
4	902.000M	57.8	+0.5	+20.0			+0.0	78.3	105.9 ant0	-27.6	Ant0
5	928.000M	55.4	+0.5	+20.0			+0.0	75.9	105.9 ant0 hop	-30.0	RF Po
6	928.000M	53.2	+0.5	+20.0			+0.0	73.7	105.9 ant0	-32.2	Ant0
7	928.000M	53.1	+0.5	+20.0			+0.0	73.6	105.9 ant1	-32.3	Ant1
8	928.000M	52.6	+0.5	+20.0			+0.0	73.1	105.9 ant1 hop	-32.8	RF Po

15.247(d) Radiated Emissions & Band Edge

Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **104760** Date: 12/11/2020
 Test Type: **Maximized Emissions** Time: 12:09:14
 Tested By: M. Harrison/M. Atkinson Sequence#: 4
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			


Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10 (2013) Frequency Range: 9kHz-10GHz Setup: SBS Module Antenna 0 Low Channel (0) 902.4 MHz, Mid (31) 914.8MHz, High (63) 927.6MHz GFSK-2 100% Duty Cycle PWR Level Setting: 200 PWR Output: 20dBm POE powered

Nalloy, LLC W/O#: 104760 Sequence#: 4 Date: 12/11/2020
15.247(d) / 15.209 Radiated Spurious Emissions Test Distance: 3 Meters Various



— Readings
× QP Readings
▼ Ambient
○ Peak Readings
* Average Readings
Software Version: 5.03.19

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	AN03540	Preamp	83017A	5/13/2019	5/13/2021
T4	AN01467	Horn Antenna-ANSI C63.5 Calibration	3115	7/5/2019	7/5/2021
T5	ANP06243	Attenuator	54A-10	1/27/2020	1/27/2022
T6	ANP06515	Cable	Heliac	7/1/2020	7/1/2022
T7	ANP07505	Cable	CLU40-KMKM- 02.00F	1/17/2019	1/17/2021
T8	AN03170	High Pass Filter	HM1155-11SS	10/23/2019	10/23/2021
T9	AN00052	Loop Antenna	6502	5/4/2020	5/4/2022
T10	AN03628	Biconilog Antenna	3142E	6/11/2019	6/11/2021
T11	ANP06123	Attenuator	18N-6	4/5/2019	4/5/2021
T12	ANP05305	Cable	ETSI-50T	9/6/2019	9/6/2021
T13	ANP05360	Cable	RG214	2/3/2020	2/3/2022

Measurement Data:

Reading listed by margin.

Test Distance: 3 Meters

#	Freq	Rdng	T1 T5 T9 T13	T2 T6 T10	T3 T7 T11	T4 T8 T12	Dist	Corr	Spec	Margin	Polar
	MHz	dB μ V	dB	dB	dB	dB	Table	dB μ V/m	dB μ V/m	dB	Ant
1	37.550M	13.8	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.2	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	33.5	40.0	-6.5	Vert
Q ^P											
^	37.550M	19.5	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.2	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	39.2	40.0	-0.8	Vert
3	172.135M	18.4	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.9	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	35.7	43.5	-7.8	Vert
Q ^P											
^	172.135M	21.5	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.9	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	38.8	43.5	-4.7	Vert
5	2782.770M	33.3	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.5 +0.4 +0.0	+0.0	42.0	54.0	-12.0	Vert
Ave											
^	2782.770M	41.9	+0.0 +0.0 +0.0 +0.0	+0.7 +0.0 +0.0	+0.0 +0.0 +5.9	+0.0 +0.0 +2.6	+0.0	51.1	54.0	-2.9	Vert
7	3609.491M	26.9	+0.0 +9.8 +0.0 +0.0	+0.8 +3.4 +0.0	-33.8 +0.5 +0.0	+30.3 +0.5 +0.0	+0.0	38.4	54.0	-15.6	Vert
Ave											
^	3609.530M	38.9	+0.0 +9.8 +0.0 +0.0	+0.8 +3.4 +0.0	-33.8 +0.5 +0.0	+30.3 +0.5 +0.0	+0.0	50.4	54.0	-3.6	Vert
9	2707.298M	28.5	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.3 +0.4 +0.0	+0.0	37.0	54.0	-17.0	Vert
Ave											
^	2707.390M	41.4	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.3 +0.4 +0.0	+0.0	49.9	54.0	-4.1	Vert

11	1829.630M Ave	48.8	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	53.8	102.4	-48.6	Horiz
^	1829.590M	52.3	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	57.3	102.4	-45.1	Horiz
^	1829.610M	47.5	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	52.5	102.4	-49.9	Horiz
14	1804.884M Ave	48.5	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	53.3	102.4	-49.1	Horiz
15	1804.760M Ave	47.1	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	51.9	102.4	-50.5	Horiz
^	1804.842M	54.1	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	58.9	102.4	-43.5	Horiz
^	1804.760M	49.8	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	54.6	102.4	-47.8	Horiz
18	1804.892M Ave	46.7	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	51.5	102.4	-50.9	Vert
^	1804.820M	47.8	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	52.6	102.4	-49.8	Vert
20	1855.170M	46.0	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.5 +0.4 +0.0 +0.0	+0.0	51.3	102.4	-51.1	Vert
21	1829.600M Ave	45.3	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	50.3	102.4	-52.1	Vert
^	1829.640M	49.4	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	54.4	102.4	-48.0	Vert
23	1855.230M	44.9	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.5 +0.4 +0.0 +0.0	+0.0	50.2	102.4	-52.2	Horiz

24	1855.310M	44.8	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.6 +0.4 +0.0 +0.0	+0.0	50.2	102.4	-52.2	Vert
25	1855.230M	44.8	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.5 +0.4 +0.0 +0.0	+0.0	50.1	102.4	-52.3	Vert
26	864.050M QP	16.6	+0.0 +0.0 +0.0 +2.0	+0.3 +0.0 +23.8 +2.0	+0.0 +0.0 +5.8 +1.4	+0.0 +0.0 +1.4 +1.4	+0.0	49.9	102.4	-52.5	Vert
^	864.050M	20.3	+0.0 +0.0 +0.0 +2.0	+0.3 +0.0 +23.8 +2.0	+0.0 +0.0 +5.8 +1.4	+0.0 +0.0 +1.4 +1.4	+0.0	53.6	102.4	-48.8	Vert
28	188.100M	19.3	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.9 +0.8	+0.0 +0.0 +5.8 +0.7	+0.0 +0.0 +0.7 +0.7	+0.0	36.7	102.4	-65.7	Vert
29	179.815M QP	18.0	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0 +0.8	+0.0 +0.0 +5.8 +0.6	+0.0 +0.0 +0.6 +0.6	+0.0	35.4	102.4	-67.0	Vert
^	179.815M	21.4	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0 +0.8	+0.0 +0.0 +5.8 +0.6	+0.0 +0.0 +0.6 +0.6	+0.0	38.8	102.4	-63.6	Vert
31	192.550M QP	17.3	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.9 +0.8	+0.0 +0.0 +5.8 +0.7	+0.0 +0.0 +0.7 +0.7	+0.0	34.7	102.4	-67.7	Vert
^	192.550M	21.1	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.9 +0.8	+0.0 +0.0 +5.8 +0.7	+0.0 +0.0 +0.7 +0.7	+0.0	38.5	102.4	-63.9	Vert
33	31.580M	9.9	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +15.9 +0.3	+0.0 +0.0 +5.8 +0.3	+0.0 +0.0 +0.3 +0.3	+0.0	32.3	102.4	-70.1	Vert
34	19.052M	19.2	+0.0 +0.0 +7.6 +0.0	+0.1 +0.2 +0.0 +0.0	+0.0 +0.0 +0.0 +0.0	+0.0 +0.0 +0.0 +0.0	-40.0	-12.9	102.4	-115.3	Horiz
35	27.424M	18.9	+0.0 +0.0 +5.3 +0.0	+0.1 +0.3 +0.0 +0.0	+0.0 +0.0 +0.0 +0.0	+0.0 +0.0 +0.0 +0.0	-40.0	-15.4	102.4	-117.8	Horiz

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **103037** Date: 12/11/2020
 Test Type: **Maximized Emissions** Time: 12:05:06
 Tested By: M. Harrison/M. Atkinson Sequence#: 5
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			


Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10 (2013) Frequency Range: 9kHz to 10GHz Setup: SBS Antenna 1 Low Channel (0) 902.4 MHz, Mid (31) 914.8MHz, High (63) 927.6MHz GFSK-2 100% Duty Cycle PWR Level Setting: 200 PWR Output: 20dBm POE powered

Nalloy, LLC WO#: 103037 Sequence#: 5 Date: 12/11/2020
15.247(d) / 15.209 Radiated Spurious Emissions Test Distance: 3 Meters Various



— Readings
× QP Readings
▼ Ambient
○ Peak Readings
* Average Readings
Software Version: 5.03.19

1 - 15.247(d) / 15.209 Radiated Spurious Emissions

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	AN03540	Preamp	83017A	5/13/2019	5/13/2021
T4	AN01467	Horn Antenna-ANSI C63.5 Calibration	3115	7/5/2019	7/5/2021
T5	ANP06243	Attenuator	54A-10	1/27/2020	1/27/2022
T6	ANP06515	Cable	Heliac	7/1/2020	7/1/2022
T7	ANP07505	Cable	CLU40-KMKM- 02.00F	1/17/2019	1/17/2021
T8	AN03170	High Pass Filter	HM1155-11SS	10/23/2019	10/23/2021
T9	AN00052	Loop Antenna	6502	5/4/2020	5/4/2022
T10	AN03628	Biconilog Antenna	3142E	6/11/2019	6/11/2021
T11	ANP06123	Attenuator	18N-6	4/5/2019	4/5/2021
T12	ANP05305	Cable	ETSI-50T	9/6/2019	9/6/2021
T13	ANP05360	Cable	RG214	2/3/2020	2/3/2022

Measurement Data:

Reading listed by margin.

Test Distance: 3 Meters

#	Freq	Rdng	T1 T5 T9 T13	T2 T6 T10	T3 T7 T11	T4 T8 T12	Dist	Corr	Spec	Margin	Polar
	MHz	dBμV	dB	dB	dB	dB	Table	dBμV/m	dBμV/m	dB	Ant
1	37.573M	16.8	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.2	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	36.5	40.0	-3.5	Vert
QP											
^	37.573M	19.6	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.2	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	39.3	40.0	-0.7	Vert
3	172.592M	19.0	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.8	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	36.2	43.5	-7.3	Horiz
QP											
^	172.592M	21.6	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.8	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	38.8	43.5	-4.7	Horiz
5	3609.650M	27.7	+0.0 +9.8 +0.0 +0.0	+0.8 +3.4 +0.0	-33.8 +0.5 +0.0	+30.3 +0.5 +0.0	+0.0	39.2	54.0	-14.8	Horiz
Ave											
^	3609.630M	38.2	+0.0 +9.8 +0.0 +0.0	+0.8 +3.4 +0.0	-33.8 +0.5 +0.0	+30.3 +0.5 +0.0	+0.0	49.7	54.0	-4.3	Horiz
^	3609.650M	37.6	+0.0 +9.8 +0.0 +0.0	+0.8 +3.4 +0.0	-33.8 +0.5 +0.0	+30.3 +0.5 +0.0	+0.0	49.1	54.0	-4.9	Horiz
8	2782.760M	29.9	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.5 +0.4 +0.0	+0.0	38.6	54.0	-15.4	Horiz
Ave											
^	2782.760M	39.7	+0.0 +0.0 +0.0 +0.0	+0.7 +0.0 +0.0	+0.0 +0.0 +5.9	+0.0 +0.0 +2.6	+0.0	48.9	54.0	-5.1	Horiz
10	2707.450M	29.7	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.3 +0.4 +0.0	+0.0	38.2	54.0	-15.8	Horiz
Ave											
^	2707.450M	42.4	+0.0 +10.0 +0.0 +0.0	+0.7 +2.9 +0.0	-34.1 +0.3 +0.0	+28.3 +0.4 +0.0	+0.0	50.9	54.0	-3.1	Horiz

12	1804.900M Ave	48.0	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	52.8	102.4	-49.6	Horiz
^	1804.900M	51.7	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	56.5	102.4	-45.9	Horiz
14	1829.550M Ave	47.5	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	52.5	102.4	-49.9	Horiz
^	1829.550M	51.0	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.3 +0.4 +0.0 +0.0	+0.0	56.0	102.4	-46.4	Horiz
16	1855.358M Ave	46.0	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.6 +0.4 +0.0 +0.0	+0.0	51.4	102.4	-51.0	Horiz
^	1855.340M	50.5	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.6 +0.4 +0.0 +0.0	+0.0	55.9	102.4	-46.5	Horiz
18	1804.850M	46.5	+0.0 +10.0 +0.0 +0.0	+0.5 +2.3 +0.0 +0.0	-34.8 +0.2 +0.0 +0.0	+26.1 +0.5 +0.0 +0.0	+0.0	51.3	102.4	-51.1	Vert
19	1855.180M	44.4	+0.0 +10.0 +0.0 +0.0	+0.5 +2.4 +0.0 +0.0	-34.7 +0.2 +0.0 +0.0	+26.5 +0.4 +0.0 +0.0	+0.0	49.7	102.4	-52.7	Vert
20	838.000M QP	13.0	+0.0 +0.0 +0.0 +2.0	+0.3 +0.0 +23.7 +0.0	+0.0 +0.0 +5.8 +0.0	+0.0 +0.0 +1.4 +0.0	+0.0	46.2	102.4	-56.2	Vert
^	838.000M	18.0	+0.0 +0.0 +0.0 +2.0	+0.3 +0.0 +23.7 +0.0	+0.0 +0.0 +5.8 +0.0	+0.0 +0.0 +1.4 +0.0	+0.0	51.2	102.4	-51.2	Vert
22	36.049M QP	19.7	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.8 +0.3	+0.0 +0.0 +5.8 +0.3	+0.0 +0.0 +0.3 +0.0	+0.0	40.0	102.4	-62.4	Vert
^	36.049M	21.7	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +13.8 +0.3	+0.0 +0.0 +5.8 +0.3	+0.0 +0.0 +0.3 +0.0	+0.0	42.0	102.4	-60.4	Vert
24	183.300M	19.1	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0 +0.0	+0.0 +0.0 +5.8 +0.6	+0.0 +0.0 +0.6 +0.0	+0.0	36.5	102.4	-65.9	Vert

25	183.781M	18.9	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	36.3	102.4	-66.1	Vert
26	174.500M	18.9	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +9.8	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	36.1	102.4	-66.3	Vert
27	38.569M QP	16.6	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +12.8	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	35.9	102.4	-66.5	Vert
^	38.569M	19.5	+0.0 +0.0 +0.0 +0.3	+0.1 +0.0 +12.8	+0.0 +0.0 +5.8	+0.0 +0.0 +0.3	+0.0	38.8	102.4	-63.6	Vert
29	182.733M QP	13.0	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	30.4	102.4	-72.0	Vert
^	182.733M	17.8	+0.0 +0.0 +0.0 +0.8	+0.2 +0.0 +10.0	+0.0 +0.0 +5.8	+0.0 +0.0 +0.6	+0.0	35.2	102.4	-67.2	Vert
31	18.010M	23.7	+0.0 +0.0 +8.0 +0.0	+0.1 +0.2 +0.0	+0.0 +0.0 +0.0	+0.0 +0.0 +0.0	-40.0	-8.0	102.4	-110.4	Groun
32	28.291M	23.3	+0.0 +0.0 +4.9 +0.0	+0.1 +0.3 +0.0	+0.0 +0.0 +0.0	+0.0 +0.0 +0.0	-40.0	-11.4	102.4	-113.8	Para
33	21.568M	19.8	+0.0 +0.0 +7.0 +0.0	+0.1 +0.2 +0.0	+0.0 +0.0 +0.0	+0.0 +0.0 +0.0	-40.0	-12.9	102.4	-115.3	Perp
34	18.543M	17.9	+0.0 +0.0 +7.8 +0.0	+0.1 +0.2 +0.0	+0.0 +0.0 +0.0	+0.0 +0.0 +0.0	-40.0	-14.0	102.4	-116.4	Para
35	30.000M	21.0	+0.0 +0.0 +4.2 +0.0	+0.1 +0.3 +0.0	+0.0 +0.0 +0.0	+0.0 +0.0 +0.0	-40.0	-14.4	102.4	-116.8	Para

36	28.176M	19.7	+0.0	+0.1	+0.0	+0.0	-40.0	-14.9	102.4	-117.3	Perp
			+0.0	+0.3	+0.0	+0.0					
			+5.0	+0.0	+0.0	+0.0					
			+0.0								
37	28.171M	17.8	+0.0	+0.1	+0.0	+0.0	-40.0	-16.8	102.4	-119.2	Para
			+0.0	+0.3	+0.0	+0.0					
			+5.0	+0.0	+0.0	+0.0					
			+0.0								
38	20.583M	13.1	+0.0	+0.1	+0.0	+0.0	-40.0	-19.4	102.4	-121.8	Para
			+0.0	+0.2	+0.0	+0.0					
			+7.2	+0.0	+0.0	+0.0					
			+0.0								

Band Edge

Band Edge Summary

Operating Mode: Single Channel (Low and High)



Frequency (MHz)	Modulation	Ant. Type	Field Strength (dBuV/m @3m)	Limit (dBuV/m @3m)	Results
614 (Port 0)	GFSK-2	Swivel Type Dipole	39.6	<46	Pass
902 (Port 0)	GFSK-2	Swivel Type Dipole	76	<102.4	Pass
928 (Port 0)	GFSK-2	Swivel Type Dipole	72.1	<102.4	Pass
960 (Port 0)	GFSK-2	Swivel Type Dipole	46.4	<54	Pass
614 (Port 1)	GFSK-2	Swivel Type Dipole	39.5	<46	Pass
902 (Port 1)	GFSK-2	Swivel Type Dipole	75.7	<102.4	Pass
928 (Port 1)	GFSK-2	Swivel Type Dipole	69.2	<102.4	Pass
960 (Port 1)	GFSK-2	Swivel Type Dipole	46.1	<54	Pass



Band Edge Summary



Operating Mode: Hopping



Frequency (MHz)	Modulation	Ant. Type	Field Strength (dBuV/m @3m)	Limit (dBuV/m @3m)	Results
614 (Port 0)	GFSK-2	Swivel Type Dipole	39.5	<46	Pass
902 (Port 0)	GFSK-2	Swivel Type Dipole	79.8	<102.4	Pass
928 (Port 0)	GFSK-2	Swivel Type Dipole	65.8	<102.4	Pass
960 (Port 0)	GFSK-2	Swivel Type Dipole	43.8	<54	Pass
614 (Port 1)	GFSK-2	Swivel Type Dipole	39.5	<46	Pass
902 (Port 1)	GFSK-2	Swivel Type Dipole	79	<102.4	Pass
928 (Port 1)	GFSK-2	Swivel Type Dipole	70	<102.4	Pass
960 (Port 1)	GFSK-2	Swivel Type Dipole	43.9	<54	Pass



Band Edge Plots























Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 9802 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **104760** Date: 12/17/2020
 Test Type: **Maximized Emissions** Time: 15:51:38
 Tested By: M. Harrison/M. Atkinson Sequence#: 8
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10: 2013 Frequency Range: 614-960 MHz Setup: SBS Module Antenna 0 Low Channel (0) 902.4 MHz, High (63) 927.6MHz GFSK-2 100% Duty Cycle PWR Level Setting: 200 PWR Output: 20dBm POE powered.

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	AN03628	Biconilog Antenna	3142E	6/11/2019	6/11/2021
T4	ANP06123	Attenuator	18N-6	4/5/2019	4/5/2021
T5	ANP05305	Cable	ETSI-50T	9/6/2019	9/6/2021
T6	ANP05360	Cable	RG214	2/3/2020	2/3/2022

Measurement Data:

Reading listed by margin.

Test Distance: 3 Meters

#	Freq	Rdng	T1 T5	T2 T6	T3	T4	Dist	Corr	Spec	Margin	Polar
	MHz	dB μ V	dB	dB	dB	dB	Table	dB μ V/m	dB μ V/m	dB	Ant
1	902.343M	89.0	+0.0 +1.4	+0.3 +2.1	+23.8	+5.8	+0.0	122.4	122.4 SC	+0.0	Vert
2	614.000M QP	9.4	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	39.6	46.0 SC	-6.4	Vert
3	614.000M QP	9.3	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	39.5	46.0 Hop	-6.5	Vert
^	614.000M	15.1	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	45.3	46.0 SC	-0.7	Vert
^	614.000M	14.8	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	45.0	46.0 Hop	-1.0	Vert
6	960.000M QP	9.3	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	43.8	54.0 Hop	-10.2	Vert
^	960.000M	14.6	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	49.1	54.0 Hop	-4.9	Vert
^	960.000M	11.9	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	46.4	54.0 SC	-7.6	Vert
9	902.000M	46.4	+0.0 +1.4	+0.3 +2.1	+23.8	+5.8	+0.0	79.8	102.4 Hop	-22.6	Vert
10	902.000M	42.6	+0.0 +1.4	+0.3 +2.1	+23.8	+5.8	+0.0	76.0	102.4 SC	-26.4	Vert
11	928.000M	38.0	+0.0 +1.5	+0.4 +2.2	+24.2	+5.8	+0.0	72.1	102.4 SC	-30.3	Vert
12	928.000M	31.2	+0.0 +1.5	+0.4 +2.2	+24.2	+5.8	+0.0	65.3	102.4 Hop	-37.1	Vert

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC (4362)
 Customer: **Nalloy, LLC**
 Specification: **15.247(d) / 15.209 Radiated Spurious Emissions**
 Work Order #: **104760** Date: 12/17/2020
 Test Type: **Maximized Emissions** Time: 16:06:58
 Tested By: M. Harrison/M. Atkinson Sequence#: 9
 Software: EMITest 5.03.19

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 1			

Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 1			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 20°C Relative Humidity: 33% Pressure: 102.1kPa Test Method: ANSI C63.10: 2013 Frequency Range: 600-970MHz Setup: SBS Module Antenna 1 Low Channel (0) 902.4 MHz, High (63) 927.6MHz GFSK-2 100% Duty Cycle PWR Level Setting: 200 PWR Output: 20dBm POE powered.
--

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
T1	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	AN03628	Biconilog Antenna	3142E	6/11/2019	6/11/2021
T4	ANP06123	Attenuator	18N-6	4/5/2019	4/5/2021
T5	ANP05305	Cable	ETSI-50T	9/6/2019	9/6/2021
T6	ANP05360	Cable	RG214	2/3/2020	2/3/2022

Measurement Data:

Reading listed by margin.

Test Distance: 3 Meters

#	Freq	Rdng	T1 T5	T2 T6	T3	T4	Dist	Corr	Spec	Margin	Polar
	MHz	dB μ V	dB	dB	dB	dB	Table	dB μ V/m	dB μ V/m	dB	Ant
1	614.000M QP	9.3	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	39.5	46.0 Hop	-6.5	Vert
2	614.000M QP	9.3	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	39.5	46.0 SC	-6.5	Vert
^	614.000M	15.8	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	46.0	46.0 Hop	+0.0	Vert
^	614.000M	14.5	+0.0 +1.2	+0.3 +1.7	+21.2	+5.8	+0.0	44.7	46.0 SC	-1.3	Vert
5	960.000M QP	9.4	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	43.9	54.0 Hop	-10.1	Vert
^	960.000M	14.7	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	49.2	54.0 Hop	-4.8	Vert
^	960.000M	11.6	+0.0 +1.5	+0.4 +2.2	+24.6	+5.8	+0.0	46.1	54.0 SC	-7.9	Vert
8	902.000M	45.6	+0.0 +1.4	+0.3 +2.1	+23.8	+5.8	+0.0	79.0	102.4 Hop	-23.4	Vert
9	902.000M	42.3	+0.0 +1.4	+0.3 +2.1	+23.8	+5.8	+0.0	75.7	102.4 SC	-26.7	Vert
10	928.000M	35.9	+0.0 +1.5	+0.4 +2.2	+24.2	+5.8	+0.0	70.0	102.4 Hop	-32.4	Vert
11	928.000M	35.1	+0.0 +1.5	+0.4 +2.2	+24.2	+5.8	+0.0	69.2	102.4 SC	-33.2	Vert

15.207 AC Conducted Emissions

Test Setup / Conditions / Data

Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC
 Customer: **Nalloy, LLC**
 Specification: **15.207 AC Mains - Average**
 Work Order #: **104760** Date: 12/14/2020
 Test Type: **Conducted Emissions** Time: 10:09:11
 Tested By: Michael Atkinson Sequence#: 14
 Software: EMITest 5.03.19 115VAC 60Hz

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 2			


Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 2			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 19°C Relative Humidity: 34% Pressure: 102.0kPa Test Method: ANSI C63.10 (2013) Frequency Range: 0.15-30MHz Setup: Continuously transmitting. Antenna 0 and antenna 1 investigated, worst case reported. Low, mid, and high channels investigated, worst case reported.

Nalloy, LLC WO#: 104760 Sequence#: 14 Date: 12/14/2020
15.207 AC Mains - Average Test Lead: 115VAC 60Hz Line



— Sweep Data
× QP Readings
Software Version: 5.03.19
— Readings
* Average Readings
— 1 - 15.207 AC Mains - Average
○ Peak Readings
▼ Ambient
— 2 - 15.207 AC Mains - Quasi-peak

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T1	AN02611	High Pass Filter	HE9615-150K-50-720B	1/10/2020	1/10/2022
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	ANP06515	Cable	Heliac	7/1/2020	7/1/2022
T4	ANP06219	Attenuator	768-10	4/7/2020	4/7/2022
T5	AN01311	50uH LISN-Line1 (L)	3816/2	2/24/2020	2/24/2022
	AN01311	50uH LISN-Line2 (N)	3816/2	2/24/2020	2/24/2022

Measurement Data:

Reading listed by margin.

Test Lead: Line

#	Freq	Rdng	T1 T5	T2	T3	T4	Dist	Corr	Spec	Margin	Polar
	MHz	dBμV	dB	dB	dB	dB	Table	dBμV	dBμV	dB	Ant
1	150.943k	24.6	+1.6	+0.0	+0.0	+9.1	+0.0	33.5	55.9	-22.4	Line
	Ave		-1.8								
^	150.943k	49.9	+1.6	+0.0	+0.0	+9.1	+0.0	58.8	55.9	+2.9	Line
			-1.8								
3	165.824k	24.6	+0.5	+0.0	+0.0	+9.1	+0.0	32.6	55.2	-22.6	Line
	Ave		-1.6								
^	165.824k	52.6	+0.5	+0.0	+0.0	+9.1	+0.0	60.6	55.2	+5.4	Line
			-1.6								
5	185.212k	23.0	+0.3	+0.0	+0.0	+9.1	+0.0	31.1	54.2	-23.1	Line
	Ave		-1.3								
^	185.212k	50.5	+0.3	+0.0	+0.0	+9.1	+0.0	58.6	54.2	+4.4	Line
			-1.3								
7	204.495k	21.1	+0.2	+0.0	+0.0	+9.1	+0.0	29.2	53.4	-24.2	Line
	Ave		-1.2								
8	335.437k	15.4	+0.1	+0.0	+0.0	+9.1	+0.0	24.0	49.3	-25.3	Line
	Ave		-0.6								
^	335.437k	38.9	+0.1	+0.0	+0.0	+9.1	+0.0	47.5	49.3	-1.8	Line
			-0.6								
10	203.237k	20.0	+0.2	+0.0	+0.0	+9.1	+0.0	28.1	53.5	-25.4	Line
	Ave		-1.2								
11	221.891k	18.9	+0.3	+0.0	+0.0	+9.1	+0.0	27.3	52.7	-25.4	Line
	Ave		-1.0								
12	225.664k	18.5	+0.3	+0.0	+0.0	+9.1	+0.0	26.9	52.6	-25.7	Line
	Ave		-1.0								
13	222.625k	18.6	+0.3	+0.0	+0.0	+9.1	+0.0	27.0	52.7	-25.7	Line
	Ave		-1.0								
^	221.891k	46.9	+0.3	+0.0	+0.0	+9.1	+0.0	55.3	52.7	+2.6	Line
			-1.0								
^	222.625k	46.9	+0.3	+0.0	+0.0	+9.1	+0.0	55.3	52.7	+2.6	Line
			-1.0								
16	191.500k	19.5	+0.3	+0.0	+0.0	+9.1	+0.0	27.6	54.0	-26.4	Line
	Ave		-1.3								
17	200.932k	18.5	+0.2	+0.0	+0.0	+9.1	+0.0	26.6	53.6	-27.0	Line
	Ave		-1.2								
^	204.494k	48.7	+0.2	+0.0	+0.0	+9.1	+0.0	56.8	53.4	+3.4	Line
			-1.2								
^	203.237k	48.7	+0.2	+0.0	+0.0	+9.1	+0.0	56.8	53.5	+3.3	Line
			-1.2								
20	278.651k	14.7	+0.1	+0.0	+0.0	+9.1	+0.0	23.1	50.9	-27.8	Line
	Ave		-0.8								
^	278.650k	42.0	+0.1	+0.0	+0.0	+9.1	+0.0	50.4	50.9	-0.5	Line
			-0.8								
22	259.781k	15.2	+0.2	+0.0	+0.0	+9.1	+0.0	23.6	51.4	-27.8	Line
	Ave		-0.9								
^	259.781k	43.6	+0.2	+0.0	+0.0	+9.1	+0.0	52.0	51.4	+0.6	Line
			-0.9								

24	239.602k Ave	15.9	+0.2 -1.0	+0.0	+0.0	+9.1	+0.0	24.2	52.1	-27.9	Line
^	239.602k	45.2	+0.2 -1.0	+0.0	+0.0	+9.1	+0.0	53.5	52.1	+1.4	Line
26	315.856k Ave	13.0	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	21.5	49.8	-28.3	Line
^	315.855k	39.4	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	47.9	49.8	-1.9	Line
28	229.332k Ave	15.6	+0.3 -1.0	+0.0	+0.0	+9.1	+0.0	24.0	52.5	-28.5	Line
^	225.664k	45.9	+0.3 -1.0	+0.0	+0.0	+9.1	+0.0	54.3	52.6	+1.7	Line
^	229.332k	43.2	+0.3 -1.0	+0.0	+0.0	+9.1	+0.0	51.6	52.5	-0.9	Line
31	294.672k Ave	13.2	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	21.7	50.4	-28.7	Line
^	294.672k	40.7	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	49.2	50.4	-1.2	Line
33	175.152k Ave	17.7	+0.4 -1.4	+0.0	+0.0	+9.1	+0.0	25.8	54.7	-28.9	Line
^	175.151k	47.6	+0.4 -1.4	+0.0	+0.0	+9.1	+0.0	55.7	54.7	+1.0	Line
35	197.578k Ave	16.2	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	24.3	53.7	-29.4	Line
^	200.931k	47.9	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	56.0	53.6	+2.4	Line
37	194.015k Ave	16.3	+0.3 -1.2	+0.0	+0.0	+9.1	+0.0	24.5	53.9	-29.4	Line
^	191.500k	47.7	+0.3 -1.3	+0.0	+0.0	+9.1	+0.0	55.8	54.0	+1.8	Line
^	197.578k	45.1	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	53.2	53.7	-0.5	Line
^	194.015k	45.0	+0.3 -1.2	+0.0	+0.0	+9.1	+0.0	53.2	53.9	-0.7	Line



Test Location: CKC Laboratories, Inc. • 22116 23rd Drive SE, Suite A • Bothell, WA 98021 • 1-800-500-4EMC
Customer: **Nalloy, LLC**
Specification: **15.207 AC Mains - Average**
Work Order #: **104760**
Test Type: **Conducted Emissions**
Tested By: Michael Atkinson
Software: EMITest 5.03.19

Date: 12/14/2020
Time: 09:58:57
Sequence#: 13
115VAC 60Hz

Equipment Tested:

Device	Manufacturer	Model #	S/N
Configuration 2			


Support Equipment:

Device	Manufacturer	Model #	S/N
Configuration 2			

Test Conditions / Notes:

Test Environment Conditions: Temperature: 19°C Relative Humidity: 34% Pressure: 102.0kPa Test Method: ANSI C63.10 (2013) Frequency Range: 0.15-30MHz Setup: Continuously transmitting. Antenna 0 and antenna 1 investigated, worst case reported. Low, mid, and high channels investigated, worst case reported.

Nalloy, LLC W/O#: 104760 Sequence#: 13 Date: 12/14/2020
15.207 AC Mains - Average Test Lead: 115VAC 60Hz Neutral



— Sweep Data
× QP Readings
Software Version: 5.03.19
— Readings
* Average Readings
— 1 - 15.207 AC Mains - Average
○ Peak Readings
▼ Ambient
— 2 - 15.207 AC Mains - Quasi-peak

Test Equipment:

ID	Asset #	Description	Model	Calibration Date	Cal Due Date
	AN02673	Spectrum Analyzer	E4446A	2/22/2019	2/22/2021
T1	AN02611	High Pass Filter	HE9615-150K-50-720B	1/10/2020	1/10/2022
T2	ANP06540	Cable	Heliac	8/23/2019	8/23/2021
T3	ANP06515	Cable	Heliac	7/1/2020	7/1/2022
T4	ANP06219	Attenuator	768-10	4/7/2020	4/7/2022
	AN01311	50uH LISN-Line1 (L)	3816/2	2/24/2020	2/24/2022
T5	AN01311	50uH LISN-Line2 (N)	3816/2	2/24/2020	2/24/2022

Measurement Data:

Reading listed by margin.

Test Lead: Neutral

#	Freq MHz	Rdng dBμV	T1 T5 dB	T2 dB	T3 dB	T4 dB	Dist Table	Corr dBμV	Spec dBμV	Margin dB	Polar Ant
1	340.244k Ave	22.8	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	31.4	49.2	-17.8	Neutr
^	340.243k	37.2	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	45.8	49.2	-3.4	Neutr
3	150.104k Ave	24.3	+2.4 -1.8	+0.0	+0.0	+9.1	+0.0	34.0	56.0	-22.0	Neutr
^	150.103k	50.0	+2.4 -1.8	+0.0	+0.0	+9.1	+0.0	59.7	56.0	+3.7	Neutr
5	167.605k Ave	24.8	+0.4 -1.5	+0.0	+0.0	+9.1	+0.0	32.8	55.1	-22.3	Neutr
^	167.605k	52.5	+0.4 -1.5	+0.0	+0.0	+9.1	+0.0	60.5	55.1	+5.4	Neutr
7	185.421k Ave	22.6	+0.3 -1.3	+0.0	+0.0	+9.1	+0.0	30.7	54.2	-23.5	Neutr
^	185.420k	50.3	+0.3 -1.3	+0.0	+0.0	+9.1	+0.0	58.4	54.2	+4.2	Neutr
9	203.236k Ave	20.1	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	28.2	53.5	-25.3	Neutr
10	350.213k Ave	14.9	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	23.5	49.0	-25.5	Neutr
^	350.212k	37.9	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	46.5	49.0	-2.5	Neutr
12	333.301k Ave	14.7	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	23.3	49.4	-26.1	Neutr
^	333.301k	38.2	+0.1 -0.6	+0.0	+0.0	+9.1	+0.0	46.8	49.4	-2.6	Neutr
14	221.052k Ave	17.7	+0.3 -1.0	+0.0	+0.0	+9.1	+0.0	26.1	52.8	-26.7	Neutr
^	221.052k	46.8	+0.3 -1.0	+0.0	+0.0	+9.1	+0.0	55.2	52.8	+2.4	Neutr
16	201.350k Ave	18.8	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	26.9	53.6	-26.7	Neutr
17	240.440k Ave	16.7	+0.2 -0.9	+0.0	+0.0	+9.1	+0.0	25.1	52.1	-27.0	Neutr
^	240.439k	44.8	+0.2 -0.9	+0.0	+0.0	+9.1	+0.0	53.2	52.1	+1.1	Neutr
19	312.652k Ave	14.0	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	22.5	49.9	-27.4	Neutr
^	312.651k	39.2	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	47.7	49.9	-2.2	Neutr
21	293.960k Ave	14.2	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	22.7	50.4	-27.7	Neutr
^	293.960k	40.6	+0.1 -0.7	+0.0	+0.0	+9.1	+0.0	49.1	50.4	-1.3	Neutr
23	258.713k Ave	15.0	+0.2 -0.8	+0.0	+0.0	+9.1	+0.0	23.5	51.5	-28.0	Neutr

24	199.988k	17.4	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	25.5	53.6	-28.1	Neutr
^	203.236k	48.5	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	56.6	53.5	+3.1	Neutr
^	201.350k	48.1	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	56.2	53.6	+2.6	Neutr
^	199.987k	47.1	+0.2 -1.2	+0.0	+0.0	+9.1	+0.0	55.2	53.6	+1.6	Neutr
28	276.515k	14.0	+0.1 -0.8	+0.0	+0.0	+9.1	+0.0	22.4	50.9	-28.5	Neutr
^	276.514k	41.8	+0.1 -0.8	+0.0	+0.0	+9.1	+0.0	50.2	50.9	-0.7	Neutr
30	254.273k	13.7	+0.2 -0.8	+0.0	+0.0	+9.1	+0.0	22.2	51.6	-29.4	Neutr
^	258.713k	43.3	+0.2 -0.8	+0.0	+0.0	+9.1	+0.0	51.8	51.5	+0.3	Neutr
^	254.273k	41.5	+0.2 -0.8	+0.0	+0.0	+9.1	+0.0	50.0	51.6	-1.6	Neutr
33	387.417k	9.4	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	18.2	48.1	-29.9	Neutr
^	387.417k	35.2	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	44.0	48.1	-4.1	Neutr
35	156.706k	17.6	+0.7 -1.7	+0.0	+0.0	+9.1	+0.0	25.7	55.6	-29.9	Neutr
^	156.706k	48.2	+0.7 -1.7	+0.0	+0.0	+9.1	+0.0	56.3	55.6	+0.7	Neutr
37	405.041k	8.3	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	17.1	47.7	-30.6	Neutr
38	402.727k	7.6	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	16.4	47.8	-31.4	Neutr
^	405.040k	34.1	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	42.9	47.7	-4.8	Neutr
^	402.726k	33.8	+0.2 -0.5	+0.0	+0.0	+9.1	+0.0	42.6	47.8	-5.2	Neutr

SUPPLEMENTAL INFORMATION

Measurement Uncertainty

Uncertainty Value	Parameter
4.73 dB	Radiated Emissions
3.34 dB	Mains Conducted Emissions
3.30 dB	Disturbance Power

Uncertainties reported are worst case for all CKC Laboratories' sites and represent expanded uncertainties expressed at approximately the 95% confidence level using a coverage factor of $k=2$. Compliance is deemed to occur provided measurements are below the specified limits.

Emissions Test Details

TESTING PARAMETERS

Unless otherwise indicated, the following configuration parameters are used for equipment setup: The cables were routed consistent with the typical application by varying the configuration of the test sample. Interface cables were connected to the available ports of the test unit. The effect of varying the position of the cables was investigated to find the configuration that produced maximum emissions. Cables were of the type and length specified in the individual requirements. The length of cable that produced maximum emissions was selected.

The equipment under test (EUT) was set up in a manner that represented its normal use, as shown in the setup photographs. Any special conditions required for the EUT to operate normally are identified in the comments that accompany the emissions tables.

The emissions data was taken with a spectrum analyzer or receiver. Incorporating the applicable correction factors for distance, antenna, cable loss and amplifier gain, the data was reduced as shown in the table below. The corrected data was then compared to the applicable emission limits. Preliminary and final measurements were taken in order to ensure that all emissions from the EUT were found and maximized.

CORRECTION FACTORS

The basic spectrum analyzer reading was converted using correction factors as shown in the highest emissions readings in the tables. For radiated emissions in $\text{dB}\mu\text{V}/\text{m}$, the spectrum analyzer reading in $\text{dB}\mu\text{V}$ was corrected by using the following formula. This reading was then compared to the applicable specification limit. Individual measurements were compared with the displayed limit value in the margin column. The margin was calculated based on subtracting the limit value from the corrected measurement value; a positive margin represents a measurement exceeding the limit, while a negative margin represents a measurement less than the limit.

SAMPLE CALCULATIONS		
	Meter reading	($\text{dB}\mu\text{V}$)
+	Antenna Factor	(dB/m)
+	Cable Loss	(dB)
-	Distance Correction	(dB)
-	Preamplifier Gain	(dB)
=	Corrected Reading	($\text{dB}\mu\text{V}/\text{m}$)

TEST INSTRUMENTATION AND ANALYZER SETTINGS

The test instrumentation and equipment listed were used to collect the emissions data. A spectrum analyzer or receiver was used for all measurements. Unless otherwise specified, the following table shows the measuring equipment bandwidth settings that were used in designated frequency bands. For testing emissions, an appropriate reference level and a vertical scale size of 10 dB per division were used.

MEASURING EQUIPMENT BANDWIDTH SETTINGS PER FREQUENCY RANGE			
TEST	BEGINNING FREQUENCY	ENDING FREQUENCY	BANDWIDTH SETTING
CONDUCTED EMISSIONS	150 kHz	30 MHz	9 kHz
RADIATED EMISSIONS	9 kHz	150 kHz	200 Hz
RADIATED EMISSIONS	150 kHz	30 MHz	9 kHz
RADIATED EMISSIONS	30 MHz	1000 MHz	120 kHz
RADIATED EMISSIONS	1000 MHz	>1 GHz	1 MHz

SPECTRUM ANALYZER/RECEIVER DETECTOR FUNCTIONS

The notes that accompany the measurements contained in the emissions tables indicate the type of detector function used to obtain the given readings. Unless otherwise noted, all readings were made in the "positive peak" detector mode. Whenever a "quasi-peak" or "average" reading was recorded, the measurement was annotated with a "QP" or an "Ave" on the appropriate rows of the data sheets. In cases where quasi-peak or average limits were employed and data exists for multiple measurement types for the same frequency then the peak measurement was retained in the report for reference, however the numbering for the affected row was removed and an arrow or caret ("^") was placed in the far left-hand column indicating that the row above takes precedence for comparison to the limit. The following paragraphs describe in more detail the detector functions and when they were used to obtain the emissions data.

Peak

In this mode, the spectrum analyzer or receiver recorded all emissions at their peak value as the frequency band selected was scanned. By combining this function with another feature called "peak hold," the measurement device had the ability to measure intermittent or low duty cycle transient emission peak levels. In this mode the measuring device made a slow scan across the frequency band selected and measured the peak emission value found at each frequency across the band.

Quasi-Peak

Quasi-peak measurements were taken using the quasi-peak detector when the true peak values exceeded or were within 2 dB of a quasi-peak specification limit. Additional QP measurements may have been taken at the discretion of the operator.

Average

Average measurements were taken using the average detector when the true peak values exceeded or were within 2 dB of an average specification limit. Additional average measurements may have been taken at the discretion of the operator. If the specification or test procedure requires trace averaging, then the averaging was performed using 100 samples or as required by the specification. All other average measurements are performed using video bandwidth averaging. To make these measurements, the test engineer reduces the video bandwidth on the measuring device until the modulation of the signal is filtered out. At this point the measuring device is set into the linear mode and the scan time is reduced.