


Appendix A: Restricted Band


Mode:	DH5-2402
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	43.97	74.00	30.03	41.56	54.00	12.44	150	208	Horizontal	PASS
2	2326.88	6.12	45.01	74.00	28.99	41.24	54.00	12.76	150	29	Horizontal	PASS
3	2358.8	6.24	44.86	74.00	29.14	43.03	54.00	10.97	150	296	Horizontal	PASS
4	2367.12	6.31	45.01	74.00	28.99	41.99	54.00	12.01	150	231	Horizontal	PASS
5	2375.28	6.38	45.76	74.00	28.24	43.23	54.00	10.77	150	298	Horizontal	PASS
6	2390	6.50	46.11	74.00	27.89	41.08	54.00	12.92	150	41	Horizontal	PASS


Mode:	DH5-2402
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	44.16	74.00	29.84	40.20	54.00	13.80	150	92	Vertical	PASS
2	2328.4	6.13	45.01	74.00	28.99	42.22	54.00	11.78	150	9	Vertical	PASS
3	2338.64	6.14	44.48	74.00	29.52	43.09	54.00	10.91	150	343	Vertical	PASS
4	2363.84	6.28	46.31	74.00	27.69	43.88	54.00	10.12	150	60	Vertical	PASS
5	2370.96	6.34	46.33	74.00	27.67	43.50	54.00	10.50	150	113	Vertical	PASS
6	2390	6.50	43.61	74.00	30.39	40.77	54.00	13.23	150	49	Vertical	PASS


Mode:	DH5-2480
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.89	74.00	27.11	44.39	54.00	9.61	150	136	Horizontal	PASS
2	2483.632	8.66	50.79	74.00	23.21	46.05	54.00	7.95	150	41	Horizontal	PASS
3	2487.6085	8.32	47.71	74.00	26.29	45.96	54.00	8.04	150	202	Horizontal	PASS
4	2491.156	8.43	47.32	74.00	26.68	42.71	54.00	11.29	150	170	Horizontal	PASS
5	2498.152	8.28	47.14	74.00	26.86	42.79	54.00	11.21	150	73	Horizontal	PASS
6	2500	8.20	45.91	74.00	28.09	43.34	54.00	10.66	150	256	Horizontal	PASS


Mode:	DH5-2480
-------	----------



Final Data List


NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	54.18	74.00	19.82	48.93	54.00	5.07	150	298	Vertical	PASS
2	2483.5825	8.66	57.04	74.00	16.96	51.24	54.00	2.76	150	254	Vertical	PASS
3	2483.6815	8.65	55.14	74.00	18.86	49.11	54.00	4.89	150	254	Vertical	PASS
4	2484.0775	8.61	53.70	74.00	20.30	48.31	54.00	5.69	150	335	Vertical	PASS
5	2484.6055	8.58	51.05	74.00	22.95	45.40	54.00	8.60	150	264	Vertical	PASS
6	2500	8.20	45.49	74.00	28.51	42.75	54.00	11.25	150	320	Vertical	PASS

Mode:	2DH5-2402
-------	-----------



Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	43.85	74.00	30.15	41.54	54.00	12.46	150	213	Horizontal	PASS
2	2321.84	6.11	45.47	74.00	28.53	42.34	54.00	11.66	150	287	Horizontal	PASS
3	2336.08	6.14	45.42	74.00	28.58	43.15	54.00	10.85	150	151	Horizontal	PASS
4	2353.44	6.19	44.73	74.00	29.27	41.18	54.00	12.82	150	219	Horizontal	PASS
5	2370.96	6.34	45.47	74.00	28.53	42.11	54.00	11.89	150	359	Horizontal	PASS
6	2390	6.50	44.51	74.00	29.49	41.89	54.00	12.11	150	284	Horizontal	PASS


Mode:	2DH5-2402
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	43.12	74.00	30.88	40.91	54.00	13.09	150	311	Vertical	PASS
2	2329.68	6.13	44.82	74.00	29.18	42.80	54.00	11.20	150	130	Vertical	PASS
3	2350.08	6.16	45.52	74.00	28.48	42.32	54.00	11.68	150	258	Vertical	PASS
4	2364.32	6.29	46.22	74.00	27.78	41.67	54.00	12.33	150	115	Vertical	PASS
5	2369.36	6.33	46.78	74.00	27.22	45.56	54.00	8.44	150	115	Vertical	PASS
6	2390	6.50	44.71	74.00	29.29	41.48	54.00	12.52	150	293	Vertical	PASS


Mode:	2DH5-2480
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	47.11	74.00	26.89	43.82	54.00	10.18	150	254	Horizontal	PASS
2	2487.559	8.33	48.25	74.00	25.75	46.28	54.00	7.72	150	35	Horizontal	PASS
3	2489.5885	8.33	47.02	74.00	26.98	44.34	54.00	9.66	150	325	Horizontal	PASS
4	2492.41	8.49	47.82	74.00	26.18	45.16	54.00	8.84	150	189	Horizontal	PASS
5	2495.38	8.50	47.58	74.00	26.42	44.43	54.00	9.57	150	14	Horizontal	PASS
6	2500	8.20	46.22	74.00	27.78	42.83	54.00	11.17	150	270	Horizontal	PASS


Mode:	2DH5-2480
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	52.69	74.00	21.31	48.60	54.00	5.40	150	316	Vertical	PASS
2	2483.665	8.65	53.88	74.00	20.12	49.81	54.00	4.19	150	225	Vertical	PASS
3	2483.896	8.63	52.03	74.00	21.97	44.74	54.00	9.26	150	266	Vertical	PASS
4	2489.902	8.34	48.22	74.00	25.78	44.06	54.00	9.94	150	288	Vertical	PASS
5	2493.466	8.54	48.56	74.00	25.44	42.84	54.00	11.16	150	335	Vertical	PASS
6	2500	8.20	46.86	74.00	27.14	44.25	54.00	9.75	150	209	Vertical	PASS


Mode:	3DH5-2402
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	43.10	74.00	30.90	39.58	54.00	14.42	150	149	Horizontal	PASS
2	2317.6	6.11	44.96	74.00	29.04	43.51	54.00	10.49	150	188	Horizontal	PASS
3	2332	6.13	45.09	74.00	28.91	42.25	54.00	11.75	150	338	Horizontal	PASS
4	2351.84	6.18	45.70	74.00	28.30	41.45	54.00	12.55	150	356	Horizontal	PASS
5	2372.56	6.35	44.86	74.00	29.14	42.34	54.00	11.66	150	245	Horizontal	PASS
6	2390	6.50	45.09	74.00	28.91	40.89	54.00	13.11	150	185	Horizontal	PASS


Mode:	3DH5-2402
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.10	43.17	74.00	30.83	40.05	54.00	13.95	150	158	Vertical	PASS
2	2329.12	6.13	45.23	74.00	28.77	40.43	54.00	13.57	150	90	Vertical	PASS
3	2364.72	6.29	46.22	74.00	27.78	43.80	54.00	10.20	150	173	Vertical	PASS
4	2382.48	6.44	46.26	74.00	27.74	44.04	54.00	9.96	150	297	Vertical	PASS
5	2385.04	6.46	46.01	74.00	27.99	41.05	54.00	12.95	150	0	Vertical	PASS
6	2390	6.50	44.22	74.00	29.78	41.16	54.00	12.84	150	16	Vertical	PASS


Mode:	3DH5-2480
-------	-----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	46.15	74.00	27.85	44.18	54.00	9.82	150	85	Horizontal	PASS
2	2487.9715	8.27	47.62	74.00	26.38	44.47	54.00	9.53	150	294	Horizontal	PASS
3	2491.1065	8.43	47.87	74.00	26.13	43.83	54.00	10.17	150	234	Horizontal	PASS
4	2494.0105	8.59	48.18	74.00	25.82	43.08	54.00	10.92	150	162	Horizontal	PASS
5	2495.413	8.50	47.67	74.00	26.33	44.29	54.00	9.71	150	316	Horizontal	PASS
6	2500	8.20	46.13	74.00	27.87	43.47	54.00	10.53	150	26	Horizontal	PASS


Mode:	3DH5-2480
-------	-----------




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	8.67	53.45	74.00	20.55	49.64	54.00	4.36	150	301	Vertical	PASS
2	2483.6815	8.65	53.15	74.00	20.85	47.34	54.00	6.66	150	262	Vertical	PASS
3	2483.8135	8.64	52.90	74.00	21.10	49.34	54.00	4.66	150	186	Vertical	PASS
4	2484.061	8.61	51.18	74.00	22.82	46.78	54.00	7.22	150	317	Vertical	PASS
5	2490.6445	8.39	48.39	74.00	25.61	45.94	54.00	8.06	150	196	Vertical	PASS
6	2500	8.20	45.99	74.00	28.01	44.06	54.00	9.94	150	235	Vertical	PASS

Appendix B: Spurious emissions



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	37.7600	27.17	-16.29	40.00	12.83	100	56	Vertical	PASS
2	167.740	26.89	-16.50	43.50	16.61	100	85	Vertical	PASS
3	263.770	26.11	-17.36	46.00	19.89	100	305	Vertical	PASS
4	328.760	28.42	-15.27	46.00	17.58	100	344	Vertical	PASS
5	491.720	34.95	-11.94	46.00	11.05	100	40	Vertical	PASS
6	823.460	29.70	-4.59	46.00	16.30	100	344	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	36.7900	16.56	-16.31	40.00	23.44	100	350	Horizontal	PASS
2	71.7100	11.95	-19.16	40.00	28.05	100	302	Horizontal	PASS
3	125.060	15.89	-17.50	43.50	27.61	100	218	Horizontal	PASS
4	216.240	21.63	-19.43	46.00	24.37	100	350	Horizontal	PASS
5	327.790	25.19	-15.25	46.00	20.81	100	311	Horizontal	PASS
6	492.690	26.26	-11.94	46.00	19.74	100	104	Horizontal	PASS

Mode:	DH5-2402
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1236	42.66	2.17	74.00	31.34	150	33	Horizontal
2	1696	43.81	3.20	74.00	30.19	150	275	Horizontal
3	3678	43.29	-17.54	74.00	30.71	150	327	Horizontal
4	4944	43.54	-15.17	74.00	30.46	150	189	Horizontal
5	7455	44.52	-11.71	74.00	29.48	150	304	Horizontal
6	11751	48.20	-5.01	74.00	25.80	150	134	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1306	43.08	2.34	74.00	30.92	150	38	Vertical
2	1846	44.98	5.31	74.00	29.02	150	246	Vertical
3	4047	42.29	-16.78	74.00	31.71	150	82	Vertical
4	5022	43.77	-14.59	74.00	30.23	150	274	Vertical
5	10338	46.63	-7.39	74.00	27.37	150	38	Vertical
6	13167	48.72	-2.63	74.00	25.28	150	62	Vertical

Mode:	DH5-2441
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1292	42.80	2.34	74.00	31.20	150	325	Horizontal
2	1888	46.37	5.61	74.00	27.63	150	40	Horizontal
3	3390	42.10	-18.32	74.00	31.90	150	24	Horizontal
4	5895	43.64	-12.91	74.00	30.36	150	82	Horizontal
5	7293	44.47	-11.76	74.00	29.53	150	16	Horizontal
6	9762	46.42	-7.71	74.00	27.58	150	52	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	44.53	2.28	74.00	29.47	150	147	Vertical
2	1808	44.32	4.93	74.00	29.68	150	64	Vertical
3	3912	42.60	-16.70	74.00	31.40	150	216	Vertical
4	5922	45.04	-12.52	74.00	28.96	150	88	Vertical
5	6576	44.61	-12.26	74.00	29.39	150	97	Vertical
6	10542	46.77	-7.02	74.00	27.23	150	321	Vertical

Mode:	DH5-2480
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1282	42.81	2.30	74.00	31.19	150	309	Horizontal
2	1898	45.56	5.67	74.00	28.44	150	103	Horizontal
3	4227	43.42	-16.56	74.00	30.58	150	149	Horizontal
4	5967	44.45	-12.11	74.00	29.55	150	185	Horizontal
5	8292	45.82	-10.70	74.00	28.18	150	91	Horizontal
6	13194	48.75	-2.29	74.00	25.25	150	160	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328	43.59	2.21	74.00	30.41	150	94	Vertical
2	2050	46.01	5.99	74.00	27.99	150	37	Vertical
3	4725	44.16	-14.85	74.00	29.84	150	74	Vertical
4	5268	44.94	-13.98	74.00	29.06	150	166	Vertical
5	6591	45.99	-12.37	74.00	28.01	150	72	Vertical
6	11475	48.29	-5.63	74.00	25.71	150	271	Vertical

Mode:	2DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1306	42.77	2.34	74.00	31.23	150	98	Horizontal
2	1900	45.52	5.69	74.00	28.48	150	254	Horizontal
3	3552	41.84	-18.02	74.00	32.16	150	202	Horizontal
4	5043	43.66	-14.29	74.00	30.34	150	225	Horizontal
5	6321	44.08	-12.45	74.00	29.92	150	231	Horizontal
6	9354	45.82	-9.17	74.00	28.18	150	210	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1318	43.73	2.27	74.00	30.27	150	139	Vertical
2	1958	45.80	5.67	74.00	28.20	150	89	Vertical
3	3288	44.70	-18.23	74.00	29.30	150	120	Vertical
4	3948	44.77	-17.25	74.00	29.23	150	123	Vertical
5	5265	45.16	-14.01	74.00	28.84	150	276	Vertical
6	6579	46.10	-12.28	74.00	27.90	150	88	Vertical

Mode:	2DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1284	43.73	2.31	74.00	30.27	150	115	Horizontal
2	1842	45.43	5.28	74.00	28.57	150	32	Horizontal
3	4224	43.78	-16.54	74.00	30.22	150	84	Horizontal
4	5274	43.76	-13.94	74.00	30.24	150	179	Horizontal
5	6972	45.41	-12.02	74.00	28.59	150	196	Horizontal
6	9000	46.24	-9.75	74.00	27.76	150	129	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	43.28	2.28	74.00	30.72	150	144	Vertical
2	1820	45.15	5.06	74.00	28.85	150	46	Vertical
3	4197	42.77	-16.39	74.00	31.23	150	261	Vertical
4	5268	46.65	-13.98	74.00	27.35	150	133	Vertical
5	6579	44.99	-12.28	74.00	29.01	150	273	Vertical
6	8211	45.23	-10.17	74.00	28.77	150	106	Vertical

Mode:	2DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1362	42.91	2.06	74.00	31.09	150	250	Horizontal
2	1808	44.77	4.93	74.00	29.23	150	124	Horizontal
3	4269	42.42	-16.52	74.00	31.58	150	54	Horizontal
4	4929	44.94	-14.85	74.00	29.06	150	73	Horizontal
5	6291	44.30	-12.56	74.00	29.70	150	180	Horizontal
6	8292	45.75	-10.70	74.00	28.25	150	293	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	44.68	2.28	74.00	29.32	150	137	Vertical
2	1934	46.35	5.64	74.00	27.65	150	43	Vertical
3	3945	46.67	-17.20	74.00	27.33	150	151	Vertical
4	4260	42.75	-16.60	74.00	31.25	150	63	Vertical
5	6561	46.01	-12.15	74.00	27.99	150	143	Vertical
6	7986	45.36	-11.08	74.00	28.64	150	170	Vertical

Mode:	3DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328	42.79	2.21	74.00	31.21	150	168	Horizontal
2	2110	45.84	6.12	74.00	28.16	150	95	Horizontal
3	3762	42.37	-16.96	74.00	31.63	150	56	Horizontal
4	4503	43.48	-15.71	74.00	30.52	150	290	Horizontal
5	6453	44.43	-12.54	74.00	29.57	150	228	Horizontal
6	8322	44.59	-10.44	74.00	29.41	150	108	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	44.44	2.28	74.00	29.56	150	137	Vertical
2	1900	45.81	5.69	74.00	28.19	150	60	Vertical
3	3951	46.98	-17.26	74.00	27.02	150	162	Vertical
4	4944	43.65	-15.17	74.00	30.35	150	143	Vertical
5	6570	47.32	-12.22	74.00	26.68	150	71	Vertical
6	9150	45.89	-9.75	74.00	28.11	150	96	Vertical

Mode:	3DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328	42.92	2.21	74.00	31.08	150	350	Horizontal
2	1810	45.88	4.96	74.00	28.12	150	240	Horizontal
3	3570	42.17	-17.94	74.00	31.83	150	133	Horizontal
4	5628	43.82	-13.35	74.00	30.18	150	197	Horizontal
5	6432	44.55	-12.34	74.00	29.45	150	279	Horizontal
6	8313	45.03	-10.59	74.00	28.97	150	191	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1260	43.20	2.22	74.00	30.80	150	67	Vertical
2	2048	46.36	5.98	74.00	27.64	150	171	Vertical
3	4746	52.24	-14.52	74.00	21.76	150	261	Vertical
4	6564	46.33	-12.17	74.00	27.67	150	156	Vertical
5	8349	45.41	-10.00	74.00	28.59	150	134	Vertical
6	10101	47.10	-7.22	74.00	26.90	150	119	Vertical

Mode:	3DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1352	42.91	2.08	74.00	31.09	150	134	Horizontal
2	1888	46.40	5.61	74.00	27.60	150	4	Horizontal
3	4254	42.44	-16.65	74.00	31.56	150	353	Horizontal
4	5577	43.87	-13.61	74.00	30.13	150	356	Horizontal
5	8727	45.35	-10.43	74.00	28.65	150	73	Horizontal
6	11313	47.61	-5.75	74.00	26.39	150	264	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1192	42.31	2.09	74.00	31.69	150	270	Vertical
2	2110	46.72	6.12	74.00	27.28	150	170	Vertical
3	4290	43.05	-16.34	74.00	30.95	150	145	Vertical
4	6582	44.26	-12.31	74.00	29.74	150	74	Vertical
5	8289	45.12	-10.66	74.00	28.88	150	333	Vertical
6	10614	46.48	-6.69	74.00	27.52	150	0	Vertical