












Mode	56																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																													
ANT	CDD 6+7																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>54.13</td><td>111.18</td><td>-57.05</td><td>41.12</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>300</td><td>338</td><td>PEAK</td></tr><tr><td>2</td><td>5874.63</td><td>54.82</td><td>105.40</td><td>-50.58</td><td>41.71</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>300</td><td>338</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>52.93</td><td>68.48</td><td>-15.55</td><td>39.52</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>300</td><td>338</td><td>PEAK</td></tr><tr><td>4</td><td>5939.75</td><td>55.70</td><td>68.20</td><td>-12.50</td><td>42.20</td><td>35.14</td><td>10.53</td><td>32.17</td><td>0.00</td><td>300</td><td>338</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.88	54.13	111.18	-57.05	41.12	34.72	10.45	32.16	0.00	300	338	PEAK	2	5874.63	54.82	105.40	-50.58	41.71	34.80	10.47	32.16	0.00	300	338	PEAK	3	5924.63	52.93	68.48	-15.55	39.52	35.05	10.52	32.16	0.00	300	338	PEAK	4	5939.75	55.70	68.20	-12.50	42.20	35.14	10.53	32.17	0.00	300	338	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>110.35</td><td>-----</td><td>-----</td><td>97.36</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>300</td><td>338</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.35	-----	-----	97.36	34.66	10.43	32.10	0.00	300	338
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.88	54.13	111.18	-57.05	41.12	34.72	10.45	32.16	0.00	300	338	PEAK																																																																																																																																		
2	5874.63	54.82	105.40	-50.58	41.71	34.80	10.47	32.16	0.00	300	338	PEAK																																																																																																																																		
3	5924.63	52.93	68.48	-15.55	39.52	35.05	10.52	32.16	0.00	300	338	PEAK																																																																																																																																		
4	5939.75	55.70	68.20	-12.50	42.20	35.14	10.53	32.17	0.00	300	338	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	110.35	-----	-----	97.36	34.66	10.43	32.10	0.00	300	338	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>102.17</td><td>-----</td><td>-----</td><td>89.18</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>300</td><td>338</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	102.17	-----	-----	89.18	34.66	10.43	32.10	0.00	300	338	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	102.17	-----	-----	89.18	34.66	10.43	32.10	0.00	300	338	AVERAGE																																																																																																																																		






	57																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.52</td><td>55.22</td><td>68.20</td><td>-12.98</td><td>42.00</td><td>34.60</td><td>10.26</td><td>31.64</td><td>0.00</td><td>139</td><td>0 PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>53.20</td><td>69.52</td><td>-16.32</td><td>39.97</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>139</td><td>0 PEAK</td></tr><tr><td>3</td><td>5700.49</td><td>54.12</td><td>105.44</td><td>-51.32</td><td>40.98</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>139</td><td>0 PEAK</td></tr><tr><td>4</td><td>5723.11</td><td>65.46</td><td>117.98</td><td>-52.52</td><td>52.36</td><td>34.60</td><td>10.34</td><td>31.84</td><td>0.00</td><td>139</td><td>0 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.52	55.22	68.20	-12.98	42.00	34.60	10.26	31.64	0.00	139	0 PEAK	2	5651.77	53.20	69.52	-16.32	39.97	34.60	10.29	31.66	0.00	139	0 PEAK	3	5700.49	54.12	105.44	-51.32	40.98	34.60	10.32	31.78	0.00	139	0 PEAK	4	5723.11	65.46	117.98	-52.52	52.36	34.60	10.34	31.84	0.00	139	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.71</td><td>-----</td><td>-----</td><td>100.63</td><td>34.60</td><td>10.36</td><td>31.88</td><td>0.00</td><td>139</td><td>0 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	113.71	-----	-----	100.63	34.60	10.36	31.88	0.00	139	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5625.52	55.22	68.20	-12.98	42.00	34.60	10.26	31.64	0.00	139	0 PEAK																																																																																																																														
2	5651.77	53.20	69.52	-16.32	39.97	34.60	10.29	31.66	0.00	139	0 PEAK																																																																																																																														
3	5700.49	54.12	105.44	-51.32	40.98	34.60	10.32	31.78	0.00	139	0 PEAK																																																																																																																														
4	5723.11	65.46	117.98	-52.52	52.36	34.60	10.34	31.84	0.00	139	0 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	113.71	-----	-----	100.63	34.60	10.36	31.88	0.00	139	0 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.89</td><td>-----</td><td>-----</td><td>92.82</td><td>34.60</td><td>10.36</td><td>31.89</td><td>0.00</td><td>139</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	105.89	-----	-----	92.82	34.60	10.36	31.89	0.00	139	0 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	105.89	-----	-----	92.82	34.60	10.36	31.89	0.00	139	0 AVERAGE																																																																																																																														







	57																																																																																																																																								
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																								
ANT	CDD 6+7																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.19</td><td>55.38</td><td>68.20</td><td>-12.82</td><td>42.14</td><td>34.60</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>2</td><td>5651.91</td><td>54.38</td><td>69.62</td><td>-15.24</td><td>41.15</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>3</td><td>5703.53</td><td>54.03</td><td>106.29</td><td>-52.26</td><td>40.89</td><td>34.60</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>53.55</td><td>111.04</td><td>-57.49</td><td>40.44</td><td>34.60</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.19	55.38	68.20	-12.82	42.14	34.60	10.27	31.63	0.00	100	79 PEAK	2	5651.91	54.38	69.62	-15.24	41.15	34.60	10.29	31.66	0.00	100	79 PEAK	3	5703.53	54.03	106.29	-52.26	40.89	34.60	10.33	31.79	0.00	100	79 PEAK	4	5720.06	53.55	111.04	-57.49	40.44	34.60	10.34	31.83	0.00	100	79 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>111.18</td><td>-----</td><td>-----</td><td>98.09</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>79 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	111.18	-----	-----	98.09	34.60	10.35	31.86	0.00	100	79 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5632.19	55.38	68.20	-12.82	42.14	34.60	10.27	31.63	0.00	100	79 PEAK																																																																																																																														
2	5651.91	54.38	69.62	-15.24	41.15	34.60	10.29	31.66	0.00	100	79 PEAK																																																																																																																														
3	5703.53	54.03	106.29	-52.26	40.89	34.60	10.33	31.79	0.00	100	79 PEAK																																																																																																																														
4	5720.06	53.55	111.04	-57.49	40.44	34.60	10.34	31.83	0.00	100	79 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	111.18	-----	-----	98.09	34.60	10.35	31.86	0.00	100	79 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.94</td><td>-----</td><td>-----</td><td>89.85</td><td>34.60</td><td>10.35</td><td>31.86</td><td>0.00</td><td>100</td><td>79 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.94	-----	-----	89.85	34.60	10.35	31.86	0.00	100	79 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	102.94	-----	-----	89.85	34.60	10.35	31.86	0.00	100	79 AVERAGE																																																																																																																														



Mode	58																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																													
ANT	CDD 6+7																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.88</td><td>54.81</td><td>111.18</td><td>-56.37</td><td>41.80</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5872.13</td><td>54.27</td><td>106.10</td><td>-51.83</td><td>41.17</td><td>34.79</td><td>10.47</td><td>32.16</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>53.66</td><td>68.94</td><td>-15.28</td><td>40.27</td><td>35.04</td><td>10.51</td><td>32.16</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5945.38</td><td>55.13</td><td>68.20</td><td>-13.07</td><td>41.60</td><td>35.17</td><td>10.53</td><td>32.17</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.88	54.81	111.18	-56.37	41.80	34.72	10.45	32.16	0.00	108	360	PEAK	2	5872.13	54.27	106.10	-51.83	41.17	34.79	10.47	32.16	0.00	108	360	PEAK	3	5924.00	53.66	68.94	-15.28	40.27	35.04	10.51	32.16	0.00	108	360	PEAK	4	5945.38	55.13	68.20	-13.07	41.60	35.17	10.53	32.17	0.00	108	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>114.61</td><td>-----</td><td>-----</td><td>101.62</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>108</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	114.61	-----	-----	101.62	34.66	10.43	32.10	0.00	108	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5854.88	54.81	111.18	-56.37	41.80	34.72	10.45	32.16	0.00	108	360	PEAK																																																																																																																																		
2	5872.13	54.27	106.10	-51.83	41.17	34.79	10.47	32.16	0.00	108	360	PEAK																																																																																																																																		
3	5924.00	53.66	68.94	-15.28	40.27	35.04	10.51	32.16	0.00	108	360	PEAK																																																																																																																																		
4	5945.38	55.13	68.20	-13.07	41.60	35.17	10.53	32.17	0.00	108	360	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	114.61	-----	-----	101.62	34.66	10.43	32.10	0.00	108	360	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.18</td><td>-----</td><td>-----</td><td>93.18</td><td>34.67</td><td>10.44</td><td>32.11</td><td>0.00</td><td>108</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.18	-----	-----	93.18	34.67	10.44	32.11	0.00	108	360	AVERAGE																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	106.18	-----	-----	93.18	34.67	10.44	32.11	0.00	108	360	AVERAGE																																																																																																																																		





Mode	58																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																			
ANT	CDD 6+7																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>52.01</td><td>110.90</td><td>-58.89</td><td>39.00</td><td>34.72</td><td>10.45</td><td>32.16</td><td>0.00</td><td>118</td><td>75 PEAK</td></tr><tr><td>2 5874.63</td><td>53.35</td><td>105.40</td><td>-52.05</td><td>40.24</td><td>34.80</td><td>10.47</td><td>32.16</td><td>0.00</td><td>118</td><td>75 PEAK</td></tr><tr><td>3 5924.38</td><td>55.88</td><td>68.66</td><td>-12.78</td><td>42.47</td><td>35.05</td><td>10.52</td><td>32.16</td><td>0.00</td><td>118</td><td>75 PEAK</td></tr><tr><td>4 5930.00</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>41.93</td><td>35.08</td><td>10.52</td><td>32.16</td><td>0.00</td><td>118</td><td>75 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5855.00	52.01	110.90	-58.89	39.00	34.72	10.45	32.16	0.00	118	75 PEAK	2 5874.63	53.35	105.40	-52.05	40.24	34.80	10.47	32.16	0.00	118	75 PEAK	3 5924.38	55.88	68.66	-12.78	42.47	35.05	10.52	32.16	0.00	118	75 PEAK	4 5930.00	55.37	68.20	-12.83	41.93	35.08	10.52	32.16	0.00	118	75 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>112.65</td><td>-----</td><td>-----</td><td>99.66</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>118</td><td>75 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	112.65	-----	-----	99.66	34.66	10.43	32.10	0.00	118	75 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5855.00	52.01	110.90	-58.89	39.00	34.72	10.45	32.16	0.00	118	75 PEAK																																																																																																																										
2 5874.63	53.35	105.40	-52.05	40.24	34.80	10.47	32.16	0.00	118	75 PEAK																																																																																																																										
3 5924.38	55.88	68.66	-12.78	42.47	35.05	10.52	32.16	0.00	118	75 PEAK																																																																																																																										
4 5930.00	55.37	68.20	-12.83	41.93	35.08	10.52	32.16	0.00	118	75 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	112.65	-----	-----	99.66	34.66	10.43	32.10	0.00	118	75 PEAK																																																																																																																										
Avg	Blank						 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>104.15</td><td>-----</td><td>-----</td><td>91.16</td><td>34.66</td><td>10.43</td><td>32.10</td><td>0.00</td><td>118</td><td>75 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	104.15	-----	-----	91.16	34.66	10.43	32.10	0.00	118	75 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1 5825.00	104.15	-----	-----	91.16	34.66	10.43	32.10	0.00	118	75 AVERAGE																																																																																																																										





Note: Only the worst case has assessed 18G ~40GHz to test.




Mode	U-NII-3 30M-1G																																																																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																																																																																										
ANT	CDD 6+7																																																																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																																																																				
Peak																																																																																																																																																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>110.51</td><td>18.81</td><td>43.50</td><td>-24.69</td><td>33.23</td><td>16.83</td><td>1.55</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>182.29</td><td>22.55</td><td>43.50</td><td>-20.95</td><td>38.29</td><td>15.08</td><td>1.97</td><td>32.79</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>254.07</td><td>19.21</td><td>46.00</td><td>-26.79</td><td>31.14</td><td>19.00</td><td>2.13</td><td>33.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>619.76</td><td>26.00</td><td>46.00</td><td>-20.00</td><td>29.55</td><td>26.29</td><td>3.68</td><td>33.52</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>719.67</td><td>27.43</td><td>46.00</td><td>-18.57</td><td>29.88</td><td>27.01</td><td>4.00</td><td>33.46</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>937.92</td><td>30.66</td><td>46.00</td><td>-15.34</td><td>28.55</td><td>29.66</td><td>4.56</td><td>32.11</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	110.51	18.81	43.50	-24.69	33.23	16.83	1.55	32.80	0.00	---	Peak	2	182.29	22.55	43.50	-20.95	38.29	15.08	1.97	32.79	0.00	---	Peak	3	254.07	19.21	46.00	-26.79	31.14	19.00	2.13	33.06	0.00	---	Peak	4	619.76	26.00	46.00	-20.00	29.55	26.29	3.68	33.52	0.00	---	Peak	5	719.67	27.43	46.00	-18.57	29.88	27.01	4.00	33.46	0.00	---	Peak	6	937.92	30.66	46.00	-15.34	28.55	29.66	4.56	32.11	0.00	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>31.94</td><td>25.68</td><td>40.00</td><td>-14.32</td><td>33.49</td><td>24.39</td><td>0.76</td><td>32.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>62.01</td><td>23.55</td><td>40.00</td><td>-16.45</td><td>42.34</td><td>12.83</td><td>1.09</td><td>32.71</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>112.45</td><td>23.65</td><td>43.50</td><td>-19.85</td><td>37.91</td><td>16.97</td><td>1.57</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>184.23</td><td>20.84</td><td>43.50</td><td>-22.66</td><td>36.58</td><td>15.07</td><td>1.99</td><td>32.80</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>475.23</td><td>22.67</td><td>46.00</td><td>-23.33</td><td>29.28</td><td>23.50</td><td>3.14</td><td>33.25</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>819.58</td><td>28.38</td><td>46.00</td><td>-17.62</td><td>28.86</td><td>28.37</td><td>4.24</td><td>33.09</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	31.94	25.68	40.00	-14.32	33.49	24.39	0.76	32.96	0.00	---	Peak	2	62.01	23.55	40.00	-16.45	42.34	12.83	1.09	32.71	0.00	---	Peak	3	112.45	23.65	43.50	-19.85	37.91	16.97	1.57	32.80	0.00	---	Peak	4	184.23	20.84	43.50	-22.66	36.58	15.07	1.99	32.80	0.00	---	Peak	5	475.23	22.67	46.00	-23.33	29.28	23.50	3.14	33.25	0.00	---	Peak	6	819.58	28.38	46.00	-17.62	28.86	28.37	4.24	33.09	0.00	---
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	110.51	18.81	43.50	-24.69	33.23	16.83	1.55	32.80	0.00	---	Peak																																																																																																																																																																																																
2	182.29	22.55	43.50	-20.95	38.29	15.08	1.97	32.79	0.00	---	Peak																																																																																																																																																																																																
3	254.07	19.21	46.00	-26.79	31.14	19.00	2.13	33.06	0.00	---	Peak																																																																																																																																																																																																
4	619.76	26.00	46.00	-20.00	29.55	26.29	3.68	33.52	0.00	---	Peak																																																																																																																																																																																																
5	719.67	27.43	46.00	-18.57	29.88	27.01	4.00	33.46	0.00	---	Peak																																																																																																																																																																																																
6	937.92	30.66	46.00	-15.34	28.55	29.66	4.56	32.11	0.00	---	Peak																																																																																																																																																																																																
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																	
1	31.94	25.68	40.00	-14.32	33.49	24.39	0.76	32.96	0.00	---	Peak																																																																																																																																																																																																
2	62.01	23.55	40.00	-16.45	42.34	12.83	1.09	32.71	0.00	---	Peak																																																																																																																																																																																																
3	112.45	23.65	43.50	-19.85	37.91	16.97	1.57	32.80	0.00	---	Peak																																																																																																																																																																																																
4	184.23	20.84	43.50	-22.66	36.58	15.07	1.99	32.80	0.00	---	Peak																																																																																																																																																																																																
5	475.23	22.67	46.00	-23.33	29.28	23.50	3.14	33.25	0.00	---	Peak																																																																																																																																																																																																
6	819.58	28.38	46.00	-17.62	28.86	28.37	4.24	33.09	0.00	---	Peak																																																																																																																																																																																																





		59																																																										
Mode		Harmonic																																																										
		U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																										
ANT		CDD 6+7																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>54.69</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.51	74.00	-27.49	54.69	38.14	14.87	61.19	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11440.00	46.51	74.00	-27.49	54.69	38.14	14.87	61.19	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>54.33</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.15	74.00	-27.85	54.33	38.14	14.87	61.19	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	11440.00	46.15	74.00	-27.85	54.33	38.14	14.87	61.19	0.00	---	---	PEAK																																																





		60																																																																																																									
Mode		Harmonic																																																																																																									
		U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																									
ANT		CDD 6+7																																																																																																									
Pol.		Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>46.93</td><td>74.00</td><td>-27.07</td><td>55.11</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>55.66</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	46.93	74.00	-27.07	55.11	38.14	14.87	61.19	0.00	---	---	PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	47.48	74.00	-26.52	55.66	38.14	14.87	61.19	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11440.00	46.93	74.00	-27.07	55.11	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																
1	11440.00	47.48	74.00	-26.52	55.66	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																															







Mode	61																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																									
ANT	CDD 6+7																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>54.42</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.21	74.00	-27.79	54.42	38.12	14.86	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>54.24</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.03	74.00	-27.97	54.24	38.12	14.86	61.19	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11420.00	46.21	74.00	-27.79	54.42	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11420.00	46.03	74.00	-27.97	54.24	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																														







		62																																																														
Mode		Harmonic																																																														
		U-NII-2C_5.47-5.85_802.11ax HE80_CH138_5690MHz																																																														
ANT		CDD 6+7																																																														
Pol.		Horizontal						Vertical																																																								
Peak Avg																																																																
																																																																
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11380.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>53.12</td><td>38.20</td><td>16.04</td><td>61.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11380.00	45.66	74.00	-28.34	53.12	38.20	16.04	61.70	0.00	--	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 11380.00	45.66	74.00	-28.34	53.12	38.20	16.04	61.70	0.00	--	--	--	PEAK																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11380.00</td><td>45.49</td><td>74.00</td><td>-28.51</td><td>52.95</td><td>38.20</td><td>16.04</td><td>61.70</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11380.00	45.49	74.00	-28.51	52.95	38.20	16.04	61.70	0.00	--	--	--	PEAK
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																					
1 11380.00	45.49	74.00	-28.51	52.95	38.20	16.04	61.70	0.00	--	--	--	PEAK																																																				





		63																																																																																																													
Mode		Band Edge																																																																																																													
		802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																													
Pol.		Horizontal										Fundamental																																																																																																			
Peak																																																																																																															
		<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5114.72</td><td>55.46</td><td>74.00</td><td>-18.54</td><td>43.48</td><td>34.13</td><td>9.76</td><td>31.91</td><td>0.00</td><td>254</td><td>166</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5114.72	55.46	74.00	-18.54	43.48	34.13	9.76	31.91	0.00	254	166	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>84.07</td><td>-----</td><td>-----</td><td>76.98</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>254</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>106.58</td><td>-----</td><td>-----</td><td>94.44</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>254</td><td>166</td><td>PEAK</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2482.00	84.07	-----	-----	76.98	32.59	6.73	32.23	0.00	254	166	Peak	2	5180.00	106.58	-----	-----	94.44	34.20	9.81	31.87	0.00	254	166
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	5114.72	55.46	74.00	-18.54	43.48	34.13	9.76	31.91	0.00	254	166	PEAK																																																																																																			
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	2482.00	84.07	-----	-----	76.98	32.59	6.73	32.23	0.00	254	166	Peak																																																																																																			
2	5180.00	106.58	-----	-----	94.44	34.20	9.81	31.87	0.00	254	166	PEAK																																																																																																			
Avg																																																																																																															
		<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.76</td><td>43.63</td><td>54.00</td><td>-10.37</td><td>31.59</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>254</td><td>166</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5133.76	43.63	54.00	-10.37	31.59	34.17	9.77	31.90	0.00	254	166	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>80.10</td><td>-----</td><td>-----</td><td>73.01</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>254</td><td>166</td><td>Average</td></tr><tr><td>2</td><td>5180.00</td><td>100.49</td><td>-----</td><td>-----</td><td>88.35</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>254</td><td>166</td><td>AVERAGE</td></tr></tbody></table>											Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2482.00	80.10	-----	-----	73.01	32.59	6.73	32.23	0.00	254	166	Average	2	5180.00	100.49	-----	-----	88.35	34.20	9.81	31.87	0.00	254	166
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	5133.76	43.63	54.00	-10.37	31.59	34.17	9.77	31.90	0.00	254	166	AVERAGE																																																																																																			
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																			
1	2482.00	80.10	-----	-----	73.01	32.59	6.73	32.23	0.00	254	166	Average																																																																																																			
2	5180.00	100.49	-----	-----	88.35	34.20	9.81	31.87	0.00	254	166	AVERAGE																																																																																																			



		63																																																																																									
Mode		Band Edge																																																																																									
		802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																																																									
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5114.72	54.66	74.00	-19.34	42.68	34.13	9.76	31.91	0.00	127	77	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>101.65</td><td>-----</td><td>94.56</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>0.00</td><td>127</td><td>77</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>105.03</td><td>-----</td><td>92.89</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>0.00</td><td>127</td><td>77</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2482.00	101.65	-----	94.56	32.59	6.73	32.23	0.00	0.00	127	77	Peak	2	5180.00	105.03	-----	92.89	34.20	9.81	31.87	0.00	0.00	127	77
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	5114.72	54.66	74.00	-19.34	42.68	34.13	9.76	31.91	0.00	127	77	PEAK																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	2482.00	101.65	-----	94.56	32.59	6.73	32.23	0.00	0.00	127	77	Peak																																																																															
2	5180.00	105.03	-----	92.89	34.20	9.81	31.87	0.00	0.00	127	77	PEAK																																																																															
Avg																																																																																											
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5149.60	43.62	54.00	-10.38	31.52	34.20	9.79	31.89	0.00	127	77	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2482.00</td><td>97.72</td><td>-----</td><td>90.63</td><td>32.59</td><td>6.73</td><td>32.23</td><td>0.00</td><td>0.00</td><td>127</td><td>77</td><td>Average</td></tr><tr><td>2</td><td>5180.00</td><td>99.63</td><td>-----</td><td>87.49</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>0.00</td><td>127</td><td>77</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2482.00	97.72	-----	90.63	32.59	6.73	32.23	0.00	0.00	127	77	Average	2	5180.00	99.63	-----	87.49	34.20	9.81	31.87	0.00	0.00	127	77
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	5149.60	43.62	54.00	-10.38	31.52	34.20	9.79	31.89	0.00	127	77	AVERAGE																																																																															
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																															
1	2482.00	97.72	-----	90.63	32.59	6.73	32.23	0.00	0.00	127	77	Average																																																																															
2	5180.00	99.63	-----	87.49	34.20	9.81	31.87	0.00	0.00	127	77	AVERAGE																																																																															



Mode	63																																																																																								
	Harmonic																																																																																								
	802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																																																								
Pol.	Horizontal					Vertical																																																																																			
Peak Avg																																																																																									
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 10360.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>54.77</td><td>37.41</td><td>14.13</td><td>61.28</td><td>0.00</td><td>--- --- PEAK</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 10360.00	45.03	68.20	-23.17	54.77	37.41	14.13	61.28	0.00	--- --- PEAK	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 10360.00</td><td>44.90</td><td>68.20</td><td>-23.30</td><td>54.62</td><td>37.43</td><td>14.13</td><td>61.28</td><td>0.00</td><td>--- --- PEAK</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 10360.00	44.90	68.20	-23.30	54.62	37.43	14.13	61.28	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 10360.00	45.03	68.20	-23.17	54.77	37.41	14.13	61.28	0.00	--- --- PEAK																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																
1 10360.00	44.90	68.20	-23.30	54.62	37.43	14.13	61.28	0.00	--- --- PEAK																																																																																



Mode	63																																																						
	Band Edge																																																						
	802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>43.21</td><td>32.62</td><td>6.74</td><td>32.24</td><td>6.00</td><td>332 53 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	56.33	74.00	-17.67	43.21	32.62	6.74	32.24	6.00	332 53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2486.44	56.33	74.00	-17.67	43.21	32.62	6.74	32.24	6.00	332 53 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.17</td><td>-----</td><td>89.09</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>332</td><td>53 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.17	-----	89.09	32.58	6.73	32.23	6.00	332	53 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	102.17	-----	89.09	32.58	6.73	32.23	6.00	332	53 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.52</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>32.75</td><td>32.70</td><td>6.75</td><td>32.24</td><td>6.00</td><td>332 53 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.52	45.96	54.00	-8.04	32.75	32.70	6.75	32.24	6.00	332 53 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2499.52	45.96	54.00	-8.04	32.75	32.70	6.75	32.24	6.00	332 53 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.78</td><td>-----</td><td>86.70</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>332</td><td>53 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.78	-----	86.70	32.58	6.73	32.23	6.00	332	53 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	99.78	-----	86.70	32.58	6.73	32.23	6.00	332	53 AVERAGE																																													







Mode	63																																																	
	Band Edge																																																	
	802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																	
Pol.	Vertical						Fundamental																																											
Peak																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2492.50</td><td>55.78</td><td>74.00</td><td>-18.22</td><td>42.62</td><td>32.65</td><td>6.75</td><td>32.24</td><td>6.00</td><td>124</td><td>110</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2492.50	55.78	74.00	-18.22	42.62	32.65	6.75	32.24	6.00	124	110
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	2492.50	55.78	74.00	-18.22	42.62	32.65	6.75	32.24	6.00	124	110	PEAK																																						
Avg																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.00</td><td>45.71</td><td>54.00</td><td>-8.29</td><td>32.61</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>124</td><td>110</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2483.00	45.71	54.00	-8.29	32.61	32.60	6.73	32.23	6.00	124	110
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	2483.00	45.71	54.00	-8.29	32.61	32.60	6.73	32.23	6.00	124	110	AVERAGE																																						
Peak																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>104.43</td><td>-----</td><td>-----</td><td>91.35</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>124</td><td>110</td><td>PEAK</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	104.43	-----	-----	91.35	32.58	6.73	32.23	6.00	124	110
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	2480.00	104.43	-----	-----	91.35	32.58	6.73	32.23	6.00	124	110	PEAK																																						
Avg																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>102.21</td><td>-----</td><td>-----</td><td>89.13</td><td>32.58</td><td>6.73</td><td>32.23</td><td>6.00</td><td>124</td><td>110</td><td>AVERAGE</td></tr></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	102.21	-----	-----	89.13	32.58	6.73	32.23	6.00	124	110
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	2480.00	102.21	-----	-----	89.13	32.58	6.73	32.23	6.00	124	110	AVERAGE																																						







Mode	63																																																																																																								
	Harmonic																																																																																																								
	802.11a_CH36_5180MHz_Full + Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																								
Pol.	Horizontal					Vertical																																																																																																			
Peak Avg																																																																																																									
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 4960.00</td><td>41.36</td><td>74.00</td><td>-32.64</td><td>58.91</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 7440.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>57.55</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 4960.00	41.36	74.00	-32.64	58.91	34.00	9.61	61.16	0.00	---	---	PEAK	2 7440.00	44.00	74.00	-30.00	57.55	35.70	11.77	61.02	0.00	---	---	PEAK	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 4960.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>58.94</td><td>34.00</td><td>9.61</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 7440.00</td><td>44.17</td><td>74.00</td><td>-29.83</td><td>57.72</td><td>35.70</td><td>11.77</td><td>61.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 4960.00	41.39	74.00	-32.61	58.94	34.00	9.61	61.16	0.00	---	---	PEAK	2 7440.00	44.17	74.00	-29.83	57.72	35.70	11.77	61.02	0.00	---	---
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 4960.00	41.36	74.00	-32.64	58.91	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																														
2 7440.00	44.00	74.00	-30.00	57.55	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																														
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1 4960.00	41.39	74.00	-32.61	58.94	34.00	9.61	61.16	0.00	---	---	PEAK																																																																																														
2 7440.00	44.17	74.00	-29.83	57.72	35.70	11.77	61.02	0.00	---	---	PEAK																																																																																														





		64																																																																					
Mode	Band Edge																																																																						
	802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																																						
Pol.	Horizontal						Fundamental																																																																
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.92</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>42.38</td><td>34.15</td><td>9.77</td><td>31.90</td><td>0.00</td><td>154</td><td>166</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5125.92	54.40	74.00	-19.60	42.38	34.15	9.77	31.90	0.00	154	166	PEAK										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																												
1	5125.92	54.40	74.00	-19.60	42.38	34.15	9.77	31.90	0.00	154	166	PEAK																																																											
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.36</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>31.93</td><td>34.19</td><td>9.78</td><td>31.89</td><td>0.00</td><td>154</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5147.36	44.01	54.00	-9.99	31.93	34.19	9.78	31.89	0.00	154	166	AVERAGE										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																												
1	5147.36	44.01	54.00	-9.99	31.93	34.19	9.78	31.89	0.00	154	166	AVERAGE																																																											
Peak																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2428.00</td><td>93.06</td><td>-----</td><td>86.11</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>154</td><td>166</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>108.32</td><td>-----</td><td>96.19</td><td>34.20</td><td>9.81</td><td>31.88</td><td>0.00</td><td>154</td><td>166</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2428.00	93.06	-----	86.11	32.49	6.66	32.20	0.00	154	166	Peak	2	5180.00	108.32	-----	96.19	34.20	9.81	31.88	0.00	154	166
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																												
1	2428.00	93.06	-----	86.11	32.49	6.66	32.20	0.00	154	166	Peak																																																												
2	5180.00	108.32	-----	96.19	34.20	9.81	31.88	0.00	154	166	PEAK																																																												
Avg																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2428.00</td><td>85.18</td><td>-----</td><td>78.23</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>154</td><td>166</td><td>Average</td></tr><tr><td>2</td><td>5180.00</td><td>99.76</td><td>-----</td><td>87.62</td><td>34.20</td><td>9.81</td><td>31.87</td><td>0.00</td><td>154</td><td>166</td><td>AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2428.00	85.18	-----	78.23	32.49	6.66	32.20	0.00	154	166	Average	2	5180.00	99.76	-----	87.62	34.20	9.81	31.87	0.00	154	166
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																												
1	2428.00	85.18	-----	78.23	32.49	6.66	32.20	0.00	154	166	Average																																																												
2	5180.00	99.76	-----	87.62	34.20	9.81	31.87	0.00	154	166	AVERAGE																																																												







Mode	64																																																														
	Band Edge																																																														
	802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																														
Pol.	Vertical						Fundamental																																																								
Peak																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5136.32</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>42.64</td><td>34.17</td><td>9.77</td><td>31.90</td><td>0.00</td><td>127</td><td>77</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5136.32	54.68	74.00	-19.32	42.64	34.17	9.77	31.90	0.00	127	77	PEAK												
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																			
1	5136.32	54.68	74.00	-19.32	42.64	34.17	9.77	31.90	0.00	127	77	PEAK																																																			
Avg																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.12</td><td>43.88</td><td>54.00</td><td>-10.12</td><td>31.78</td><td>34.20</td><td>9.79</td><td>31.89</td><td>0.00</td><td>127</td><td>77</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5149.12	43.88	54.00	-10.12	31.78	34.20	9.79	31.89	0.00	127	77	AVERAGE												
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																			
1	5149.12	43.88	54.00	-10.12	31.78	34.20	9.79	31.89	0.00	127	77	AVERAGE																																																			
Peak																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2428.00</td><td>109.43</td><td>-----</td><td>-----</td><td>102.48</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>127</td><td>77</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>109.43</td><td>-----</td><td>-----</td><td>102.48</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>127</td><td>77</td><td>PEAK</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2428.00	109.43	-----	-----	102.48	32.49	6.66	32.20	0.00	127	77	Peak	2	5180.00	109.43	-----	-----	102.48	32.49	6.66	32.20	0.00	127	77
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																			
1	2428.00	109.43	-----	-----	102.48	32.49	6.66	32.20	0.00	127	77	Peak																																																			
2	5180.00	109.43	-----	-----	102.48	32.49	6.66	32.20	0.00	127	77	PEAK																																																			
Avg																																																															
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2428.00</td><td>101.36</td><td>-----</td><td>-----</td><td>94.41</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>127</td><td>77</td><td>Average</td></tr><tr><td>2</td><td>5180.00</td><td>101.36</td><td>-----</td><td>-----</td><td>94.41</td><td>32.49</td><td>6.66</td><td>32.20</td><td>0.00</td><td>127</td><td>77</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2428.00	101.36	-----	-----	94.41	32.49	6.66	32.20	0.00	127	77	Average	2	5180.00	101.36	-----	-----	94.41	32.49	6.66	32.20	0.00	127	77
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																			
1	2428.00	101.36	-----	-----	94.41	32.49	6.66	32.20	0.00	127	77	Average																																																			
2	5180.00	101.36	-----	-----	94.41	32.49	6.66	32.20	0.00	127	77	AVERAGE																																																			



		64																																																										
Mode		Harmonic																																																										
		802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.36</td><td>68.20</td><td>-22.84</td><td>55.07</td><td>37.44</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.36	68.20	-22.84	55.07	37.44	14.13	61.28	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	45.36	68.20	-22.84	55.07	37.44	14.13	61.28	0.00	---	---	PEAK																																																
																																																												
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.05</td><td>68.20</td><td>-23.15</td><td>54.76</td><td>37.44</td><td>14.13</td><td>61.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	45.05	68.20	-23.15	54.76	37.44	14.13	61.28	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	10360.00	45.05	68.20	-23.15	54.76	37.44	14.13	61.28	0.00	---	---	PEAK																																																







Mode	64																																																																																																													
	Band Edge-L																																																																																																													
	802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>61.87</td><td>74.00</td><td>-12.13</td><td>48.98</td><td>32.47</td><td>6.60</td><td>32.18</td><td>6.00</td><td>302</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	61.87	74.00	-12.13	48.98	32.47	6.60	32.18	6.00	302	66 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>110.11</td><td>-----</td><td>97.16</td><td>32.50</td><td>6.65</td><td>32.20</td><td>6.00</td><td>302</td><td>66 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	110.11	-----	97.16	32.50	6.65	32.20	6.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.17	61.87	74.00	-12.13	48.98	32.47	6.60	32.18	6.00	302	66 PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2427.00	110.11	-----	97.16	32.50	6.65	32.20	6.00	302	66 PEAK																																																																																																				
Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.11</td><td>54.00</td><td>-3.89</td><td>37.21</td><td>32.48</td><td>6.60</td><td>32.18</td><td>6.00</td><td>302</td><td>66 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.11	54.00	-3.89	37.21	32.48	6.60	32.18	6.00	302	66 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2427.00</td><td>100.17</td><td>-----</td><td>87.22</td><td>32.50</td><td>6.65</td><td>32.20</td><td>6.00</td><td>302</td><td>66 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	100.17	-----	87.22	32.50	6.65	32.20	6.00	302
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2389.95	50.11	54.00	-3.89	37.21	32.48	6.60	32.18	6.00	302	66 AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2427.00	100.17	-----	87.22	32.50	6.65	32.20	6.00	302	66 AVERAGE																																																																																																				



Mode	64																																														
	Band Edge-R																																														
	802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																														
Pol.	Horizontal										Fundamental																																				
Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.10</td><td>56.45</td><td>74.00</td><td>-17.55</td><td>43.35</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>302</td><td>66</td><td>PEAK</td></tr></table>										Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2484.10	56.45	74.00	-17.55	43.35	32.60	6.73	32.23	6.00	302	66	PEAK	Blank
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 2484.10	56.45	74.00	-17.55	43.35	32.60	6.73	32.23	6.00	302	66	PEAK																																				
Avg	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2484.40</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>30.90</td><td>32.61</td><td>6.73</td><td>32.23</td><td>6.00</td><td>302</td><td>66</td><td>AVERAGE</td></tr></table>										Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 2484.40	44.01	54.00	-9.99	30.90	32.61	6.73	32.23	6.00	302	66	AVERAGE	Blank
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																					
1 2484.40	44.01	54.00	-9.99	30.90	32.61	6.73	32.23	6.00	302	66	AVERAGE																																				





Mode	64																																																																																																			
	Band Edge-L																																																																																																			
	802.11a_CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>63.23</td><td>74.00</td><td>-10.77</td><td>50.35</td><td>32.46</td><td>6.60</td><td>32.18</td><td>6.00</td><td>125</td><td>68 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	63.23	74.00	-10.77	50.35	32.46	6.60	32.18	6.00	125	68 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>112.82</td><td>-----</td><td>99.89</td><td>32.47</td><td>6.66</td><td>32.20</td><td>6.00</td><td>125</td><td>68 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	112.82	-----	99.89	32.47	6.66	32.20	6.00	125
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.26	63.23	74.00	-10.77	50.35	32.46	6.60	32.18	6.00	125	68 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2427.00	112.82	-----	99.89	32.47	6.66	32.20	6.00	125	68 PEAK																																																																																										
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>50.32</td><td>54.00</td><td>-3.68</td><td>37.43</td><td>32.47</td><td>6.60</td><td>32.18</td><td>6.00</td><td>125</td><td>68 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	50.32	54.00	-3.68	37.43	32.47	6.60	32.18	6.00	125	68 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2427.00</td><td>102.22</td><td>-----</td><td>89.28</td><td>32.48</td><td>6.66</td><td>32.20</td><td>6.00</td><td>125</td><td>68 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2427.00	102.22	-----	89.28	32.48	6.66	32.20	6.00	125
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.91	50.32	54.00	-3.68	37.43	32.47	6.60	32.18	6.00	125	68 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2427.00	102.22	-----	89.28	32.48	6.66	32.20	6.00	125	68 AVERAGE																																																																																										



Mode	64																																																						
	Band Edge-R																																																						
	802.11a _CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.16</td><td>56.40</td><td>74.00</td><td>-17.60</td><td>43.21</td><td>32.68</td><td>6.75</td><td>32.24</td><td>6.00</td><td>125</td><td>68</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.16	56.40	74.00	-17.60	43.21	32.68	6.75	32.24	6.00	125	68	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2496.16	56.40	74.00	-17.60	43.21	32.68	6.75	32.24	6.00	125	68	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>31.57</td><td>32.60</td><td>6.73</td><td>32.23</td><td>6.00</td><td>125</td><td>68</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	44.67	54.00	-9.33	31.57	32.60	6.73	32.23	6.00	125	68	AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	44.67	54.00	-9.33	31.57	32.60	6.73	32.23	6.00	125	68	AVERAGE																																											




Mode	64																																																																																																																																	
	Harmonic																																																																																																																																	
	802.11a _CH36_5180MHz_Full + 11ax HE40 CH04_2427MHz																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4854.00</td><td>41.59</td><td>74.00</td><td>-32.41</td><td>59.14</td><td>34.19</td><td>9.50</td><td>61.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>56.78</td><td>35.66</td><td>11.68</td><td>60.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	41.59	74.00	-32.41	59.14	34.19	9.50	61.24	0.00	---	---	PEAK	2	7281.00	43.46	74.00	-30.54	56.78	35.66	11.68	60.66	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4854.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>58.99</td><td>34.19</td><td>9.50</td><td>61.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7281.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>57.32</td><td>35.66</td><td>11.68</td><td>60.66</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4854.00	41.44	74.00	-32.56	58.99	34.19	9.50	61.24	0.00	---	---	PEAK	2	7281.00	44.00	74.00	-30.00	57.32	35.66	11.68	60.66	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4854.00	41.59	74.00	-32.41	59.14	34.19	9.50	61.24	0.00	---	---	PEAK																																																																																																																						
2	7281.00	43.46	74.00	-30.54	56.78	35.66	11.68	60.66	0.00	---	---	PEAK																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	4854.00	41.44	74.00	-32.56	58.99	34.19	9.50	61.24	0.00	---	---	PEAK																																																																																																																						
2	7281.00	44.00	74.00	-30.00	57.32	35.66	11.68	60.66	0.00	---	---	PEAK																																																																																																																						

Note: For all plots above, the over limit line signals are Fundamental signal which can be ignored.

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
6+7	802.11a	98.97	-	-	10Hz
6+7	802.11ax HE20	100	-	-	10Hz
6+7	802.11ax HE20-RU26	100	-	-	10Hz
6+7	802.11ax HE20-RU52	100	-	-	10Hz
6+7	802.11ax HE20-RU106	100	-	-	10Hz
6+7	802.11ax HE40	100	-	-	10Hz
6+7	802.11ax HE80	100	-	-	10Hz
6+7	802.11ax HE160	100	-	-	10Hz

802.11a






802.11ax HE20 - full RU




802.11ax HE20 – RU26






802.11ax HE20 – RU52




802.11ax HE20 – RU106






802.11ax HE40



802.11ax HE80





802.11ax HE160

