


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5554.00	58.24	15.97	42.27	68.20	-9.96	279	162 Peak	Horizontal	
2	5691.50	58.86	16.47	42.39	98.03	-40.07	279	162 Peak	Horizontal	
3	5719.00	59.00	16.53	42.47	110.52	-51.52	279	162 Peak	Horizontal	
4	5725.00	59.63	17.14	42.49	122.20	-62.57	279	162 Peak	Horizontal	
5	5785.00	118.04	75.34	42.70	122.20	-4.16	279	162 Peak	Horizontal	
6	5852.50	57.93	15.26	42.67	116.50	-58.57	279	162 Peak	Horizontal	
7	5857.50	58.74	16.07	42.67	118.10	-51.36	279	162 Peak	Horizontal	
8	5898.50	57.71	15.01	42.70	87.77	-30.06	279	162 Peak	Horizontal	
9	5951.50	58.73	15.00	42.93	68.20	-9.47	279	162 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5643.00	58.63	16.22	42.41	68.20	-9.57	100	81 Peak	Vertical	
2	5696.00	59.24	16.86	42.38	102.25	-43.01	100	81 Peak	Vertical	
3	5717.00	58.75	16.30	42.45	109.96	-51.21	100	81 Peak	Vertical	
4	5721.50	59.83	17.35	42.48	114.22	-54.39	100	81 Peak	Vertical	
5	5785.00	120.06	77.36	42.70	122.20	-2.14	100	81 Peak	Vertical	
6	5855.00	59.02	16.35	42.67	110.60	-51.78	100	81 Peak	Vertical	
7	5865.00	59.26	16.58	42.68	100.00	-48.74	100	81 Peak	Vertical	
8	5922.50	59.47	16.67	42.80	70.04	-10.57	100	81 Peak	Vertical	
9	5945.50	59.13	16.22	42.91	68.20	-9.07	100	81 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5637.50	58.43	16.04	42.39	68.20	-9.77	362	120 Peak	Horizontal	
2	5690.00	58.67	16.28	42.39	97.83	-39.16	362	120 Peak	Horizontal	
3	5716.00	58.30	15.86	42.44	109.68	-51.38	362	120 Peak	Horizontal	
4	5723.50	58.00	15.52	42.48	118.78	-60.78	362	120 Peak	Horizontal	
5	5825.00	117.73	75.03	42.70	122.20	-4.47	362	120 Peak	Horizontal	
6	5850.00	71.18	28.51	42.67	122.20	-51.02	362	120 Peak	Horizontal	
7	5855.50	67.81	25.14	42.67	118.66	-42.85	362	120 Peak	Horizontal	
8	5900.50	58.76	16.06	42.70	86.29	-27.53	362	120 Peak	Horizontal	
9	5955.00	59.70	16.76	42.94	68.20	-8.50	362	120 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5612.50	58.77	16.50	42.27	68.20	-9.43	100	104 Peak	Vertical	
2	5686.50	58.93	16.53	42.40	95.24	-36.31	100	104 Peak	Vertical	
3	5705.00	58.53	16.13	42.40	106.60	-48.07	100	104 Peak	Vertical	
4	5723.00	59.83	17.35	42.48	117.64	-57.81	100	104 Peak	Vertical	
5	5825.00	124.38	81.68	42.70	122.20	2.18	100	104 Peak	Vertical	
6	5851.00	69.31	26.64	42.67	119.92	-50.61	100	104 Peak	Vertical	
7	5858.00	67.01	24.34	42.67	109.96	-42.95	100	104 Peak	Vertical	
8	5912.00	59.74	16.98	42.76	77.79	-18.05	100	104 Peak	Vertical	
9	5995.00	59.20	16.15	43.05	68.20	-9.00	100	104 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5566.50	56.89	14.63	42.26	68.20	-11.31	100	285 Peak	HORIZONTAL	
2	5695.50	64.91	22.53	42.38	101.88	-36.97	100	285 Peak	HORIZONTAL	
3	5704.00	69.52	27.12	42.40	106.32	-36.80	100	285 Peak	HORIZONTAL	
4	5722.50	68.45	25.97	42.48	116.50	-48.05	100	285 Peak	HORIZONTAL	
5	5755.00	112.59	69.97	42.62	122.20	-9.61	100	285 Peak	HORIZONTAL	
6	5852.00	57.25	14.50	42.67	117.64	-60.39	100	285 Peak	HORIZONTAL	
7	5867.50	56.45	13.77	42.68	107.30	-50.85	100	285 Peak	HORIZONTAL	
8	5917.00	57.27	14.49	42.78	74.10	-16.83	100	285 Peak	HORIZONTAL	
9	5947.00	58.39	15.47	42.92	68.20	-9.81	100	285 Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5650.00	59.01	16.57	42.44	68.20	-9.19	100	157 Peak	Vertical	
2	5697.00	69.19	26.81	42.38	102.99	-33.80	100	157 Peak	Vertical	
3	5715.50	71.63	29.19	42.44	109.54	-37.91	100	157 Peak	Vertical	
4	5723.00	72.50	30.02	42.48	117.64	-45.14	100	157 Peak	Vertical	
5	5755.00	120.68	78.06	42.62	122.20	-1.52	100	157 Peak	Vertical	
6	5852.00	58.34	15.67	42.67	117.64	-59.30	100	157 Peak	Vertical	
7	5859.50	58.63	15.06	42.67	109.54	-50.91	100	157 Peak	Vertical	
8	5877.00	58.19	15.51	42.68	103.71	-45.52	100	157 Peak	Vertical	
9	5941.00	57.45	14.57	42.88	68.20	-10.75	100	157 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5533.00	56.71	14.41	42.30	68.20	-11.49	100	137 Peak	Horizontal	
2	5684.00	56.78	14.39	42.39	93.40	-36.62	100	137 Peak	Horizontal	
3	5719.00	60.43	17.96	42.47	110.52	-58.09	100	137 Peak	Horizontal	
4	5724.50	62.11	19.62	42.49	121.06	-58.95	100	137 Peak	Horizontal	
5	5795.00	112.48	69.76	42.72	122.20	-9.72	100	137 Peak	Horizontal	
6	5850.50	67.35	24.68	42.67	121.06	-55.71	100	137 Peak	Horizontal	
7	5855.50	63.28	20.61	42.67	118.66	-47.38	100	137 Peak	Horizontal	
8	5877.50	58.50	15.82	42.68	103.34	-44.84	100	137 Peak	Horizontal	
9	5925.00	57.09	14.28	42.81	68.20	-11.11	100	137 Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.50	57.36	14.96	42.40	68.20	-10.84	100	74 Peak	Vertical	
2	5685.50	58.36	15.96	42.40	94.50	-36.14	100	74 Peak	Vertical	
3	5717.00	63.68	21.23	42.45	109.96	-46.28	100	74 Peak	Vertical	
4	5721.50	65.61	23.13	42.48	114.22	-48.61	100	74 Peak	Vertical	
5	5795.00	116.35	73.63	42.72	122.20	-5.85	100	74 Peak	Vertical	
6	5850.50	70.84	28.17	42.67	121.06	-50.22	100	74 Peak	Vertical	
7	5867.50	67.82	25.14	42.68	107.30	-39.48	100	74 Peak	Vertical	
8	5876.00	65.32	22.64	42.68	104.46	-39.14	100	74 Peak	Vertical	
9	5956.00	58.75	15.81	42.94	68.20	-9.45	100	74 Peak	Vertical	

802.11ax HE80
CH 155 (Horizontal) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1010 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	65.40	22.97	42.43	68.20	-2.80	100	288 Peak	Horizontal	
2	5697.00	77.00	34.70	42.38	102.99	-25.91	100	288 Peak	Horizontal	
3	5716.50	80.14	37.69	42.45	109.82	-29.68	100	288 Peak	Horizontal	
4	5724.50	81.91	39.42	42.49	121.06	-39.15	100	288 Peak	Horizontal	
5	5775.00	112.64	69.97	42.67	122.20	-9.56	100	288 Peak	Horizontal	
6	5852.50	74.42	31.75	42.67	116.50	-42.00	100	288 Peak	Horizontal	
7	5863.50	76.91	34.23	42.68	108.42	-31.51	100	288 Peak	Horizontal	
8	5882.00	70.42	27.73	42.69	100.00	-29.58	100	288 Peak	Horizontal	
9	5941.00	60.91	18.03	42.88	68.20	-7.29	100	288 Peak	Horizontal	

CH 155 (Vertical) Peak

 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1010 Fax: +886-2172-1322


	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5633.50	65.30	22.94	42.36	68.20	-2.90	100	45 Peak	Vertical	
2	5696.00	82.36	39.98	42.38	102.25	-19.89	100	45 Peak	Vertical	
3	5717.50	82.94	40.49	42.45	110.10	-27.16	100	45 Peak	Vertical	
4	5725.00	81.43	38.94	42.49	122.20	-40.77	100	45 Peak	Vertical	
5	5775.00	117.66	74.99	42.67	122.20	-4.54	100	45 Peak	Vertical	
6	5850.50	73.05	30.38	42.67	121.06	-48.01	100	45 Peak	Vertical	
7	5858.00	78.23	35.56	42.67	109.96	-31.73	100	45 Peak	Vertical	
8	5875.50	73.53	30.85	42.68	104.83	-31.30	100	45 Peak	Vertical	
9	5933.50	62.88	20.03	42.85	68.20	-5.32	100	45 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-1


802.11ax HE40

CH 102(Open) (9kHz ~ 150kHz)

CH 102(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	58.22	39.27	18.95	119.13	-60.91	100	307	QP	Open		
2	0.04	61.85	42.67	19.18	116.55	-54.70	100	244	QP	Open		
3	0.07	54.00	35.42	18.58	110.43	-56.43	100	150	QP	Open		
4	0.11	43.43	25.48	17.95	106.99	-63.56	100	178	QP	Open		
5	0.13	37.56	19.52	18.04	105.31	-67.75	100	247	QP	Open		
6	0.14	37.84	19.74	18.10	104.38	-66.54	100	83	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.33	47.09	28.34	18.75	97.26	-50.17	100	242	QP	Open		
2	3.91	32.39	12.83	19.56	69.50	-37.11	100	73	QP	Open		
3	8.18	33.65	12.88	20.77	69.50	-35.85	100	360	QP	Open		
4	12.18	34.87	13.12	21.75	69.50	-34.63	100	287	QP	Open		
5	22.63	36.19	13.85	22.34	69.50	-33.31	100	61	QP	Open		
6	27.40	35.79	13.38	22.41	69.50	-33.71	100	189	QP	Open		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-1


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	34.85	36.83	45.22	-8.39	48.00	-3.17	400	344 QP	Horizontal	
2	94.02	32.69	46.56	-13.87	43.50	-10.81	300	308 QP	Horizontal	
3	137.67	33.69	41.54	-7.85	43.50	-9.81	200	87 QP	Horizontal	
4	250.19	32.52	40.41	-7.89	46.00	-13.48	100	202 QP	Horizontal	
5	297.72	28.35	34.59	-6.24	46.00	-17.65	100	360 QP	Horizontal	
6	846.74	34.39	31.53	2.86	46.00	-11.61	200	53 QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	34.85	38.51	46.90	-8.39	48.00	-1.49	100	346 QP	Vertical	
2	46.49	36.87	44.09	-7.22	48.00	-3.13	100	206 QP	Vertical	
3	62.01	35.08	43.90	-8.82	48.00	-4.92	100	336 QP	Vertical	
4	111.48	34.97	45.69	-10.72	43.50	-8.53	100	162 QP	Vertical	
5	551.86	27.92	29.94	-2.02	46.00	-18.08	200	54 QP	Vertical	
6	845.77	33.80	30.96	2.84	46.00	-12.20	253	360 QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1

802.11ax HE20

CH 36 (Horizontal)

TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m) Date: 2023-02-15

FCC Class B_PK(B1-B3)
FCC Class B_AVG
-5dB

Frequency (MHz)

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	61.33	66.52	-5.19	68.20	-6.87	100	173	Peak	Horizontal		

CH 36 (Vertical)


TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322


Level (dBuV/m) Date: 2023-02-15

FCC Class B_PK(B1-B3)
FCC Class B_AVG
-5dB

Frequency (MHz)

	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	10360.00	65.34	70.53	-5.19	68.20	-2.86	386	208	Peak	Vertical		






802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1 10380.00	63.01	68.16	-5.15	68.20	-5.19	221	2 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1 10380.00	64.55	69.70	-5.15	68.20	-3.65	400	152 Peak	Vertical	




802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	62.10	67.14	-5.04	68.20	-6.10	281	42 Peak	Horizontal





TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10420.00	63.45	68.49	-5.04	68.20	-4.75	100	313 Peak	Vertical

U-NII-2A

802.11ax HE20																																																																					
CH 52 (Horizontal)					CH 52 (Vertical)																																																																
 TUV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 Level (dBuV/m) Date: 2023-02-15 <table><tr><th>Freq</th><th>Level</th><th>Read</th><th>Limit</th><th>Over</th><th>APos</th><th>TPos</th><th>Remark</th><th>Pol/Phase</th><th>Note</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10520.00</td><td>64.74</td><td>69.53</td><td>-4.79</td><td>68.20</td><td>-3.46</td><td>297</td><td>360 Peak</td><td>Horizontal</td><td></td></tr></table>					Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1 10520.00	64.74	69.53	-4.79	68.20	-3.46	297	360 Peak	Horizontal		 TUV Rheinland Taiwan Ltd. No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.) Tel: +886-2172-1000 Fax: +886-2172-1322 Level (dBuV/m) Date: 2023-02-15 <table><tr><th>Freq</th><th>Level</th><th>Read</th><th>Limit</th><th>Over</th><th>APos</th><th>TPos</th><th>Remark</th><th>Pol/Phase</th><th>Note</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dBuV/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 10520.00</td><td>65.30</td><td>70.09</td><td>-4.79</td><td>68.20</td><td>-2.90</td><td>200</td><td>323 Peak</td><td>Vertical</td><td></td></tr></table>					Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			1 10520.00	65.30	70.09	-4.79	68.20	-2.90	200	323 Peak	Vertical	
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																														
1 10520.00	64.74	69.53	-4.79	68.20	-3.46	297	360 Peak	Horizontal																																																													
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																												
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																														
1 10520.00	65.30	70.09	-4.79	68.20	-2.90	200	323 Peak	Vertical																																																													


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	47.92	52.69	-4.77	54.00	-6.08	193	66	Average	Horizontal	
2	10600.00	62.51	67.28	-4.77	68.20	-5.69	193	66	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	47.87	52.64	-4.77	54.00	-6.13	283	61	Average	Vertical	
2	10600.00	63.55	68.32	-4.77	68.20	-4.65	283	61	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	47.42	52.11	-4.69	54.00	-6.58	100	24 Average	Horizontal	
2	10640.00	58.10	62.79	-4.69	74.00	-15.90	100	24 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	47.34	52.03	-4.69	54.00	-6.66	100	301 Average	Vertical	
2	10640.00	59.87	64.56	-4.69	74.00	-14.13	100	301 Peak	Vertical	




802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	42.59	47.32	-4.73	54.00	-11.41	300	358	Average	Horizontal	
2	10620.00	57.06	61.79	-4.73	74.00	-16.94	300	358	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	48.20	52.93	-4.73	54.00	-5.80	100	64	Average	Vertical	
2	10620.00	63.58	68.31	-4.73	74.00	-10.42	100	64	Peak	Vertical	



U-NII-2C

802.11ax HE20


CH 100 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-02-15




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11002.00	45.31	49.42	-4.11	54.00	-8.69	400	316 Average	Horizontal	
2	11002.00	58.59	62.70	-4.11	74.00	-15.41	400	316 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)

Date: 2023-02-15



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	51.10	55.21	-4.11	54.00	-2.90	100	59 Average	Vertical	
2	11000.00	65.11	69.22	-4.11	74.00	-8.89	100	59 Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	49.93	53.75	-3.82	54.00	-4.07	100	118 Average	Horizontal	
2	11160.00	69.55	73.37	-3.82	74.00	-4.45	100	118 Peak	Horizontal	
3	16740.00	51.27	47.56	3.71	68.20	-16.93	300	219 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	48.44	52.26	-3.82	54.00	-5.56	100	213 Average	Vertical	
2	11160.00	68.76	72.58	-3.82	74.00	-5.24	100	213 Peak	Vertical	
3	16740.00	59.66	55.95	3.71	68.20	-8.54	400	328 Peak	Vertical	

	Freq	Level	Rad Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11400.00	50.87	54.31	-3.44	54.00	-3.13	400	58	Average	Vertical	
2	11400.00	58.73	62.17	-3.44	74.00	-15.27	400	58	Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	37.38	41.45	-4.07	54.00	-16.62	100	360 Average	Horizontal	
2	11020.00	52.03	56.10	-4.07	74.00	-21.97	100	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11020.00	42.11	46.15	-4.04	54.00	-11.89	100	73 Average	Vertical	
2	11020.00	57.20	61.24	-4.04	74.00	-16.80	100	73 Peak	Vertical	




802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	50.54	54.66	-4.12	54.00	-3.46	100	118	Average	Horizontal	
2	11340.00	66.93	71.05	-4.12	74.00	-7.07	100	118	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11340.00	49.28	53.40	-4.12	54.00	-4.72	100	204	Average	Vertical	
2	11340.00	65.75	69.87	-4.12	74.00	-8.25	100	204	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	36.69	40.67	-3.98	54.00	-17.31	124	360 Average	Horizontal	
2	11060.00	45.76	49.74	-3.98	74.00	-28.24	124	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	37.18	41.16	-3.98	54.00	-16.82	333	360 Average	Vertical	
2	11060.00	47.00	50.98	-3.98	74.00	-27.00	333	360 Peak	Vertical	


802.11ax HE40

CH 122 (Horizontal)

CH 122 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	42.19	45.92	-3.73	54.00	-11.81	100	124	Average	Horizontal	
2	11220.00	54.57	58.30	-3.73	74.00	-19.43	100	124	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11220.00	42.99	46.72	-3.73	54.00	-11.01	100	168	Average	Vertical	
2	11220.00	55.70	59.43	-3.73	74.00	-18.30	100	168	Peak	Vertical	


802.11ax HE80

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.00	32.77	36.62	-3.85	54.00	-21.23	374	1	Average	Horizontal
2	11140.00	45.38	49.23	-3.85	74.00	-28.62	374	1	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11140.00	34.66	38.51	-3.85	54.00	-19.34	100	360	Average	Vertical
2	11140.00	47.73	51.58	-3.85	74.00	-26.27	100	360	Peak	Vertical

U-NII-3

802.11ax HE20

CH 149 (Horizontal)




TÜVRheinland

TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

Level (dBuV/m)


Date: 2023-02-16



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11490.00	49.82	53.87	-3.25	54.00	-4.18	100	300	Average	Horizontal		
2 11490.00	60.66	63.91	-3.25	74.00	-13.34	100	300	Peak	Horizontal		

Level (dBuV/m)

Date: 2023-02-16



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 11490.00	50.86	54.11	-3.25	54.00	-3.14	100	166	Average	Vertical		
2 11490.00	62.72	65.97	-3.25	74.00	-11.28	100	166	Peak	Vertical		


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	47.00	50.98	-3.18	54.00	-6.20	100	318 Average	Horizontal	
2	11570.00	58.22	61.40	-3.18	74.00	-15.78	100	318 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	50.52	53.70	-3.18	54.00	-3.48	100	185 Average	Vertical	
2	11570.00	62.38	65.56	-3.18	74.00	-11.62	100	185 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	50.32	53.33	-3.01	54.00	-3.68	100	305	Average	Horizontal	
2	11650.00	55.58	58.59	-3.01	74.00	-18.42	100	305	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	51.10	54.11	-3.01	54.00	-2.90	100	76	Average	Vertical	
2	11650.00	57.74	60.75	-3.01	74.00	-16.26	100	76	Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11510.00	48.43	52.24	-3.81	54.00	-5.57	100	347	Average	Horizontal		
2	11510.00	64.57	68.38	-3.81	74.00	-9.43	100	347	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11510.00	51.31	55.12	-3.81	54.00	-2.69	100	193	Average	Vertical		
2	11510.00	70.35	74.16	-3.81	74.00	-3.65	100	193	Peak	Vertical		


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	46.81	50.47	-3.66	54.00	-7.19	100	117	Average	Horizontal	
2	11590.00	62.83	66.49	-3.66	74.00	-11.17	100	117	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11590.00	51.15	54.81	-3.66	54.00	-2.85	100	172	Average	Vertical	
2	11590.00	67.25	70.91	-3.66	74.00	-6.75	100	172	Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	47.70	50.89	-3.19	54.00	-6.30	100	118	Average	Horizontal		
2	11550.00	57.67	60.66	-3.19	74.00	-16.33	100	118	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11550.00	48.83	52.02	-3.19	54.00	-5.17	100	198	Average	Vertical		
2	11550.00	57.27	60.46	-3.19	74.00	-16.73	100	198	Peak	Vertical		