



26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 27.OCT.2015 00:04:18


26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 23.OCT.2015 02:31:24


Mode 8: EUT 2 + Set 10 PIFA Antenna / Chain1:5.84 dBi, Chain2:5.50 dBi, Chain3:5.84 dBi, Chain4:5.65 dBi

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5260 MHz




Date: 20.OCT.2015 23:06:27

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5300 MHz




Date: 20.OCT.2015 23:06:57

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2
+ Chain 3 + Chain 4 / 5320 MHz




Date: 20.OCT.2015 23:07:35

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2
+ Chain 3 + Chain 4 / 5500 MHz




Date: 20.OCT.2015 23:08:02

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2
+ Chain 3 + Chain 4 / 5580 MHz




Date: 20.OCT.2015 23:08:39

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2
+ Chain 3 + Chain 4 / 5700 MHz




Date: 20.OCT.2015 23:09:14

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5260 MHz




Date: 20.OCT.2015 23:30:57

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5300 MHz




Date: 20.OCT.2015 23:31:26

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5320 MHz




Date: 20.OCT.2015 23:31:59

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5500 MHz




Date: 20.OCT.2015 23:32:32


26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5580 MHz



26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5700 MHz




26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5270 MHz




Date: 21.OCT.2015 00:18:45

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5310 MHz




Date: 21.OCT.2015 00:19:24

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5510 MHz




Date: 21.OCT.2015 00:20:03

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5550 MHz




Date: 21.OCT.2015 00:20:35

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5670 MHz




Date: 21.OCT.2015 00:21:11

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5290 MHz




Date: 21.OCT.2015 00:23:55

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5530 MHz



Date: 21.OCT.2015 00:24:33


26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5610 MHz



Date: 21.OCT.2015 00:25:14


Straddle Channel

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2
+ Chain 3 + Chain 4 / 5720 MHz




Date: 20.OCT.2015 22:30:11

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 /
Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 20.OCT.2015 22:29:42

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 20.OCT.2015 22:30:41

26dB Bandwidth and 99% Occupied Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 20.OCT.2015 22:31:21

4.2. 6dB Spectrum Bandwidth Measurement

4.2.1. Limit

For digital modulation systems, the minimum 6dB bandwidth shall be at least 500 kHz.

4.2.2. Measuring Instruments and Setting

Please refer to section 5 of equipments list in this report. The following table is the setting of spectrum analyzer.

6dB Spectrum Bandwidth	
Spectrum Parameters	Setting
Attenuation	Auto
Span Frequency	> 6dB Bandwidth
RBW	100kHz
VBW	$\geq 3 \times \text{RBW}$
Detector	Peak
Trace	Max Hold
Sweep Time	Auto

4.2.3. Test Procedures

For Radiated 6dB Bandwidth Measurement:

1. The transmitter was radiated to the spectrum analyzer in peak hold mode.
2. Test was performed in accordance with KDB789033 D02 v01 for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices - section (C) Emission Bandwidth.
3. Multiple antenna system was performed in accordance with KDB662911 D01 v02r01 Emissions Testing of Transmitters with Multiple Outputs in the Same Band.
4. Measured the spectrum width with power higher than 6dB below carrier.

4.2.4. Test Setup Layout

For Radiated 6dB Bandwidth Measurement:

This test setup layout is the same as that shown in section 4.5.4.

4.2.5. Test Deviation

There is no deviation with the original standard.

4.2.6. EUT Operation during Test

The EUT was programmed to be in continuously transmitting mode.

4.2.7. Test Result of 6dB Spectrum Bandwidth

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 1: EUT 1 + Set 1 Ceiling Mount Omni Antenna / 7 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	16.29	5711.83	3.12	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	16.99	5711.19	3.17	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	33.86	5693.65	2.51	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	73.33	5654.93	3.26	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 2: EUT 1 + Set 2 Sector Antenna / 6.5 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	15.01	5712.52	2.54	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	8.75	5718.72	2.48	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	34.55	5693.65	3.20	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	73.91	5653.77	2.68	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 3: EUT 1 + Set 3 Sector Antenna / 5.5 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	15.01	5712.52	2.54	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	8.75	5718.72	2.48	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	34.55	5693.65	3.20	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	75.07	5652.32	2.39	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 4: EUT 1 + Set 4 Sector Antenna / 7.5 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	14.96	5712.46	2.42	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	17.57	5711.25	3.81	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	21.91	5704.44	1.35	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	64.64	5663.04	2.68	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 5: EUT 1 + Set 5 Sector Antenna / 4.5 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	15.01	5712.52	2.54	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	8.46	5718.79	2.25	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	33.74	5693.42	2.16	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	75.07	5652.32	2.39	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 6: EUT 1 + Set 6 Sector Antenna / 4 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	15.01	5712.46	2.48	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	8.46	5718.78	2.25	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	33.74	5693.42	2.16	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	75.07	5652.32	2.39	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 7: EUT 1 + Set 9 Dipole Antenna / 4.67 dBi		

Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	10.67	5717.45	3.12	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	16.35	5711.83	3.17	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	33.86	5693.77	2.62	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	72.75	5654.93	2.68	500	Complies

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang		
Test Mode	Mode 8: EUT 2 + Set 10 PIFA Antenna / Chain1:5.84 dBi, Chain2:5.50 dBi, Chain3:5.84 dBi, Chain4:5.65 dBi		


Straddle Channel

Mode	Frequency	6dB BW (MHz)	6dB BW F2 (MHz)	UNII 3 BW (MHz)	Min. Limit (kHz)	Test Result
802.11a	5720 MHz	15.65	5711.83	2.48	500	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz	9.51	5717.10	1.61	500	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz	35.59	5692.49	3.09	500	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz	73.33	5654.35	2.68	500	Complies


Straddle Channel

Mode 1: EUT 1 + Set 1 Ceiling Mount Omni Antenna / 7 dBi


6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz



6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 11.NOV.2015 01:10:46


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 11.NOV.2015 01:12:08


Mode 2: EUT 1 + Set 2 Sector Antenna / 6.5 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:23:34

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:24:32

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 10.NOV.2015 21:27:03


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 15.NOV.2015 04:04:22


Mode 3: EUT 1 + Set 3 Sector Antenna / 5.5 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:23:34

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:24:32

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 10.NOV.2015 21:27:03


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz




Date: 10.NOV.2015 21:21:21

Mode 4: EUT 1 + Set 4 Sector Antenna / 7.5 dBi


6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz



6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz




6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz




Mode 5: EUT 1 + Set 5 Sector Antenna / 4.5 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:23:34

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:08:32

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 10.NOV.2015 21:14:01


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 10.NOV.2015 21:21:21


Mode 6: EUT 1 + Set 6 Sector Antenna / 4 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:07:38

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 10.NOV.2015 21:08:32

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 10.NOV.2015 21:14:01


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 10.NOV.2015 21:21:21


Mode 7: EUT 1 + Set 9 Dipole Antenna / 4.67 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 5. NOV. 2015 18:11:30

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 5. NOV. 2015 18:12:01

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 15.NOV.2015 04:01:01


6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 5.NOV.2015 18:09:30


Mode 8: EUT 2 + Set 10 PIFA Antenna / Chain1:5.84 dBi, Chain2:5.50 dBi, Chain3:5.84 dBi, Chain4:5.65 dBi

6 dB Bandwidth Plot on Configuration IEEE 802.11a / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz



Date: 21.OCT.2015 00:33:23

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5720 MHz




Date: 21.OCT.2015 00:33:57

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5710 MHz



Date: 21.OCT.2015 00:34:43

6 dB Bandwidth Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 + Chain 2 + Chain 3 + Chain 4 / 5690 MHz



Date: 21.OCT.2015 00:36:10

4.3. Maximum Conducted Output Power Measurement

4.3.1. Limit

Frequency Band		Limit
☒	5.25-5.35 GHz	The maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW (24dBm) or 11 dBm $10 \log B$, where B is the 26 dB emission bandwidth in megahertz. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.
☒	5.470-5.725 GHz	

4.3.2. Measuring Instruments and Setting

For other channel:

Please refer to section 5 of equipments list in this report. The following table is the setting of the power meter.

Power Meter Parameter	Setting
Detector	AVERAGE

For straddle channel:

Please refer to section 5 of equipments list in this report. The following table is the setting of the spectrum analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	Encompass the entire emissions bandwidth (EBW) of the signal
RBW	1000 kHz
VBW	3000 kHz
Detector	RMS
Trace	Average Sweep count 100
Sweep Time	Auto

4.3.3. Test Procedures

For other channel:


1. The transmitter output (antenna port) was connected to the power meter.
2. Test was performed in accordance with KDB789033 D02 v01 for Compliance Testing of Unlicensed National Information Infrastructure (U-NII) Devices - section (E) Maximum conducted output power =>3. Measurement using a Power Meter (PM) =>b) Method PM-G (Measurement using a gated RF average power meter).
3. Multiple antenna systems was performed in accordance with KDB662911 D01 v02r01 Emissions Testing of Transmitters with Multiple Outputs in the Same Band.
4. When measuring maximum conducted output power with multiple antenna systems, add every result of the values by mathematic formula.

For straddle channel:


1. The transmitter output (antenna port) was connected to the spectrum analyzer.
2. Test was performed in accordance with FCC Public Notice DA 02-2138, August 30, 2002.

4.3.4. Test Setup Layout

For other channel:



For straddle channel:



4.3.5. Test Deviation

There is no deviation with the original standard.

4.3.6. EUT Operation during Test

The EUT was programmed to be in continuously transmitting mode.

4.3.7. Test Result of Maximum Conducted Output Power

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 10, 2015
Test Mode	Mode 1: EUT 1 + Set 1 Ceiling Mount Omni Antenna / 7 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	13.08	14.27	13.58	13.46	19.64	23.00	Complies
	5300 MHz	13.07	14.31	13.64	13.86	19.76	22.74	Complies
	5320 MHz	13.09	14.18	13.66	13.93	19.75	22.78	Complies
	5500 MHz	13.34	13.21	13.82	14.04	19.64	22.76	Complies
	5580 MHz	13.05	13.89	13.77	13.82	19.67	22.93	Complies
	5700 MHz	13.02	13.58	14.02	13.94	19.68	22.88	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	13.12	14.17	13.75	13.51	19.67	23.00	Complies
	5300 MHz	13.09	14.21	13.56	13.73	19.69	22.99	Complies
	5320 MHz	13.17	14.25	13.81	13.78	19.79	23.00	Complies
	5500 MHz	14.31	13.02	13.24	13.75	19.63	23.00	Complies
	5580 MHz	13.25	13.79	14.15	14.02	19.84	23.00	Complies
	5700 MHz	12.96	13.85	14.19	13.93	19.78	22.99	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	16.28	17.02	16.45	16.34	22.55	23.00	Complies
	5310 MHz	12.27	12.88	12.11	12.07	18.37	23.00	Complies
	5510 MHz	15.14	14.86	15.52	15.25	21.22	23.00	Complies
	5550 MHz	16.68	16.62	16.58	16.96	22.73	23.00	Complies
	5670 MHz	15.96	16.55	16.67	16.84	22.54	23.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	11.72	12.26	11.57	11.63	17.82	23.00	Complies
	5530 MHz	10.36	10.17	10.73	10.66	16.51	23.00	Complies
	5610 MHz	16.34	16.97	17.08	17.03	22.89	23.00	Complies

Note 1: For 802.11a

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.78) - (7.00 - 6) = 22.74\text{dBm} < 24\text{dBm}$, so limit = 22.74dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.96) - (7.00 - 6) = 22.78\text{dBm} < 24\text{dBm}$, so limit = 22.78dBm.

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.87) - (7.00 - 6) = 22.78\text{dBm} < 24\text{dBm}$, so limit = 22.76dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.65) - (7.00 - 6) = 22.93\text{dBm} < 24\text{dBm}$, so limit = 22.93dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.39) - (7.00 - 6) = 22.88\text{dBm} < 24\text{dBm}$, so limit = 22.88dBm.

For 802.11ac VHT20

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) - (7.00 - 6) = 22.99\text{dBm} < 24\text{dBm}$, so limit = 22.99dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) - (7.00 - 6) = 22.99\text{dBm} < 24\text{dBm}$, so limit = 22.99dBm.

Note 2: Antenna gain = 7.00dBi > 6dBi, so the limit $24 - (7.00 - 6) = 23.00\text{dBm/MHz}$.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	14.10	13.39	11.75	13.24	19.22	21.79	Complies
	5720 MHz (UNII 3)	7.78	7.16	5.57	7.16	13.01	29.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	13.83	13.19	11.52	13.03	18.99	21.84	Complies
	5720 MHz (UNII 3)	8.04	7.45	5.95	7.50	13.32	29.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	16.67	16.08	14.54	15.95	21.90	23.00	Complies
	5710 MHz (UNII 3)	5.18	4.37	3.17	4.24	10.32	29.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	15.86	16.43	17.21	16.67	22.59	23.00	Complies
	5690 MHz (UNII 3)	2.42	2.29	3.25	2.61	8.68	29.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(15.09) - (7.00 - 6) = 21.79\text{dBm} < 24\text{dBm}$, so limit = 21.79dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(15.26) - (7.00 - 6) = 21.84\text{dBm} < 24\text{dBm}$, so limit = 21.84dBm.

Note 2: Antenna gain = 7.00dBi > 6dBi, so the limit $24 - (7.00 - 6) = 23.00\text{dBm/MHz}$.

(UNII 3)

Note 1: Antenna gain = 7.00dBi > 6dBi, so the limit $30 - (7.00 - 6) = 29.00\text{dBm/MHz}$.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 05, 2015
Test Mode	Mode 2: EUT 1 + Set 2 Sector Antenna / 6.5 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	14.11	15.49	14.72	14.63	20.79	23.40	Complies
	5300 MHz	14.53	15.51	15.03	14.42	20.92	23.26	Complies
	5320 MHz	14.49	15.45	15.08	14.45	20.91	23.30	Complies
	5500 MHz	14.45	14.36	15.01	14.86	20.70	23.26	Complies
	5580 MHz	14.28	14.37	15.06	15.02	20.72	23.32	Complies
	5700 MHz	14.08	14.84	15.09	15.15	20.83	23.30	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	13.85	15.37	14.82	14.43	20.67	23.50	Complies
	5300 MHz	14.13	15.11	14.95	14.27	20.66	23.38	Complies
	5320 MHz	13.91	14.96	14.82	13.78	20.42	23.50	Complies
	5500 MHz	14.54	14.41	15.23	14.72	20.76	23.49	Complies
	5580 MHz	13.92	14.19	14.74	14.67	20.41	23.49	Complies
	5700 MHz	13.86	14.51	14.68	14.56	20.43	23.50	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	16.81	18.12	17.02	17.57	23.43	23.50	Complies
	5310 MHz	12.27	12.88	12.11	12.07	18.37	23.50	Complies
	5510 MHz	12.06	11.48	11.85	12.18	17.92	23.50	Complies
	5550 MHz	17.14	17.04	17.54	17.24	23.26	23.50	Complies
	5670 MHz	16.92	17.25	17.68	17.81	23.45	23.50	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	10.01	10.52	9.95	9.98	16.14	23.50	Complies
	5530 MHz	10.10	9.78	9.95	10.02	15.98	23.50	Complies
	5610 MHz	16.77	17.34	17.23	17.33	23.19	23.50	Complies

Note 1: For 802.11a

5260 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.48) - (6.50 - 6) = 23.40\text{dBm} < 24\text{dBm}$, so limit = 23.40dBm.

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.87) - (6.50 - 6) = 23.26\text{dBm} < 24\text{dBm}$, so limit = 23.26dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.04) - (6.50 - 6) = 23.30\text{dBm} < 24\text{dBm}$, so limit = 23.30dBm.

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.87) - (6.50 - 6) = 23.26\text{dBm} < 24\text{dBm}$, so limit = 23.26dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.13) - (6.50 - 6) = 23.32\text{dBm} < 24\text{dBm}$, so limit = 23.32dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.04) - (6.50 - 6) = 23.30\text{dBm} < 24\text{dBm}$, so limit = 23.30dBm.

For 802.11ac VHT20

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) - (6.50 - 6) = 23.49\text{dBm} < 24\text{dBm}$, so limit = 23.49dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) - (6.50 - 6) = 23.49\text{dBm} < 24\text{dBm}$, so limit = 23.49dBm.

Note 2: Antenna gain = 6.50dBi > 6dBi, so the limit $24 - (6.50 - 6) = 23.50\text{dBm/MHz}$.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	12.70	13.65	14.55	13.74	19.73	22.18	Complies
	5720 MHz (UNII 3)	6.67	7.59	8.10	7.61	13.54	29.50	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	12.41	13.42	14.34	13.55	19.50	22.29	Complies
	5720 MHz (UNII 3)	6.81	7.79	8.30	7.91	13.76	29.50	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	15.35	16.29	17.11	16.33	22.33	23.50	Complies
	5710 MHz (UNII 3)	4.05	4.69	5.29	4.59	10.70	29.50	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	16.77	17.30	17.65	17.43	23.32	23.50	Complies
	5690 MHz (UNII 3)	3.41	2.88	3.22	3.42	9.26	29.50	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(14.74) - (6.50 - 6) = 22.18\text{dBm} < 24\text{dBm}$, so limit = 22.18dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(15.09) - (6.50 - 6) = 22.29\text{dBm} < 24\text{dBm}$, so limit = 22.29dBm.

Note 2: Antenna gain = 6.50dBi > 6dBi, so the limit $24 - (6.50 - 6) = 23.50\text{dBm/MHz}$.

(UNII 3)

Note 1: Antenna gain = 6.50dBi > 6dBi, so the limit $30 - (6.50 - 6) = 29.50\text{dBm/MHz}$.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 05, 2015
Test Mode	Mode 3: EUT 1 + Set 3 Sector Antenna / 5.5 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	15.09	16.14	15.72	15.63	21.68	24.00	Complies
	5300 MHz	15.39	15.98	15.86	15.27	21.66	24.00	Complies
	5320 MHz	15.42	15.83	15.47	15.73	21.64	23.82	Complies
	5500 MHz	15.67	14.98	15.76	15.55	21.52	24.00	Complies
	5580 MHz	15.31	15.49	15.52	15.46	21.47	23.90	Complies
	5700 MHz	14.93	15.62	15.73	16.02	21.61	23.90	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	14.73	16.34	15.91	15.26	21.62	24.00	Complies
	5300 MHz	14.89	15.92	15.88	15.45	21.58	24.00	Complies
	5320 MHz	15.44	16.28	15.94	14.83	21.68	24.00	Complies
	5500 MHz	15.25	15.39	16.23	15.51	21.63	24.00	Complies
	5580 MHz	15.28	15.13	15.62	16.38	21.65	24.00	Complies
	5700 MHz	15.07	15.68	16.25	15.89	21.76	24.00	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	17.31	18.62	17.52	18.07	23.93	24.00	Complies
	5310 MHz	14.77	15.52	14.33	14.73	20.88	24.00	Complies
	5510 MHz	16.11	15.42	16.02	15.73	21.85	24.00	Complies
	5550 MHz	17.64	17.54	18.04	17.74	23.76	24.00	Complies
	5670 MHz	17.42	17.75	18.18	18.31	23.95	24.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	12.91	14.15	12.87	13.31	19.36	24.00	Complies
	5530 MHz	12.47	11.90	12.40	12.33	18.30	24.00	Complies
	5610 MHz	17.63	18.01	18.21	17.93	23.97	24.00	Complies

Note 1:

For 802.11a

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.13) = 23.82\text{dBm} < 24\text{dBm}$, so limit = 23.82dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.48) = 23.90\text{dBm} < 24\text{dBm}$, so limit = 23.90dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.48) = 23.90\text{dBm} < 24\text{dBm}$, so limit = 23.90dBm.

Note 2: Antenna gain = 5.50dBi < 6dBi, so the limit doesn't reduce.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	13.78	14.61	13.91	12.30	19.75	22.61	Complies
	5720 MHz (UNII 3)	8.32	7.75	6.17	7.75	13.59	30.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	14.34	13.67	12.01	13.53	19.49	22.76	Complies
	5720 MHz (UNII 3)	8.54	7.94	6.45	7.99	13.82	30.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	16.57	17.15	18.72	17.38	23.55	24.00	Complies
	5710 MHz (UNII 3)	5.05	5.65	6.86	5.52	11.84	30.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	17.10	17.38	18.80	17.66	23.81	24.00	Complies
	5690 MHz (UNII 3)	3.52	3.27	4.77	3.45	9.82	30.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(14.48) = 22.61\text{ dBm} < 24\text{ dBm}$, so limit = 22.61 dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(15.00) = 22.76\text{ dBm} < 24\text{ dBm}$, so limit = 22.76 dBm.

Note 2: Antenna gain = 5.50 dBi < 6 dBi, so the limit doesn't reduce.

(UNII 3)

Note 1: Antenna gain = 5.50 dBi < 6 dBi, so the limit doesn't reduce.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 10, 2015
Test Mode	Mode 4: EUT 1 + Set 4 Sector Antenna / 7.5 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	13.17	13.58	13.68	13.53	19.51	22.22	Complies
	5300 MHz	12.90	13.56	13.76	12.83	19.30	22.45	Complies
	5320 MHz	13.21	13.79	14.05	12.76	19.50	22.41	Complies
	5500 MHz	13.29	13.33	13.49	13.03	19.31	22.28	Complies
	5580 MHz	13.16	13.32	13.42	13.29	19.32	22.12	Complies
	5700 MHz	13.25	13.45	13.57	13.34	19.42	22.14	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	12.88	12.90	13.61	13.31	19.21	22.50	Complies
	5300 MHz	12.62	13.17	13.49	12.76	19.04	22.50	Complies
	5320 MHz	13.08	13.65	13.90	12.73	19.38	22.50	Complies
	5500 MHz	12.99	13.06	13.61	12.95	19.18	22.49	Complies
	5580 MHz	12.88	12.97	13.27	13.10	19.08	22.41	Complies
	5700 MHz	13.07	13.21	13.26	13.22	19.21	22.45	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	15.87	15.96	16.70	16.29	22.24	22.50	Complies
	5310 MHz	10.68	10.72	11.48	10.49	16.88	22.50	Complies
	5510 MHz	13.97	13.86	14.29	13.80	20.00	22.50	Complies
	5550 MHz	16.43	16.38	16.60	16.36	22.46	22.50	Complies
	5670 MHz	16.13	15.96	16.15	16.10	22.11	22.50	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	10.38	10.27	10.87	10.43	16.51	22.50	Complies
	5530 MHz	10.34	10.47	10.71	10.20	16.45	22.50	Complies
	5610 MHz	16.25	16.17	16.23	15.97	22.18	22.50	Complies

Note 1:

For 802.11a

5260 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.70) - (7.50 - 6) = 22.22\text{dBm} < 24\text{dBm}$, so limit = 22.22dBm.

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.74) - (7.50 - 6) = 22.45\text{dBm} < 24\text{dBm}$, so limit = 22.45dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.57) - (7.50 - 6) = 22.41\text{dBm} < 24\text{dBm}$, so limit = 22.41dBm.

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.96) - (7.50 - 6) = 22.28\text{dBm} < 24\text{dBm}$, so limit = 22.28dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.26) - (7.50 - 6) = 22.12\text{dBm} < 24\text{dBm}$, so limit = 22.12dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.35) - (7.50 - 6) = 22.14\text{dBm} < 24\text{dBm}$, so limit = 22.14dBm.

For 802.11ac VHT20

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) - (7.50 - 6) = 22.49\text{dBm} < 24\text{dBm}$, so limit = 22.49dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.57) - (7.50 - 6) = 22.41\text{dBm} < 24\text{dBm}$, so limit = 22.41dBm

5700 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.74) - (7.50 - 6) = 21.92\text{dBm} < 24\text{dBm}$, so limit = 22.45dBm .

Note 2: Antenna gain = $7.50\text{dBi} > 6\text{dBi}$, so the limit $24 - (7.50 - 6) = 22.50\text{dBm/MHz}$.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	13.00	12.39	10.78	12.17	18.18	21.21	Complies
	5720 MHz (UNII 3)	6.69	6.21	4.66	6.13	12.01	28.50	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	13.20	12.66	10.96	12.47	18.42	21.34	Complies
	5720 MHz (UNII 3)	7.35	6.88	5.39	6.91	12.71	28.50	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	16.67	16.15	14.51	15.94	21.91	22.50	Complies
	5710 MHz (UNII 3)	5.24	4.46	3.24	4.27	10.38	28.50	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	16.35	16.00	16.43	16.14	22.25	22.50	Complies
	5690 MHz (UNII 3)	2.32	1.86	2.05	1.67	8.00	28.50	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(14.83) - (7.50 - 6) = 21.21\text{dBm} < 24\text{dBm}$, so limit = 21.21dBm .

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(15.26) - (7.50 - 6) = 21.34\text{dBm} < 24\text{dBm}$, so limit = 21.34dBm .

Note 2: Antenna gain = $7.50\text{dBi} > 6\text{dBi}$, so the limit $24 - (7.50 - 6) = 22.50\text{dBm/MHz}$.

(UNII 3)

Note 1: Antenna gain = $7.50\text{dBi} > 6\text{dBi}$, so the limit $30 - (7.50 - 6) = 28.50\text{dBm/MHz}$.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 05, 2015
Test Mode	Mode 5: EUT 1 + Set 5 Sector Antenna / 4.5 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	16.09	17.14	16.72	16.63	22.68	24.00	Complies
	5300 MHz	16.39	16.98	16.86	16.27	22.66	23.97	Complies
	5320 MHz	16.42	16.83	16.47	16.73	22.64	23.95	Complies
	5500 MHz	16.67	15.98	16.76	16.55	22.52	24.00	Complies
	5580 MHz	16.31	16.49	16.52	16.46	22.47	24.00	Complies
	5700 MHz	15.93	16.62	16.73	16.89	22.58	23.99	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	15.73	17.34	16.91	16.26	22.62	24.00	Complies
	5300 MHz	15.89	16.92	16.88	16.45	22.58	24.00	Complies
	5320 MHz	16.45	17.28	16.98	16.25	22.78	24.00	Complies
	5500 MHz	16.25	16.39	16.23	16.51	22.37	24.00	Complies
	5580 MHz	16.28	16.13	16.62	17.38	22.65	24.00	Complies
	5700 MHz	16.07	16.68	17.25	16.89	22.76	24.00	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	17.31	18.62	17.52	18.07	23.93	24.00	Complies
	5310 MHz	15.21	15.88	15.34	15.44	21.50	24.00	Complies
	5510 MHz	14.63	14.32	15.01	14.69	20.69	24.00	Complies
	5550 MHz	17.64	17.54	18.04	17.74	23.76	24.00	Complies
	5670 MHz	17.42	17.75	18.18	18.31	23.95	24.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	13.43	14.69	13.39	13.98	19.93	24.00	Complies
	5530 MHz	13.59	12.96	13.52	13.21	19.35	24.00	Complies
	5610 MHz	16.93	17.89	17.85	17.96	23.70	24.00	Complies

Note 1:

For 802.11a

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.83) = 23.97\text{dBm} < 24\text{dBm}$, so limit = 23.97dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.74) = 23.95\text{dBm} < 24\text{dBm}$, so limit = 23.95dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.91) = 23.99\text{dBm} < 24\text{dBm}$, so limit = 23.99dBm.

Note 2: Antenna gain = 4.50dBi < 6dBi, so the limit doesn't reduce.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	15.64	15.03	15.11	14.74	21.16	22.61	Complies
	5720 MHz (UNII 3)	9.30	8.73	8.78	8.70	14.91	30.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	14.51	15.23	14.66	14.80	20.83	22.76	Complies
	5720 MHz (UNII 3)	9.41	8.87	9.10	8.93	15.10	30.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	16.57	17.15	18.72	17.38	23.55	24.00	Complies
	5710 MHz (UNII 3)	5.05	5.65	6.86	5.52	11.84	30.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	17.10	17.38	18.80	17.66	23.81	24.00	Complies
	5690 MHz (UNII 3)	3.52	3.27	4.77	3.45	9.82	30.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(14.48) = 22.61\text{ dBm} < 24\text{ dBm}$, so limit = 22.61 dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(15.00) = 22.76\text{ dBm} < 24\text{ dBm}$, so limit = 22.76 dBm.

Note 2: Antenna gain = 4.50 dBi < 6 dBi, so the limit doesn't reduce.

(UNII 3)

Note 1: Antenna gain = 4.50 dBi < 6 dBi, so the limit doesn't reduce.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 23, 2015 ~ Nov. 05, 2015
Test Mode	Mode 6: EUT 1 + Set 6 Sector Antenna / 4 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	16.48	17.32	16.87	16.85	22.91	24.00	Complies
	5300 MHz	16.39	16.98	16.86	16.27	22.66	23.97	Complies
	5320 MHz	16.42	16.83	16.47	16.73	22.64	23.95	Complies
	5500 MHz	17.04	16.08	16.87	17.06	22.80	23.84	Complies
	5580 MHz	16.66	16.69	16.70	16.72	22.71	23.95	Complies
	5700 MHz	15.07	15.81	15.92	16.53	21.88	23.76	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	16.39	17.83	15.63	17.66	22.99	24.00	Complies
	5300 MHz	16.17	17.14	17.12	16.67	22.81	24.00	Complies
	5320 MHz	15.44	16.28	15.94	14.83	21.68	24.00	Complies
	5500 MHz	16.13	16.12	17.22	16.29	22.49	24.00	Complies
	5580 MHz	16.28	16.13	16.62	17.38	22.65	24.00	Complies
	5700 MHz	13.86	14.51	14.68	14.56	20.43	23.93	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	17.31	18.62	17.52	18.07	23.93	24.00	Complies
	5310 MHz	12.27	12.88	12.11	12.07	18.37	24.00	Complies
	5510 MHz	12.69	11.12	11.82	12.73	18.16	24.00	Complies
	5550 MHz	17.64	17.54	18.04	17.74	23.76	24.00	Complies
	5670 MHz	16.37	16.47	16.56	16.52	22.50	24.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	10.74	11.29	10.58	10.56	16.82	24.00	Complies
	5530 MHz	11.68	11.35	11.82	11.63	17.64	24.00	Complies
	5610 MHz	16.10	15.89	16.19	15.68	21.99	24.00	Complies

Note 1:

For 802.11a

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.83) = 23.97\text{dBm} < 24\text{dBm}$, so limit = 23.97dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.74) = 23.95\text{dBm} < 24\text{dBm}$, so limit = 23.95dBm.

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.22) = 23.84\text{dBm} < 24\text{dBm}$, so limit = 23.84dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.74) = 23.95\text{dBm} < 24\text{dBm}$, so limit = 23.95dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(18.87) = 23.76\text{dBm} < 24\text{dBm}$, so limit = 23.76dBm.

For 802.11ac VHT20

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.65) = 23.93\text{dBm} < 24\text{dBm}$, so limit = 23.93dBm.

Note 2: Antenna gain = 4.00dBi < 6dBi, so the limit doesn't reduce.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	15.28	16.05	15.28	13.71	21.18	22.63	Complies
	5720 MHz (UNII 3)	9.76	9.07	7.46	9.21	14.98	30.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	15.49	16.25	15.57	15.47	21.73	22.76	Complies
	5720 MHz (UNII 3)	10.43	9.78	9.76	9.91	16.00	30.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	16.57	17.15	18.72	17.38	23.55	24.00	Complies
	5710 MHz (UNII 3)	5.05	5.65	6.86	5.52	11.84	30.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	17.10	17.38	18.80	17.66	23.81	24.00	Complies
	5690 MHz (UNII 3)	3.52	3.27	4.77	3.45	9.82	30.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(14.57) = 22.63\text{dBm} < 24\text{dBm}$, so limit = 22.63dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(15.00) = 22.76\text{dBm} < 24\text{dBm}$, so limit = 22.76dBm.

Note 2: Antenna gain = 4.00dBi < 6dBi, so the limit doesn't reduce.

(UNII 3)

Note 1: Antenna gain = 4.00dBi < 6dBi, so the limit doesn't reduce.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 26, 2015 ~ Nov. 05, 2015
Test Mode	Mode 7: EUT 1 + Set 9 Dipole Antenna / 4.67 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	12.45	13.67	12.97	12.85	19.03	24.00	Complies
	5300 MHz	12.43	13.62	13.04	13.28	19.13	23.90	Complies
	5320 MHz	12.45	13.56	13.07	13.32	19.14	23.90	Complies
	5500 MHz	12.78	12.59	13.13	13.48	19.03	23.86	Complies
	5580 MHz	12.38	13.21	13.12	13.24	19.02	23.93	Complies
	5700 MHz	12.31	12.96	13.37	13.32	19.03	23.76	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	12.58	13.65	13.18	12.94	19.13	24.00	Complies
	5300 MHz	12.54	13.68	12.97	13.15	19.12	24.00	Complies
	5320 MHz	12.68	13.73	13.29	13.25	19.27	24.00	Complies
	5500 MHz	13.78	12.38	12.89	13.35	19.15	24.00	Complies
	5580 MHz	12.73	13.23	13.64	13.53	19.32	24.00	Complies
	5700 MHz	12.15	13.32	13.72	13.46	19.22	23.70	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	15.94	16.58	16.37	15.96	22.24	24.00	Complies
	5310 MHz	12.81	13.58	13.06	13.09	19.16	24.00	Complies
	5510 MHz	16.10	15.65	16.14	16.43	22.11	24.00	Complies
	5550 MHz	15.72	15.87	16.32	16.26	22.07	24.00	Complies
	5670 MHz	15.34	15.93	16.45	16.21	22.02	24.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	10.76	11.58	11.15	10.95	17.14	24.00	Complies
	5530 MHz	10.87	10.76	11.15	11.08	16.99	24.00	Complies
	5610 MHz	16.93	17.89	17.85	17.96	23.70	24.00	Complies

Note 1:

For 802.11a

5300 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.48) = 23.90\text{dBm} < 24\text{dBm}$, so limit = 23.90dBm.

5320 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.48) = 23.90\text{dBm} < 24\text{dBm}$, so limit = 23.90dBm.

5500 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.30) = 23.86\text{dBm} < 24\text{dBm}$, so limit = 23.86dBm.

5580 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.65) = 23.93\text{dBm} < 24\text{dBm}$, so limit = 23.93dBm.

5700 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(19.87) = 23.76\text{dBm} < 24\text{dBm}$, so limit = 23.76dBm.

For 802.11ac VHT20

5700 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.61) = 23.70\text{dBm} < 24\text{dBm}$, so limit = 23.70dBm.

Note 2: Antenna gain = 4.67dBi < 6dBi, so the limit doesn't reduce.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	11.32	11.80	11.93	11.99	17.79	22.68	Complies
	5720 MHz (UNII 3)	5.36	5.60	5.62	5.62	11.57	30.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	11.07	11.52	11.79	11.75	17.56	22.79	Complies
	5720 MHz (UNII 3)	5.60	5.80	5.98	5.84	11.83	30.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	14.60	15.17	15.23	15.39	21.13	24.00	Complies
	5710 MHz (UNII 3)	2.95	3.35	3.15	3.59	9.29	30.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	17.10	17.38	18.80	17.66	23.81	24.00	Complies
	5690 MHz (UNII 3)	3.52	3.27	4.77	3.45	9.82	30.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(14.74) = 22.68\text{dBm} < 24\text{dBm}$, so limit = 22.68dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(15.09) = 22.79\text{dBm} < 24\text{dBm}$, so limit = 22.79dBm.

Note 2: Antenna gain = 4.67dBi < 6dBi, so the limit doesn't reduce.

(UNII 3)

Note 1: Antenna gain = 4.67dBi < 6dBi, so the limit doesn't reduce.

Temperature	25°C	Humidity	50%
Test Engineer	Eddie Weng & Lucas Huang	Test Date	Oct. 20, 2015
Test Mode	Mode 8: EUT 2 + Set 10 PIFA Antenna / Chain1:5.84 dBi, Chain2:5.50 dBi, Chain3:5.84 dBi, Chain4:5.65 dBi		

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5260 MHz	12.22	12.07	12.02	12.12	18.13	23.66	Complies
	5300 MHz	12.36	11.92	11.98	12.11	18.12	23.70	Complies
	5320 MHz	12.52	12.41	12.59	12.18	18.45	23.64	Complies
	5500 MHz	12.42	12.63	12.71	12.84	18.67	23.68	Complies
	5580 MHz	12.23	12.18	12.25	12.45	18.30	23.64	Complies
	5700 MHz	11.92	12.04	12.09	12.09	18.06	23.64	Complies
802.11ac MCS0/Nss1 VHT20	5260 MHz	12.39	12.11	12.19	12.23	18.25	23.82	Complies
	5300 MHz	12.43	12.15	12.16	12.28	18.28	23.82	Complies
	5320 MHz	12.34	12.12	12.26	12.21	18.25	23.82	Complies
	5500 MHz	12.39	12.21	12.32	12.29	18.32	23.84	Complies
	5580 MHz	12.42	12.22	12.39	12.32	18.36	23.90	Complies
	5700 MHz	12.12	12.21	12.22	12.33	18.24	23.84	Complies
802.11ac MCS0/Nss1 VHT40	5270 MHz	15.56	15.12	14.81	14.95	21.14	24.00	Complies
	5310 MHz	10.59	10.39	10.69	10.63	16.60	24.00	Complies
	5510 MHz	13.95	13.94	13.85	13.90	19.93	24.00	Complies
	5550 MHz	15.68	15.25	15.16	15.11	21.33	24.00	Complies
	5670 MHz	15.47	15.26	15.12	15.46	21.35	24.00	Complies
802.11ac MCS0/Nss1 VHT80	5290 MHz	10.52	10.30	10.44	10.49	16.46	24.00	Complies
	5530 MHz	9.62	9.66	9.81	9.61	15.70	24.00	Complies
	5610 MHz	17.62	17.18	17.05	17.14	23.27	24.00	Complies

Note 1:

For 802.11a

5260 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.43) = 23.66\text{dBm} < 24\text{dBm}$, so limit = 23.66dBm.

5300 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.61) = 23.70\text{dBm} < 24\text{dBm}$, so limit = 23.70dBm.

5320 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.35) = 23.64\text{dBm} < 24\text{dBm}$, so limit = 23.64dBm.

5500 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.52) = 23.68\text{dBm} < 24\text{dBm}$, so limit = 23.68dBm.

5580 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.35) = 23.64\text{dBm} < 24\text{dBm}$, so limit = 23.64dBm.

5700 MHz power limit = $11 + 10\log(B)$; $11 + 10\log(18.35) = 23.64\text{dBm} < 24\text{dBm}$, so limit = 23.64dBm.

For 802.11ac VHT20

5260 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.13) = 23.82\text{dBm} < 24\text{dBm}$, so limit = 23.82dBm.

5300 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.13) = 23.82\text{dBm} < 24\text{dBm}$, so limit = 23.82dBm.

5320 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.13) = 23.82\text{dBm} < 24\text{dBm}$, so limit = 23.82dBm.

5500 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.22) = 23.84\text{dBm} < 24\text{dBm}$, so limit = 23.84dBm.

5580 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.48) = 23.90\text{dBm} < 24\text{dBm}$, so limit = 23.90dBm.

5700 MHz power limit = $11 + 10\log(B); 11 + 10\log(19.39) = 23.84\text{dBm} < 24\text{dBm}$, so limit = 23.84dBm.

Note 2: Antenna gain = 5.84dBi < 6dBi, so the limit doesn't reduce.

Straddle Channel

Mode	Frequency	Conducted Power (dBm)					Max. Limit (dBm)	Result
		Chain 1	Chain 2	Chain 3	Chain 4	Total		
802.11a	5720 MHz (UNII 2C)	11.82	11.87	12.45	11.47	17.94	22.55	Complies
	5720 MHz (UNII 3)	5.18	5.38	6.20	5.19	11.53	30.00	Complies
802.11ac MCS0/Nss1 VHT20	5720 MHz (UNII 2C)	11.52	11.55	12.17	11.26	17.66	22.66	Complies
	5720 MHz (UNII 3)	5.40	5.52	6.34	5.55	11.74	30.00	Complies
802.11ac MCS0/Nss1 VHT40	5710 MHz (UNII 2C)	15.18	15.22	15.74	14.91	21.29	24.00	Complies
	5710 MHz (UNII 3)	3.18	3.48	4.46	3.39	9.68	30.00	Complies
802.11ac MCS0/Nss1 VHT80	5690 MHz (UNII 2C)	17.87	17.69	18.59	17.49	23.95	24.00	Complies
	5690 MHz (UNII 3)	3.51	3.68	4.55	3.41	9.83	30.00	Complies

(UNII 2C)

Note 1:

For 802.11a

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(14.30) = 22.55\text{dBm} < 24\text{dBm}$, so limit = 22.55dBm.

For 802.11ac VHT20

5720 MHz power limit = $11 + 10\log(B); 11 + 10\log(14.65) = 22.66\text{dBm} < 24\text{dBm}$, so limit = 22.66dBm.

Note 2: Antenna gain = 5.84dBi < 6dBi, so the limit doesn't reduce.

(UNII 3)

Note 1: Antenna gain = 5.84dBi < 6dBi, so the limit doesn't reduce.


Note: All the test values were listed in the report.

For plots, only the channel with worse result was shown.

Straddle Channel

Mode 1: EUT 1 + Set 1 Ceiling Mount Omni Antenna / 7 dBi

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:21:29

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:21:37

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:21:44

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 4 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:21:51

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 1 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:21:33

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 2 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:21:40

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:21:47

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 4 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:21:55

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:32:11

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:32:18

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:32:25

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:32:33

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:32:14

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:32:21

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:32:28

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:32:36

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 2C)




Date: 24.NOV.2015 04:35:30

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 2C)




Date: 24.NOV.2015 04:35:38

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 2C)



Date: 24.NOV.2015 04:35:45

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 2C)



Date: 24.NOV.2015 04:35:52

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 3)



Date: 24.NOV.2015 04:35:33

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 3)



Date: 24.NOV.2015 04:35:41

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 3)




Date: 24.NOV.2015 04:35:48

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 3)




Date: 24.NOV.2015 04:35:56

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 2C)




Date: 2.NOV.2015 19:18:11

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 2C)




Date: 2.NOV.2015 19:18:19

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 2C)



Date: 2.NOV.2015 19:18:26

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 2C)



Date: 2.NOV.2015 19:18:34

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 3)



Date: 2. NOV. 2015 19:18:15

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 3)



Date: 2. NOV. 2015 19:18:22

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 3)



Date: 2.NOV.2015 19:18:30


Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 3)



Date: 2.NOV.2015 19:18:37


Mode 2: EUT 1 + Set 2 Sector Antenna / 6.5 dBi

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 1 / 5720 MHz (UNII 2C)




Date: 2.NOV.2015 12:38:21

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 2 / 5720 MHz (UNII 2C)




Date: 2.NOV.2015 12:38:29

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 2C)



Date: 2.NOV.2015 12:38:36

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 4 / 5720 MHz (UNII 2C)



Date: 2.NOV.2015 12:38:44

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 1 / 5720 MHz (UNII 3)



Date: 2.NOV.2015 12:38:25

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 2 / 5720 MHz (UNII 3)



Date: 2.NOV.2015 12:38:32

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 3)




Date: 2.NOV.2015 12:38:39

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 4 / 5720 MHz (UNII 3)




Date: 2.NOV.2015 12:38:47

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 2C)



Date: 2.NOV.2015 12:53:07

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 2C)



Date: 2.NOV.2015 12:53:14



Spectrum

Ref Level 20.00 dBm Offset 22.50 dB RBW 1 MHz
Att 30 dB SWT 20 ms VBW 3 MHz Mode Auto Sweep
Count 100/100

1Rm AvgPwr

The spectrum plot displays a signal at 5.7175 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, with a span of 30.5 MHz. A blue trace shows the signal, with a shaded area indicating the measurement range. Key measurement points are labeled: MI[1] at -17.87 dBm, MI[2] at 5.7100000 GHz, and MI[3] at 5.7250000 GHz. The signal is identified as TX1. The channel power is 14.34 dBm, and the bandwidth is 15.00 MHz.

CF 5.7175 GHz 691 pts Span 30.5 MHz

Channel Power

Bandwidth 15.00 MHz Power 14.34 dBm Tx Total 14.34 dBm

Spectrum

Ref Level 20.00 dBm Offset 22.50 dB RBW 1 MHz
Att 30 dB SWT 20 ms VBW 3 MHz Mode Auto Sweep
Count 100/100

1Rm AvgPwr

The spectrum plot displays a signal at 5.7175 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, with a span of 30.5 MHz. A blue trace shows the signal, and a shaded area indicates the measurement region. Key measurements include: CF 5.7175 GHz, 691 pts, Span 30.5 MHz, Channel Power, Bandwidth 15.00 MHz, Power 13.55 dBm, Tx Total 13.55 dBm, and a peak power of -17.69 dBm at 5.7100000 GHz. Other labels include MI[1], M1[1], M2, and TX1.


CF 5.7175 GHz 691 pts Span 30.5 MHz

Channel Power

Bandwidth 15.00 MHz Power 13.55 dBm Tx Total 13.55 dBm


Date: 2.NOV.2015 12:53:29

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 3)



Date: 2.NOV.2015 12:53:10

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 3)




Date: 2.NOV.2015 12:53:18

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 3)




Date: 2 NOV. 2015 12:53:25

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 3)




Date: 2 NOV. 2015 12:53:32

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 2C)




Date: 2.NOV.2015 13:04:04

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 2C)




Date: 2.NOV.2015 13:04:12

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 2C)



Date: 2.NOV.2015 13:04:19

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 2C)



Date: 2.NOV.2015 13:04:26

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 3)



Date: 2.NOV.2015 13:04:08

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 3)



Date: 2.NOV.2015 13:04:15

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 3)




Date: 2.NOV.2015 13:04:22

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 3)




Date: 2.NOV.2015 13:04:30

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 2C)




Date: 27.OCT.2015 00:30:52

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 2C)




Date: 27.OCT.2015 00:30:59


Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 2C)



Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 2C)



Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 3)



Date: 27.OCT.2015 00:30:55

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 3)




Date: 27.OCT.2015 00:31:02

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 3)



Date: 27.OCT.2015 00:31:09


Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 3)



Date: 27.OCT.2015 00:31:16


Mode 3: EUT 1 + Set 3 Sector Antenna / 5.5 dBi

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:13:46

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:13:24

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:13:31

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:13:39

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:13:27

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 2 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:13:35

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:13:42

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 4 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:13:49

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:06:16

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:06:23

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:06:31

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:06:38

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:06:19

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:06:27

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:06:34

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:06:41

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 2C)




Date: 23.OCT.2015 17:29:20

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 2C)




Date: 23.OCT.2015 17:29:27

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 2C)



Date: 23.OCT.2015 17:29:35

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 2C)



Date: 23.OCT.2015 17:29:42

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 3)



Date: 23.OCT.2015 17:29:24

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 3)



Date: 23.OCT.2015 17:29:31

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 3)



Date: 23.OCT.2015 17:29:38

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 3)



Date: 23.OCT.2015 17:29:45



The screenshot displays a Spectrum Analyzer interface with the following parameters and data:

- Ref Level:** 20.00 dBm
- Offset:** 22.50 dB
- RBW:** 1 MHz
- Att:** 30 dB
- SWT:** 20 ms
- VBW:** 3 MHz
- Mode:** Auto Sweep
- Count:** 100/100
- Trace Type:** 1Rm AvgPwr

The main display shows a signal trace with a shaded region. Key markers and values are as follows:


- M1[1]:** -24.94 dBm, 5.648550 GHz
- M2:** -0.87 dBm, 5.725000 GHz
- TX1:** A label on the trace indicating a specific point.
- CF:** 5.686775 GHz
- Span:** 156.0 MHz
- Channel Power:** 691 pts
- Bandwidth:** 76.45 MHz
- Power:** 17.10 dBm
- Tx Total:** 17.10 dBm

Date: 23.OCT.2015 17:36:00

[illegible]


Date: 23.OCT.2015 17:36:07

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 2C)




Date: 23.OCT.2015 17:36:14

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 2C)




Date: 23.OCT.2015 17:36:21

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 3)




Date: 23.OCT.2015 17:36:03

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 3)




Date: 23.OCT.2015 17:36:10

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 3)



Date: 23.OCT.2015 17:36:17


Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 3)



Date: 23.OCT.2015 17:36:24


Mode 4: EUT 1 + Set 4 Sector Antenna / 7.5 dBi

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:41:12

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:41:20

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:41:27

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:41:35

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:41:16

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 2 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:41:23

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:41:31

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 4 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:41:38

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:43:41

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 04:43:48

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:43:56

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 04:44:03

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:43:44

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 04:43:52

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:43:59

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 4 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 04:44:06

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 2C)




Date: 24.NOV.2015 04:46:09

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 2C)




Date: 24.NOV.2015 04:46:16

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 2C)



Date: 24.NOV.2015 04:46:23

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 2C)



Date: 24.NOV.2015 04:46:31

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 1 / 5710 MHz (UNII 3)



Date: 24.NOV.2015 04:46:12

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 2 / 5710 MHz (UNII 3)



Date: 24.NOV.2015 04:46:19

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 3 / 5710 MHz (UNII 3)




Date: 24.NOV.2015 04:46:27

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT40 / Chain 4 / 5710 MHz (UNII 3)




Date: 24.NOV.2015 04:46:34

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 2C)



Date: 1.NOV.2015 04:42:05

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 2C)



Date: 1.NOV.2015 04:42:13



Spectrum

Ref Level 20.00 dBm Offset 23.10 dB RBW 1 MHz
 Att 30 dB SWT 20 ms VBW 3 MHz Mode Auto Sweep
 Count 100/100

1Rm AvgPwr

CF 5.6875 GHz 691 pts Span 153.0 MHz

Channel Power

Bandwidth 75.00 MHz Power 16.43 dBm Tx Total 16.43 dBm

Spectrum

Ref Level 20.00 dBm Offset 23.10 dB RBW 1 MHz
Att 30 dB SWT 20 ms VBW 3 MHz Mode Auto Sweep
Count 100/100

1Rm AvgPwr

10 dBm
0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm

MI[1]
MI[2]
TX1

-22.86 dBm
5.650000 GHz
-3.03 dBm
5.725000 GHz

CF 5.6875 GHz 691 pts Span 153.0 MHz

Channel Power

Bandwidth 75.00 MHz Power 16.14 dBm Tx Total 16.14 dBm


Date: 1.NOV.2015 04:41:58

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 1 / 5690 MHz (UNII 3)



Date: 1.NOV.2015 04:42:08

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 2 / 5690 MHz (UNII 3)



Date: 1.NOV.2015 04:42:16

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 3 / 5690 MHz (UNII 3)



Date: 1.NOV.2015 04:41:54


Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT80 / Chain 4 / 5690 MHz (UNII 3)



Date: 1.NOV.2015 04:42:01


Mode 5: EUT 1 + Set 5 Sector Antenna / 4.5 dBi

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 1 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 03:14:48

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 2 / 5720 MHz (UNII 2C)




Date: 24.NOV.2015 03:14:55

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 3 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 03:15:02

Conducted Output Power Plot on Configuration IEEE 802.11a / Chain 4 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 03:15:10

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 1 / 5720 MHz (UNII 3)



Date: 24.NOV.2015 03:14:51

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 2 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 03:14:59

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 3 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 03:15:06

Conducted Output Power Plot on Configuration IEEE 802. 11a / Chain 4 / 5720 MHz (UNII 3)




Date: 24.NOV.2015 03:15:13

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 1 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 03:23:47

Conducted Output Power Plot on Configuration IEEE 802.11ac MCS0/Nss1 VHT20 / Chain 2 / 5720 MHz (UNII 2C)



Date: 24.NOV.2015 03:23:25