

TOSHIBA FCC ID: CJ6DCE46036A Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.160 mW/g, SAR (10g): 0.111 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.5dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.327 mW/g, SAR (10g): 0.225 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA, Ch.1013 [824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.5dBm; Spacing =2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.113 mW/g, SAR (10g): 0.0813 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.5dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.218 mW/g, SAR (10g): 0.155 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.5dBm; Spacing =3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

