


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_V\_4TX  
Setting 26  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08107G | 43.97    | 83.54    | -39.57 | 40.14  | 1    | Vertical  | 94      | 1.43   | -       | 37.82 | 15.26 | 49.25 |  |  |  |
| AV   | 20.08661G | 32.76    | 63.54    | -30.78 | 28.89  | 1    | Vertical  | 94      | 1.43   | -       | 37.85 | 15.27 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_V\_4TX  
Setting 26  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08797G    | 44.70             | 83.54             | -38.84         | 40.83         | 1           | Horizontal | 304            | 1.69          | -       | 37.85      | 15.27      | 49.25      |  |  |  |
| AV   | 20.08697G    | 32.76             | 63.54             | -30.78         | 28.89         | 1           | Horizontal | 304            | 1.69          | -       | 37.85      | 15.27      | 49.25      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 30  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74525G | 55.96    | 88.20    | -32.24 | 68.15  | 3    | Vertical  | 7       | 1.19   | -       | 40.50 | 11.67 | 64.36 |  |  |  |
| RMS  | 13.75875G | 44.37    | 68.20    | -23.83 | 56.59  | 3    | Vertical  | 7       | 1.19   | -       | 40.46 | 11.68 | 64.36 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

### 6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 30  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.75745G | 55.92    | 88.20    | -32.28 | 68.13  | 3    | Horizontal | 325     | 2.20   | -       | 40.47 | 11.68 | 64.36 |  |  |  |
| RMS  | 13.7567G  | 44.31    | 68.20    | -23.89 | 56.52  | 3    | Horizontal | 325     | 2.20   | -       | 40.47 | 11.68 | 64.36 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 30  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.6246G  | 44.78    | 83.54    | -38.76 | 40.21  | 1    | Vertical  | 22      | 1.35   | -       | 37.95 | 15.70 | 49.08 |  |  |  |
| AV   | 20.62277G | 32.93    | 63.54    | -30.61 | 28.36  | 1    | Vertical  | 22      | 1.35   | -       | 37.95 | 15.70 | 49.08 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 30  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.6212G  | 45.44    | 83.54    | -38.10 | 40.86  | 1    | Horizontal | 254     | 1.86   | -       | 37.96 | 15.70 | 49.08 |  |  |  |
| AV   | 20.62014G | 32.86    | 63.54    | -30.68 | 28.28  | 1    | Horizontal | 254     | 1.86   | -       | 37.96 | 15.70 | 49.08 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 32  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.78295G    | 55.18             | 88.20             | -33.02         | 67.49         | 3           | Vertical  | 117            | 2.98          | -       | 40.37      | 11.69      | 64.37      |  |  |  |
| RMS  | 13.77315G    | 44.34             | 68.20             | -23.86         | 56.62         | 3           | Vertical  | 117            | 2.98          | -       | 40.41      | 11.68      | 64.37      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_Y\_4TX  
Setting 32  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.774G   | 55.36    | 88.20    | -32.84 | 67.65  | 3    | Horizontal | 8       | 2.99   | -       | 40.40 | 11.68 | 64.37 |  |  |  |
| RMS  | 13.76875G | 44.14    | 68.20    | -24.06 | 56.41  | 3    | Horizontal | 8       | 2.99   | -       | 40.42 | 11.68 | 64.37 |  |  |  |



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6895MHz\_TX

EUT\_Y\_4TX  
Setting 32  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.68129G | 44.22    | 83.54    | -39.32 | 39.62  | 1    | Vertical  | 320     | 1.95   | -       | 37.90 | 15.75 | 49.05 |  |  |  |
| AV   | 20.68365G | 32.66    | 63.54    | -30.88 | 28.05  | 1    | Vertical  | 320     | 1.95   | -       | 37.90 | 15.75 | 49.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




EUT\_V\_4TX  
Setting 32  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.68999G    | 44.23             | 83.54             | -39.31         | 39.62         | 1           | Horizontal | 155            | 1.88          | -       | 37.90      | 15.75      | 49.04      |  |  |  |
| AV   | 20.68384G    | 32.57             | 63.54             | -30.97         | 27.96         | 1           | Horizontal | 155            | 1.88          | -       | 37.90      | 15.75      | 49.04      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 34  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9739G | 55.74    | 88.20    | -32.46 | 67.94  | 3    | Vertical  | 0       | 1.08   | -       | 40.50 | 11.75 | 64.45 |  |  |  |
| RMS  | 13.972G  | 44.26    | 68.20    | -23.94 | 56.46  | 3    | Vertical  | 0       | 1.08   | -       | 40.50 | 11.75 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




EUT\_Y\_4TX  
Setting 34  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.96805G | 56.22    | 88.20    | -31.98 | 68.42  | 3    | Horizontal | 300     | 2.61   | -       | 40.50 | 11.75 | 64.45 |  |  |  |
| RMS  | 13.9716G  | 44.24    | 68.20    | -23.96 | 56.44  | 3    | Horizontal | 300     | 2.61   | -       | 40.50 | 11.75 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6995MHz\_TX

EUT\_V\_4TX  
Setting 34  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.98736G | 44.51    | 83.54    | -39.03 | 39.46  | 1    | Vertical  | 20      | 1.94   | -       | 37.95 | 15.99 | 48.89 |  |  |  |
| AV   | 20.98928G | 32.98    | 63.54    | -30.56 | 27.94  | 1    | Vertical  | 20      | 1.94   | -       | 37.94 | 15.99 | 48.89 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6995MHz\_TX

EUT\_V\_4TX  
Setting 34  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.98036G    | 44.31             | 83.54             | -39.23         | 39.24         | 1           | Horizontal | 153            | 1.85          | -       | 37.98      | 15.98      | 48.89      |  |  |  |
| AV   | 20.9884G     | 32.89             | 63.54             | -30.65         | 27.84         | 1           | Horizontal | 153            | 1.85          | -       | 37.95      | 15.99      | 48.89      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 92  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1012G      | 122.36            | Inf               | -Inf           | 112.33        | 3           | Vertical  | 70             | 1.80          | -       | 36.61      | 8.58       | 35.16      |  |  |  |
| RMS  | 7.1028G      | 112.28            | Inf               | -Inf           | 102.23        | 3           | Vertical  | 70             | 1.80          | -       | 36.62      | 8.58       | 35.15      |  |  |  |
| PK   | 7.125G       | 80.46             | 88.20             | -7.74          | 70.24         | 3           | Vertical  | 70             | 1.80          | -       | 36.75      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.125G       | 68.11             | 68.20             | -0.09          | 57.89         | 3           | Vertical  | 70             | 1.80          | -       | 36.75      | 8.58       | 35.11      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 92  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0892G      | 123.20            | Inf               | -Inf           | 113.23        | 3           | Horizontal | 356            | 2.39          | -       | 36.56      | 8.59       | 35.18      |  |  |  |
| RMS  | 7.0896G      | 113.85            | Inf               | -Inf           | 103.88        | 3           | Horizontal | 356            | 2.39          | -       | 36.56      | 8.59       | 35.18      |  |  |  |
| PK   | 7.1274G      | 78.11             | 88.20             | -10.09         | 67.88         | 3           | Horizontal | 356            | 2.39          | -       | 36.76      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.1252G      | 65.07             | 68.20             | -3.13          | 54.85         | 3           | Horizontal | 356            | 2.39          | -       | 36.75      | 8.58       | 35.11      |  |  |  |



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 92  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.19245G | 75.87    | 88.20    | -12.33 | 87.59  | 3    | Vertical  | 74      | 1.54   | -       | 40.50 | 11.82 | 64.04 |  |  |  |
| RMS  | 14.1913G  | 63.32    | 68.20    | -4.88  | 75.04  | 3    | Vertical  | 74      | 1.54   | -       | 40.50 | 11.82 | 64.04 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_Y\_4TX  
Setting 92  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.2003G | 72.30    | 88.20    | -15.90 | 83.99  | 3    | Horizontal | 238     | 1.80   | -       | 40.50 | 11.83 | 64.02 |  |  |  |
| RMS  | 14.1895G | 60.79    | 68.20    | -7.41  | 72.52  | 3    | Horizontal | 238     | 1.80   | -       | 40.50 | 11.82 | 64.05 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_V\_4TX  
Setting 92  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28247G    | 61.70             | 83.54             | -21.84         | 56.06         | 1           | Vertical  | 318            | 1.51          | -       | 38.26      | 16.23      | 48.85      |  |  |  |
| AV   | 21.28441G    | 49.28             | 63.54             | -14.26         | 43.62         | 1           | Vertical  | 318            | 1.51          | -       | 38.28      | 16.23      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7095MHz\_TX




EUT\_V\_4TX  
Setting 92  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.28056G    | 64.05             | 83.54             | -19.49         | 58.44         | 1           | Horizontal | 6              | 1.50          | -       | 38.24      | 16.22      | 48.85      |  |  |  |
| AV   | 21.28111G    | 51.77             | 63.54             | -11.77         | 46.15         | 1           | Horizontal | 6              | 1.50          | -       | 38.25      | 16.22      | 48.85      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-H-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1225G      | 100.84            | Inf               | -Inf           | 99.80         | 3           | Vertical  | 74             | 1.80          | BP 1MHz | 36.49      | 7.04       | 42.49      |  |  |  |
| RMS  | 7.1185G      | 94.26             | Inf               | -Inf           | 93.23         | 3           | Vertical  | 74             | 1.80          | BP 1MHz | 36.47      | 7.04       | 42.48      |  |  |  |
| PK   | 7.1255G      | 78.27             | 88.20             | -9.93          | 77.22         | 3           | Vertical  | 74             | 1.80          | BP 1MHz | 36.50      | 7.04       | 42.49      |  |  |  |
| RMS  | 7.1255G      | 67.66             | 68.20             | -0.54          | 66.61         | 3           | Vertical  | 74             | 1.80          | BP 1MHz | 36.50      | 7.04       | 42.49      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 13  
04-H-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.1235G      | 101.52            | Inf               | -Inf           | 100.48        | 3           | Horizontal | 240            | 2.16          | BP 1MHz | 36.49      | 7.04       | 42.49      |  |  |  |
| RMS  | 7.1205G      | 95.35             | Inf               | -Inf           | 94.32         | 3           | Horizontal | 240            | 2.16          | BP 1MHz | 36.48      | 7.04       | 42.49      |  |  |  |
| PK   | 7.1255G      | 78.00             | 88.20             | -10.20         | 76.95         | 3           | Horizontal | 240            | 2.16          | BP 1MHz | 36.50      | 7.04       | 42.49      |  |  |  |
| RMS  | 7.1255G      | 67.84             | 68.20             | -0.36          | 66.79         | 3           | Horizontal | 240            | 2.16          | BP 1MHz | 36.50      | 7.04       | 42.49      |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 13  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.22495G | 66.50    | 88.20    | -21.70 | 78.18  | 3    | Vertical  | 72      | 1.64   | -       | 40.45 | 11.84 | 63.97 |  |  |  |
| RMS  | 14.2283G  | 52.16    | 68.20    | -16.04 | 63.84  | 3    | Vertical  | 72      | 1.64   | -       | 40.44 | 11.84 | 63.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 13  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.2301G     | 65.31             | 88.20             | -22.89         | 76.99         | 3           | Horizontal | 240            | 1.80          | -       | 40.44      | 11.84      | 63.96      |  |  |  |
| RMS  | 14.23045G    | 52.56             | 68.20             | -15.64         | 64.24         | 3           | Horizontal | 240            | 1.80          | -       | 40.44      | 11.84      | 63.96      |  |  |  |



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




EUT\_Y\_4TX  
Setting 13  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.34212G | 45.04    | 83.54    | -38.50 | 39.29  | 1    | Vertical  | 354     | 1.84   | -       | 38.32 | 16.27 | 48.84 |  |  |  |
| AV   | 21.34092G | 33.35    | 63.54    | -30.19 | 27.60  | 1    | Vertical  | 354     | 1.84   | -       | 38.32 | 16.27 | 48.84 |  |  |  |

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX

EUT\_Y\_4TX  
Setting 13  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.3435G  | 45.79    | 83.54    | -37.75 | 40.05  | 1    | Horizontal | 110     | 1.58   | -       | 38.31 | 16.27 | 48.84 |  |  |  |
| AV   | 21.34399G | 33.35    | 63.54    | -30.19 | 27.60  | 1    | Horizontal | 110     | 1.58   | -       | 38.31 | 16.28 | 48.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 83  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9226G      | 77.92             | 88.20             | -10.28         | 71.09         | 3           | Vertical  | 251            | 1.60          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| RMS  | 5.925G       | 63.40             | 68.20             | -4.80          | 56.57         | 3           | Vertical  | 251            | 1.60          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 5.9582G      | 116.98            | Inf               | -Inf           | 110.16        | 3           | Vertical  | 251            | 1.60          | -       | 34.28      | 8.13       | 35.59      |  |  |  |
| RMS  | 5.9624G      | 106.06            | Inf               | -Inf           | 99.24         | 3           | Vertical  | 251            | 1.60          | -       | 34.28      | 8.14       | 35.60      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 83  
05-R-R-7-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.9162G | 87.21    | 88.20    | -0.99  | 80.38  | 3    | Horizontal | 273     | 2.31   | -       | 34.30 | 8.11 | 35.58 |  |  |  |
| RMS  | 5.9234G | 68.15    | 68.20    | -0.05  | 61.32  | 3    | Horizontal | 273     | 2.31   | -       | 34.30 | 8.11 | 35.58 |  |  |  |
| PK   | 5.98G   | 120.19   | Inf      | -Inf   | 113.40 | 3    | Horizontal | 273     | 2.31   | -       | 34.24 | 8.15 | 35.60 |  |  |  |
| RMS  | 5.9824G | 108.06   | Inf      | -Inf   | 101.27 | 3    | Horizontal | 273     | 2.31   | -       | 34.24 | 8.15 | 35.60 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5965MHz\_TX




EUT\_Y\_4TX  
Setting 83  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9298G     | 63.85             | 74.00             | -10.15         | 79.94         | 3           | Vertical  | 223            | 2.28          | -       | 38.66      | 11.04      | 65.79      |  |  |  |
| AV   | 11.94735G    | 47.43             | 54.00             | -6.57          | 63.46         | 3           | Vertical  | 223            | 2.28          | -       | 38.69      | 11.05      | 65.77      |  |  |  |
| PK   | 17.9093G     | 61.56             | 74.00             | -12.44         | 68.66         | 3           | Vertical  | 167            | 2.60          | -       | 42.04      | 13.32      | 62.46      |  |  |  |
| AV   | 17.91985G    | 49.31             | 54.00             | -4.69          | 56.35         | 3           | Vertical  | 167            | 2.60          | -       | 42.08      | 13.32      | 62.44      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 5965MHz\_TX




EUT\_Y\_4TX  
Setting 83  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9301G     | 61.96             | 74.00             | -12.04         | 78.05         | 3           | Horizontal | 315.1          | 1.80          | -       | 38.66      | 11.04      | 65.79      |  |  |  |
| AV   | 11.9509G     | 43.99             | 54.00             | -10.01         | 60.01         | 3           | Horizontal | 315.1          | 1.80          | -       | 38.70      | 11.05      | 65.77      |  |  |  |
| PK   | 17.91515G    | 61.45             | 74.00             | -12.55         | 68.52         | 3           | Horizontal | 244            | 2.15          | -       | 42.06      | 13.32      | 62.45      |  |  |  |
| AV   | 17.9197G     | 49.31             | 54.00             | -4.69          | 56.35         | 3           | Horizontal | 244            | 2.15          | -       | 42.08      | 13.32      | 62.44      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_V\_4TX  
Setting 83  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.85983G    | 61.29             | 83.54             | -22.25         | 52.29         | 1           | Vertical  | 306            | 1.95          | -       | 38.80      | 17.36      | 47.16      |  |  |  |
| AV   | 23.85976G    | 45.00             | 63.54             | -18.54         | 36.00         | 1           | Vertical  | 306            | 1.95          | -       | 38.80      | 17.36      | 47.16      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Y\_4TX  
Setting 83  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.85984G    | 59.46             | 83.54             | -24.08         | 50.46         | 1           | Horizontal | 352            | 1.54          | -       | 38.80      | 17.36      | 47.16      |  |  |  |
| AV   | 23.85981G    | 48.55             | 63.54             | -14.99         | 39.55         | 1           | Horizontal | 352            | 1.54          | -       | 38.80      | 17.36      | 47.16      |  |  |  |



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 37  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41005G | 61.64    | 74.00    | -12.36 | 76.88  | 3    | Vertical  | 238     | 1.07   | -       | 38.92 | 11.21 | 65.37 |  |  |  |
| AV   | 12.397G   | 44.14    | 54.00    | -9.86  | 59.41  | 3    | Vertical  | 238     | 1.07   | -       | 38.90 | 11.21 | 65.38 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Y\_4TX  
Setting 37  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.41G   | 60.57    | 74.00    | -13.43 | 75.81  | 3    | Horizontal | 74      | 1.80   | -       | 38.92 | 11.21 | 65.37 |  |  |  |
| AV   | 12.4298G | 44.03    | 54.00    | -9.97  | 59.20  | 3    | Horizontal | 74      | 1.80   | -       | 38.96 | 11.22 | 65.35 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6205MHz\_TX




EUT\_V\_4TX  
Setting 37  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61077G | 43.91    | 83.54    | -39.63 | 40.52  | 1    | Vertical  | 182     | 1.41   | -       | 37.72 | 15.27 | 49.60 |  |  |  |
| AV   | 18.61807G | 31.81    | 63.54    | -31.73 | 28.40  | 1    | Vertical  | 182     | 1.41   | -       | 37.74 | 15.27 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6205MHz\_TX

EUT\_Y\_4TX  
Setting 37  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.61443G | 44.43    | 83.54    | -39.11 | 41.03  | 1    | Horizontal | 55      | 1.49   | -       | 37.73 | 15.27 | 49.60 |  |  |  |
| AV   | 18.61761G | 31.81    | 63.54    | -31.73 | 28.40  | 1    | Horizontal | 55      | 1.49   | -       | 37.74 | 15.27 | 49.60 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.78715G | 54.49    | 88.20    | -33.71 | 68.69  | 3    | Vertical  | 240     | 2.44   | -       | 39.72 | 11.34 | 65.26 |  |  |  |
| RMS  | 12.8309G  | 41.90    | 68.20    | -26.30 | 55.99  | 3    | Vertical  | 240     | 2.44   | -       | 39.80 | 11.36 | 65.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81395G | 54.89    | 88.20    | -33.31 | 68.99  | 3    | Horizontal | 163     | 2.39   | -       | 39.80 | 11.35 | 65.25 |  |  |  |
| RMS  | 12.79855G | 41.88    | 68.20    | -26.32 | 55.99  | 3    | Horizontal | 163     | 2.39   | -       | 39.79 | 11.35 | 65.25 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6405MHz\_TX

EUT\_Y\_4TX  
Setting 50  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.21801G | 44.50    | 83.54    | -39.04 | 40.79  | 1    | Vertical  | 175     | 1.83   | -       | 37.96 | 15.24 | 49.49 |  |  |  |
| AV   | 19.21967G | 32.11    | 63.54    | -31.43 | 28.40  | 1    | Vertical  | 175     | 1.83   | -       | 37.96 | 15.24 | 49.49 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX


EUT\_Y\_4TX  
Setting 50  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.21011G    | 44.27             | 83.54             | -39.27         | 40.53         | 1           | Horizontal | 2              | 1.89          | -       | 37.98      | 15.24      | 49.48      |  |  |  |
| AV   | 19.21961G    | 32.11             | 63.54             | -31.43         | 28.40         | 1           | Horizontal | 2              | 1.89          | -       | 37.96      | 15.24      | 49.49      |  |  |  |



## 6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9014G  | 54.38    | 88.20    | -33.82 | 68.34  | 3    | Vertical  | 272     | 2.62   | -       | 39.90 | 11.38 | 65.24 |  |  |  |
| RMS  | 12.89255G | 42.20    | 68.20    | -26.00 | 56.17  | 3    | Vertical  | 272     | 2.62   | -       | 39.89 | 11.38 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.8908G | 54.03    | 88.20    | -34.17 | 68.01  | 3    | Horizontal | 66      | 1.09   | -       | 39.88 | 11.38 | 65.24 |  |  |  |
| RMS  | 12.8924G | 42.19    | 68.20    | -26.01 | 56.17  | 3    | Horizontal | 66      | 1.09   | -       | 39.88 | 11.38 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.33079G | 44.65    | 83.54    | -38.89 | 41.10  | 1    | Vertical  | 293     | 1.37   | -       | 37.88 | 15.23 | 49.56 |  |  |  |
| AV   | 19.33G    | 31.59    | 63.54    | -31.95 | 28.04  | 1    | Vertical  | 293     | 1.37   | -       | 37.88 | 15.23 | 49.56 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.33975G | 43.99    | 83.54    | -39.55 | 40.49  | 1    | Horizontal | 201     | 1.56   | -       | 37.84 | 15.23 | 49.57 |  |  |  |
| AV   | 19.33G    | 31.59    | 63.54    | -31.95 | 28.04  | 1    | Horizontal | 201     | 1.56   | -       | 37.88 | 15.23 | 49.56 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9684G  | 54.75    | 88.20    | -33.45 | 68.58  | 3    | Vertical  | 22      | 1.87   | -       | 40.00 | 11.40 | 65.23 |  |  |  |
| RMS  | 12.97675G | 42.88    | 68.20    | -25.32 | 56.70  | 3    | Vertical  | 22      | 1.87   | -       | 40.00 | 11.41 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9678G  | 54.98    | 88.20    | -33.22 | 68.81  | 3    | Horizontal | 281     | 1.81   | -       | 40.00 | 11.40 | 65.23 |  |  |  |
| RMS  | 12.97735G | 42.88    | 68.20    | -25.32 | 56.70  | 3    | Horizontal | 281     | 1.81   | -       | 40.00 | 11.41 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




EUT\_V\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.45061G | 43.56    | 83.54    | -39.98 | 40.18  | 1    | Vertical  | 2       | 1.80   | -       | 37.80 | 15.23 | 49.65 |  |  |  |
| AV   | 19.45881G | 31.30    | 63.54    | -32.24 | 27.88  | 1    | Vertical  | 2       | 1.80   | -       | 37.84 | 15.23 | 49.65 |  |  |  |

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX


EUT\_Y\_4TX  
Setting 49  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.45656G    | 43.62             | 83.54             | -39.92         | 40.21         | 1           | Horizontal | 164            | 1.72          | -       | 37.83      | 15.23      | 49.65      |  |  |  |
| AV   | 19.45886G    | 31.30             | 63.54             | -32.24         | 27.88         | 1           | Horizontal | 164            | 1.72          | -       | 37.84      | 15.23      | 49.65      |  |  |  |



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 48  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.03665G    | 54.38             | 88.20             | -33.82         | 68.26         | 3           | Vertical  | 22             | 2.41          | -       | 39.85      | 11.43      | 65.16      |  |  |  |
| RMS  | 13.0604G     | 42.52             | 68.20             | -25.68         | 56.37         | 3           | Vertical  | 22             | 2.41          | -       | 39.82      | 11.44      | 65.11      |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 48  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.0657G  | 54.99    | 88.20    | -33.21 | 68.82  | 3    | Horizontal | 177     | 2.53   | -       | 39.83 | 11.44 | 65.10 |  |  |  |
| RMS  | 13.06035G | 42.55    | 68.20    | -25.65 | 56.40  | 3    | Horizontal | 177     | 2.53   | -       | 39.82 | 11.44 | 65.11 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 48  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.57517G | 44.24    | 83.54    | -39.30 | 40.69  | 1    | Vertical  | 223     | 1.78   | -       | 37.95 | 15.22 | 49.62 |  |  |  |
| AV   | 19.57174G | 31.67    | 63.54    | -31.87 | 28.10  | 1    | Vertical  | 223     | 1.78   | -       | 37.97 | 15.22 | 49.62 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6525MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 48  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.57149G | 43.63    | 83.54    | -39.91 | 40.06  | 1    | Horizontal | 337     | 1.58   | -       | 37.97 | 15.22 | 49.62 |  |  |  |
| AV   | 19.57145G | 31.67    | 63.54    | -31.87 | 28.10  | 1    | Horizontal | 337     | 1.58   | -       | 37.97 | 15.22 | 49.62 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.12165G | 55.73    | 88.20    | -32.47 | 69.27  | 3    | Vertical  | 176     | 2.42   | -       | 39.99 | 11.46 | 64.99 |  |  |  |
| RMS  | 13.13115G | 43.41    | 68.20    | -24.79 | 56.91  | 3    | Vertical  | 176     | 2.42   | -       | 40.02 | 11.46 | 64.98 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6565MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.10615G    | 55.82             | 88.20             | -32.38         | 69.47         | 3           | Horizontal | 298            | 2.65          | -       | 39.92      | 11.45      | 65.02      |  |  |  |
| RMS  | 13.1317G     | 43.40             | 68.20             | -24.80         | 56.88         | 3           | Horizontal | 298            | 2.65          | -       | 40.03      | 11.46      | 64.97      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6565MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.69415G | 44.09    | 83.54    | -39.45 | 40.55  | 1    | Vertical  | 149     | 1.73   | -       | 37.84 | 15.22 | 49.52 |  |  |  |
| AV   | 19.69704G | 31.62    | 63.54    | -31.92 | 28.10  | 1    | Vertical  | 149     | 1.73   | -       | 37.82 | 15.22 | 49.52 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6565MHz\_TX




EUT\_V\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.69317G | 44.49    | 83.54    | -39.05 | 40.95  | 1    | Horizontal | 126     | 1.77   | -       | 37.84 | 15.22 | 49.52 |  |  |  |
| AV   | 19.69098G | 31.58    | 63.54    | -31.96 | 28.03  | 1    | Horizontal | 126     | 1.77   | -       | 37.85 | 15.22 | 49.52 |  |  |  |



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.35085G | 56.51    | 74.00    | -17.49 | 69.12  | 3    | Vertical  | 335     | 2.51   | -       | 40.40 | 11.54 | 64.55 |  |  |  |
| AV   | 13.3892G  | 43.80    | 54.00    | -10.20 | 56.40  | 3    | Vertical  | 335     | 2.51   | -       | 40.32 | 11.55 | 64.47 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.3904G     | 55.77             | 74.00             | -18.23         | 68.37         | 3           | Horizontal | 15             | 1.66          | -       | 40.32      | 11.55      | 64.47      |  |  |  |
| AV   | 13.3896G     | 43.78             | 54.00             | -10.22         | 56.38         | 3           | Horizontal | 15             | 1.66          | -       | 40.32      | 11.55      | 64.47      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_V\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05275G | 44.26    | 83.54    | -39.28 | 40.57  | 1    | Vertical  | 21      | 1.63   | -       | 37.71 | 15.24 | 49.26 |  |  |  |
| AV   | 20.05783G | 31.54    | 63.54    | -32.00 | 27.81  | 1    | Vertical  | 21      | 1.63   | -       | 37.73 | 15.25 | 49.25 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_V\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.05046G | 43.70    | 83.54    | -39.84 | 40.02  | 1    | Horizontal | 287     | 1.73   | -       | 37.70 | 15.24 | 49.26 |  |  |  |  |
| AV   | 20.05771G | 31.54    | 63.54    | -32.00 | 27.81  | 1    | Horizontal | 287     | 1.73   | -       | 37.73 | 15.25 | 49.25 |  |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 34  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7493G | 56.26    | 88.20    | -31.94 | 68.45  | 3    | Vertical  | 129     | 2.73   | -       | 40.50 | 11.67 | 64.36 |  |  |  |
| RMS  | 13.7561G | 43.67    | 68.20    | -24.53 | 55.87  | 3    | Vertical  | 129     | 2.73   | -       | 40.48 | 11.68 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 34  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.76725G | 56.13    | 88.20    | -32.07 | 68.39  | 3    | Horizontal | 52      | 1.62   | -       | 40.43 | 11.68 | 64.37 |  |  |  |
| RMS  | 13.7558G  | 43.70    | 68.20    | -24.50 | 55.90  | 3    | Horizontal | 52      | 1.62   | -       | 40.48 | 11.68 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 34  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.65731G | 44.02    | 83.54    | -39.52 | 39.45  | 1    | Vertical  | 21      | 1.42   | -       | 37.90 | 15.73 | 49.06 |  |  |  |
| AV   | 20.65035G | 31.51    | 63.54    | -32.03 | 26.95  | 1    | Vertical  | 21      | 1.42   | -       | 37.90 | 15.72 | 49.06 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 34  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.65241G | 43.48    | 83.54    | -40.06 | 38.92  | 1    | Horizontal | 163     | 1.79   | -       | 37.90 | 15.72 | 49.06 |  |  |  |
| AV   | 20.65007G | 31.51    | 63.54    | -32.03 | 26.95  | 1    | Horizontal | 163     | 1.79   | -       | 37.90 | 15.72 | 49.06 |  |  |  |



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_Y\_4TX  
Setting 49  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8484G | 55.11    | 88.20    | -33.09 | 67.50  | 3    | Vertical  | 234     | 1.99   | -       | 40.30 | 11.71 | 64.40 |  |  |  |
| RMS  | 13.8468G | 43.10    | 68.20    | -25.10 | 55.49  | 3    | Vertical  | 234     | 1.99   | -       | 40.30 | 11.71 | 64.40 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




EUT\_V\_4TX  
Setting 49  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8299G | 55.24    | 88.20    | -32.96 | 67.63  | 3    | Horizontal | 252     | 2.02   | -       | 40.30 | 11.70 | 64.39 |  |  |  |
| RMS  | 13.8467G | 43.08    | 68.20    | -25.12 | 55.47  | 3    | Horizontal | 252     | 2.02   | -       | 40.30 | 11.71 | 64.40 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
Setting 49  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.77214G    | 44.15             | 83.54             | -39.39         | 39.35         | 1           | Vertical  | 174            | 1.66          | -       | 37.98      | 15.82      | 49.00      |  |  |  |
| AV   | 20.77912G    | 31.77             | 63.54             | -31.77         | 26.91         | 1           | Vertical  | 174            | 1.66          | -       | 38.03      | 15.82      | 48.99      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6925MHz\_TX

EUT\_Y\_4TX  
Setting 49  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.77117G | 43.94    | 83.54    | -39.60 | 39.15  | 1    | Horizontal | 219     | 1.66   | -       | 37.97 | 15.82 | 49.00 |  |  |  |
| AV   | 20.7715G  | 31.73    | 63.54    | -31.81 | 26.94  | 1    | Horizontal | 219     | 1.66   | -       | 37.97 | 15.82 | 49.00 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 46  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0211G  | 55.91    | 88.20    | -32.29 | 68.09  | 3    | Vertical  | 91      | 2.20   | -       | 40.46 | 11.77 | 64.41 |  |  |  |
| RMS  | 14.03495G | 44.04    | 68.20    | -24.16 | 56.22  | 3    | Vertical  | 91      | 2.20   | -       | 40.43 | 11.77 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 46  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0343G | 56.07    | 88.20    | -32.13 | 68.26  | 3    | Horizontal | 52      | 1.89   | -       | 40.43 | 11.77 | 64.39 |  |  |  |
| RMS  | 14.035G  | 44.02    | 68.20    | -24.18 | 56.20  | 3    | Horizontal | 52      | 1.89   | -       | 40.43 | 11.77 | 64.38 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_Y\_4TX  
Setting 46  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01459G | 44.83    | 83.54    | -38.71 | 39.65  | 1    | Vertical  | 199     | 1.43   | -       | 38.05 | 16.01 | 48.88 |  |  |  |
| AV   | 21.01965G | 32.17    | 63.54    | -31.37 | 26.93  | 1    | Vertical  | 199     | 1.43   | -       | 38.10 | 16.02 | 48.88 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




EUT\_V\_4TX  
Setting 46  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.01872G | 44.66    | 83.54    | -38.88 | 39.44  | 1    | Horizontal | 100     | 1.71   | -       | 38.09 | 16.01 | 48.88 |  |  |  |
| AV   | 21.01956G | 32.17    | 63.54    | -31.37 | 26.93  | 1    | Horizontal | 100     | 1.71   | -       | 38.10 | 16.02 | 48.88 |  |  |  |



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 84  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0682G      | 118.41            | Inf               | -Inf           | 108.57        | 3           | Vertical  | 72             | 1.70          | -       | 36.47      | 8.59       | 35.22      |  |  |  |
| RMS  | 7.0678G      | 107.44            | Inf               | -Inf           | 97.60         | 3           | Vertical  | 72             | 1.70          | -       | 36.47      | 8.59       | 35.22      |  |  |  |
| PK   | 7.1266G      | 82.64             | 88.20             | -5.56          | 72.41         | 3           | Vertical  | 72             | 1.70          | -       | 36.76      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.1262G      | 68.06             | 68.20             | -0.14          | 57.83         | 3           | Vertical  | 72             | 1.70          | -       | 36.76      | 8.58       | 35.11      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 84  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0736G      | 117.91            | Inf               | -Inf           | 108.04        | 3           | Horizontal | 276.1          | 1.57          | -       | 36.49      | 8.59       | 35.21      |  |  |  |
| RMS  | 7.0746G      | 106.39            | Inf               | -Inf           | 96.50         | 3           | Horizontal | 276.1          | 1.57          | -       | 36.50      | 8.59       | 35.20      |  |  |  |
| PK   | 7.1274G      | 81.66             | 88.20             | -6.54          | 71.43         | 3           | Horizontal | 276.1          | 1.57          | -       | 36.76      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.1254G      | 66.66             | 68.20             | -1.54          | 56.44         | 3           | Horizontal | 276.1          | 1.57          | -       | 36.75      | 8.58       | 35.11      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 84  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.1649G  | 58.55    | 88.20    | -29.65 | 70.33  | 3    | Vertical  | 221     | 1.14   | -       | 40.50 | 11.82 | 64.10 |  |  |  |
| RMS  | 14.18145G | 44.93    | 68.20    | -23.27 | 56.67  | 3    | Vertical  | 221     | 1.14   | -       | 40.50 | 11.82 | 64.06 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 84  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 14.16912G    | 57.41             | 88.20             | -30.79         | 69.18         | 3           | Horizontal | 202            | 1.01          | -       | 40.50      | 11.82      | 64.09      |  |  |  |
| RMS  | 14.16511G    | 44.82             | 68.20             | -23.38         | 56.60         | 3           | Horizontal | 202            | 1.01          | -       | 40.50      | 11.82      | 64.10      |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_Y\_4TX  
Setting 84  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.2465G  | 54.28    | 83.54    | -29.26 | 48.93  | 1    | Vertical  | 320     | 1.50   | -       | 38.00 | 16.20 | 48.85 |  |  |  |
| AV   | 21.24502G | 39.39    | 63.54    | -24.15 | 34.04  | 1    | Vertical  | 320     | 1.50   | -       | 38.00 | 16.20 | 48.85 |  |  |  |

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




EUT\_V\_4TX  
Setting 84  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.25892G    | 59.34             | 83.54             | -24.20         | 53.91         | 1           | Horizontal | 9              | 1.50          | -       | 38.07      | 16.21      | 48.85      |  |  |  |
| AV   | 21.25982G    | 44.72             | 63.54             | -18.82         | 39.28         | 1           | Horizontal | 9              | 1.50          | -       | 38.08      | 16.21      | 48.85      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5985MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9242G      | 79.63             | 88.20             | -8.57          | 72.80         | 3           | Vertical  | 250            | 1.58          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| RMS  | 5.9246G      | 68.18             | 68.20             | -0.02          | 61.35         | 3           | Vertical  | 250            | 1.58          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 6.0206G      | 114.43            | Inf               | -Inf           | 107.59        | 3           | Vertical  | 250            | 1.58          | -       | 34.24      | 8.17       | 35.57      |  |  |  |
| RMS  | 6.0222G      | 104.13            | Inf               | -Inf           | 97.29         | 3           | Vertical  | 250            | 1.58          | -       | 34.24      | 8.17       | 35.57      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 5985MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9202G      | 79.00             | 88.20             | -9.20          | 72.17         | 3           | Horizontal | 274            | 2.23          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| RMS  | 5.925G       | 65.35             | 68.20             | -2.85          | 58.52         | 3           | Horizontal | 274            | 2.23          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 5.9778G      | 115.64            | Inf               | -Inf           | 108.85        | 3           | Horizontal | 274            | 2.23          | -       | 34.24      | 8.15       | 35.60      |  |  |  |
| RMS  | 5.9774G      | 105.69            | Inf               | -Inf           | 98.89         | 3           | Horizontal | 274            | 2.23          | -       | 34.25      | 8.15       | 35.60      |  |  |  |



## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5985MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96815G    | 57.82             | 74.00             | -16.18         | 73.78         | 3           | Vertical  | 287            | 1.80          | -       | 38.74      | 11.06      | 65.76      |  |  |  |
| AV   | 11.97095G    | 46.13             | 54.00             | -7.87          | 62.09         | 3           | Vertical  | 287            | 1.80          | -       | 38.74      | 11.06      | 65.76      |  |  |  |
| PK   | 17.9479G     | 61.59             | 74.00             | -12.41         | 68.44         | 3           | Vertical  | 280            | 2.58          | -       | 42.19      | 13.34      | 62.38      |  |  |  |
| AV   | 17.9432G     | 50.14             | 54.00             | -3.86          | 57.03         | 3           | Vertical  | 280            | 2.58          | -       | 42.17      | 13.33      | 62.39      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 5985MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.99005G    | 55.10             | 74.00             | -18.90         | 71.00         | 3           | Horizontal | 348            | 2.69          | -       | 38.78      | 11.07      | 65.75      |  |  |  |
| AV   | 11.96735G    | 43.01             | 54.00             | -10.99         | 58.98         | 3           | Horizontal | 348            | 2.69          | -       | 38.73      | 11.06      | 65.76      |  |  |  |
| PK   | 17.96585G    | 61.79             | 74.00             | -12.21         | 68.50         | 3           | Horizontal | 166            | 1.59          | -       | 42.30      | 13.34      | 62.35      |  |  |  |
| AV   | 17.93995G    | 50.08             | 54.00             | -3.92          | 56.99         | 3           | Horizontal | 166            | 1.59          | -       | 42.16      | 13.33      | 62.40      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 85  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.94948G | 56.78    | 83.54    | -26.76 | 47.62  | 1    | Vertical  | 306     | 1.96   | -       | 38.90 | 17.38 | 47.12 |  |  |  |
| AV   | 23.9398G  | 43.94    | 63.54    | -19.60 | 34.80  | 1    | Vertical  | 306     | 1.96   | -       | 38.88 | 17.38 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9398G  | 55.48    | 83.54    | -28.06 | 46.34  | 1    | Horizontal | 354     | 1.52   | -       | 38.88 | 17.38 | 47.12 |  |  |  |
| AV   | 23.93978G | 49.41    | 63.54    | -14.13 | 40.27  | 1    | Horizontal | 354     | 1.52   | -       | 38.88 | 17.38 | 47.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_V\_4TX  
Setting 52  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.42825G | 54.87    | 74.00    | -19.13 | 70.04  | 3    | Vertical  | 203     | 2.08   | -       | 38.96 | 11.22 | 65.35 |  |  |  |
| AV   | 12.4493G  | 42.93    | 54.00    | -11.07 | 58.04  | 3    | Vertical  | 203     | 2.08   | -       | 39.00 | 11.23 | 65.34 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Y\_4TX  
Setting 52  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.4478G | 54.88    | 74.00    | -19.12 | 70.00  | 3    | Horizontal | 130     | 2.16   | -       | 39.00 | 11.22 | 65.34 |  |  |  |
| AV   | 12.4658G | 42.87    | 54.00    | -11.13 | 57.93  | 3    | Horizontal | 130     | 2.16   | -       | 39.03 | 11.23 | 65.32 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT Y\_4TX  
Setting 52  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.67591G | 44.84    | 83.54    | -38.70 | 41.43  | 1    | Vertical  | 281     | 1.95   | -       | 37.70 | 15.27 | 49.56 |  |  |  |
| AV   | 18.67346G | 32.50    | 63.54    | -31.04 | 29.08  | 1    | Vertical  | 281     | 1.95   | -       | 37.71 | 15.27 | 49.56 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX


EUT\_V\_4TX  
Setting 52  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.67431G | 44.64    | 83.54    | -38.90 | 41.23  | 1    | Horizontal | 84      | 1.44   | -       | 37.70 | 15.27 | 49.56 |  |  |  |
| AV   | 18.67145G | 32.41    | 63.54    | -31.13 | 28.99  | 1    | Horizontal | 84      | 1.44   | -       | 37.71 | 15.27 | 49.56 |  |  |  |



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 56  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.7651G | 54.46    | 88.20    | -33.74 | 68.80  | 3    | Vertical  | 10      | 1.92   | -       | 39.59 | 11.33 | 65.26 |  |  |  |
| RMS  | 12.7639G | 42.27    | 68.20    | -25.93 | 56.62  | 3    | Vertical  | 10      | 1.92   | -       | 39.58 | 11.33 | 65.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Y\_4TX  
Setting 56  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.7897G  | 54.93    | 88.20    | -33.27 | 69.11  | 3    | Horizontal | 172     | 2.35   | -       | 39.74 | 11.34 | 65.26 |  |  |  |
| RMS  | 12.74995G | 42.33    | 68.20    | -25.87 | 56.76  | 3    | Horizontal | 172     | 2.35   | -       | 39.50 | 11.33 | 65.26 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
Setting 56  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.15011G    | 43.25             | 83.54             | -40.29         | 39.75         | 1           | Vertical  | 279            | 1.61          | -       | 37.70      | 15.24      | 49.44      |  |  |  |
| AV   | 19.15338G    | 32.02             | 63.54             | -31.52         | 28.50         | 1           | Vertical  | 279            | 1.61          | -       | 37.72      | 15.24      | 49.44      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6385MHz\_TX

EUT\_Y\_4TX  
Setting 56  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.15772G    | 44.23             | 83.54             | -39.31         | 40.69         | 1           | Horizontal | 209            | 1.46          | -       | 37.75      | 15.24      | 49.45      |  |  |  |
| AV   | 19.15119G    | 32.01             | 63.54             | -31.53         | 28.50         | 1           | Horizontal | 209            | 1.46          | -       | 37.71      | 15.24      | 49.44      |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 57  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9093G | 52.66    | 88.20    | -35.54 | 66.60  | 3    | Vertical  | 160     | 1.96   | -       | 39.92 | 11.38 | 65.24 |  |  |  |
| RMS  | 12.9056G | 42.04    | 68.20    | -26.16 | 55.99  | 3    | Vertical  | 160     | 1.96   | -       | 39.91 | 11.38 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 57  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.90805G | 52.51    | 88.20    | -35.69 | 66.45  | 3    | Horizontal | 58      | 1.16   | -       | 39.92 | 11.38 | 65.24 |  |  |  |
| RMS  | 12.90575G | 42.08    | 68.20    | -26.12 | 56.03  | 3    | Horizontal | 58      | 1.16   | -       | 39.91 | 11.38 | 65.24 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




EUT\_Y\_4TX  
Setting 57  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39452G | 43.95    | 83.54    | -39.59 | 40.35  | 1    | Vertical  | 281     | 1.54   | -       | 37.98 | 15.23 | 49.61 |  |  |  |
| AV   | 19.39964G | 31.95    | 63.54    | -31.59 | 28.33  | 1    | Vertical  | 281     | 1.54   | -       | 38.00 | 15.23 | 49.61 |  |  |  |

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX


EUT\_V\_4TX  
Setting 57  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.39515G | 43.76    | 83.54    | -39.78 | 40.16  | 1    | Horizontal | 336     | 1.35   | -       | 37.98 | 15.23 | 49.61 |  |  |  |
| AV   | 19.39841G | 31.96    | 63.54    | -31.58 | 28.35  | 1    | Horizontal | 336     | 1.35   | -       | 37.99 | 15.23 | 49.61 |  |  |  |



## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 53  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.084G   | 54.73    | 88.20    | -33.47 | 68.49  | 3    | Vertical  | 88      | 2.17   | -       | 39.87 | 11.44 | 65.07 |  |  |  |
| RMS  | 13.11185G | 43.59    | 68.20    | -24.61 | 57.20  | 3    | Vertical  | 88      | 2.17   | -       | 39.95 | 11.45 | 65.01 |  |  |  |

### 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

#### 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 53  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.1125G | 55.56    | 88.20    | -32.64 | 69.17  | 3    | Horizontal | 23      | 2.74   | -       | 39.95 | 11.45 | 65.01 |  |  |  |
| RMS  | 13.1118G | 43.59    | 68.20    | -24.61 | 57.20  | 3    | Horizontal | 23      | 2.74   | -       | 39.95 | 11.45 | 65.01 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 53  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63841G | 44.43    | 83.54    | -39.11 | 40.75  | 1    | Vertical  | 81      | 1.44   | -       | 38.03 | 15.22 | 49.57 |  |  |  |
| AV   | 19.63085G | 32.37    | 63.54    | -31.17 | 28.73  | 1    | Vertical  | 81      | 1.44   | -       | 37.99 | 15.22 | 49.57 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6545MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 53  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.63012G | 44.81    | 83.54    | -38.73 | 41.18  | 1    | Horizontal | 174     | 1.52   | -       | 37.98 | 15.22 | 49.57 |  |  |  |
| AV   | 19.6327G  | 32.32    | 63.54    | -31.22 | 28.67  | 1    | Horizontal | 174     | 1.52   | -       | 38.00 | 15.22 | 49.57 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Y\_4TX  
Setting 53  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2743G | 54.90    | 74.00    | -19.10 | 67.99  | 3    | Vertical  | 82      | 2.88   | -       | 40.10 | 11.51 | 64.70 |  |  |  |
| AV   | 13.2585G | 43.75    | 54.00    | -10.25 | 56.95  | 3    | Vertical  | 82      | 2.88   | -       | 40.03 | 11.50 | 64.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_V\_4TX  
Setting 53  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2579G | 55.57    | 74.00    | -18.43 | 68.77  | 3    | Horizontal | 195     | 1.95   | -       | 40.03 | 11.50 | 64.73 |  |  |  |
| AV   | 13.2614G | 43.72    | 54.00    | -10.28 | 56.88  | 3    | Horizontal | 195     | 1.95   | -       | 40.05 | 11.51 | 64.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_V\_4TX  
Setting 53  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.87719G | 43.80    | 83.54    | -39.74 | 40.20  | 1    | Vertical  | 22      | 1.64   | -       | 37.76 | 15.21 | 49.37 |  |  |  |
| AV   | 19.87459G | 31.89    | 63.54    | -31.65 | 28.30  | 1    | Vertical  | 22      | 1.64   | -       | 37.75 | 15.21 | 49.37 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_V\_4TX  
Setting 53  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.8759G  | 44.17    | 83.54    | -39.37 | 40.57  | 1    | Horizontal | 25      | 1.54   | -       | 37.76 | 15.21 | 49.37 |  |  |  |
| AV   | 19.87849G | 31.97    | 63.54    | -31.57 | 28.36  | 1    | Horizontal | 25      | 1.54   | -       | 37.77 | 15.21 | 49.37 |  |  |  |



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 58  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3888G | 55.91    | 74.00    | -18.09 | 68.52  | 3    | Vertical  | 297     | 2.87   | -       | 40.32 | 11.55 | 64.48 |  |  |  |
| AV   | 13.3887G | 44.01    | 54.00    | -9.99  | 56.62  | 3    | Vertical  | 297     | 2.87   | -       | 40.32 | 11.55 | 64.48 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Y\_4TX  
Setting 58  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.39265G    | 56.60             | 74.00             | -17.40         | 69.21         | 3           | Horizontal | 62             | 2.44          | -       | 40.31      | 11.55      | 64.47      |  |  |  |
| AV   | 13.39175G    | 44.07             | 54.00             | -9.93          | 56.67         | 3           | Horizontal | 62             | 2.44          | -       | 40.32      | 11.55      | 64.47      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6705MHz\_TX




EUT\_V\_4TX  
Setting 58  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11246G | 44.22    | 83.54    | -39.32 | 40.34  | 1    | Vertical  | 334     | 1.63   | -       | 37.83 | 15.29 | 49.24 |  |  |  |
| AV   | 20.11044G | 32.20    | 63.54    | -31.34 | 28.31  | 1    | Vertical  | 334     | 1.63   | -       | 37.84 | 15.29 | 49.24 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6705MHz\_TX




EUT\_V\_4TX  
Setting 58  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.11509G | 43.88    | 83.54    | -39.66 | 40.02  | 1    | Horizontal | 117     | 1.55   | -       | 37.81 | 15.29 | 49.24 |  |  |  |
| AV   | 20.11222G | 32.09    | 63.54    | -31.45 | 28.21  | 1    | Horizontal | 117     | 1.55   | -       | 37.83 | 15.29 | 49.24 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5878G  | 56.52    | 88.20    | -31.68 | 68.45  | 3    | Vertical  | 190     | 1.02   | -       | 40.75 | 11.62 | 64.30 |  |  |  |
| RMS  | 13.54725G | 45.28    | 68.20    | -22.92 | 57.07  | 3    | Vertical  | 190     | 1.02   | -       | 40.89 | 11.60 | 64.28 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Y\_4TX  
Setting 50  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.55465G | 56.64    | 88.20    | -31.56 | 68.43  | 3    | Horizontal | 242     | 2.70   | -       | 40.88 | 11.61 | 64.28 |  |  |  |
| RMS  | 13.54805G | 45.25    | 68.20    | -22.95 | 57.04  | 3    | Horizontal | 242     | 2.70   | -       | 40.89 | 11.60 | 64.28 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_V\_4TX  
Setting 50  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.35469G | 45.13    | 83.54    | -38.41 | 40.74  | 1    | Vertical  | 159     | 1.95   | -       | 38.09 | 15.48 | 49.18 |  |  |  |
| AV   | 20.35003G | 32.01    | 63.54    | -31.53 | 27.61  | 1    | Vertical  | 159     | 1.95   | -       | 38.10 | 15.48 | 49.18 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_V\_4TX  
Setting 50  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.35038G | 44.23    | 83.54    | -39.31 | 39.83  | 1    | Horizontal | 105     | 1.71   | -       | 38.10 | 15.48 | 49.18 |  |  |  |
| AV   | 20.35183G | 32.12    | 63.54    | -31.42 | 27.72  | 1    | Horizontal | 105     | 1.71   | -       | 38.10 | 15.48 | 49.18 |  |  |  |



## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 55  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.73935G    | 55.72             | 88.20             | -32.48         | 67.91         | 3           | Vertical  | 51             | 2.73          | -       | 40.50      | 11.67      | 64.36      |  |  |  |
| RMS  | 13.7536G     | 43.87             | 68.20             | -24.33         | 56.07         | 3           | Vertical  | 51             | 2.73          | -       | 40.49      | 11.67      | 64.36      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 55  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.74325G | 55.53    | 88.20    | -32.67 | 67.72  | 3    | Horizontal | 0       | 2.83   | -       | 40.50 | 11.67 | 64.36 |  |  |  |
| RMS  | 13.7549G  | 43.90    | 68.20    | -24.30 | 56.10  | 3    | Horizontal | 0       | 2.83   | -       | 40.48 | 11.68 | 64.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 55  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.59835G    | 44.67             | 83.54             | -38.87         | 40.08         | 1           | Vertical  | 255            | 1.59          | -       | 38.00      | 15.68      | 49.09      |  |  |  |
| AV   | 20.59615G    | 32.56             | 63.54             | -30.98         | 27.98         | 1           | Vertical  | 255            | 1.59          | -       | 37.99      | 15.68      | 49.09      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 55  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.59771G | 44.50    | 83.54    | -39.04 | 39.91  | 1    | Horizontal | 24      | 1.45   | -       | 38.00 | 15.68 | 49.09 |  |  |  |
| AV   | 20.59519G | 32.56    | 63.54    | -30.98 | 27.98  | 1    | Horizontal | 24      | 1.45   | -       | 37.99 | 15.68 | 49.09 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 51  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9084G | 54.10    | 88.20    | -34.10 | 66.29  | 3    | Vertical  | 305     | 1.40   | -       | 40.50 | 11.73 | 64.42 |  |  |  |
| RMS  | 13.9021G | 43.20    | 68.20    | -25.00 | 55.39  | 3    | Vertical  | 305     | 1.40   | -       | 40.50 | 11.73 | 64.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_Y\_4TX  
Setting 51  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9088G  | 54.72    | 88.20    | -33.48 | 66.91  | 3    | Horizontal | 337     | 1.97   | -       | 40.50 | 11.73 | 64.42 |  |  |  |
| RMS  | 13.90125G | 43.20    | 68.20    | -25.00 | 55.39  | 3    | Horizontal | 337     | 1.97   | -       | 40.50 | 11.73 | 64.42 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6945MHz\_TX

EUT\_Y\_4TX  
Setting 51  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.83316G | 43.83    | 83.54    | -39.71 | 38.73  | 1    | Vertical  | 213     | 1.70   | -       | 38.20 | 15.87 | 48.97 |  |  |  |
| AV   | 20.83701G | 32.32    | 63.54    | -31.22 | 27.21  | 1    | Vertical  | 213     | 1.70   | -       | 38.20 | 15.87 | 48.96 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




EUT\_V\_4TX  
Setting 51  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.83729G | 44.25    | 83.54    | -39.29 | 39.14  | 1    | Horizontal | 343     | 1.76   | -       | 38.20 | 15.87 | 48.96 |  |  |  |
| AV   | 20.83271G | 32.31    | 63.54    | -31.23 | 27.21  | 1    | Horizontal | 343     | 1.76   | -       | 38.20 | 15.87 | 48.97 |  |  |  |



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 87  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0186G      | 116.73            | Inf               | -Inf           | 107.16        | 3           | Vertical  | 74.4           | 1.46          | -       | 36.27      | 8.61       | 35.31      |  |  |  |
| RMS  | 7.011G       | 106.25            | Inf               | -Inf           | 96.72         | 3           | Vertical  | 74.4           | 1.46          | -       | 36.24      | 8.61       | 35.32      |  |  |  |
| PK   | 7.127G       | 78.31             | 88.20             | -9.89          | 68.08         | 3           | Vertical  | 74.4           | 1.46          | -       | 36.76      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.125G       | 67.91             | 68.20             | -0.29          | 57.69         | 3           | Vertical  | 74.4           | 1.46          | -       | 36.75      | 8.58       | 35.11      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 87  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0066G      | 114.24            | Inf               | -Inf           | 104.73        | 3           | Horizontal | 287.1          | 2.50          | -       | 36.23      | 8.61       | 35.33      |  |  |  |
| RMS  | 7.0074G      | 106.11            | Inf               | -Inf           | 96.60         | 3           | Horizontal | 287.1          | 2.50          | -       | 36.23      | 8.61       | 35.33      |  |  |  |
| PK   | 7.129G       | 79.77             | 88.20             | -8.43          | 69.53         | 3           | Horizontal | 287.1          | 2.50          | -       | 36.77      | 8.58       | 35.11      |  |  |  |
| RMS  | 7.125G       | 65.91             | 68.20             | -2.29          | 55.69         | 3           | Horizontal | 287.1          | 2.50          | -       | 36.75      | 8.58       | 35.11      |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 87  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.0674G  | 59.98    | 88.20    | -28.22 | 72.04  | 3    | Vertical  | 70      | 1.80   | -       | 40.47 | 11.78 | 64.31 |  |  |  |
| RMS  | 14.05405G | 47.13    | 68.20    | -21.07 | 59.27  | 3    | Vertical  | 70      | 1.80   | -       | 40.42 | 11.78 | 64.34 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 87  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.06615G | 58.31    | 88.20    | -29.89 | 70.39  | 3    | Horizontal | 126     | 2.00   | -       | 40.46 | 11.78 | 64.32 |  |  |  |
| RMS  | 14.0506G  | 46.58    | 68.20    | -21.62 | 58.75  | 3    | Horizontal | 126     | 2.00   | -       | 40.40 | 11.78 | 64.35 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_Y\_4TX  
Setting 87  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.07716G | 51.93    | 83.54    | -31.61 | 46.50  | 1    | Vertical  | 194     | 1.90   | -       | 38.24 | 16.06 | 48.87 |  |  |  |
| AV   | 21.07478G | 40.03    | 63.54    | -23.51 | 34.59  | 1    | Vertical  | 194     | 1.90   | -       | 38.25 | 16.06 | 48.87 |  |  |  |

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX

EUT\_V\_4TX  
Setting 87  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 21.07924G    | 58.22             | 83.54             | -25.32         | 52.81         | 1           | Horizontal | 7              | 1.53          | -       | 38.22      | 16.06      | 48.87      |  |  |  |
| AV   | 21.08488G    | 45.81             | 63.54             | -17.73         | 40.42         | 1           | Horizontal | 7              | 1.53          | -       | 38.19      | 16.07      | 48.87      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.904G       | 78.73             | 88.20             | -9.47          | 71.90         | 3           | Vertical  | 249            | 1.45          | -       | 34.30      | 8.10       | 35.57      |  |  |  |
| RMS  | 5.925G       | 67.91             | 68.20             | -0.29          | 61.08         | 3           | Vertical  | 249            | 1.45          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 6.0735G      | 112.87            | Inf               | -Inf           | 105.91        | 3           | Vertical  | 249            | 1.45          | -       | 34.25      | 8.18       | 35.47      |  |  |  |
| RMS  | 6.0415G      | 102.01            | Inf               | -Inf           | 95.09         | 3           | Vertical  | 249            | 1.45          | -       | 34.28      | 8.17       | 35.53      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 6025MHz\_TX




EUT\_Y\_4TX  
Setting 85  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9185G      | 75.65             | 88.20             | -12.55         | 68.82         | 3           | Horizontal | 263            | 1.80          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| RMS  | 5.9225G      | 64.48             | 68.20             | -3.72          | 57.65         | 3           | Horizontal | 263            | 1.80          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 6.102G       | 115.75            | Inf               | -Inf           | 108.77        | 3           | Horizontal | 263            | 1.80          | -       | 34.20      | 8.19       | 35.41      |  |  |  |
| RMS  | 6.1005G      | 105.02            | Inf               | -Inf           | 98.04         | 3           | Horizontal | 263            | 1.80          | -       | 34.20      | 8.19       | 35.41      |  |  |  |



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 85  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.04665G    | 56.13             | 74.00             | -17.87         | 71.85         | 3           | Vertical  | 300            | 1.79          | -       | 38.89      | 11.09      | 65.70      |  |  |  |
| AV   | 12.0466G     | 44.22             | 54.00             | -9.78          | 59.94         | 3           | Vertical  | 300            | 1.79          | -       | 38.89      | 11.09      | 65.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 85  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.03025G | 57.21    | 74.00    | -16.79 | 72.98  | 3    | Horizontal | 251     | 2.17   | -       | 38.86 | 11.08 | 65.71 |  |  |  |
| AV   | 12.06295G | 44.50    | 54.00    | -9.50  | 60.16  | 3    | Horizontal | 251     | 2.17   | -       | 38.93 | 11.09 | 65.68 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 85  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.06598G | 46.17    | 83.54    | -37.37 | 42.88  | 1    | Vertical  | 268     | 1.37   | -       | 37.46 | 15.30 | 49.47 |  |  |  |
| AV   | 18.07486G | 34.89    | 63.54    | -28.65 | 31.57  | 1    | Vertical  | 268     | 1.37   | -       | 37.50 | 15.30 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Y\_4TX  
Setting 85  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07468G | 47.81    | 83.54    | -35.73 | 44.49  | 1    | Horizontal | 206     | 1.48   | -       | 37.50 | 15.30 | 49.48 |  |  |  |
| AV   | 18.07486G | 39.35    | 63.54    | -24.19 | 36.03  | 1    | Horizontal | 206     | 1.48   | -       | 37.50 | 15.30 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Y\_4TX  
Setting 69  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.3931G     | 54.74             | 74.00             | -19.26         | 70.02         | 3           | Vertical  | 349            | 2.68          | -       | 38.90      | 11.21      | 65.39      |  |  |  |
| AV   | 12.3935G     | 42.84             | 54.00             | -11.16         | 58.12         | 3           | Vertical  | 349            | 2.68          | -       | 38.90      | 11.21      | 65.39      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_V\_4TX  
Setting 69  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.3918G | 55.24    | 74.00    | -18.76 | 70.52  | 3    | Horizontal | 347     | 2.67   | -       | 38.90 | 11.21 | 65.39 |  |  |  |
| AV   | 12.3948G | 42.84    | 54.00    | -11.16 | 58.11  | 3    | Horizontal | 347     | 2.67   | -       | 38.90 | 11.21 | 65.38 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6185MHz\_TX

EUT\_V\_4TX  
Setting 69  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.55715G | 44.40    | 83.54    | -39.14 | 41.07  | 1    | Vertical  | 292     | 1.59   | -       | 37.70 | 15.27 | 49.64 |  |  |  |
| AV   | 18.55995G | 31.92    | 63.54    | -31.62 | 28.59  | 1    | Vertical  | 292     | 1.59   | -       | 37.70 | 15.27 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX


EUT\_Y\_4TX  
Setting 69  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.55822G | 43.78    | 83.54    | -39.76 | 40.45  | 1    | Horizontal | 8       | 1.66   | -       | 37.70 | 15.27 | 49.64 |  |  |  |
| AV   | 18.55996G | 32.00    | 63.54    | -31.54 | 28.67  | 1    | Horizontal | 8       | 1.66   | -       | 37.70 | 15.27 | 49.64 |  |  |  |



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Y\_4TX  
Setting 61  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.684G   | 55.14    | 74.00    | -18.86 | 69.70  | 3    | Vertical  | 54      | 2.27   | -       | 39.40 | 11.31 | 65.27 |  |  |  |
| AV   | 12.68805G | 42.93    | 54.00    | -11.07 | 57.49  | 3    | Vertical  | 54      | 2.27   | -       | 39.40 | 11.31 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_V\_4TX  
Setting 61  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.6845G  | 55.09    | 74.00    | -18.91 | 69.65  | 3    | Horizontal | 330     | 1.20   | -       | 39.40 | 11.31 | 65.27 |  |  |  |
| AV   | 12.68435G | 43.02    | 54.00    | -10.98 | 57.58  | 3    | Horizontal | 330     | 1.20   | -       | 39.40 | 11.31 | 65.27 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_V\_4TX  
Setting 61  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.03046G | 44.38    | 83.54    | -39.16 | 40.59  | 1    | Vertical  | 10      | 1.46   | -       | 37.90 | 15.25 | 49.36 |  |  |  |
| AV   | 19.03986G | 32.42    | 63.54    | -31.12 | 28.64  | 1    | Vertical  | 10      | 1.46   | -       | 37.90 | 15.25 | 49.37 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6345MHz\_TX

EUT\_V\_4TX  
Setting 61  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.03736G | 44.02    | 83.54    | -39.52 | 40.24  | 1    | Horizontal | 316     | 1.45   | -       | 37.90 | 15.25 | 49.37 |  |  |  |
| AV   | 19.03991G | 32.34    | 63.54    | -31.20 | 28.56  | 1    | Horizontal | 316     | 1.45   | -       | 37.90 | 15.25 | 49.37 |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 65  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.99905G | 53.55    | 88.20    | -34.65 | 67.37  | 3    | Vertical  | 277     | 1.42   | -       | 40.00 | 11.41 | 65.23 |  |  |  |
| RMS  | 12.98695G | 42.44    | 68.20    | -25.76 | 56.26  | 3    | Vertical  | 277     | 1.42   | -       | 40.00 | 11.41 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 65  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.9948G | 54.44    | 88.20    | -33.76 | 68.26  | 3    | Horizontal | 176     | 2.65   | -       | 40.00 | 11.41 | 65.23 |  |  |  |
| RMS  | 12.9862G | 42.52    | 68.20    | -25.68 | 56.34  | 3    | Horizontal | 176     | 2.65   | -       | 40.00 | 11.41 | 65.23 |  |  |  |

6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_Y\_4TX  
Setting 65  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51258G | 44.06    | 83.54    | -39.48 | 40.48  | 1    | Vertical  | 281     | 1.47   | -       | 38.03 | 15.22 | 49.67 |  |  |  |
| AV   | 19.51984G | 31.97    | 63.54    | -31.57 | 28.37  | 1    | Vertical  | 281     | 1.47   | -       | 38.04 | 15.22 | 49.66 |  |  |  |

## 6.425-6.525GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 6505MHz Straddle 6.425-6.525GHz\_TX




EUT\_V\_4TX  
Setting 65  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.51757G | 44.11    | 83.54    | -39.43 | 40.52  | 1    | Horizontal | 276     | 1.48   | -       | 38.04 | 15.22 | 49.67 |  |  |  |
| AV   | 19.51112G | 31.86    | 63.54    | -31.68 | 28.29  | 1    | Horizontal | 276     | 1.48   | -       | 38.02 | 15.22 | 49.67 |  |  |  |



6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_V\_4TX  
Setting 58  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3468G | 55.73    | 74.00    | -18.27 | 68.37  | 3    | Vertical  | 9       | 2.71   | -       | 40.39 | 11.53 | 64.56 |  |  |  |
| AV   | 13.3351G | 44.03    | 54.00    | -9.97  | 56.74  | 3    | Vertical  | 9       | 2.71   | -       | 40.34 | 11.53 | 64.58 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_V\_4TX  
Setting 58  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.31735G | 55.97    | 74.00    | -18.03 | 68.79  | 3    | Horizontal | 144     | 2.78   | -       | 40.27 | 11.52 | 64.61 |  |  |  |
| AV   | 13.3339G  | 43.99    | 54.00    | -10.01 | 56.70  | 3    | Horizontal | 144     | 2.78   | -       | 40.34 | 11.53 | 64.58 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_V\_4TX  
Setting 58  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.99816G | 44.15    | 83.54    | -39.39 | 40.42  | 1    | Vertical  | 210     | 1.38   | -       | 37.80 | 15.20 | 49.27 |  |  |  |
| AV   | 19.99986G | 31.91    | 63.54    | -31.63 | 28.18  | 1    | Vertical  | 210     | 1.38   | -       | 37.80 | 15.20 | 49.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6665MHz\_TX

EUT\_V\_4TX  
Setting 58  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.99049G    | 43.73             | 83.54             | -39.81         | 40.01         | 1           | Horizontal | 131            | 1.36          | -       | 37.80      | 15.20      | 49.28      |  |  |  |
| AV   | 19.99989G    | 31.91             | 63.54             | -31.63         | 28.18         | 1           | Horizontal | 131            | 1.36          | -       | 37.80      | 15.20      | 49.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 59  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.6616G | 56.02    | 88.20    | -32.18 | 68.20  | 3    | Vertical  | 99      | 1.34   | -       | 40.50 | 11.64 | 64.32 |  |  |  |
| RMS  | 13.6273G | 44.71    | 68.20    | -23.49 | 56.80  | 3    | Vertical  | 99      | 1.34   | -       | 40.59 | 11.63 | 64.31 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 59  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.6457G  | 56.64    | 88.20    | -31.56 | 68.80  | 3    | Horizontal | 231     | 1.12   | -       | 40.52 | 11.64 | 64.32 |  |  |  |
| RMS  | 13.62625G | 44.72    | 68.20    | -23.48 | 56.80  | 3    | Horizontal | 231     | 1.12   | -       | 40.60 | 11.63 | 64.31 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 59  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.4797G  | 44.22    | 83.54    | -39.32 | 40.03  | 1    | Vertical  | 104     | 1.66   | -       | 37.76 | 15.58 | 49.15 |  |  |  |
| AV   | 20.47982G | 32.36    | 63.54    | -31.18 | 28.17  | 1    | Vertical  | 104     | 1.66   | -       | 37.76 | 15.58 | 49.15 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 59  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.47626G | 43.83    | 83.54    | -39.71 | 39.61  | 1    | Horizontal | 85      | 1.73   | -       | 37.79 | 15.58 | 49.15 |  |  |  |
| AV   | 20.47013G | 32.45    | 63.54    | -31.09 | 28.18  | 1    | Horizontal | 85      | 1.73   | -       | 37.84 | 15.58 | 49.15 |  |  |  |



6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 91  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.018G       | 113.46            | Inf               | -Inf           | 103.89        | 3           | Vertical  | 70             | 1.40          | -       | 36.27      | 8.61       | 35.31      |  |  |  |
| RMS  | 7.0085G      | 103.07            | Inf               | -Inf           | 93.55         | 3           | Vertical  | 70             | 1.40          | -       | 36.23      | 8.61       | 35.32      |  |  |  |
| PK   | 7.143G       | 79.77             | 88.20             | -8.43          | 69.42         | 3           | Vertical  | 70             | 1.40          | -       | 36.86      | 8.57       | 35.08      |  |  |  |
| RMS  | 7.125G       | 67.90             | 68.20             | -0.30          | 57.68         | 3           | Vertical  | 70             | 1.40          | -       | 36.75      | 8.58       | 35.11      |  |  |  |

## 6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

## 6985MHz\_TX




EUT\_Y\_4TX  
Setting 91  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.007G       | 115.40            | Inf               | -Inf           | 105.89        | 3           | Horizontal | 295            | 2.13          | -       | 36.23      | 8.61       | 35.33      |  |  |  |
| RMS  | 7.008G       | 107.39            | Inf               | -Inf           | 97.88         | 3           | Horizontal | 295            | 2.13          | -       | 36.23      | 8.61       | 35.33      |  |  |  |
| PK   | 7.132G       | 78.40             | 88.20             | -9.80          | 68.13         | 3           | Horizontal | 295            | 2.13          | -       | 36.79      | 8.58       | 35.10      |  |  |  |
| RMS  | 7.1435G      | 66.66             | 68.20             | -1.54          | 56.31         | 3           | Horizontal | 295            | 2.13          | -       | 36.86      | 8.57       | 35.08      |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 91  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.99245G | 55.95    | 88.20    | -32.25 | 68.15  | 3    | Vertical  | 70      | 1.80   | -       | 40.50 | 11.76 | 64.46 |  |  |  |
| RMS  | 13.97245G | 44.63    | 68.20    | -23.57 | 56.83  | 3    | Vertical  | 70      | 1.80   | -       | 40.50 | 11.75 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 91  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.99495G | 55.04    | 88.20    | -33.16 | 67.24  | 3    | Horizontal | 50      | 2.22   | -       | 40.50 | 11.76 | 64.46 |  |  |  |
| RMS  | 13.97565G | 44.15    | 68.20    | -24.05 | 56.35  | 3    | Horizontal | 50      | 2.22   | -       | 40.50 | 11.75 | 64.45 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 91  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.963G   | 53.53    | 83.54    | -30.01 | 48.41  | 1    | Vertical  | 203     | 1.47   | -       | 38.05 | 15.97 | 48.90 |  |  |  |
| AV   | 20.96496G | 40.30    | 63.54    | -23.24 | 35.19  | 1    | Vertical  | 203     | 1.47   | -       | 38.04 | 15.97 | 48.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 91  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.95444G    | 54.74             | 83.54             | -28.80         | 49.60         | 1           | Horizontal | 218            | 1.50          | -       | 38.08      | 15.96      | 48.90      |  |  |  |
| AV   | 20.95486G    | 42.51             | 63.54             | -21.03         | 37.37         | 1           | Horizontal | 218            | 1.50          | -       | 38.08      | 15.96      | 48.90      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9234G      | 79.19             | 88.20             | -9.01          | 72.36         | 3           | Vertical  | 248            | 1.40          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| RMS  | 5.9026G      | 68.04             | 68.20             | -0.16          | 61.21         | 3           | Vertical  | 248            | 1.40          | -       | 34.30      | 8.10       | 35.57      |  |  |  |
| PK   | 6.121G       | 110.58            | Inf               | -Inf           | 103.51        | 3           | Vertical  | 248            | 1.40          | -       | 34.24      | 8.20       | 35.37      |  |  |  |
| RMS  | 6.1714G      | 100.52            | Inf               | -Inf           | 93.24         | 3           | Vertical  | 248            | 1.40          | -       | 34.34      | 8.21       | 35.27      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
05-R-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.905G       | 74.10             | 88.20             | -14.10         | 67.27         | 3           | Horizontal | 30             | 1.80          | -       | 34.30      | 8.10       | 35.57      |  |  |  |
| RMS  | 5.9226G      | 63.07             | 68.20             | -5.13          | 56.24         | 3           | Horizontal | 30             | 1.80          | -       | 34.30      | 8.11       | 35.58      |  |  |  |
| PK   | 6.0802G      | 112.78            | Inf               | -Inf           | 105.81        | 3           | Horizontal | 30             | 1.80          | -       | 34.24      | 8.18       | 35.45      |  |  |  |
| RMS  | 6.081G       | 103.35            | Inf               | -Inf           | 96.38         | 3           | Horizontal | 30             | 1.80          | -       | 34.24      | 8.18       | 35.45      |  |  |  |



5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 86  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.19015G    | 54.88             | 74.00             | -19.12         | 70.23         | 3           | Vertical  | 237            | 1.80          | -       | 39.08      | 11.14      | 65.57      |  |  |  |
| AV   | 12.1899G     | 43.04             | 54.00             | -10.96         | 58.39         | 3           | Vertical  | 237            | 1.80          | -       | 39.08      | 11.14      | 65.57      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6105MHz\_TX




EUT\_V\_4TX  
Setting 86  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.2346G | 53.69    | 74.00    | -20.31 | 68.97  | 3    | Horizontal | 37      | 2.88   | -       | 39.10 | 11.15 | 65.53 |  |  |  |
| AV   | 12.1902G | 42.23    | 54.00    | -11.77 | 57.58  | 3    | Horizontal | 37      | 2.88   | -       | 39.08 | 11.14 | 65.57 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 86  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.30938G | 47.84    | 83.54    | -35.70 | 44.65  | 1    | Vertical  | 270     | 1.50   | -       | 37.50 | 15.28 | 49.59 |  |  |  |
| AV   | 18.31474G | 36.04    | 63.54    | -27.50 | 32.85  | 1    | Vertical  | 270     | 1.50   | -       | 37.50 | 15.28 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 86  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31486G | 48.90    | 83.54    | -34.64 | 45.71  | 1    | Horizontal | 216     | 1.75   | -       | 37.50 | 15.28 | 49.59 |  |  |  |
| AV   | 18.31488G | 40.41    | 63.54    | -23.13 | 37.22  | 1    | Horizontal | 216     | 1.75   | -       | 37.50 | 15.28 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 70  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.5452G  | 54.53    | 74.00    | -19.47 | 69.45  | 3    | Vertical  | 154     | 2.23   | -       | 39.10 | 11.26 | 65.28 |  |  |  |
| AV   | 12.54775G | 43.09    | 54.00    | -10.91 | 58.01  | 3    | Vertical  | 154     | 2.23   | -       | 39.10 | 11.26 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Y\_4TX  
Setting 70  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.5222G  | 53.71    | 74.00    | -20.29 | 68.65  | 3    | Horizontal | 359     | 2.02   | -       | 39.10 | 11.25 | 65.29 |  |  |  |
| AV   | 12.55415G | 43.13    | 54.00    | -10.87 | 58.04  | 3    | Horizontal | 359     | 2.02   | -       | 39.11 | 11.26 | 65.28 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6265MHz\_TX

EUT\_Y\_4TX  
Setting 70  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.79228G | 44.32    | 83.54    | -39.22 | 40.74  | 1    | Vertical  | 150     | 1.72   | -       | 37.80 | 15.26 | 49.48 |  |  |  |
| AV   | 18.79243G | 32.75    | 63.54    | -30.79 | 29.17  | 1    | Vertical  | 150     | 1.72   | -       | 37.80 | 15.26 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX


EUT\_V\_4TX  
Setting 70  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.79335G    | 45.33             | 83.54             | -38.21         | 41.75         | 1           | Horizontal | 131            | 1.76          | -       | 37.80      | 15.26      | 49.48      |  |  |  |
| AV   | 18.79481G    | 32.73             | 63.54             | -30.81         | 29.15         | 1           | Horizontal | 131            | 1.76          | -       | 37.80      | 15.26      | 49.48      |  |  |  |



## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_V\_4TX  
Setting 64  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.85825G    | 53.84             | 88.20             | -34.36         | 67.90         | 3           | Vertical  | 64             | 1.83          | -       | 39.82      | 11.37      | 65.25      |  |  |  |
| RMS  | 12.8291G     | 42.03             | 68.20             | -26.17         | 56.12         | 3           | Vertical  | 64             | 1.83          | -       | 39.80      | 11.36      | 65.25      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_V\_4TX  
Setting 64  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.86925G    | 53.73             | 88.20             | -34.47         | 67.77         | 3           | Horizontal | 250            | 1.31          | -       | 39.84      | 11.37      | 65.25      |  |  |  |
| RMS  | 12.84685G    | 41.96             | 68.20             | -26.24         | 56.05         | 3           | Horizontal | 250            | 1.31          | -       | 39.80      | 11.36      | 65.25      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_V\_4TX  
Setting 64  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.27239G    | 44.50             | 83.54             | -39.04         | 40.85         | 1           | Vertical  | 197            | 1.53          | -       | 37.94      | 15.24      | 49.53      |  |  |  |
| AV   | 19.27061G    | 32.52             | 63.54             | -31.02         | 28.86         | 1           | Vertical  | 197            | 1.53          | -       | 37.94      | 15.24      | 49.52      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6425MHz Straddle 5.925-6.425GHz\_TX




EUT\_V\_4TX  
Setting 64  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.27349G | 44.62    | 83.54    | -38.92 | 40.96  | 1    | Horizontal | 75      | 1.47   | -       | 37.95 | 15.24 | 49.53 |  |  |  |
| AV   | 19.27931G | 32.47    | 63.54    | -31.07 | 28.80  | 1    | Horizontal | 75      | 1.47   | -       | 37.96 | 15.24 | 49.53 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.18185G    | 57.24             | 88.20             | -30.96         | 70.60         | 3           | Vertical  | 358            | 2.73          | -       | 40.04      | 11.48      | 64.88      |  |  |  |
| RMS  | 13.16325G    | 43.78             | 68.20             | -24.42         | 57.15         | 3           | Vertical  | 358            | 2.73          | -       | 40.07      | 11.47      | 64.91      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 74  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.16275G    | 56.99             | 88.20             | -31.21         | 70.36         | 3           | Horizontal | 250            | 2.69          | -       | 40.07      | 11.47      | 64.91      |  |  |  |
| RMS  | 13.18575G    | 43.84             | 68.20             | -24.36         | 57.20         | 3           | Horizontal | 250            | 2.69          | -       | 40.03      | 11.48      | 64.87      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 74  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.75038G | 44.49    | 83.54    | -39.05 | 40.85  | 1    | Vertical  | 279     | 1.74   | -       | 37.90 | 15.21 | 49.47 |  |  |  |
| AV   | 19.75019G | 32.27    | 63.54    | -31.27 | 28.63  | 1    | Vertical  | 279     | 1.74   | -       | 37.90 | 15.21 | 49.47 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6585MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 74  
05-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.75725G    | 44.68             | 83.54             | -38.86         | 41.01         | 1           | Horizontal | 184            | 1.84          | -       | 37.93      | 15.21      | 49.47      |  |  |  |
| AV   | 19.75408G    | 32.34             | 63.54             | -31.20         | 28.68         | 1           | Horizontal | 184            | 1.84          | -       | 37.92      | 15.21      | 49.47      |  |  |  |



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 86  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4997G | 56.62    | 88.20    | -31.58 | 68.59  | 3    | Vertical  | 293     | 1.87   | -       | 40.70 | 11.59 | 64.26 |  |  |  |
| RMS  | 13.5132G | 45.15    | 68.20    | -23.05 | 57.08  | 3    | Vertical  | 293     | 1.87   | -       | 40.75 | 11.59 | 64.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 86  
05-R-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.4712G | 56.39    | 88.20    | -31.81 | 68.49  | 3    | Horizontal | 61      | 1.73   | -       | 40.64 | 11.58 | 64.32 |  |  |  |
| RMS  | 13.5134G | 45.18    | 68.20    | -23.02 | 57.11  | 3    | Horizontal | 61      | 1.73   | -       | 40.75 | 11.59 | 64.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX


6745MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
Setting 86  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.23348G | 43.92    | 83.54    | -39.62 | 39.77  | 1    | Vertical  | 242     | 1.49   | -       | 37.97 | 15.39 | 49.21 |  |  |  |
| AV   | 20.23372G | 32.06    | 63.54    | -31.48 | 27.91  | 1    | Vertical  | 242     | 1.49   | -       | 37.97 | 15.39 | 49.21 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6745MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 86  
05-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.23579G | 44.13    | 83.54    | -39.41 | 39.98  | 1    | Horizontal | 273     | 1.89   | -       | 37.97 | 15.39 | 49.21 |  |  |  |
| AV   | 20.23455G | 32.07    | 63.54    | -31.47 | 27.92  | 1    | Horizontal | 273     | 1.89   | -       | 37.97 | 15.39 | 49.21 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 63  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8658G      | 105.15            | Inf               | -Inf           | 95.79         | 3           | Vertical  | 70             | 1.80          | -       | 36.00      | 8.51       | 35.15      |  |  |  |
| AV   | 6.8202G      | 95.22             | Inf               | -Inf           | 85.76         | 3           | Vertical  | 70             | 1.80          | -       | 36.06      | 8.48       | 35.08      |  |  |  |
| PK   | 7.2722G      | 64.35             | 74.00             | -9.65          | 53.50         | 3           | Vertical  | 70             | 1.80          | -       | 37.10      | 8.59       | 34.84      |  |  |  |
| AV   | 7.289G       | 53.86             | 54.00             | -0.14          | 42.97         | 3           | Vertical  | 70             | 1.80          | -       | 37.10      | 8.60       | 34.81      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 63  
05-R-R-7-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8426G      | 108.24            | Inf               | -Inf           | 98.86         | 3           | Horizontal | 227            | 1.80          | -       | 36.01      | 8.49       | 35.12      |  |  |  |
| AV   | 6.8394G      | 98.25             | Inf               | -Inf           | 88.85         | 3           | Horizontal | 227            | 1.80          | -       | 36.02      | 8.49       | 35.11      |  |  |  |
| PK   | 7.2698G      | 62.42             | 74.00             | -11.58         | 51.58         | 3           | Horizontal | 227            | 1.80          | -       | 37.10      | 8.59       | 34.85      |  |  |  |
| AV   | 7.2506G      | 52.65             | 54.00             | -1.35          | 41.85         | 3           | Horizontal | 227            | 1.80          | -       | 37.10      | 8.58       | 34.88      |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 63  
05-R-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.83185G | 55.16    | 88.20    | -33.04 | 67.55  | 3    | Vertical  | 196     | 1.22   | -       | 40.30 | 11.70 | 64.39 |  |  |  |
| RMS  | 13.82765G | 43.34    | 68.20    | -24.86 | 55.73  | 3    | Vertical  | 196     | 1.22   | -       | 40.30 | 11.70 | 64.39 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

## 6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 63  
05-R-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.79145G    | 55.32             | 88.20             | -32.88         | 67.68         | 3           | Horizontal | 82             | 2.80          | -       | 40.33      | 11.69      | 64.38      |  |  |  |
| RMS  | 13.83415G    | 43.35             | 68.20             | -24.85         | 55.74         | 3           | Horizontal | 82             | 2.80          | -       | 40.30      | 11.70      | 64.39      |  |  |  |



6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 63  
04-H-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.71478G | 45.10    | 83.54    | -38.44 | 40.49  | 1    | Vertical  | 9       | 1.50   | -       | 37.87 | 15.77 | 49.03 |  |  |  |
| AV   | 20.71486G | 34.61    | 63.54    | -28.93 | 30.00  | 1    | Vertical  | 9       | 1.50   | -       | 37.87 | 15.77 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX

EUT\_Y\_4TX  
Setting 63  
04-H-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.71496G    | 44.81             | 83.54             | -38.73         | 40.20         | 1           | Horizontal | 42             | 1.17          | -       | 37.87      | 15.77      | 49.03      |  |  |  |
| AV   | 20.71482G    | 34.53             | 63.54             | -29.01         | 29.92         | 1           | Horizontal | 42             | 1.17          | -       | 37.87      | 15.77      | 49.03      |  |  |  |




**Summary**

| Mode                                                | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.925-6.425GHz                                      | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 MRU 8_4TX | Pass   | RMS  | 5.913G       | 61.72             | 68.20             | -6.48          | 3           | Vertical  | -0             | 1.79          | -        |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 51  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.913G       | 63.34             | 88.20             | -24.86         | 67.72         | 3           | Vertical  | 336            | 1.64          | -       | 32.40      | 6.30       | 43.08      |  |  |  |
| RMS  | 5.913G       | 50.41             | 68.20             | -17.79         | 54.79         | 3           | Vertical  | 336            | 1.64          | -       | 32.40      | 6.30       | 43.08      |  |  |  |
| PK   | 5.9574G      | 110.14            | Inf               | -Inf           | 114.44        | 3           | Vertical  | 336            | 1.64          | -       | 32.41      | 6.34       | 43.05      |  |  |  |
| RMS  | 5.973G       | 99.85             | Inf               | -Inf           | 104.09        | 3           | Vertical  | 336            | 1.64          | -       | 32.45      | 6.36       | 43.05      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_Y\_4TX  
Setting 51  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9122G      | 62.10             | 88.20             | -26.10         | 66.48         | 3           | Horizontal | 344            | 1.80          | -       | 32.40      | 6.30       | 43.08      |  |  |  |
| RMS  | 5.9186G      | 49.66             | 68.20             | -18.54         | 54.03         | 3           | Horizontal | 344            | 1.80          | -       | 32.40      | 6.31       | 43.08      |  |  |  |
| PK   | 5.9786G      | 108.03            | Inf               | -Inf           | 112.25        | 3           | Horizontal | 344            | 1.80          | -       | 32.46      | 6.36       | 43.04      |  |  |  |
| RMS  | 5.9786G      | 97.83             | Inf               | -Inf           | 102.05        | 3           | Horizontal | 344            | 1.80          | -       | 32.46      | 6.36       | 43.04      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 51  
06-W-C-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.9904G | 46.51    | 74.00    | -27.49 | 42.08  | 3    | Vertical  | 305     | 1.80   | -       | 38.98 | 10.81 | 45.36 |  |  |  |
| AV   | 11.97G   | 39.01    | 54.00    | -14.99 | 34.62  | 3    | Vertical  | 305     | 1.80   | -       | 38.94 | 10.80 | 45.35 |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 51  
06-W-C-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.97G       | 50.61             | 74.00             | -23.39         | 46.22         | 3           | Horizontal | 327            | 1.96          | -       | 38.94      | 10.80      | 45.35      |  |  |  |
| AV   | 11.97G       | 39.25             | 54.00             | -14.75         | 34.86         | 3           | Horizontal | 327            | 1.96          | -       | 38.94      | 10.80      | 45.35      |  |  |  |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX


EUT\_V\_4TX  
Setting 51  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 17.94365G | 49.29    | 83.54    | -34.25 | 45.65  | 1    | Vertical  | 59      | 1.84   | -       | 37.68 | 15.25 | 49.29 |  |  |  |
| AV   | 17.94335G | 40.89    | 63.54    | -22.65 | 37.24  | 1    | Vertical  | 59      | 1.84   | -       | 37.68 | 15.25 | 49.28 |  |  |  |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

5985MHz\_TX




EUT\_V\_4TX  
Setting 51  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 17.9421G | 51.49    | 83.54    | -32.05 | 47.84  | 1    | Horizontal | 177     | 1.43   | -       | 37.68 | 15.25 | 49.28 |  |  |  |
| AV   | 17.9385G | 41.04    | 63.54    | -22.50 | 37.39  | 1    | Horizontal | 177     | 1.43   | -       | 37.67 | 15.25 | 49.27 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 46  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0186G      | 109.46            | Inf               | -Inf           | 109.62        | 3           | Vertical  | 360            | 1.46          | -       | 35.17      | 7.01       | 42.34      |  |  |  |
| RMS  | 7.0134G      | 100.43            | Inf               | -Inf           | 100.61        | 3           | Vertical  | 360            | 1.46          | -       | 35.15      | 7.00       | 42.33      |  |  |  |
| PK   | 7.1274G      | 59.06             | 88.20             | -29.14         | 58.76         | 3           | Vertical  | 360            | 1.46          | -       | 35.76      | 7.04       | 42.50      |  |  |  |
| RMS  | 7.1286G      | 49.25             | 68.20             | -18.95         | 48.94         | 3           | Vertical  | 360            | 1.46          | -       | 35.77      | 7.04       | 42.50      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_Y\_4TX  
Setting 46  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 7.0162G      | 106.28            | Inf               | -Inf           | 106.45        | 3           | Horizontal | 290            | 2.14          | -       | 35.16      | 7.00       | 42.33      |  |  |  |
| RMS  | 7.0206G      | 97.25             | Inf               | -Inf           | 97.40         | 3           | Horizontal | 290            | 2.14          | -       | 35.18      | 7.01       | 42.34      |  |  |  |
| PK   | 7.1602G      | 58.52             | 88.20             | -29.68         | 58.07         | 3           | Horizontal | 290            | 2.14          | -       | 35.94      | 7.05       | 42.54      |  |  |  |
| RMS  | 7.1254G      | 48.57             | 68.20             | -19.63         | 48.27         | 3           | Horizontal | 290            | 2.14          | -       | 35.75      | 7.04       | 42.49      |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 46  
06-W-C-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.07305G | 47.70    | 88.20    | -40.50 | 39.17  | 3    | Vertical  | 265     | 1.80   | -       | 41.19 | 11.75 | 44.41 |  |  |  |
| AV   | 14.07455G | 38.14    | 68.20    | -30.06 | 29.59  | 3    | Vertical  | 265     | 1.80   | -       | 41.20 | 11.76 | 44.41 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 46  
06-W-C-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 14.04575G | 49.25    | 88.20    | -38.95 | 40.79  | 3    | Horizontal | 121     | 1.80   | -       | 41.09 | 11.74 | 44.37 |  |  |  |
| AV   | 14.0612G  | 38.04    | 68.20    | -30.16 | 29.54  | 3    | Horizontal | 121     | 1.80   | -       | 41.14 | 11.75 | 44.39 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 46  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0712G  | 50.52    | 83.54    | -33.02 | 44.91  | 1    | Vertical  | 214     | 1.02   | -       | 38.44 | 16.04 | 48.87 |  |  |  |
| AV   | 21.06225G | 42.34    | 63.54    | -21.20 | 36.75  | 1    | Vertical  | 214     | 1.02   | -       | 38.42 | 16.04 | 48.87 |  |  |  |

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

7025MHz\_TX




EUT\_V\_4TX  
Setting 46  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 21.0506G | 52.41    | 83.54    | -31.13 | 46.85  | 1    | Horizontal | 352     | 1.52   | -       | 38.40 | 16.03 | 48.87 |  |  |  |
| AV   | 21.0624G | 42.77    | 63.54    | -20.77 | 37.18  | 1    | Horizontal | 352     | 1.52   | -       | 38.42 | 16.04 | 48.87 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9178G      | 63.03             | 88.20             | -25.17         | 57.78         | 3           | Vertical  | 148            | 1.85          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.9234G      | 50.01             | 68.20             | -18.19         | 44.77         | 3           | Vertical  | 148            | 1.85          | -       | 32.40      | 7.44       | 34.60      |  |  |  |
| PK   | 6.089G       | 109.89            | Inf               | -Inf           | 104.44        | 3           | Vertical  | 148            | 1.85          | -       | 32.50      | 7.54       | 34.59      |  |  |  |
| RMS  | 6.0882G      | 99.32             | Inf               | -Inf           | 93.87         | 3           | Vertical  | 148            | 1.85          | -       | 32.50      | 7.54       | 34.59      |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT Y\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment  | AF     | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|----------|--------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |          | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 6.025G | 21.86    | 30.00    | -8.14  | 4.69   | 3    | Horizontal | 327     | 2.28   | CP 160MH | -13.30 | 7.49 | 34.66 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9178G      | 59.58             | 88.20             | -28.62         | 54.33         | 3           | Horizontal | 330            | 2.28          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.925G       | 49.24             | 68.20             | -18.96         | 44.00         | 3           | Horizontal | 330            | 2.28          | -       | 32.40      | 7.44       | 34.60      |  |  |  |
| PK   | 6.1002G      | 108.50            | Inf               | -Inf           | 103.03        | 3           | Horizontal | 330            | 2.28          | -       | 32.50      | 7.55       | 34.58      |  |  |  |
| RMS  | 6.0898G      | 98.14             | Inf               | -Inf           | 92.69         | 3           | Horizontal | 330            | 2.28          | -       | 32.50      | 7.54       | 34.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0506G  | 51.43    | 74.00    | -22.57 | 46.79  | 3    | Vertical  | 308     | 1.55   | -       | 39.20 | 10.83 | 45.39 |  |  |  |
| AV   | 12.06995G | 43.65    | 54.00    | -10.35 | 38.93  | 3    | Vertical  | 308     | 1.55   | -       | 39.28 | 10.84 | 45.40 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX


6025MHz\_TX

EUT\_V\_4TX  
Setting 68  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.02775G | 53.95    | 74.00    | -20.05 | 49.39  | 3    | Horizontal | 72      | 1.42   | -       | 39.11 | 10.82 | 45.37 |  |  |  |
| AV   | 12.06255G | 44.90    | 54.00    | -9.10  | 40.20  | 3    | Horizontal | 72      | 1.42   | -       | 39.25 | 10.84 | 45.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0747G  | 44.61    | 83.54    | -38.93 | 41.15  | 1    | Vertical  | 87      | 2.18   | -       | 37.65 | 15.29 | 49.48 |  |  |  |
| AV   | 18.07485G | 39.65    | 63.54    | -23.89 | 36.19  | 1    | Vertical  | 87      | 2.18   | -       | 37.65 | 15.29 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.07495G | 46.48    | 83.54    | -37.06 | 43.02  | 1    | Horizontal | 147     | 2.69   | -       | 37.65 | 15.29 | 49.48 |  |  |  |
| AV   | 18.07485G | 39.91    | 63.54    | -23.63 | 36.45  | 1    | Horizontal | 147     | 2.69   | -       | 37.65 | 15.29 | 49.48 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF     | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|--------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 6.0886G | 4.72     | 5.00     | -0.28  | -12.58 | 3    | Vertical  | 148     | 1.85   | RBW 1MH | -13.38 | 7.54 | 34.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF     | CL   | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|--------|------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)   | (dB) | (dB)  |  |  |  |  |
| AV   | 6.09988G | 3.20     | 5.00     | -1.80  | -14.12 | 3    | Horizontal | 330     | 2.28   | RBW 1MH | -13.40 | 7.55 | 34.58 |  |  |  |  |



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 5\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 68  
06-W-E-5-10

| Type | Freq   | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment  | AF     | CL   | PA    |  |  |  |
|------|--------|----------|----------|--------|--------|------|-----------|---------|--------|----------|--------|------|-------|--|--|--|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |          | (dB)   | (dB) | (dB)  |  |  |  |
| AV   | 6.025G | 23.15    | 30.00    | -6.85  | 5.98   | 3    | Vertical  | 166     | 2.41   | CP 160MH | -13.30 | 7.49 | 34.66 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 66  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9186G      | 61.65             | 88.20             | -26.55         | 56.40         | 3           | Vertical  | 146            | 1.67          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.9234G      | 50.40             | 68.20             | -17.80         | 45.16         | 3           | Vertical  | 146            | 1.67          | -       | 32.40      | 7.44       | 34.60      |  |  |  |
| PK   | 6.0834G      | 110.47            | Inf               | -Inf           | 105.03        | 3           | Vertical  | 146            | 1.67          | -       | 32.50      | 7.54       | 34.60      |  |  |  |
| RMS  | 6.0882G      | 99.85             | Inf               | -Inf           | 94.40         | 3           | Vertical  | 146            | 1.67          | -       | 32.50      | 7.54       | 34.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_Y\_4TX  
Setting 66  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9234G      | 59.19             | 88.20             | -29.01         | 53.95         | 3           | Horizontal | 331            | 2.32          | -       | 32.40      | 7.44       | 34.60      |  |  |  |
| RMS  | 5.925G       | 49.06             | 68.20             | -19.14         | 43.82         | 3           | Horizontal | 331            | 2.32          | -       | 32.40      | 7.44       | 34.60      |  |  |  |
| PK   | 6.0946G      | 108.94            | Inf               | -Inf           | 103.48        | 3           | Horizontal | 331            | 2.32          | -       | 32.50      | 7.55       | 34.59      |  |  |  |
| RMS  | 6.0898G      | 98.40             | Inf               | -Inf           | 92.95         | 3           | Horizontal | 331            | 2.32          | -       | 32.50      | 7.54       | 34.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0301G  | 50.39    | 74.00    | -23.61 | 45.83  | 3    | Vertical  | 307     | 1.64   | -       | 39.12 | 10.82 | 45.38 |  |  |  |
| AV   | 12.05055G | 42.52    | 54.00    | -11.48 | 37.88  | 3    | Vertical  | 307     | 1.64   | -       | 39.20 | 10.83 | 45.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0304G  | 51.69    | 74.00    | -22.31 | 47.13  | 3    | Horizontal | 331     | 1.92   | -       | 39.12 | 10.82 | 45.38 |  |  |  |
| AV   | 12.04975G | 43.88    | 54.00    | -10.12 | 39.24  | 3    | Horizontal | 331     | 1.92   | -       | 39.20 | 10.83 | 45.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

6025MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.07495G    | 43.71             | 83.54             | -39.83         | 40.25         | 1           | Vertical  | 19             | 1.10          | -       | 37.65      | 15.29      | 49.48      |  |  |  |
| AV   | 18.0747G     | 39.62             | 63.54             | -23.92         | 36.16         | 1           | Vertical  | 19             | 1.10          | -       | 37.65      | 15.29      | 49.48      |  |  |  |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX


6025MHz\_TX


EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0673G | 44.39    | 83.54    | -39.15 | 40.94  | 1    | Horizontal | 208     | 1.48   | -       | 37.63 | 15.29 | 49.47 |  |  |  |
| AV   | 18.0748G | 40.22    | 63.54    | -23.32 | 36.76  | 1    | Horizontal | 208     | 1.48   | -       | 37.65 | 15.29 | 49.48 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 66  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9635G      | 109.16            | Inf               | -Inf           | 109.51        | 3           | Vertical  | 357            | 1.45          | -       | 35.03      | 6.97       | 42.35      |  |  |  |
| RMS  | 6.9635G      | 99.50             | Inf               | -Inf           | 99.85         | 3           | Vertical  | 357            | 1.45          | -       | 35.03      | 6.97       | 42.35      |  |  |  |
| PK   | 7.1515G      | 67.93             | 88.20             | -20.27         | 67.50         | 3           | Vertical  | 357            | 1.45          | -       | 35.91      | 7.05       | 42.53      |  |  |  |
| RMS  | 7.134G       | 55.95             | 68.20             | -12.25         | 55.62         | 3           | Vertical  | 357            | 1.45          | -       | 35.80      | 7.04       | 42.51      |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX

EUT\_Y\_4TX  
Setting 66  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9615G      | 107.76            | Inf               | -Inf           | 108.12        | 3           | Horizontal | 275            | 1.31          | -       | 35.02      | 6.97       | 42.35      |  |  |  |
| RMS  | 6.956G       | 97.38             | Inf               | -Inf           | 97.76         | 3           | Horizontal | 275            | 1.31          | -       | 35.01      | 6.97       | 42.36      |  |  |  |
| PK   | 7.1515G      | 62.26             | 88.20             | -25.94         | 61.83         | 3           | Horizontal | 275            | 1.31          | -       | 35.91      | 7.05       | 42.53      |  |  |  |
| RMS  | 7.1515G      | 51.50             | 68.20             | -16.70         | 51.07         | 3           | Horizontal | 275            | 1.31          | -       | 35.91      | 7.05       | 42.53      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.95265G | 49.62    | 88.20    | -38.58 | 41.45  | 3    | Vertical  | 221     | 2.15   | -       | 40.81 | 11.70 | 44.34 |  |  |  |
| RMS  | 13.9748G  | 41.74    | 68.20    | -26.46 | 33.46  | 3    | Vertical  | 221     | 2.15   | -       | 40.90 | 11.71 | 44.33 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9508G  | 50.06    | 88.20    | -38.14 | 41.90  | 3    | Horizontal | 43.6    | 1.78   | -       | 40.80 | 11.70 | 44.34 |  |  |  |
| RMS  | 13.98045G | 42.36    | 68.20    | -25.84 | 34.05  | 3    | Horizontal | 43.6    | 1.78   | -       | 40.92 | 11.71 | 44.32 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.95505G | 45.42    | 83.54    | -38.12 | 39.98  | 1    | Vertical  | 141     | 2.46   | -       | 38.39 | 15.95 | 48.90 |  |  |  |
| AV   | 20.9548G  | 41.20    | 63.54    | -22.34 | 35.76  | 1    | Vertical  | 141     | 2.46   | -       | 38.39 | 15.95 | 48.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 4\_4TX


6985MHz\_TX


EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.9752G     | 46.53             | 83.54             | -37.01         | 41.11         | 1           | Horizontal | 224            | 1.32          | -       | 38.35      | 15.96      | 48.89      |  |  |  |
| AV   | 20.955G      | 41.66             | 63.54             | -21.88         | 36.22         | 1           | Horizontal | 224            | 1.32          | -       | 38.39      | 15.95      | 48.90      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 66  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.926G       | 109.38            | Inf               | -Inf           | 100.41        | 3           | Vertical  | 154            | 1.80          | -       | 35.06      | 8.09       | 34.18      |  |  |  |
| RMS  | 6.92G        | 100.16            | Inf               | -Inf           | 91.24         | 3           | Vertical  | 154            | 1.80          | -       | 35.02      | 8.08       | 34.18      |  |  |  |
| PK   | 7.1445G      | 68.91             | 88.20             | -19.29         | 58.71         | 3           | Vertical  | 154            | 1.80          | -       | 36.09      | 8.29       | 34.18      |  |  |  |
| RMS  | 7.1405G      | 57.10             | 68.20             | -11.10         | 46.92         | 3           | Vertical  | 154            | 1.80          | -       | 36.08      | 8.28       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_Y\_4TX  
Setting 66  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.907G       | 107.23            | Inf               | -Inf           | 98.40         | 3           | Horizontal | 246            | 2.57          | -       | 34.94      | 8.07       | 34.18      |  |  |  |
| RMS  | 6.922G       | 97.71             | Inf               | -Inf           | 88.78         | 3           | Horizontal | 246            | 2.57          | -       | 35.03      | 8.08       | 34.18      |  |  |  |
| PK   | 7.14G        | 65.26             | 88.20             | -22.94         | 55.08         | 3           | Horizontal | 246            | 2.57          | -       | 36.08      | 8.28       | 34.18      |  |  |  |
| RMS  | 7.147G       | 53.96             | 68.20             | -14.24         | 43.76         | 3           | Horizontal | 246            | 2.57          | -       | 36.09      | 8.29       | 34.18      |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9532G | 50.59    | 88.20    | -37.61 | 42.42  | 3    | Vertical  | 149     | 1.79   | -       | 40.81 | 11.70 | 44.34 |  |  |  |
| RMS  | 13.9838G | 40.97    | 68.20    | -27.23 | 32.64  | 3    | Vertical  | 149     | 1.79   | -       | 40.94 | 11.71 | 44.32 |  |  |  |



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.9738G | 49.02    | 88.20    | -39.18 | 40.74  | 3    | Horizontal | 193     | 2.98   | -       | 40.90 | 11.71 | 44.33 |  |  |  |
| RMS  | 13.9866G | 41.57    | 68.20    | -26.63 | 33.23  | 3    | Horizontal | 193     | 2.98   | -       | 40.95 | 11.71 | 44.32 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9551G | 44.81    | 83.54    | -38.73 | 39.37  | 1    | Vertical  | 221     | 1.02   | -       | 38.39 | 15.95 | 48.90 |  |  |  |
| AV   | 20.9548G | 40.72    | 63.54    | -22.82 | 35.28  | 1    | Vertical  | 221     | 1.02   | -       | 38.39 | 15.95 | 48.90 |  |  |  |

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

6985MHz\_TX




EUT\_V\_4TX  
Setting 66  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.9547G  | 46.08    | 83.54    | -37.46 | 40.64  | 1    | Horizontal | 221     | 1.50   | -       | 38.39 | 15.95 | 48.90 |  |  |  |
| AV   | 20.95485G | 41.71    | 63.54    | -21.83 | 36.27  | 1    | Horizontal | 221     | 1.50   | -       | 38.39 | 15.95 | 48.90 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 81  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.8978G      | 72.85             | 88.20             | -15.35         | 77.26         | 3           | Vertical  | -0             | 1.79          | -       | 32.39      | 6.29       | 43.09      |  |  |  |
| RMS  | 5.913G       | 61.72             | 68.20             | -6.48          | 66.10         | 3           | Vertical  | -0             | 1.79          | -       | 32.40      | 6.30       | 43.08      |  |  |  |
| PK   | 6.0786G      | 108.66            | Inf               | -Inf           | 112.65        | 3           | Vertical  | -0             | 1.79          | -       | 32.54      | 6.47       | 43.00      |  |  |  |
| RMS  | 6.2082G      | 99.46             | Inf               | -Inf           | 102.98        | 3           | Vertical  | -0             | 1.79          | -       | 32.83      | 6.61       | 42.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 81  
04-C-P-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9106G      | 70.10             | 88.20             | -18.10         | 74.48         | 3           | Horizontal | 263            | 2.29          | -       | 32.40      | 6.30       | 43.08      |  |  |  |
| RMS  | 5.9186G      | 60.11             | 68.20             | -8.09          | 64.48         | 3           | Horizontal | 263            | 2.29          | -       | 32.40      | 6.31       | 43.08      |  |  |  |
| PK   | 6.0578G      | 106.78            | Inf               | -Inf           | 110.76        | 3           | Horizontal | 263            | 2.29          | -       | 32.58      | 6.45       | 43.01      |  |  |  |
| RMS  | 6.073G       | 97.34             | Inf               | -Inf           | 101.34        | 3           | Horizontal | 263            | 2.29          | -       | 32.55      | 6.46       | 43.01      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.18755G | 49.70    | 74.00    | -24.30 | 45.11  | 3    | Vertical  | 295     | 1.57   | -       | 39.15 | 10.90 | 45.46 |  |  |  |
| AV   | 12.19355G | 41.94    | 54.00    | -12.06 | 37.37  | 3    | Vertical  | 295     | 1.57   | -       | 39.13 | 10.90 | 45.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.21755G | 49.83    | 74.00    | -24.17 | 45.37  | 3    | Horizontal | 184     | 2.48   | -       | 39.03 | 10.91 | 45.48 |  |  |  |
| AV   | 12.18855G | 42.07    | 54.00    | -11.93 | 37.48  | 3    | Horizontal | 184     | 2.48   | -       | 39.15 | 10.90 | 45.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.2997G  | 43.95    | 83.54    | -39.59 | 40.66  | 1    | Vertical  | 285     | 2.62   | -       | 37.60 | 15.27 | 49.58 |  |  |  |
| AV   | 18.31485G | 38.78    | 63.54    | -24.76 | 35.41  | 1    | Vertical  | 285     | 2.62   | -       | 37.69 | 15.27 | 49.59 |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 8\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31515G | 44.59    | 83.54    | -38.95 | 41.22  | 1    | Horizontal | 210     | 1.48   | -       | 37.69 | 15.27 | 49.59 |  |  |  |
| AV   | 18.31485G | 39.57    | 63.54    | -23.97 | 36.20  | 1    | Horizontal | 210     | 1.48   | -       | 37.69 | 15.27 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 77  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9124G      | 75.23             | 88.20             | -12.97         | 69.99         | 3           | Vertical  | 170            | 1.75          | -       | 32.40      | 7.43       | 34.59      |  |  |  |
| RMS  | 5.9124G      | 60.20             | 68.20             | -8.00          | 54.96         | 3           | Vertical  | 170            | 1.75          | -       | 32.40      | 7.43       | 34.59      |  |  |  |
| PK   | 6.1536G      | 109.53            | Inf               | -Inf           | 103.76        | 3           | Vertical  | 170            | 1.75          | -       | 32.71      | 7.59       | 34.53      |  |  |  |
| RMS  | 6.1488G      | 99.85             | Inf               | -Inf           | 94.09         | 3           | Vertical  | 170            | 1.75          | -       | 32.70      | 7.59       | 34.53      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 77  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9166G      | 68.83             | 88.20             | -19.37         | 63.58         | 3           | Horizontal | 258            | 2.03          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.916G       | 58.13             | 68.20             | -10.07         | 52.88         | 3           | Horizontal | 258            | 2.03          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| PK   | 6.1728G      | 107.98            | Inf               | -Inf           | 102.13        | 3           | Horizontal | 258            | 2.03          | -       | 32.75      | 7.61       | 34.51      |  |  |  |
| RMS  | 6.1512G      | 98.10             | Inf               | -Inf           | 92.34         | 3           | Horizontal | 258            | 2.03          | -       | 32.70      | 7.59       | 34.53      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 77  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.19595G | 49.50    | 74.00    | -24.50 | 44.95  | 3    | Vertical  | 242     | 2.52   | -       | 39.12 | 10.90 | 45.47 |  |  |  |
| AV   | 12.18835G | 40.27    | 54.00    | -13.73 | 35.68  | 3    | Vertical  | 242     | 2.52   | -       | 39.15 | 10.90 | 45.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 77  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.2275G     | 47.86             | 74.00             | -26.14         | 43.44         | 3           | Horizontal | 254            | 2.44          | -       | 38.99      | 10.91      | 45.48      |  |  |  |
| AV   | 12.18815G    | 40.37             | 54.00             | -13.63         | 35.78         | 3           | Horizontal | 254            | 2.44          | -       | 39.15      | 10.90      | 45.46      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 77  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.32985G | 42.71    | 83.54    | -40.83 | 39.26  | 1    | Vertical  | 44      | 2.53   | -       | 37.78 | 15.27 | 49.60 |  |  |  |
| AV   | 18.31475G | 38.79    | 63.54    | -24.75 | 35.42  | 1    | Vertical  | 44      | 2.53   | -       | 37.69 | 15.27 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX


6105MHz\_TX

EUT\_V\_4TX  
Setting 77  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31505G | 44.61    | 83.54    | -38.93 | 41.24  | 1    | Horizontal | 207     | 1.50   | -       | 37.69 | 15.27 | 49.59 |  |  |  |
| AV   | 18.3148G  | 40.19    | 63.54    | -23.35 | 36.82  | 1    | Horizontal | 207     | 1.50   | -       | 37.69 | 15.27 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX

6105MHz\_TX




EUT\_Y\_4TX  
Setting 81  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9184G      | 72.82             | 88.20             | -15.38         | 67.57         | 3           | Vertical  | 170            | 1.65          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.9136G      | 61.41             | 68.20             | -6.79          | 56.16         | 3           | Vertical  | 170            | 1.65          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| PK   | 6.1494G      | 109.81            | Inf               | -Inf           | 104.05        | 3           | Vertical  | 170            | 1.65          | -       | 32.70      | 7.59       | 34.53      |  |  |  |
| RMS  | 6.1488G      | 99.96             | Inf               | -Inf           | 94.20         | 3           | Vertical  | 170            | 1.65          | -       | 32.70      | 7.59       | 34.53      |  |  |  |



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX


6105MHz\_TX

EUT\_Y\_4TX  
Setting 81  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9166G      | 69.08             | 88.20             | -19.12         | 63.83         | 3           | Horizontal | 258            | 1.98          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| RMS  | 5.916G       | 59.12             | 68.20             | -9.08          | 53.87         | 3           | Horizontal | 258            | 1.98          | -       | 32.40      | 7.44       | 34.59      |  |  |  |
| PK   | 6.2382G      | 108.41            | Inf               | -Inf           | 102.10        | 3           | Horizontal | 258            | 1.98          | -       | 33.11      | 7.65       | 34.45      |  |  |  |
| RMS  | 6.2112G      | 98.15             | Inf               | -Inf           | 92.09         | 3           | Horizontal | 258            | 1.98          | -       | 32.89      | 7.64       | 34.47      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX


6105MHz\_TX


EUT\_Y\_4TX  
Setting 81  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.19G   | 47.83    | 74.00    | -26.17 | 43.25  | 3    | Vertical  | 300     | 2.36   | -       | 39.14 | 10.90 | 45.46 |  |  |  |
| AV   | 12.1899G | 39.82    | 54.00    | -14.18 | 35.24  | 3    | Vertical  | 300     | 2.36   | -       | 39.14 | 10.90 | 45.46 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.19G       | 47.06             | 74.00             | -26.94         | 42.48         | 3           | Horizontal | 262            | 2.03          | -       | 39.14      | 10.90      | 45.46      |  |  |  |
| AV   | 12.1898G     | 40.10             | 54.00             | -13.90         | 35.52         | 3           | Horizontal | 262            | 2.03          | -       | 39.14      | 10.90      | 45.46      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.31495G | 43.63    | 83.54    | -39.91 | 40.26  | 1    | Vertical  | 43      | 1.77   | -       | 37.69 | 15.27 | 49.59 |  |  |  |
| AV   | 18.31475G | 38.44    | 63.54    | -25.10 | 35.07  | 1    | Vertical  | 43      | 1.77   | -       | 37.69 | 15.27 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 3\_4TX

6105MHz\_TX




EUT\_V\_4TX  
Setting 81  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3358G  | 43.44    | 83.54    | -40.10 | 39.96  | 1    | Horizontal | 21      | 2.87   | -       | 37.81 | 15.27 | 49.60 |  |  |  |
| AV   | 18.31495G | 39.23    | 63.54    | -24.31 | 35.86  | 1    | Horizontal | 21      | 2.87   | -       | 37.69 | 15.27 | 49.59 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 58  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.74804G     | 105.64            | Inf               | -Inf           | 97.48         | 3           | Vertical  | 356            | 1.56          | -       | 34.40      | 7.95       | 34.19      |  |  |  |
| RMS  | 6.85316G     | 95.19             | Inf               | -Inf           | 86.72         | 3           | Vertical  | 356            | 1.56          | -       | 34.62      | 8.03       | 34.18      |  |  |  |
| PK   | 7.12916G     | 65.32             | 88.20             | -22.88         | 55.17         | 3           | Vertical  | 356            | 1.56          | -       | 36.06      | 8.27       | 34.18      |  |  |  |
| RMS  | 7.12868G     | 55.12             | 88.20             | -33.08         | 44.97         | 3           | Vertical  | 356            | 1.56          | -       | 36.06      | 8.27       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 58  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.76388G     | 101.99            | Inf               | -Inf           | 93.81         | 3           | Horizontal | 261            | 1.36          | -       | 34.40      | 7.96       | 34.18      |  |  |  |
| RMS  | 6.93572G     | 92.63             | Inf               | -Inf           | 83.60         | 3           | Horizontal | 261            | 1.36          | -       | 35.11      | 8.10       | 34.18      |  |  |  |
| PK   | 7.145G       | 63.25             | 88.20             | -24.95         | 53.05         | 3           | Horizontal | 261            | 1.36          | -       | 36.09      | 8.29       | 34.18      |  |  |  |
| RMS  | 7.13588G     | 53.20             | 68.20             | -15.00         | 43.03         | 3           | Horizontal | 261            | 1.36          | -       | 36.07      | 8.28       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7886G | 48.25    | 88.20    | -39.95 | 40.54  | 3    | Vertical  | 184     | 2.16   | -       | 40.55 | 11.62 | 44.46 |  |  |  |
| RMS  | 13.7899G | 40.62    | 68.20    | -27.58 | 32.90  | 3    | Vertical  | 184     | 2.16   | -       | 40.56 | 11.62 | 44.46 |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.7888G     | 49.19             | 88.20             | -39.01         | 41.47         | 3           | Horizontal | 342            | 1.66          | -       | 40.56      | 11.62      | 44.46      |  |  |  |
| RMS  | 13.7908G     | 39.95             | 68.20             | -28.25         | 32.23         | 3           | Horizontal | 342            | 1.66          | -       | 40.56      | 11.62      | 44.46      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7147G | 48.73    | 83.54    | -34.81 | 43.88  | 1    | Vertical  | 194     | 2.75   | -       | 38.13 | 15.75 | 49.03 |  |  |  |
| AV   | 20.7148G | 40.53    | 63.54    | -23.01 | 35.68  | 1    | Vertical  | 194     | 2.75   | -       | 38.13 | 15.75 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996+RU484 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.7149G     | 47.93             | 83.54             | -35.61         | 43.08         | 1           | Horizontal | 208            | 1.80          | -       | 38.13      | 15.75      | 49.03      |  |  |  |
| AV   | 20.71495G    | 44.63             | 63.54             | -18.91         | 39.78         | 1           | Horizontal | 208            | 1.80          | -       | 38.13      | 15.75      | 49.03      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 57  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7646G      | 106.54            | Inf               | -Inf           | 98.36         | 3           | Vertical  | 150            | 2.21          | -       | 34.40      | 7.96       | 34.18      |  |  |  |
| RMS  | 6.7694G      | 95.65             | Inf               | -Inf           | 87.47         | 3           | Vertical  | 150            | 2.21          | -       | 34.40      | 7.96       | 34.18      |  |  |  |
| PK   | 7.2044G      | 65.86             | 88.20             | -22.34         | 55.48         | 3           | Vertical  | 150            | 2.21          | -       | 36.22      | 8.34       | 34.18      |  |  |  |
| RMS  | 7.205G       | 55.09             | 68.20             | -13.11         | 44.71         | 3           | Vertical  | 150            | 2.21          | -       | 36.22      | 8.34       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 57  
06-W-C-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.7976G      | 103.51            | Inf               | -Inf           | 95.31         | 3           | Horizontal | 178            | 1.51          | -       | 34.40      | 7.98       | 34.18      |  |  |  |
| RMS  | 6.8024G      | 92.38             | Inf               | -Inf           | 84.17         | 3           | Horizontal | 178            | 1.51          | -       | 34.41      | 7.98       | 34.18      |  |  |  |
| PK   | 7.1624G      | 63.40             | 88.20             | -24.80         | 53.16         | 3           | Horizontal | 178            | 1.51          | -       | 36.12      | 8.30       | 34.18      |  |  |  |
| RMS  | 7.2026G      | 53.66             | 68.20             | -14.54         | 43.29         | 3           | Horizontal | 178            | 1.51          | -       | 36.21      | 8.34       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 57  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7886G  | 47.86    | 88.20    | -40.34 | 40.15  | 3    | Vertical  | 188     | 2.23   | -       | 40.55 | 11.62 | 44.46 |  |  |  |
| RMS  | 13.78955G | 41.87    | 68.20    | -26.33 | 34.15  | 3    | Vertical  | 188     | 2.23   | -       | 40.56 | 11.62 | 44.46 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 57  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.79015G    | 49.32             | 88.20             | -38.88         | 41.60         | 3           | Horizontal | 39             | 1.80          | -       | 40.56      | 11.62      | 44.46      |  |  |  |
| RMS  | 13.78965G    | 42.46             | 68.20             | -25.74         | 34.74         | 3           | Horizontal | 39             | 1.80          | -       | 40.56      | 11.62      | 44.46      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 57  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 20.69425G | 47.59    | 83.54    | -35.95 | 42.78  | 1    | Vertical  | 351     | 2.88   | -       | 38.11 | 15.74 | 49.04 |  |  |  |  |
| AV   | 20.715G   | 39.84    | 63.54    | -23.70 | 34.99  | 1    | Vertical  | 351     | 2.88   | -       | 38.13 | 15.75 | 49.03 |  |  |  |  |



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),3xRU996 MRU 2\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 57  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.715G  | 49.24    | 83.54    | -34.30 | 44.39  | 1    | Horizontal | 357     | 1.46   | -       | 38.13 | 15.75 | 49.03 |  |  |  |
| AV   | 20.7148G | 45.77    | 63.54    | -17.77 | 40.92  | 1    | Horizontal | 357     | 1.46   | -       | 38.13 | 15.75 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 58  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.9314G      | 105.78            | Inf               | -Inf           | 96.78         | 3           | Vertical  | 156            | 1.80          | -       | 35.09      | 8.09       | 34.18      |  |  |  |
| RMS  | 6.941G       | 95.58             | Inf               | -Inf           | 86.51         | 3           | Vertical  | 156            | 1.80          | -       | 35.15      | 8.10       | 34.18      |  |  |  |
| PK   | 7.1618G      | 66.74             | 88.20             | -21.46         | 56.50         | 3           | Vertical  | 156            | 1.80          | -       | 36.12      | 8.30       | 34.18      |  |  |  |
| RMS  | 7.1426G      | 55.73             | 68.20             | -12.47         | 45.53         | 3           | Vertical  | 156            | 1.80          | -       | 36.09      | 8.29       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_Y\_4TX  
Setting 58  
06-W-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 6.8372G      | 102.86            | Inf               | -Inf           | 94.48         | 3           | Horizontal | 238            | 2.63          | -       | 34.55      | 8.01       | 34.18      |  |  |  |
| RMS  | 6.8618G      | 92.94             | Inf               | -Inf           | 84.42         | 3           | Horizontal | 238            | 2.63          | -       | 34.67      | 8.03       | 34.18      |  |  |  |
| PK   | 7.1864G      | 63.85             | 88.20             | -24.35         | 53.53         | 3           | Horizontal | 238            | 2.63          | -       | 36.17      | 8.33       | 34.18      |  |  |  |
| RMS  | 7.205G       | 52.94             | 68.20             | -15.26         | 42.56         | 3           | Horizontal | 238            | 2.63          | -       | 36.22      | 8.34       | 34.18      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.8295G | 48.72    | 88.20    | -39.48 | 40.97  | 3    | Vertical  | 253     | 2.98   | -       | 40.54 | 11.64 | 44.43 |  |  |  |
| RMS  | 13.8112G | 41.00    | 68.20    | -27.20 | 33.23  | 3    | Vertical  | 253     | 2.98   | -       | 40.58 | 11.63 | 44.44 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.80385G    | 47.51             | 88.20             | -40.69         | 39.74         | 3           | Horizontal | 232            | 2.71          | -       | 40.59      | 11.63      | 44.45      |  |  |  |
| RMS  | 13.78585G    | 39.60             | 68.20             | -28.60         | 31.90         | 3           | Horizontal | 232            | 2.71          | -       | 40.54      | 11.62      | 44.46      |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX




EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7189G | 44.60    | 83.54    | -38.94 | 39.73  | 1    | Vertical  | 228     | 1.54   | -       | 38.14 | 15.76 | 49.03 |  |  |  |
| AV   | 20.7148G | 38.60    | 63.54    | -24.94 | 33.75  | 1    | Vertical  | 228     | 1.54   | -       | 38.13 | 15.75 | 49.03 |  |  |  |

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0),2xRU996+RU484 MRU 8\_4TX

6905MHz Straddle 6.525-6.875GHz\_TX



EUT\_V\_4TX  
Setting 58  
06-W-A-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.7063G  | 48.77    | 83.54    | -34.77 | 43.94  | 1    | Horizontal | 360     | 1.45   | -       | 38.11 | 15.75 | 49.03 |  |  |  |
| AV   | 20.71485G | 46.05    | 63.54    | -17.49 | 41.20  | 1    | Horizontal | 360     | 1.45   | -       | 38.13 | 15.75 | 49.03 |  |  |  |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

21/08/2024

CF (Hz)  
5.955G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.957949G | -10.92   | 5.987125G | -63.27     | -50.92     | -12.35     | 1    |
| 5.961198G | -10.34   | 5.9955G   | -63.23     | -50.34     | -12.89     | 2    |
| 5.955575G | -10.56   | 5.987725G | -63.05     | -50.56     | -12.49     | 3    |
| 5.952551G | -10.60   | 6.003425G | -63.04     | -50.60     | -12.44     | 4    |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

21/08/2024

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.1931G   | -8.96    | 6.225425G | -61.03     | -48.00     | -13.03     | 1    |
| 6.197424G | -8.23    | 6.22725G  | -62.09     | -48.23     | -13.86     | 2    |
| 6.201273G | -8.48    | 6.232875G | -62.06     | -48.48     | -13.58     | 3    |
| 6.192426G | -8.88    | 6.227025G | -61.78     | -48.71     | -13.07     | 4    |




## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6415MHz\_TX

21/08/2024




## 6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6435MHz\_TX

21/08/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6475MHz\_TX

21/08/2024




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6515MHz\_TX

21/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

21/08/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

21/08/2024




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6875MHz\_TX

21/08/2024




## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 6895MHz\_TX

21/08/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6995MHz\_TX

21/08/2024




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7095MHz\_TX

21/08/2024




## 6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

### 7115MHz\_TX

21/08/2024




## 5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

### 5965MHz\_TX

21/08/2024




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

21/08/2024

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.209099G | -4.31    | 6.26585G | -56.36     | -44.29     | -12.07     | 1    |
| 6.209049G | -3.72    | 6.2666G  | -56.14     | -43.72     | -12.42     | 2    |
| 6.213648G | -4.10    | 6.26685G | -56.40     | -44.10     | -12.30     | 3    |
| 6.209849G | -5.02    | 6.267G   | -56.94     | -45.02     | -11.92     | 4    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

21/08/2024

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.410199G | -4.04    | 6.46635G | -55.44     | -44.04     | -11.40     | 1    |
| 6.413798G | -4.40    | 6.46625G | -55.64     | -44.40     | -11.24     | 2    |
| 6.396252G | -4.99    | 6.4664G  | -55.87     | -44.99     | -10.88     | 3    |
| 6.401401G | -5.77    | 6.4664G  | -56.96     | -45.77     | -11.19     | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6445MHz\_TX

21/08/2024




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6485MHz\_TX

21/08/2024






## 6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

### 6525MHz\_TX

21/08/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.516752G | -4.06    | 6.4638G  | -55.32     | -44.06     | -11.26     | 1    |
| 6.532298G | -4.09    | 6.46395G | -55.85     | -44.09     | -11.76     | 2    |
| 6.531148G | -4.24    | 6.4636G  | -55.84     | -44.24     | -11.60     | 3    |
| 6.539746G | -4.43    | 6.4633G  | -55.83     | -44.43     | -11.40     | 4    |

## 6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

### 6565MHz\_TX

21/08/2024



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.561001G | -5.40    | 6.62625G | -56.76     | -45.40     | -11.36     | 1    |
| 6.570399G | -5.55    | 6.5042G  | -56.42     | -45.40     | -11.02     | 2    |
| 6.568699G | -5.62    | 6.50365G | -56.87     | -45.62     | -11.25     | 3    |
| 6.549454G | -6.20    | 6.5034G  | -57.11     | -46.20     | -10.91     | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

21/08/2024

CF (Hz)  
6.685G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.681251G | -4.23    | 6.6232G  | -55.94     | -44.23     | -11.71     | 1    |
| 6.681001G | -4.05    | 6.6237G  | -56.46     | -44.05     | -12.41     | 2    |
| 6.693798G | -4.26    | 6.624G   | -56.15     | -44.26     | -11.89     | 3    |
| 6.694398G | -4.42    | 6.6236G  | -56.61     | -44.42     | -12.19     | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6885MHz\_TX

21/08/2024

CF (Hz)  
6.885G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.877002G | -4.81    | 6.94665G | -56.56     | -44.81     | -11.75     | 1    |
| 6.879951G | -5.15    | 6.94605G | -56.19     | -45.15     | -11.04     | 2    |
| 6.891748G | -5.08    | 6.8235G  | -56.73     | -45.08     | -11.65     | 3    |
| 6.870004G | -5.50    | 6.94555G | -56.49     | -45.50     | -10.99     | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6925MHz\_TX

21/08/2024




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

7005MHz\_TX

21/08/2024



## 6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

### 7085MHz\_TX

21/08/2024

CF (Hz)  
7.085G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 7.082601G | -5.43    | 7.00935G | -56.81     | -45.43     | -11.38     | 1    |
| 7.089999G | -4.89    | 7.0236G  | -56.22     | -44.89     | -11.33     | 2    |
| 7.089949G | -5.28    | 7.00985G | -56.96     | -45.28     | -11.68     | 3    |
| 7.098897G | -5.86    | 7.0029G  | -56.63     | -45.86     | -10.77     | 4    |

## 5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

### 5985MHz\_TX

21/08/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9938G | -2.40    | 6.108G   | -52.18     | -42.37     | -9.81      | 1    |
| 6.0001G | -1.81    | 6.1069G  | -51.17     | -41.75     | -9.42      | 2    |
| 5.9991G | -2.48    | 6.1076G  | -51.39     | -42.48     | -8.91      | 3    |
| 5.9961G | -2.27    | 6.1067G  | -51.70     | -41.77     | -9.93      | 4    |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

21/08/2024

CF (Hz)  
6.225G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2329G | -1.65    | 6.3471G  | -51.51     | -41.65     | -9.86      | 1    |
| 6.218G  | -1.26    | 6.3472G  | -51.00     | -41.26     | -9.74      | 2    |
| 6.2365G | -1.34    | 6.3483G  | -51.47     | -41.34     | -10.13     | 3    |
| 6.2357G | -1.58    | 6.3459G  | -51.99     | -41.23     | -10.76     | 4    |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

21/08/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3709G | -0.89    | 6.5063G  | -48.12     | -40.46     | -7.66      | 1    |
| 6.3959G | -1.33    | 6.5071G  | -49.67     | -41.23     | -8.44      | 2    |
| 6.3985G | -1.62    | 6.5077G  | -50.65     | -41.62     | -9.03      | 3    |
| 6.3932G | -1.90    | 6.507G   | -50.52     | -41.77     | -8.75      | 4    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6465MHz\_TX

21/08/2024




6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6545MHz\_TX

21/08/2024



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

21/08/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6139G | -1.33    | 6.5027G  | -49.49     | -41.20     | -8.29      | 1    |
| 6.6086G | -0.73    | 6.5019G  | -48.65     | -40.73     | -7.92      | 2    |
| 6.6171G | -1.38    | 6.5032G  | -49.97     | -41.29     | -8.68      | 3    |
| 6.6374G | -1.26    | 6.5024G  | -50.18     | -41.12     | -9.06      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

21/08/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6929G | -0.93    | 6.5817G  | -49.47     | -40.80     | -8.67      | 1    |
| 6.6904G | -0.31    | 6.5826G  | -49.47     | -40.31     | -9.16      | 2    |
| 6.699G  | -0.96    | 6.5825G  | -50.21     | -40.88     | -9.33      | 3    |
| 6.6915G | -0.96    | 6.5825G  | -50.07     | -40.96     | -9.11      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

21/08/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7773G | -0.45    | 6.6616G  | -49.52     | -40.44     | -9.08      | 1    |
| 6.7894G | -0.75    | 6.6624G  | -50.76     | -40.75     | -10.01     | 2    |
| 6.7754G | -1.27    | 6.6628G  | -51.02     | -41.27     | -9.75      | 3    |
| 6.7966G | -1.40    | 6.6622G  | -51.34     | -41.40     | -9.94      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6865MHz\_TX

21/08/2024

CF (Hz)  
6.865G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.83431G | -1.44    | 6.7429G  | -51.43     | -41.15     | -10.28     | 1    |
| 6.8768G  | -1.64    | 6.9869G  | -51.66     | -41.39     | -10.27     | 2    |
| 6.8586G  | -1.78    | 6.7425G  | -52.49     | -41.78     | -10.71     | 3    |
| 6.8742G  | -2.14    | 6.7428G  | -52.06     | -42.14     | -9.92      | 4    |




6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6945MHz\_TX

21/08/2024

CF (Hz)  
6.945G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.9327G | -1.64    | 6.8212G  | -52.54     | -41.64     | -10.90     | 1    |
| 6.9337G | -1.58    | 6.8226G  | -51.91     | -41.58     | -10.33     | 2    |
| 6.9361G | -1.41    | 6.8231G  | -52.10     | -41.35     | -10.75     | 3    |
| 6.9331G | -0.81    | 6.8226G  | -51.55     | -40.81     | -10.74     | 4    |


6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

7025MHz\_TX

21/08/2024

CF (Hz)  
7.025G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0174G | -0.78    | 6.9024G  | -51.39     | -40.64     | -10.75     | 1    |
| 7.0176G | -0.92    | 6.8998G  | -49.89     | -40.92     | -8.97      | 2    |
| 7.0297G | -0.84    | 6.903G   | -49.91     | -40.84     | -9.07      | 3    |
| 7.0125G | -0.66    | 6.9025G  | -51.00     | -40.58     | -10.42     | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

21/08/2024



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

21/08/2024

