


EXHIBIT C - EUT INTERNAL PHOTOGRAPHS


EUT- Uncover View




EUT- Uncover View



EUT- Uncover View



EUT- Uncover View




EUT- Uncover View




EUT- Sub Board Top View




EUT- Sub Board Bottom View




EUT- Uncover View



EUT- Main Board Top View



EUT- Main Board Bottom View



EUT- Wifi Chip View




EUT- RF Chip View



EUT- RF Module View




EUT- Wifi Antenna View




EUT- WCDMA Antenna View



EUT- RFID Antenna View



EUT- Battery View



Model: LD18650C
Voltage: 3.6V
Capacity: 2600mAh/9.36Wh
Charge Voltage: Max 4.2V
Suggest to change the battery for every 24 months
MFD.: YYYY.MM.DD

CAUTION

- * Use only specified charger
- * Do not expose battery to temperature above 60°C/140°F
- * Do not short circuit
- * Do not disassemble battery
- * Do not throw it into fire or water
- * Must be disposed of properly



Made in China Shenzhen Mbell Electronics Co.,Ltd

EUT- Base Uncover View




EUT- Base Uncover View




EUT- Base Uncover View




EUT- Base Main Board Top View




EUT- Base Main Board Bottom View




EUT- Base LED Board Top View



EUT- Base LED Board Bottom View



EUT- Base Key Board Top View



EUT- Base Key Board Bottom View

