MS607,MS608,MS609 English Operation Instruction.

The **MS607,MS608,MS609** is 400CPI USB 3D Optics Mouse.

1.Model Name: MS607, MS608, MS609

2. Specification:

- a. USB 3D Mouse.
- b. Power Requirement.

Input Voltage: DC 5V.

Input Current: 70mA Max.

- c. Interface USB 4Pin Connector.
- d. Operating system

Windows 98SE, Windows ME, Windows 2000, Windows 2003

Windows XP

3. Use illustrate

- a. Computer for turn on finish condition.
- b. Insert mouse USB head computer's USB socket.
- c. Treat computer do device confirm behind and then be OK use.
- d. Special feature is with injunction, please reference homework system specification.

Federal Communication Commission Interference Statement

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.

OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1)
THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE AND (2)
THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRED
OPERATION.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Notice:

- (1) A Unshielded-type power cord is required in order to meet FCC emission limits and also to prevent interference to the nearby radio and television reception. It is essential that only the supplied power cord by used.
- (2) Use only shielded cables to connect I/O devices to this equipment.
- (3) Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.