

1		2		3		4		5		6																																																																																																																																																																																																	
								Remark	Description		Editor	Date																																																																																																																																																																																															
A												A																																																																																																																																																																																															
以下内容由供应商印刷												在供应商印刷基础上打印																																																																																																																																																																																															
B	<div><div>32.5 mm</div><div>50 mm</div><div><div>ZTE</div><div><div>WiFi</div><div>CERTIFIED</div></div><div><div>UL</div><div>LISTED</div><div>I.T.E</div><div>E307946</div></div><div><div>FC</div></div><div><div>This unit complies with Part 15 &amp; 68 of FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</div></div><div><div>ZTE CORPORATION</div><div>Made in China</div></div></div></div> <td colspan="12"><div><div>32.5 mm</div><div>50 mm</div><div><div>ZTE</div><div><div>Date: MMM YYYY Product: Home Gateway Model: ZXHN H108N Power: 12V 0.5A FCC ID: Q78-HNH108NV25 US: ZTEDL01BHHH108N</div><div><div>WiFi</div><div>CERTIFIED</div></div><div><div>UL</div><div>LISTED</div><div>I.T.E</div><div>E307946</div></div><div><div>FC</div></div><div><div>This unit complies with Part 15 &amp; 68 of FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</div></div><div><div>ZTE CORPORATION</div><div>Made in China</div></div></div></div></div></td> <td>B</td>												<div><div>32.5 mm</div><div>50 mm</div><div><div>ZTE</div><div><div>Date: MMM YYYY Product: Home Gateway Model: ZXHN H108N Power: 12V 0.5A FCC ID: Q78-HNH108NV25 US: ZTEDL01BHHH108N</div><div><div>WiFi</div><div>CERTIFIED</div></div><div><div>UL</div><div>LISTED</div><div>I.T.E</div><div>E307946</div></div><div><div>FC</div></div><div><div>This unit complies with Part 15 &amp; 68 of FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</div></div><div><div>ZTE CORPORATION</div><div>Made in China</div></div></div></div></div>												B																																																																																																																																																																																		
C													MMM YYYY: Arial ,4 Pt 如:FEB 2010  备注: 如下内容后留空白不需打印 FCC ID: US:												C																																																																																																																																																																																		
D	NOTES (技术要求) :  1. 黑色印刷, 无边框 (Black printing, no frame)  2.材料: 50# 亮白PET,过UV油墨, 背胶 (Material:50# Bright White PET+Coated UV,adhesive)  3. 原材料及后处理工艺均能满足我司《环保技术标准》要求. (Raw materials and the corresponding post processing should meet requirements defined in the Environmental Protection Technical Standards)												来料方式: 卷装												D																																																																																																																																																																																		
1		2		3		4		5		6																																																																																																																																																																																																	
<table><tr><td colspan="2">DIM</td><td colspan="2">TOL±</td><td colspan="2">△</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">CUSTOMER:</td><td colspan="2"></td></tr><tr><td colspan="2">RANGE</td><td>C1</td><td>C2</td><td>C3</td><td>C4</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">TITLE:</td><td colspan="2">MODEL:</td><td colspan="2">PART NO:</td></tr><tr><td colspan="2">0~6</td><td>0.1</td><td>0.1</td><td>0.15</td><td>0.2</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">印刷盒底标贴</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">6~30</td><td>0.2</td><td>0.3</td><td>0.4</td><td>0.5</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">UNIT'S</td><td>mm</td><td>VER:</td><td>A0</td><td>DRAW</td></tr><tr><td colspan="2">30~80</td><td>0.25</td><td>0.5</td><td>0.9</td><td>1.2</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">MAT'L</td><td>/</td><td>SCALE</td><td>1:1</td><td>CHECK</td></tr><tr><td colspan="2">80~180</td><td>0.3</td><td>0.8</td><td>1.2</td><td>1.5</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">FINISH</td><td>/</td><td>SHEET</td><td>1 / 1</td><td>PDE</td></tr><tr><td colspan="2">180~315</td><td>0.5</td><td>1.3</td><td>1.8</td><td>3</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">315~500</td><td>0.7</td><td>1.5</td><td>2.5</td><td>4</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">500~800</td><td>0.9</td><td>1.8</td><td>3</td><td>5</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2">ANG.TOL±</td><td colspan="2">0°~30°/0.1°</td><td colspan="2">30°~60°/0.3°</td><td colspan="2">60°~90°/0.5°</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr></table>												DIM		TOL±		△										CUSTOMER:				RANGE		C1	C2	C3	C4							TITLE:		MODEL:		PART NO:		0~6		0.1	0.1	0.15	0.2							印刷盒底标贴						6~30		0.2	0.3	0.4	0.5							UNIT'S		mm	VER:	A0	DRAW	30~80		0.25	0.5	0.9	1.2							MAT'L		/	SCALE	1:1	CHECK	80~180		0.3	0.8	1.2	1.5							FINISH		/	SHEET	1 / 1	PDE	180~315		0.5	1.3	1.8	3													315~500		0.7	1.5	2.5	4													500~800		0.9	1.8	3	5													ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°																							
DIM		TOL±		△										CUSTOMER:																																																																																																																																																																																													
RANGE		C1	C2	C3	C4							TITLE:		MODEL:		PART NO:																																																																																																																																																																																											
0~6		0.1	0.1	0.15	0.2							印刷盒底标贴																																																																																																																																																																																															
6~30		0.2	0.3	0.4	0.5							UNIT'S		mm	VER:	A0	DRAW																																																																																																																																																																																										
30~80		0.25	0.5	0.9	1.2							MAT'L		/	SCALE	1:1	CHECK																																																																																																																																																																																										
80~180		0.3	0.8	1.2	1.5							FINISH		/	SHEET	1 / 1	PDE																																																																																																																																																																																										
180~315		0.5	1.3	1.8	3																																																																																																																																																																																																						
315~500		0.7	1.5	2.5	4																																																																																																																																																																																																						
500~800		0.9	1.8	3	5																																																																																																																																																																																																						
ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°																																																																																																																																																																																																					

1		2		3		4		5		6																																																																																																																																																																																															
								Remark	Description		Editor	Date																																																																																																																																																																																													
A													A																																																																																																																																																																																												
以下内容由供应商印刷														在供应商印刷基础上打印																																																																																																																																																																																											
B	<div><div>32.5 mm</div><div>50 mm</div><div>ZTE</div><div>WiFi CERTIFIED</div><div>C LISTED I.T.E E307946 FC</div><div>This unit complies with Part 15 &amp; 68 of FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</div><div>ZTE CORPORATION</div><div>Made in China</div></div>														<div><div>32.5 mm</div><div>50 mm</div><div>ZTE</div><div>Date: MMM YYYY Product: Home Gateway Model: ZXHN H108N Power: 12V~1A FCC ID: Q78-HNH108NV25 US: ZTEDL01BHHH108N</div><div>WiFi CERTIFIED</div><div>C LISTED I.T.E E307946 FC</div><div>This unit complies with Part 15 &amp; 68 of FCC Rules. Operation is subject to following two conditions: (1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.</div><div>ZTE CORPORATION</div><div>Made in China</div></div>														B																																																																																																																																																																												
C															MMM YYYY: Arial ,4 Pt 如:FEB 2010  备注: 如下内容后留空白不需打印 FCC ID: US:														C																																																																																																																																																																												
D	NOTES (技术要求) :  1. 黑色印刷, 无边框 (Black printing, no frame)  2.材料: 50# 亮白PET,过UV油墨, 背胶 (Material:50# Bright White PET+Coated UV,adhesive)  3. 原材料及后处理工艺均能满足我司《环保技术标准》要求. (Raw materials and the corresponding post processing should meet requirements defined in the Environmental Protection Technical Standards)														来料方式:卷装														D																																																																																																																																																																												
														<table><tr><td colspan="2">TOL±</td><td colspan="2">△</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">CUSTOMER:</td><td colspan="2"></td></tr><tr><td colspan="2">DIM</td><td colspan="2">RANGE</td><td>C1</td><td>C2</td><td>C3</td><td>C4</td><td colspan="2"></td><td colspan="2">TITLE:</td><td colspan="2">MODEL:</td><td colspan="2">PART NO:</td></tr><tr><td colspan="2"></td><td colspan="2">0~6</td><td>0.1</td><td>0.1</td><td>0.15</td><td>0.2</td><td colspan="2"></td><td colspan="2">印刷盒底标贴</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2">6~30</td><td>0.2</td><td>0.3</td><td>0.4</td><td>0.5</td><td colspan="2"></td><td colspan="2">UNIT'S</td><td>mm</td><td>VER:</td><td>A0</td><td>DRAW</td></tr><tr><td colspan="2"></td><td colspan="2">30~80</td><td>0.25</td><td>0.5</td><td>0.9</td><td>1.2</td><td colspan="2"></td><td colspan="2">MAT'L</td><td>/</td><td>SCALE</td><td>1:1</td><td>CHECK</td></tr><tr><td colspan="2"></td><td colspan="2">80~180</td><td>0.3</td><td>0.8</td><td>1.2</td><td>1.5</td><td colspan="2"></td><td colspan="2">FINISH</td><td>/</td><td>SHEET</td><td>1 / 1</td><td>PDE</td></tr><tr><td colspan="2"></td><td colspan="2">180~315</td><td>0.5</td><td>1.3</td><td>1.8</td><td>3</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">315~500</td><td>0.7</td><td>1.5</td><td>2.5</td><td>4</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">500~800</td><td>0.9</td><td>1.8</td><td>3</td><td>5</td><td colspan="2"></td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr><tr><td colspan="2"></td><td colspan="2">ANG.TOL±</td><td colspan="2">0°~30°/0.1°</td><td colspan="2">30°~60°/0.3°</td><td colspan="2">60°~90°/0.5°</td><td colspan="2"></td><td></td><td></td><td></td><td></td></tr></table>														TOL±		△										CUSTOMER:				DIM		RANGE		C1	C2	C3	C4			TITLE:		MODEL:		PART NO:				0~6		0.1	0.1	0.15	0.2			印刷盒底标贴								6~30		0.2	0.3	0.4	0.5			UNIT'S		mm	VER:	A0	DRAW			30~80		0.25	0.5	0.9	1.2			MAT'L		/	SCALE	1:1	CHECK			80~180		0.3	0.8	1.2	1.5			FINISH		/	SHEET	1 / 1	PDE			180~315		0.5	1.3	1.8	3											315~500		0.7	1.5	2.5	4											500~800		0.9	1.8	3	5											ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°																					
TOL±		△										CUSTOMER:																																																																																																																																																																																													
DIM		RANGE		C1	C2	C3	C4			TITLE:		MODEL:		PART NO:																																																																																																																																																																																											
		0~6		0.1	0.1	0.15	0.2			印刷盒底标贴																																																																																																																																																																																															
		6~30		0.2	0.3	0.4	0.5			UNIT'S		mm	VER:	A0	DRAW																																																																																																																																																																																										
		30~80		0.25	0.5	0.9	1.2			MAT'L		/	SCALE	1:1	CHECK																																																																																																																																																																																										
		80~180		0.3	0.8	1.2	1.5			FINISH		/	SHEET	1 / 1	PDE																																																																																																																																																																																										
		180~315		0.5	1.3	1.8	3																																																																																																																																																																																																		
		315~500		0.7	1.5	2.5	4																																																																																																																																																																																																		
		500~800		0.9	1.8	3	5																																																																																																																																																																																																		
		ANG.TOL±		0°~30°/0.1°		30°~60°/0.3°		60°~90°/0.5°																																																																																																																																																																																																	
1		2		3		4		5		6																																																																																																																																																																																															

Label location

