


Report No.: SUCR240600021204

Rev.: 01

330 of 463 Page:

## 802.11ac20\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7501.5	53.74	36.89	-38.53	52.10	74.00	21.90	Horizontal		
2	11650	51.72	40.10	-35.79	56.03	74.00	17.97	Horizontal		
3	17475	47.41	44.73	-37.12	55.02	68.20	13.18	Horizontal		
4	11650	41.15	40.10	-35.79	45.46	54.00	8.54	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

331 of 463 Page:

## 802.11ac20\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7171	53.95	36.48	-38.94	51.49	68.20	16.71	Vertical		
2	11650	50.21	40.10	-35.79	54.52	74.00	19.48	Vertical		
3	17475	46.92	44.73	-37.12	54.53	68.20	13.67	Vertical		
4	11650	42.15	40.10	-35.79	46.46	54.00	7.54	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

Page: 332 of 463

## 802.11ac40\_Channel 38



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7404	53.25	36.71	-38.50	51.46	74.00	22.54	Horizontal		
2	10380	49.69	39.18	-35.44	53.43	68.20	14.77	Horizontal		
3	15570	46.95	38.62	-29.33	56.24	74.00	17.76	Horizontal		
4	15570	37.49	38.62	-29.33	46.78	54.00	7.22	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.ferms-end-Conditions

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: <a href="mailto:CN.Doccheck@sgs.com">CN.Doccheck@sgs.com</a>

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980

www.sgsgroup.com.cn




Report No.: SUCR240600021204

Rev.: 01

333 of 463 Page:

## 802.11ac40\_Channel 38



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7419	53.89	36.74	-38.42	52.21	74.00	21.79	Vertical		
2	10380	49.78	39.18	-35.44	53.52	68.20	14.68	Vertical		
3	15570	47.27	38.62	-29.33	56.56	74.00	17.44	Vertical		
4	15570	37.63	38.62	-29.33	46.92	54.00	7.08	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

334 of 463 Page:

## 802.11ac40\_Channel 46



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7966	53.80	36.40	-37.50	52.70	68.20	15.50	Horizontal		
2	10460	49.43	39.02	-35.57	52.88	68.20	15.32	Horizontal		
3	15690	46.80	38.50	-28.66	56.64	74.00	17.36	Horizontal		
4	15690	37.64	38.50	-28.66	47.48	54.00	6.52	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

335 of 463 Page:

## 802.11ac40\_Channel 46



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7500	53.59	36.90	-38.53	51.96	74.00	22.04	Vertical		
2	10460	49.60	39.02	-35.57	53.05	68.20	15.15	Vertical		
3	15690	48.24	38.50	-28.66	58.08	74.00	15.92	Vertical		
4	15690	37.92	38.50	-28.66	47.76	54.00	6.24	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

336 of 463 Page:

## 802.11ac40\_Channel 151



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7799	52.90	36.60	-37.58	51.92	68.20	16.28	Horizontal		
2	11510	50.66	40.21	-35.42	55.45	74.00	18.55	Horizontal		
3	17265	47.42	43.02	-36.91	53.53	68.20	14.67	Horizontal		
4	11510	41.30	40.21	-35.42	46.09	54.00	7.91	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

337 of 463 Page:

## 802.11ac40\_Channel 151



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7432.5	53.64	36.77	-38.34	52.07	74.00	21.93	Vertical		
2	11510	49.98	40.21	-35.42	54.77	74.00	19.23	Vertical		
3	17265	48.36	43.02	-36.91	54.47	68.20	13.73	Vertical		
4	11510	41.32	40.21	-35.42	46.11	54.00	7.89	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

338 of 463 Page:

## 802.11ac40\_Channel 159



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7496	53.70	36.89	-38.51	52.08	74.00	21.92	Horizontal			
2	11590	49.82	40.29	-35.04	55.07	74.00	18.93	Horizontal			
3	17385	47.20	44.32	-37.39	54.13	68.20	14.07	Horizontal			
4	11590	41.02	40.29	-35.04	46.27	54.00	7.73	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

339 of 463 Page:

## 802.11ac40\_Channel 159



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7997	53.07	36.40	-37.39	52.08	68.20	16.12	Vertical		
2	11590	50.00	40.29	-35.04	55.25	74.00	18.75	Vertical		
3	17385	47.62	44.32	-37.39	54.55	68.20	13.65	Vertical		
4	11590	40.63	40.29	-35.04	45.88	54.00	8.12	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

340 of 463 Page:

## 802.11ac80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7647.5	52.81	36.61	-38.07	51.35	74.00	22.65	Horizontal		
2	10420	50.18	39.14	-35.46	53.86	68.20	14.34	Horizontal		
3	15630	47.53	38.50	-29.88	56.15	74.00	17.85	Horizontal		
4	15630	38.35	38.50	-29.88	46.97	54.00	7.03	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

341 of 463 Page:

## 802.11ac80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7421.5	53.48	36.74	-38.40	51.82	74.00	22.18	Vertical		
2	10420	49.28	39.14	-35.46	52.96	68.20	15.24	Vertical		
3	15630	47.06	38.50	-29.88	55.68	74.00	18.32	Vertical		
4	15630	38.57	38.50	-29.88	47.19	54.00	6.81	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

342 of 463 Page:

## 802.11ac80\_Channel 155



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7720.5	53.65	36.64	-38.16	52.13	74.00	21.87	Horizontal			
2	11550	50.32	40.25	-35.45	55.12	74.00	18.88	Horizontal			
3	17325	49.93	43.60	-37.62	55.91	68.20	12.29	Horizontal			
4	11550	41.24	40.25	-35.45	46.04	54.00	7.96	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

343 of 463 Page:

## 802.11ac80\_Channel 155



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7658.5	53.48	36.63	-38.07	52.04	74.00	21.96	Vertical			
2	11550	51.27	40.25	-35.45	56.07	74.00	17.93	Vertical			
3	17325	48.60	43.60	-37.62	54.58	68.20	13.62	Vertical			
4	11550	41.59	40.25	-35.45	46.39	54.00	7.61	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.:

344 of 463 Page:

## 802.11ax20\_Channel 36



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7396.5	53.69	36.69	-38.53	51.85	74.00	22.15	Horizontal		
2	10360	49.70	39.16	-35.53	53.33	68.20	14.87	Horizontal		
3	15540	47.63	38.74	-28.80	57.57	74.00	16.43	Horizontal		
4	15540	37.33	38.74	-28.80	47.27	54.00	6.73	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

345 of 463 Page:

## 802.11ax20\_Channel 36



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7624	53.74	36.70	-38.27	52.17	74.00	21.83	Vertical			
2	10360	50.36	39.16	-35.53	53.99	68.20	14.21	Vertical			
3	15540	48.36	38.74	-28.80	58.30	74.00	15.70	Vertical			
4	15540	38.02	38.74	-28.80	47.96	54.00	6.04	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

346 of 463 Page:

## 802.11ax20\_Channel 44



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7428	53.12	36.76	-38.37	51.51	74.00	22.49	Horizontal			
2	10440	50.02	39.08	-35.56	53.54	68.20	14.66	Horizontal			
3	15660	47.92	38.50	-29.29	57.13	74.00	16.87	Horizontal			
4	15660	39.29	38.50	-29.29	48.50	54.00	5.50	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

347 of 463 Page:

## 802.11ax20\_Channel 44



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7532	54.18	36.58	-38.49	52.27	74.00	21.73	Vertical			
2	10440	51.04	39.08	-35.56	54.56	68.20	13.64	Vertical			
3	15660	48.85	38.50	-29.29	58.06	74.00	15.94	Vertical			
4	15660	39.39	38.50	-29.29	48.60	54.00	5.40	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

348 of 463 Page:

## 802.11ax20\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7508	53.40	36.82	-38.52	51.70	74.00	22.30	Horizontal			
2	10480	50.14	38.96	-35.50	53.60	68.20	14.60	Horizontal			
3	15720	48.25	38.42	-28.86	57.81	74.00	16.19	Horizontal			
4	15720	38.69	38.42	-28.86	48.25	54.00	5.75	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

349 of 463 Page:

## 802.11ax20\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7694.5	53.58	36.78	-38.17	52.19	74.00	21.81	Vertical			
2	10480	49.89	38.96	-35.50	53.35	68.20	14.85	Vertical			
3	15720	48.51	38.42	-28.86	58.07	74.00	15.93	Vertical			
4	15720	38.89	38.42	-28.86	48.45	54.00	5.55	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

350 of 463 Page:

## 802.11ax20\_Channel 149



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7432	53.22	36.76	-38.35	51.63	74.00	22.37	Horizontal		
2	11490	50.86	40.21	-35.41	55.66	74.00	18.34	Horizontal		
3	17235	48.62	42.78	-36.19	55.21	68.20	12.99	Horizontal		
4	11490	41.56	40.21	-35.41	46.36	54.00	7.64	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

351 of 463 Page:

## 802.11ax20\_Channel 149



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7358	54.23	36.53	-38.65	52.11	74.00	21.89	Vertical			
2	11490	51.64	40.21	-35.41	56.44	74.00	17.56	Vertical			
3	17235	46.97	42.78	-36.19	53.56	68.20	14.64	Vertical			
4	11490	42.07	40.21	-35.41	46.87	54.00	7.13	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

352 of 463 Page:

## 802.11ax20\_Channel 157



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7472	53.02	36.84	-38.37	51.49	74.00	22.51	Horizontal		
2	11570	50.05	40.27	-35.25	55.07	74.00	18.93	Horizontal		
3	17355	47.54	43.96	-37.34	54.16	68.20	14.04	Horizontal		
4	11570	40.99	40.27	-35.25	46.01	54.00	7.99	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

353 of 463 Page:

## 802.11ax20\_Channel 157



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7692	53.21	36.77	-38.16	51.82	74.00	22.18	Vertical			
2	11570	50.83	40.27	-35.25	55.85	74.00	18.15	Vertical			
3	17355	47.47	43.96	-37.34	54.09	68.20	14.11	Vertical			
4	11570	41.58	40.27	-35.25	46.60	54.00	7.40	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

354 of 463 Page:

## 802.11ax20\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7442	53.26	36.78	-38.29	51.75	74.00	22.25	Horizontal		
2	11650	50.61	40.10	-35.79	54.92	74.00	19.08	Horizontal		
3	17475	46.32	44.73	-37.12	53.93	68.20	14.27	Horizontal		
4	11650	41.45	40.10	-35.79	45.76	54.00	8.24	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

355 of 463 Page:

## 802.11ax20\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7406	53.24	36.71	-38.49	51.46	74.00	22.54	Vertical		
2	11650	50.70	40.10	-35.79	55.01	74.00	18.99	Vertical		
3	17475	47.30	44.73	-37.12	54.91	68.20	13.29	Vertical		
4	11650	41.61	40.10	-35.79	45.92	54.00	8.08	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

356 of 463 Page:

## 802.11ax40\_Channel 38



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7500	53.75	36.90	-38.53	52.12	74.00	21.88	Horizontal		
2	10380	49.92	39.18	-35.44	53.66	68.20	14.54	Horizontal		
3	15570	47.00	38.62	-29.33	56.29	74.00	17.71	Horizontal		
4	15570	38.56	38.62	-29.33	47.85	54.00	6.15	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

357 of 463 Page:

## 802.11ax40\_Channel 38



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7411	53.62	36.72	-38.46	51.88	74.00	22.12	Vertical		
2	10380	50.65	39.18	-35.44	54.39	68.20	13.81	Vertical		
3	15570	48.03	38.62	-29.33	57.32	74.00	16.68	Vertical		
4	15570	37.90	38.62	-29.33	47.19	54.00	6.81	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

358 of 463 Page:

## 802.11ax40\_Channel 46



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7511	53.83	36.79	-38.52	52.10	74.00	21.90	Horizontal		
2	10460	49.81	39.02	-35.57	53.26	68.20	14.94	Horizontal		
3	15690	48.03	38.50	-28.66	57.87	74.00	16.13	Horizontal		
4	15690	37.79	38.50	-28.66	47.63	54.00	6.37	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

359 of 463 Page:

## 802.11ax40\_Channel 46



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7350	53.92	36.50	-38.67	51.75	74.00	22.25	Vertical		
2	10460	49.35	39.02	-35.57	52.80	68.20	15.40	Vertical		
3	15690	47.80	38.50	-28.66	57.64	74.00	16.36	Vertical		
4	15690	38.52	38.50	-28.66	48.36	54.00	5.64	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

360 of 463 Page:

## 802.11ax40\_Channel 151



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7445.5	53.35	36.79	-38.27	51.87	74.00	22.13	Horizontal		
2	11510	51.68	40.21	-35.42	56.47	74.00	17.53	Horizontal		
3	17265	47.66	43.02	-36.91	53.77	68.20	14.43	Horizontal		
4	11510	42.05	40.21	-35.42	46.84	54.00	7.16	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

361 of 463 Page:

## 802.11ax40\_Channel 151



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7406	53.40	36.71	-38.49	51.62	74.00	22.38	Vertical		
2	11510	50.74	40.21	-35.42	55.53	74.00	18.47	Vertical		
3	17265	47.83	43.02	-36.91	53.94	68.20	14.26	Vertical		
4	11510	42.25	40.21	-35.42	47.04	54.00	6.96	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

362 of 463 Page:

## 802.11ax40\_Channel 159



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7645	53.30	36.62	-38.09	51.83	74.00	22.17	Horizontal		
2	11590	50.09	40.29	-35.04	55.34	74.00	18.66	Horizontal		
3	17385	48.01	44.32	-37.39	54.94	68.20	13.26	Horizontal		
4	11590	41.40	40.29	-35.04	46.65	54.00	7.35	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

363 of 463 Page:

## 802.11ax40\_Channel 159



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7501	53.84	36.89	-38.53	52.20	74.00	21.80	Vertical		
2	11590	51.35	40.29	-35.04	56.60	74.00	17.40	Vertical		
3	17385	48.14	44.32	-37.39	55.07	68.20	13.13	Vertical		
4	11590	40.86	40.29	-35.04	46.11	54.00	7.89	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




SUCR240600021204 Report No.:

Rev.: 01

364 of 463 Page:

## 802.11ax80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7609.5	53.62	36.76	-38.39	51.99	74.00	22.01	Horizontal		
2	10420	49.26	39.14	-35.46	52.94	68.20	15.26	Horizontal		
3	15630	46.90	38.50	-29.88	55.52	74.00	18.48	Horizontal		
4	15630	38.70	38.50	-29.88	47.32	54.00	6.68	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

365 of 463 Page:

## 802.11ax80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	7633.5	53.66	36.67	-38.19	52.14	74.00	21.86	Vertical		
2	10420	50.03	39.14	-35.46	53.71	68.20	14.49	Vertical		
3	15630	48.37	38.50	-29.88	56.99	74.00	17.01	Vertical		
4	15630	38.91	38.50	-29.88	47.53	54.00	6.47	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

366 of 463 Page:

#### 802.11ax80\_Channel 155



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7430.5	52.97	36.76	-38.36	51.37	74.00	22.63	Horizontal			
2	11550	50.79	40.25	-35.45	55.59	74.00	18.41	Horizontal			
3	17325	47.98	43.60	-37.62	53.96	68.20	14.24	Horizontal			
4	11550	41.31	40.25	-35.45	46.11	54.00	7.89	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

367 of 463 Page:

#### 802.11ax80 Channel 155



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	7405.5	53.80	36.71	-38.49	52.02	74.00	21.98	Vertical			
2	11550	50.90	40.25	-35.45	55.70	74.00	18.30	Vertical			
3	17325	47.93	43.60	-37.62	53.91	68.20	14.29	Vertical			
4	11550	41.49	40.25	-35.45	46.29	54.00	7.71	Vertical			

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Level( $dB\mu V/m$ )

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

368 of 463 Page:

### Restricted bands around fundamental frequency 802.11a Channel 36



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5143.0715	37.54	31.76	-13.09	56.21	74.00	17.79	Horizontal			
2	5147.2736	38.45	31.78	-13.08	57.15	74.00	16.85	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

369 of 463 Page:

#### 802.11a\_Channel 36



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5142.091	24.55	31.75	-13.09	43.21	54.00	10.79	Horizontal			
2	5149.5148	24.94	31.80	-13.07	43.67	54.00	10.33	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

370 of 463 Page:

#### 802.11a\_Channel 36



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5146.3632	38.60	31.78	-13.08	57.30	74.00	16.70	Vertical			
2	5149.3747	40.22	31.80	-13.07	58.95	74.00	15.05	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

371 of 463 Page:

#### 802.11a\_Channel 36



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5141.951	25.46	31.75	-13.09	44.12	54.00	9.88	Vertical		
2	5149.3747	26.20	31.80	-13.07	44.93	54.00	9.07	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

372 of 463 Page:

#### 802.11a Channel 48



Da	Data List										
N	О.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
•	1	5357.3187	36.15	32.24	-12.69	55.70	74.00	18.30	Horizontal		
2	2	5372.9865	36.45	32.34	-12.72	56.07	74.00	17.93	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

373 of 463 Page:

#### 802.11a\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5350.5495	24.24	32.20	-12.68	43.76	54.00	10.24	Horizontal			
2	5376.0839	24.07	32.36	-12.72	43.71	54.00	10.29	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

374 of 463 Page:

#### 802.11a Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5353.5368	36.28	32.22	-12.69	55.81	74.00	18.19	Vertical			
2	5375.8679	36.85	32.36	-12.72	56.49	74.00	17.51	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

375 of 463 Page:

#### 802.11a\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5357.2028	24.42	32.24	-12.69	43.97	54.00	10.03	Vertical			
2	5364.7552	24.48	32.29	-12.70	44.07	54.00	9.93	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

376 of 463 Page:

#### 802.11a\_Channel 149



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5640.8004	37.64	32.52	-12.54	57.62	68.30	10.68	Horizontal			
2	5663.6118	37.84	32.50	-12.54	57.80	78.37	20.57	Horizontal			
3	5716.5183	41.53	32.50	-12.49	61.54	109.93	48.39	Horizontal			
4	5722.9215	45.24	32.50	-12.49	65.25	117.56	52.31	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

377 of 463 Page:

#### 802.11a\_Channel 149



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5644.8024	37.61	32.51	-12.55	57.57	68.30	10.73	Vertical			
2	5653.927	38.21	32.50	-12.55	58.16	71.21	13.05	Vertical			
3	5704.7524	36.62	32.50	-12.48	56.64	106.63	49.99	Vertical			
4	5723.4017	48.85	32.50	-12.49	68.86	118.66	49.80	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

378 of 463 Page:

#### 802.11a\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5853.2966	37.63	32.61	-12.30	57.94	114.78	56.84	Horizontal		
2	5871.7859	35.55	32.69	-12.22	56.02	106.20	50.18	Horizontal		
3	5907.939	36.75	32.82	-12.10	57.47	80.93	23.46	Horizontal		
4	5939.057	35.82	32.88	-12.10	56.60	68.30	11.70	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

379 of 463 Page:

#### 802.11a\_Channel 165



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5852.7189	38.85	32.61	-12.30	59.16	116.10	56.94	Vertical		
2	5870.5478	36.38	32.68	-12.22	56.84	106.55	49.71	Vertical		
3	5894.5673	35.93	32.78	-12.12	56.59	90.82	34.23	Vertical		
4	5938.2316	36.37	32.88	-12.10	57.15	68.30	11.15	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

380 of 463 Page:

#### 802.11ac20\_Channel 36



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	5142.5113	37.07	31.76	-13.09	55.74	74.00	18.26	Horizontal	
2	5146.2231	36.31	31.78	-13.08	55.01	74.00	18.99	Horizontal	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

381 of 463 Page:

#### 802.11ac20\_Channel 36



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	5136.4182	24.91	31.72	-13.11	43.52	54.00	10.48	Horizontal	
2	5146.6433	25.06	31.78	-13.08	43.76	54.00	10.24	Horizontal	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

382 of 463 Page:

#### 802.11ac20\_Channel 36



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	5142.3712	37.75	31.75	-13.09	56.41	74.00	17.59	Vertical	
2	5149.4447	37.42	31.80	-13.07	56.15	74.00	17.85	Vertical	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

383 of 463 Page:

#### 802.11ac20\_Channel 36



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5141.5308	25.59	31.75	-13.10	44.24	54.00	9.76	Vertical		
2	5148.3942	26.37	31.79	-13.07	45.09	54.00	8.91	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

384 of 463 Page:

#### 802.11ac20\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5356.2381	35.87	32.24	-12.69	55.42	74.00	18.58	Horizontal			
2	5375.5078	35.84	32.35	-12.72	55.47	74.00	18.53	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

385 of 463 Page:

#### 802.11ac20\_Channel 48



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	5352.3477	24.14	32.21	-12.68	43.67	54.00	10.33	Horizontal	
2	5369.6104	24.27	32.32	-12.71	43.88	54.00	10.12	Horizontal	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

386 of 463 Page:

#### 802.11ac20\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5359.7499	37.18	32.26	-12.70	56.74	74.00	17.26	Vertical			
2	5370.6453	35.92	32.32	-12.71	55.53	74.00	18.47	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

387 of 463 Page:

#### 802.11ac20\_Channel 48



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5350.7293	24.51	32.20	-12.68	44.03	54.00	9.97	Vertical		
2	5371.049	24.39	32.33	-12.71	44.01	54.00	9.99	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

388 of 463 Page:

#### 802.11ac20\_Channel 149



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5649.1246	38.14	32.50	-12.56	58.08	68.30	10.22	Horizontal		
2	5661.2906	37.76	32.50	-12.54	57.72	76.66	18.94	Horizontal		
3	5706.1131	37.18	32.50	-12.48	57.20	107.01	49.81	Horizontal		
4	5722.3612	40.00	32.50	-12.49	60.01	116.28	56.27	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

389 of 463 Page:

#### 802.11ac20\_Channel 149



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5644.4022	37.06	32.51	-12.55	57.02	68.30	11.28	Vertical		
2	5658.6493	38.69	32.50	-12.55	58.64	74.70	16.06	Vertical		
3	5701.3107	37.43	32.50	-12.48	57.45	105.67	48.22	Vertical		
4	5721.1606	36.96	32.50	-12.49	56.97	113.55	56.58	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

390 of 463 Page:

#### 802.11ac20\_Channel 165



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5853.2141	35.50	32.61	-12.30	55.81	114.97	59.16	Horizontal			
2	5868.0715	36.14	32.67	-12.23	56.58	107.24	50.66	Horizontal			
3	5923.2916	36.81	32.85	-12.10	57.56	69.56	12.00	Horizontal			
4	5941.5333	36.73	32.88	-12.10	57.51	68.30	10.79	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

391 of 463 Page:

#### 802.11ac20\_Channel 165



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5853.2966	36.25	32.61	-12.30	56.56	114.78	58.22	Vertical			
2	5872.1161	37.61	32.69	-12.22	58.08	106.11	48.03	Vertical			
3	5913.7994	36.73	32.83	-12.10	57.46	76.59	19.13	Vertical			
4	5934.5998	36.01	32.87	-12.10	56.78	68.30	11.52	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

392 of 463 Page:

#### 802.11ac40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5137.0685	37.13	31.72	-13.11	55.74	74.00	18.26	Horizontal		
2	5356.028	36.93	32.24	-12.69	56.48	74.00	17.52	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

393 of 463 Page:

#### 802.11ac40\_Channel 38



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5142.7714	25.60	31.76	-13.09	44.27	54.00	9.73	Horizontal			
2	5358.1291	25.08	32.25	-12.69	44.64	54.00	9.36	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

394 of 463 Page:

#### 802.11ac40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5149.8249	38.08	31.80	-13.07	56.81	74.00	17.19	Vertical		
2	5360.3802	37.11	32.26	-12.70	56.67	74.00	17.33	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

395 of 463 Page:

### 802.11ac40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5144.5723	25.88	31.77	-13.09	44.56	54.00	9.44	Vertical		
2	5362.6313	25.31	32.28	-12.70	44.89	54.00	9.11	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

396 of 463 Page:

#### 802.11ac40\_Channel 46



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5131.966	36.54	31.69	-13.12	55.11	74.00	18.89	Horizontal		
2	5350.3252	36.75	32.20	-12.68	56.27	74.00	17.73	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

397 of 463 Page:

#### 802.11ac40\_Channel 46



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5142.4712	25.26	31.75	-13.09	43.92	54.00	10.08	Horizontal		
2	5360.2301	25.34	32.26	-12.70	44.90	54.00	9.10	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

398 of 463 Page:

#### 802.11ac40\_Channel 46



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5120.1101	37.51	31.62	-13.16	55.97	74.00	18.03	Vertical			
2	5370.2851	36.46	32.32	-12.71	56.07	74.00	17.93	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

399 of 463 Page:

#### 802.11ac40\_Channel 46



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5141.8709	25.38	31.75	-13.09	44.04	54.00	9.96	Vertical		
2	5357.2286	25.21	32.24	-12.69	44.76	54.00	9.24	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

400 of 463 Page:

#### 802.11ac40\_Channel 151



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5631.1781	33.32	32.54	-12.53	53.33	68.30	14.97	Horizontal			
2	5655.4027	34.71	32.50	-12.55	54.66	72.30	17.64	Horizontal			
3	5705.9655	33.62	32.50	-12.48	53.64	106.97	53.33	Horizontal			
4	5720.923	34.72	32.50	-12.49	54.73	113.00	58.27	Horizontal			
5	5850.8254	32.96	32.60	-12.31	53.25	120.42	67.17	Horizontal			
6	5861.068	33.81	32.64	-12.26	54.19	109.20	55.01	Horizontal			
7	5921.8734	32.76	32.84	-12.10	53.50	70.61	17.11	Horizontal			
8	5929.8399	33.68	32.86	-12.10	54.44	68.30	13.86	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

401 of 463 Page:

#### 802.11ac40\_Channel 151



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5629.3897	33.37	32.54	-12.52	53.39	68.30	14.91	Vertical			
2	5671.1731	34.74	32.50	-12.53	54.71	83.97	29.26	Vertical			
3	5709.5423	34.04	32.50	-12.48	54.06	107.97	53.91	Vertical			
4	5722.5488	34.49	32.50	-12.49	54.50	116.71	62.21	Vertical			
5	5852.7764	31.70	32.61	-12.30	52.01	115.97	63.96	Vertical			
6	5872.4487	32.69	32.69	-12.22	53.16	106.01	52.85	Vertical			
7	5901.7134	33.08	32.80	-12.10	53.78	85.53	31.75	Vertical			
8	5937.969	32.11	32.88	-12.10	52.89	68.30	15.41	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-ferms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-Erms-and-Cond

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

402 of 463 Page:

#### 802.11ac40\_Channel 159



Data L	_ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5638.1691	33.60	32.52	-12.54	53.58	68.30	14.72	Horizontal
2	5656.3782	33.47	32.50	-12.55	53.42	73.02	19.60	Horizontal
3	5706.2906	33.25	32.50	-12.48	53.27	107.06	53.79	Horizontal
4	5721.7359	32.14	32.50	-12.49	52.15	114.86	62.71	Horizontal
5	5851.4757	32.08	32.61	-12.30	52.39	118.94	66.55	Horizontal
6	5865.6203	33.18	32.66	-12.24	53.60	107.93	54.33	Horizontal
7	5910.005	33.46	32.82	-12.10	54.18	79.40	25.22	Horizontal
8	5942.8464	33.32	32.89	-12.10	54.11	68.30	14.19	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

403 of 463 Page:

#### 802.11ac40\_Channel 159



Data L	_ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5646.6233	34.07	32.51	-12.55	54.03	68.30	14.27	Vertical
2	5668.2466	32.83	32.50	-12.53	52.80	81.80	29.00	Vertical
3	5709.8674	34.05	32.50	-12.48	54.07	108.06	53.99	Vertical
4	5720.923	31.90	32.50	-12.49	51.91	113.00	61.09	Vertical
5	5853.7519	32.35	32.62	-12.29	52.68	113.75	61.07	Vertical
6	5869.8474	32.49	32.68	-12.23	52.94	106.74	53.80	Vertical
7	5906.916	33.05	32.81	-12.10	53.76	81.68	27.92	Vertical
8	5929.1896	33.63	32.86	-12.10	54.39	68.30	13.91	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

404 of 463 Page:

#### 802.11ac80\_Channel 42



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	5146.073	38.67	31.78	-13.08	57.37	74.00	16.63	Horizontal	
2	5350.025	38.34	32.20	-12.68	57.86	74.00	16.14	Horizontal	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

405 of 463 Page:

#### 802.11ac80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5149.2246	27.54	31.80	-13.07	46.27	54.00	7.73	Horizontal		
2	5365.7829	26.34	32.29	-12.71	45.92	54.00	8.08	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

406 of 463 Page:

#### 802.11ac80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5146.073	39.31	31.78	-13.08	58.01	74.00	15.99	Vertical		
2	5376.5883	37.25	32.36	-12.72	56.89	74.00	17.11	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

407 of 463 Page:

#### 802.11ac80\_Channel 42



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5148.7744	28.89	31.79	-13.07	47.61	54.00	6.39	Vertical		
2	5369.5348	26.40	32.32	-12.71	46.01	54.00	7.99	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

408 of 463 Page:

#### 802.11ac80\_Channel 155



Data L	_ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5631.3407	37.32	32.54	-12.53	57.33	68.30	10.97	Horizontal
2	5678.1641	38.08	32.50	-12.51	58.07	89.14	31.07	Horizontal
3	5711.4932	39.99	32.50	-12.48	60.01	108.52	48.51	Horizontal
4	5722.7114	40.12	32.50	-12.49	60.13	117.08	56.95	Horizontal
5	5850.988	36.07	32.60	-12.31	56.36	120.05	63.69	Horizontal
6	5876.6758	36.62	32.71	-12.20	57.13	104.06	46.93	Horizontal
7	5934.7174	37.87	32.87	-12.10	58.64	68.30	9.66	Horizontal
8	5938.7819	37.47	32.88	-12.10	58.25	68.30	10.05	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

409 of 463 Page:

#### 802.11ac80\_Channel 155



Data L	_ist							
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5631.3407	36.98	32.54	-12.53	56.99	68.30	11.31	Vertical
2	5648.8994	38.24	32.50	-12.56	58.18	68.30	10.12	Vertical
3	5678.3267	37.78	32.50	-12.51	57.77	89.26	31.49	Vertical
4	5718.4842	40.94	32.50	-12.49	60.95	110.48	49.53	Vertical
5	5862.2061	37.34	32.65	-12.26	57.73	108.88	51.15	Vertical
6	5901.5508	36.99	32.80	-12.10	57.69	85.65	27.96	Vertical
7	5930.1651	36.65	32.86	-12.10	57.41	68.30	10.89	Vertical
8	5944.3097	37.00	32.89	-12.10	57.79	68.30	10.51	Vertical

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

410 of 463 Page:

#### 802.11ax20\_Channel 36



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5111.2756	38.60	31.57	-13.19	56.98	74.00	17.02	Horizontal		
2	5141.2506	37.46	31.75	-13.10	56.11	74.00	17.89	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

411 of 463 Page:

#### 802.11ax20\_Channel 36



Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5145.3127	25.43	31.77	-13.08	44.12	54.00	9.88	Horizontal		
2	5148.8844	25.71	31.79	-13.07	44.43	54.00	9.57	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

412 of 463 Page:

#### 802.11ax20\_Channel 36



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5134.1771	38.18	31.71	-13.12	56.77	74.00	17.23	Vertical		
2	5146.083	39.81	31.78	-13.08	58.51	74.00	15.49	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

413 of 463 Page:

#### 802.11ax20\_Channel 36



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5143.7019	26.30	31.76	-13.09	44.97	54.00	9.03	Vertical		
2	5149.935	27.20	31.80	-13.07	45.93	54.00	8.07	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

414 of 463 Page:

### 802.11ax20\_Channel 48



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5358.1291	37.06	32.25	-12.69	56.62	74.00	17.38	Horizontal			
2	5388.3842	37.23	32.43	-12.74	56.92	74.00	17.08	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

415 of 463 Page:

#### 802.11ax20\_Channel 48



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5360.4396	24.73	32.26	-12.70	44.29	54.00	9.71	Horizontal			
2	5391.1888	24.65	32.45	-12.75	44.35	54.00	9.65	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

416 of 463 Page:

#### 802.11ax20\_Channel 48



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5359.4797	37.06	32.26	-12.70	56.62	74.00	17.38	Vertical		
2	5370.015	37.15	32.32	-12.71	56.76	74.00	17.24	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

417 of 463 Page:

#### 802.11ax20\_Channel 48



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5358.4615	25.52	32.25	-12.69	45.08	54.00	8.92	Vertical		
2	5382.7373	25.35	32.40	-12.73	45.02	54.00	8.98	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

418 of 463 Page:

#### 802.11ax20\_Channel 149



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5643.4417	37.45	32.51	-12.55	57.41	68.30	10.89	Horizontal			
2	5652.006	37.27	32.50	-12.56	57.21	69.78	12.57	Horizontal			
3	5700.7504	37.01	32.50	-12.48	57.03	105.51	48.48	Horizontal			
4	5724.8424	48.90	32.50	-12.49	68.91	121.94	53.03	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

419 of 463 Page:

#### 802.11ax20\_Channel 149



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5643.2816	37.68	32.51	-12.55	57.64	68.30	10.66	Vertical			
2	5668.6543	38.08	32.50	-12.53	58.05	82.10	24.05	Vertical			
3	5711.956	38.09	32.50	-12.48	58.11	108.65	50.54	Vertical			
4	5724.6823	51.44	32.50	-12.49	71.45	121.58	50.13	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

420 of 463 Page:

#### 802.11ax20\_Channel 165



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5853.3792	35.76	32.61	-12.30	56.07	114.60	58.53	Horizontal			
2	5866.5858	36.14	32.67	-12.24	56.57	107.66	51.09	Horizontal			
3	5923.6218	36.69	32.85	-12.10	57.44	69.32	11.88	Horizontal			
4	5928.2441	37.23	32.86	-12.10	57.99	68.30	10.31	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 1td




Report No.: SUCR240600021204

Rev.: 01

421 of 463 Page:

#### 802.11ax20\_Channel 165



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5853.2966	36.51	32.61	-12.30	56.82	114.78	57.96	Vertical			
2	5866.2556	36.34	32.67	-12.24	56.77	107.75	50.98	Vertical			
3	5921.971	36.31	32.84	-12.10	57.05	70.54	13.49	Vertical			
4	5931.8759	37.23	32.86	-12.10	57.99	68.30	10.31	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 11d




Report No.: SUCR240600021204

Rev.: 01

422 of 463 Page:

#### 802.11ax40\_Channel 38



Data I	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5144.5723	37.86	31.77	-13.09	56.54	74.00	17.46	Horizontal			
2	5387.6938	36.57	32.43	-12.74	56.26	74.00	17.74	Horizontal			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 11d




Report No.: SUCR240600021204

Rev.: 01

423 of 463 Page:

#### 802.11ax40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5148.4742	25.88	31.79	-13.07	44.60	54.00	9.40	Horizontal		
2	5359.6298	25.42	32.26	-12.70	44.98	54.00	9.02	Horizontal		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

424 of 463 Page:

#### 802.11ax40\_Channel 38



Data I	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	5142.1711	37.93	31.75	-13.09	56.59	74.00	17.41	Vertical			
2	5398.6493	37.39	32.49	-12.76	57.12	74.00	16.88	Vertical			

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., 11d




Report No.: SUCR240600021204

Rev.: 01

425 of 463 Page:

#### 802.11ax40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	5149.5248	26.47	31.80	-13.07	45.20	54.00	8.80	Vertical		
2	5356.9285	25.42	32.24	-12.69	44.97	54.00	9.03	Vertical		

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d




Report No.: SUCR240600021204

Rev.: 01

426 of 463 Page:

#### 802.11ax40\_Channel 46



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5132.7164	36.56	31.70	-13.12	55.14	74.00	18.86	Horizontal
2	5365.4827	36.84	32.29	-12.70	56.43	74.00	17.57	Horizontal

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-This document is issued by the Company subject to its General Conditions of Service printed overlear, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Documents, subject to Terms-and-Conditions-forms-e-Document, saps. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co. 11d