



TEST REPORT

REPORT NUMBER: I22W00013-EMC-Rev1

ON

Type of Equipment: Wireless Module
Type of Designation: SIM7500A-H
Brand Name: SIMCom
Manufacturer: SIMCom Wireless Solutions Limited
FCC ID: 2AJYU-8PYA00B

ACCORDING TO

Subpart B, PART 15, RADIO FREQUENCY DEVICES

Chongqing Academy of Information and Communications Technology

Month date, year

Mar 10, 2022

Signature



Xiang Luoyong

Director

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of Chongqing Academy of Information and Communications Technology.



Report No.: I22W00013-EMC-Rev1

Revision Version

Report Number	Revision	Date	Memo
I22W00013-EMC	00	2022-02-24	Initial creation of test report
I22W00013-EMC-Rev1	1	2022-03-10	--

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

CONTENTS

1.	Test Laboratory.....	4
1.1.	Testing Location.....	4
1.2.	Testing Environment.....	4
1.3.	Project data.....	4
1.4.	Signature.....	4
2.	Client Information.....	5
2.1.	Applicant Information.....	5
2.2.	Manufacturer Information.....	5
3.	Equipment under Test (EUT) and Ancillary Equipment (AE).....	6
3.1.	About EUT.....	6
3.2.	Internal Identification of EUT used during the test.....	6
3.3.	Internal Identification of AE used during the test.....	6
4.	Reference Documents.....	7
4.1.	Reference Documents for testing.....	7
5.	Test Equipments Utilized.....	8
6.	Test Results.....	9
6.1.	Summary of Test Results.....	9
7.	Test Results.....	10
7.1.	Radiated Emission.....	10
7.2.	Conducted Emission.....	15
	Annex A EUT Photos.....	18
	ANNEX B Deviations from Prescribed Test Methods.....	19

1. Test Laboratory

1.1. Testing Location

Name:	Chongqing Academy of Information and Communications Technology
FCC Registration Number:	CN1239
Address:	Building C, Technology Innovation Center, No.8, Yuma Road, Chayuan New Area, Nan'an District, Chongqing, People's Republic of China
Postal Code:	401336
Telephone:	0086-23-88069965
Fax:	0086-23-88608777

1.2. Testing Environment

Normal Temperature:	19.4-22.3°C
Relative Humidity:	42.0-56.0%

1.3. Project data

Testing Start Date:	2022-2-14
Testing End Date:	2022-2-16

1.4. Signature



2022-3-10

Li Quan
(Prepared this test report)

Date

2022-3-10

Xiao Yu
(Reviewed this test report)

Date

2022-3-10

Xiang Luoyong Director of the
laboratory (Approved this test report)

Date

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

2. Client Information

2.1. Applicant Information

Company Name:	SIMCom Wireless Solutions Limited
Address /Post:	Building 3, No. 289, Linhong Road, Changning District, Shanghai, P.R.China
City:	Shanghai
Country:	China
Telephone:	15902149520
Fax:	--
Email:	yue.hai@simcom.com
Contact Person:	Haiyue

2.2. Manufacturer Information

Company Name:	SIMCom Wireless Solutions Limited
Address /Post:	Building 3, No. 289, Linhong Road, Changning District, Shanghai, P.R.China
City:	Shanghai
Country:	China
Telephone:	15902149520
Fax:	--
Email:	yue.hai@simcom.com
Contact Person:	Haiyue

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

3. Equipment under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

EUT Description	SIMCom Wireless Solutions Limited
Model name	SIM7500A-H
Brand name	SIMCom
LTE Frequency Band	2/4/12

Note: Photographs of EUT are shown in ANNEX B of this test report.

3.2. Internal Identification of EUT used during the test

EUT ID	SN or IMEI	HW Version	SW Version	Date of receipt
S1	867806060000009	V2.01	B05V01	2022-2-11

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID	Description	SN
--	--	--

*AE ID: is used to identify the test sample in the lab internally.

dB*: is provided customer.

4. Reference Documents

4.1. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC CFR Part 15, Subpart B,	RADIO FREQUENCY DEVICES	March 05, 2018

5. Test Equipments Utilized

No.	Equipment	Model	SN	HW Version	SW Version	Manufacture	Cal.Due Date
1	Test Receiver	ESU26	100367	--	5.1-24-3	R&S	2022-06-11
2	Test Receiver	ESCI 9KHz-3GHz	101214	--	5.1-24-3	R&S	2022-06-11
3	Ultra-wideband Log Periodic Antenna	VULB 9163	01392	--	--	Schwarzbeck	2023-03-04
4	Double Ridged Guide Antenna	HF907	100357	--	--	R&S	2023-02-10
5	Artificial Main Network	ENV 216	101128	--	--	R&S	2022-06-11

Test software

No.	Name	version	SN	Manufacture
1	EMC32	V 8.51.00	--	R&S
2	EMC32	V 8.51.00	--	R&S

6. Test Results

6.1. Summary of Test Results

FCC Rules	Name of Test	Result
15.109	Radiated Emission	Pass
15.107	Conducted Emission	Pass
Note: N/A means not applicable.		

7. Test Results

7.1. Radiated Emission


Specifications:	15.109
Date of Tests	2022-02-14—2022-02-16
Test conditions:	Ambient Temperature:19.3℃-21.0℃ Relative Humidity:55.0%RH-57.0%RH Air pressure:98.5kPa-99.1kPa
Operation Mode	Normal
Test Results:	Pass

Limit Level Construction(Except for Class A digital devices):

Frequency Range (MHz)	Quasi-Peak (dBuV/m)
30-88	40
88-216	43.5
216-960	46
Above 960	54


Frequency Range (MHz)	Peak (dBuV/m)	Average (dBuV/m)
Above 1000	74	54

EUT Setup:




Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



30MHz-1GHz



1GHz-18GHz

Test Method:

For 30-1000MHz, the EUT was placed on the top of a rotating 0.8m table above the ground at a semi-anechoic chamber. The distance between the EUT and the received antenna was 3 meters. The table was rotated 360 degree and the received antenna mounted on a variable-height antenna tower was varied from 1m to 4m to find the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna were set during the measurement. Tested in accordance with the procedures of ANSI C63.4-2014, section 8.3.

For 1000-18000MHz, the maximal emission value was acquired by adjusting the antenna height, and the table was rotated 360 degree to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna were set during the measurement.

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

Uncertainty Measurement:


The measurement uncertainty (30MHz-1000MHz) is 5.20 dB (k=2).

The measurement uncertainty (1000MHz-6000MHz) is 4.70 dB (k=2).

The measurement uncertainty (6000MHz-18000MHz) is 4.79 dB (k=2).

Test Data

RE 30MHz-1GHz


Final_Result

RE 30MHz-1GHz


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)
37.338500	29.6	40.0	10.4	1000.0	120.000	100.0	V	80.0
40.248500	31.6	40.0	8.4	1000.0	120.000	100.0	V	280.0
53.941000	15.7	40.0	24.3	1000.0	120.000	100.0	V	100.0
69.127500	4.7	40.0	35.3	1000.0	120.000	10.0	V	80.0
121.322500	9.8	43.5	33.7	1000.0	120.000	200.0	V	260.0
155.118000	13.0	43.5	30.5	1000.0	120.000	100.0	V	80.0

Note: Both H polarization and V polarization are tested. The figure shows the blue value of H polarization and the red value of V polarization synthesis

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

RE 1GHz-3GHz



Final_Result

RE 1GHz-3GHz


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)
1085.600000	37.2	74.0	36.8	1500.0	1000.000	100.0	V	83.0
1349.600000	39.8	74.0	34.2	1500.0	1000.000	100.0	H	105.0
1835.400000	45.2	74.0	28.8	1500.0	1000.000	100.0	V	285.0
2399.600000	48.3	74.0	25.7	1500.0	1000.000	100.0	V	83.0
2787.000000	50.7	74.0	23.3	1500.0	1000.000	100.0	V	15.0
2962.200000	52.5	74.0	21.5	1500.0	1000.000	100.0	V	263.0

Note: Both H polarization and V polarization are tested. The figure shows the blue value of H polarization and the red value of V polarization synthesis

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

RE 3GHz-18GHz



RE 3GHz-18GHz


7.2. Conducted Emission

Specifications:	15.107
Date of Tests	2022-02-14
Test conditions:	Ambient Temperature:22.9°C Relative Humidity:36.0% Air pressure: 99.1kPa
Operation Mode	Normal
Test Results:	Pass
Note: Both EUT have been tested , and the data only reflect the worst case.	

Limit Level Construction:


Frequency Range (MHz)	Conducted Limit (dBuV)	
	Quasi-peak	Average
0.15-0.5	66 to 56*	56 to 46*
0.5-5	56	46
5-30	60	50
*Decreases with the logarithm of the frequency		

EUT Setup:



Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Test Method:


For equipment that is designed to be connected to the public utility (AC) power line, the radio frequency voltage that is conducted back onto the AC power line on any frequency or frequencies with the band 150 kHz to 30MHz shall not exceed the limits. Both lines of the power mains connected to the EUT were checked for maximum conducted interference. Tested in accordance with the procedures of ANSI C63.4-2014, section 7.3

Uncertainty Measurement:

The measurement uncertainty is 1.83 dB (k=2).

Test Data

CISPR N&L1 Voltage 150k to 30MHz-Class B


Final Result 1

Frequency (MHz)	QuasiPeak (dBμV)	Meas. Time	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.378531	36.4	1000.0	9.000	On	L1	9.8	21.9	58.3
1.629606	32.8	1000.0	9.000	On	N	9.8	23.2	56.0
1.808138	30.5	1000.0	9.000	On	L1	9.8	25.5	56.0
2.328694	29.5	1000.0	9.000	On	L1	9.9	26.5	56.0
3.784119	32.3	1000.0	9.000	On	N	9.9	23.7	56.0
4.735556	33.3	1000.0	9.000	On	N	9.9	22.7	56.0

Final Result 2

Frequency (MHz)	Average (dBμV)	Meas. Time (ms)	Bandwidth (kHz)	Filter	Line	Corr. (dB)	Margin (dB)	Limit (dBμV)
0.431069	33.0	1000.0	9.000	On	L1	9.8	14.2	47.2
1.724138	25.2	1000.0	9.000	On	L1	9.8	20.8	46.0
2.232962	21.6	1000.0	9.000	On	L1	9.9	24.4	46.0
3.045300	23.7	1000.0	9.000	On	L1	9.9	22.3	46.0
3.890681	28.2	1000.0	9.000	On	L1	9.9	17.8	46.0
4.675556	27.6	1000.0	9.000	On	L1	9.9	18.4	46.0

Note: Both L line and N line are tested. The figure shows the maximum value of L line and N line synthesis.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Report No.: I22W00013-EMC-Rev1

Annex A EUT Photos

See the document "I22W00013-External Photos".

See the document "I22W00013-Internal Photos".

Test photo See the document "I22W00013-EMC Test Setup Photos".

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: I22W00013-EMC-Rev1

ANNEX B Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

*****END OF REPORT*****

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777