







Mode	58																																																																																																																																									
	Harmonic																																																																																																																																									
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																			
Peak Avg																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>75.80</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>141</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>53.35</td><td>54.00</td><td>-0.65</td><td>72.63</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>141</td><td>359</td><td>AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>57.08</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	56.52	74.00	-17.48	75.80	34.20	12.07	65.55	0.00	141	359	PEAK	2	4880.00	53.35	54.00	-0.65	72.63	34.20	12.07	65.55	0.00	141	359	AVERAGE	3	7320.00	43.01	74.00	-30.99	57.08	35.80	14.98	64.85	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>63.38</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>57.33</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	44.10	74.00	-29.90	63.38	34.20	12.07	65.55	0.00	--	--	PEAK	2	7320.00	43.26	74.00	-30.74	57.33	35.80	14.98	64.85	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4880.00	56.52	74.00	-17.48	75.80	34.20	12.07	65.55	0.00	141	359	PEAK																																																																																																																														
2	4880.00	53.35	54.00	-0.65	72.63	34.20	12.07	65.55	0.00	141	359	AVERAGE																																																																																																																														
3	7320.00	43.01	74.00	-30.99	57.08	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	4880.00	44.10	74.00	-29.90	63.38	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																														
2	7320.00	43.26	74.00	-30.74	57.33	35.80	14.98	64.85	0.00	--	--	PEAK																																																																																																																														







Mode	58																																																																																												
	Band Edge - L																																																																																												
	2400-2483.5_802.11ax HE40_CH03_Full_2422MHz																																																																																												
ANT	CDD																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.26</td><td>58.58</td><td>74.00</td><td>-15.42</td><td>42.36</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>128 153 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	58.58	74.00	-15.42	42.36	32.38	8.77	30.93	6.00	128 153 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>107.20</td><td>-----</td><td>-----</td><td>90.87</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>128 153 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	107.20	-----	-----	90.87	32.40	8.88	30.95	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2388.26	58.58	74.00	-15.42	42.36	32.38	8.77	30.93	6.00	128 153 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	107.20	-----	-----	90.87	32.40	8.88	30.95	6.00	128 153 PEAK																																																																																			
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>28.97</td><td>32.38</td><td>8.78</td><td>30.93</td><td>6.00</td><td>128 153 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	45.20	54.00	-8.80	28.97	32.38	8.78	30.93	6.00	128 153 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>101.49</td><td>-----</td><td>-----</td><td>85.16</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>128 153 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	101.49	-----	-----	85.16	32.40	8.88	30.95	6.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.95	45.20	54.00	-8.80	28.97	32.38	8.78	30.93	6.00	128 153 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2422.00	101.49	-----	-----	85.16	32.40	8.88	30.95	6.00	128 153 AVERAGE																																																																																			



Mode	58																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11ax HE40_CH03_Full_2422MHz																																																						
ANT	CDD																																																						
Pol.	Horizontal										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.72</td><td>55.93</td><td>74.00</td><td>-18.07</td><td>39.63</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>128</td><td>153</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.72	55.93	74.00	-18.07	39.63	32.40	8.87	30.97	6.00	128	153	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2494.72	55.93	74.00	-18.07	39.63	32.40	8.87	30.97	6.00	128	153	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.70</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>27.27</td><td>32.40</td><td>8.87</td><td>30.98</td><td>6.00</td><td>128</td><td>153</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.70	43.56	54.00	-10.44	27.27	32.40	8.87	30.98	6.00	128	153	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2499.70	43.56	54.00	-10.44	27.27	32.40	8.87	30.98	6.00	128	153	AVERAGE																																											





Mode	58																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11ax HE40_CH03_Full_2422MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.57</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>43.16</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>291</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.57	59.37	74.00	-14.63	43.16	32.37	8.77	30.93	6.00	291	283	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>102.53</td><td>-----</td><td>-----</td><td>86.20</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>291</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	102.53	-----	-----	86.20	32.40	8.88	30.95	6.00	291	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.57	59.37	74.00	-14.63	43.16	32.37	8.77	30.93	6.00	291	283	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	102.53	-----	-----	86.20	32.40	8.88	30.95	6.00	291	283	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>45.02</td><td>54.00</td><td>-8.98</td><td>28.00</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>291</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	45.02	54.00	-8.98	28.00	32.38	8.77	30.93	6.00	291	283	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2422.00</td><td>99.35</td><td>-----</td><td>-----</td><td>83.02</td><td>32.40</td><td>8.88</td><td>30.95</td><td>6.00</td><td>291</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2422.00	99.35	-----	-----	83.02	32.40	8.88	30.95	6.00	291	283
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	45.02	54.00	-8.98	28.00	32.38	8.77	30.93	6.00	291	283	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2422.00	99.35	-----	-----	83.02	32.40	8.88	30.95	6.00	291	283	AVERAGE																																																																																							



Mode	58																																																
	Band Edge - R																																																
	2400-2483.5_802.11ax HE40_CH03_Full_2422MHz																																																
ANT	CDD																																																
Pol.	Vertical						Fundamental																																										
Peak							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>56.18</td><td>74.00</td><td>-17.82</td><td>39.87</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>291</td><td>283</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	56.18	74.00	-17.82	39.87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.40	56.18	74.00	-17.82	39.87	32.40	8.88	30.97	6.00	291	283	PEAK																																					
Avg							Blank																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>43.35</td><td>54.00</td><td>-10.65</td><td>27.04</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>291</td><td>283</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	43.35	54.00	-10.65	27.04
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																							
1	2484.34	43.35	54.00	-10.65	27.04	32.40	8.88	30.97	6.00	291	283	AVERAGE																																					



Mode	58																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_802.11ax HE40_CH03_Full_2422MHz																																																																																																																																																																			
ANT	CDD																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>65.44</td><td>34.21</td><td>12.22</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>75.80</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>141</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>4880.00</td><td>53.35</td><td>54.00</td><td>-0.65</td><td>72.63</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>141</td><td>359</td><td>Average</td></tr><tr><td>4</td><td>7266.00</td><td>44.12</td><td>74.00</td><td>-29.88</td><td>58.21</td><td>35.80</td><td>14.81</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	46.26	74.00	-27.74	65.44	34.21	12.22	65.61	0.00	--	--	PEAK	2	4880.00	56.52	74.00	-17.48	75.80	34.20	12.07	65.55	0.00	141	359	PEAK	3	4880.00	53.35	54.00	-0.65	72.63	34.20	12.07	65.55	0.00	141	359	Average	4	7266.00	44.12	74.00	-29.88	58.21	35.80	14.81	64.70	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4844.00</td><td>40.91</td><td>74.00</td><td>-33.09</td><td>60.09</td><td>34.21</td><td>12.22</td><td>65.61</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>63.38</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7266.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>57.27</td><td>35.80</td><td>14.81</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4844.00	40.91	74.00	-33.09	60.09	34.21	12.22	65.61	0.00	--	--	PEAK	2	4880.00	44.10	74.00	-29.90	63.38	34.20	12.07	65.55	0.00	--	--	PEAK	3	7266.00	43.18	74.00	-30.82	57.27	35.80	14.81	64.70	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4844.00	46.26	74.00	-27.74	65.44	34.21	12.22	65.61	0.00	--	--	PEAK																																																																																																																																																								
2	4880.00	56.52	74.00	-17.48	75.80	34.20	12.07	65.55	0.00	141	359	PEAK																																																																																																																																																								
3	4880.00	53.35	54.00	-0.65	72.63	34.20	12.07	65.55	0.00	141	359	Average																																																																																																																																																								
4	7266.00	44.12	74.00	-29.88	58.21	35.80	14.81	64.70	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4844.00	40.91	74.00	-33.09	60.09	34.21	12.22	65.61	0.00	--	--	PEAK																																																																																																																																																								
2	4880.00	44.10	74.00	-29.90	63.38	34.20	12.07	65.55	0.00	--	--	PEAK																																																																																																																																																								
3	7266.00	43.18	74.00	-30.82	57.27	35.80	14.81	64.70	0.00	--	--	PEAK																																																																																																																																																								




Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	91.36	4.290	0.233	0.24KHZ
802.11g	77.20	1.399	0.715	0.75KHZ
802.11ac VHT20	98.11	-	-	10HZ
802.11ac VHT40	96.37	0.346	2.887	3KHZ
802.11ax HE20	60.93	0.646	1.547	1.6KHZ
802.11ax HE40	46.04	0.354	2.828	3KHZ
802.11n HT20	59.49	0.609	1.643	1.8KHZ
802.11n HT40	43.03	0.313	3.194	3.3KHZ
802.11ax HE20 RU26	97.77	0.700	1.429	1.5KHZ
802.11ax HE20 RU52	97.77	0.700	1.429	1.5KHZ
802.11ax HE20 RU106	97.77	0.700	1.429	1.5KHZ




802.11b



Date: 24.JAN.2024 16:22:19


802.11g




Date: 24.JAN.2024 16:24:03



802.11ac VHT20




802.11 ac VHT 40






802.11ax HE20



Date: 24.JAN.2024 16:28:34


802.11 ax HE 40



Date: 24.JAN.2024 16:43:44




802.11n HT20



Date: 24.JAN.2024 16:25:27


802.11n HT 40




Date: 24.JAN.2024 16:29:42



802.11ax HE20 RU26



802.11ax HE20 RU52





802.11ax HE20 RU106

