











WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																										
ANT		802.11n HT40 CH09 2452MHz - R																																										
1	Horizontal	Fundamental																																										
Peak	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-KS Condition : FCC PART 15C 3m 3117 00218652 HORIZONTAL Project : FR1N0920 Mode : Z Plane : Full-directivity Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2483.68</td><td>67.52</td><td>-6.48</td><td>74.00</td><td></td><td>66.23</td><td>30.86</td><td>7.25</td><td>36.82</td><td></td><td>106</td><td>173</td><td>Peak</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dBm	dB	dB	dB	dB	cm	deg			1 2483.68	67.52	-6.48	74.00		66.23	30.86	7.25	36.82		106	173	Peak	HORIZONTAL	Left blank
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																															
MHz	dBm	dB	dBm	dB	dBm	dB	dB	dB	dB	cm	deg																																	
1 2483.68	67.52	-6.48	74.00		66.23	30.86	7.25	36.82		106	173	Peak	HORIZONTAL																															
Avg.	 No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Project : FR1N0920 Mode : Z Plane : Full-directivity Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dBm</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2483.50</td><td>50.58</td><td>-3.42</td><td>54.00</td><td></td><td>49.29</td><td>30.86</td><td>7.25</td><td>36.82</td><td></td><td>106</td><td>173</td><td>Average</td><td>HORIZONTAL</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dB	dBm	dB	dBm	dB	dB	dB	dB	cm	deg			1 2483.50	50.58	-3.42	54.00		49.29	30.86	7.25	36.82		106	173	Average	HORIZONTAL	Left blank
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																															
MHz	dBm	dB	dBm	dB	dBm	dB	dB	dB	dB	cm	deg																																	
1 2483.50	50.58	-3.42	54.00		49.29	30.86	7.25	36.82		106	173	Average	HORIZONTAL																															



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																						
ANT	802.11n HT40 CH09 2452MHz - L																																																																																																																																						
1	Vertical	Fundamental																																																																																																																																					
Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-K5 Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : R8W 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : Z Plane : Full-directivity IMEI : #1 Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2385.92</td><td>51.82</td><td>-22.18</td><td>74.00</td><td>51.08</td><td>30.50</td><td>7.10</td><td>36.86</td><td>343</td><td>231 Peak</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-K5 Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : R8W 1000.000KHz VSW:3000.000KHz SWT:Auto Mode : Z Plane : Full-directivity IMEI : #1 Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 2448.00</td><td>104.72</td><td>30.72</td><td>74.00</td><td>103.66</td><td>30.71</td><td>7.19</td><td>36.84</td><td>343</td><td>231 Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			1 2385.92	51.82	-22.18	74.00	51.08	30.50	7.10	36.86	343	231 Peak	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			1 * 2448.00	104.72	30.72	74.00	103.66	30.71	7.19	36.84	343	231 Peak	VERTICAL	Avg.	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-K5 Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : R8W 1000.000KHz VSW:3.010KHz SWT:Auto Mode : Z Plane : Full-directivity IMEI : #1 Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 2389.95</td><td>40.70</td><td>-13.30</td><td>54.00</td><td>39.96</td><td>30.50</td><td>7.10</td><td>36.86</td><td>343</td><td>231 Average</td><td>VERTICAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Site : 030905-K5 Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : R8W 1000.000KHz VSW:3.010KHz SWT:Auto Mode : Z Plane : Full-directivity IMEI : #1 Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm/Vm</th><th>dB</th><th>dBm/Vm</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 * 2450.00</td><td>96.80</td><td>42.80</td><td>54.00</td><td>95.74</td><td>30.71</td><td>7.19</td><td>36.84</td><td>343</td><td>231 Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			1 2389.95	40.70	-13.30	54.00	39.96	30.50	7.10	36.86	343	231 Average	VERTICAL	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg			1 * 2450.00	96.80	42.80	54.00	95.74	30.71	7.19	36.84	343	231 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																																																																																															
1 2385.92	51.82	-22.18	74.00	51.08	30.50	7.10	36.86	343	231 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																																																																																															
1 * 2448.00	104.72	30.72	74.00	103.66	30.71	7.19	36.84	343	231 Peak	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																																																																																															
1 2389.95	40.70	-13.30	54.00	39.96	30.50	7.10	36.86	343	231 Average	VERTICAL																																																																																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																													
MHz	dBm/Vm	dB	dBm/Vm	dBm	dB	dB	cm	deg																																																																																																																															
1 * 2450.00	96.80	42.80	54.00	95.74	30.71	7.19	36.84	343	231 Average	VERTICAL																																																																																																																													






WIFI		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																									
ANT		802.11n HT40 CH09 2452MHz - R																																									
1	Vertical	Fundamental																																									
Peak	 Site : 030905-KS Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : FR1N0920 Mode : 21 Plane : E Polarization : Full-directivity Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>63.78</td><td>-10.22</td><td>74.00</td><td>62.49</td><td>30.86</td><td>7.25</td><td>36.82</td><td>343</td><td>231</td><td>Peak</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg					1	2483.50	63.78	-10.22	74.00	62.49	30.86	7.25	36.82	343	231	Peak	VERTICAL	Left blank
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg																																		
1	2483.50	63.78	-10.22	74.00	62.49	30.86	7.25	36.82	343	231	Peak	VERTICAL																															
Avg.	 Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : FR1N0920 Mode : 21 Plane : E Polarization : Full-directivity Power setting : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Line</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>Loss</th><th>Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dBm</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>2483.50</td><td>46.34</td><td>-7.66</td><td>54.00</td><td>45.05</td><td>30.86</td><td>7.25</td><td>36.82</td><td>343</td><td>231</td><td>Average</td><td>VERTICAL</td></tr></table>	Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg					1	2483.50	46.34	-7.66	54.00	45.05	30.86	7.25	36.82	343	231	Average	VERTICAL	Left blank
Freq	Level	Over	Limit	Line	ReadAntenna	Cable	Preamp	Loss	Factor	A/Pos	T/Pos	Remark	Pol/Phas																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	dB	cm	deg																																		
1	2483.50	46.34	-7.66	54.00	45.05	30.86	7.25	36.82	343	231	Average	VERTICAL																															



2.4GHz 2400~2483.5MHz







WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																															
ANT	802.11b CH01 2412MHz																																																																															
1	Horizontal					Vertical																																																																										
Peak Avg.	 Site : 03C805-15 Condition : FCC PART 15C 3m 3117 00210603 HORIZONTAL Project : RSW 1000.000MHz VSW 3000.000MHz SWT Auto Pole : 10 Plane : X Full-directivity : #1 Power setting : #1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>52.50</td><td>-21.50</td><td>74.00</td><td>72.86</td><td>54.61</td><td>11.21</td><td>65.38</td><td>79 Peak HORIZONTAL</td></tr><tr><td>2</td><td>4824.00</td><td>46.82</td><td>-71.18</td><td>54.00</td><td>66.38</td><td>54.61</td><td>11.21</td><td>65.38</td><td>79 Average HORIZONTAL</td></tr></tbody></table> <td colspan="5">  Site : 03C805-15 Condition : FCC PART 15C 3m 3117 00210603 VERTICAL Project : RSW 1000.000MHz VSW 3000.000MHz SWT Auto Pole : 10 Plane : X Full-directivity : #1 Power setting : #1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.45</td><td>-24.55</td><td>74.00</td><td>69.81</td><td>54.61</td><td>11.21</td><td>65.38</td><td>360 Peak VERTICAL</td></tr></tbody></table> </td>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg		1	4824.00	52.50	-21.50	74.00	72.86	54.61	11.21	65.38	79 Peak HORIZONTAL	2	4824.00	46.82	-71.18	54.00	66.38	54.61	11.21	65.38	79 Average HORIZONTAL	 Site : 03C805-15 Condition : FCC PART 15C 3m 3117 00210603 VERTICAL Project : RSW 1000.000MHz VSW 3000.000MHz SWT Auto Pole : 10 Plane : X Full-directivity : #1 Power setting : #1 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>dBm</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>49.45</td><td>-24.55</td><td>74.00</td><td>69.81</td><td>54.61</td><td>11.21</td><td>65.38</td><td>360 Peak VERTICAL</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg		1	4824.00	49.45	-24.55	74.00	69.81	54.61	11.21	65.38	360 Peak VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																						
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																								
1	4824.00	52.50	-21.50	74.00	72.86	54.61	11.21	65.38	79 Peak HORIZONTAL																																																																							
2	4824.00	46.82	-71.18	54.00	66.38	54.61	11.21	65.38	79 Average HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																							
MHz	dBm	dBm	dBm	dBm	dBm	dBm	cm	deg																																																																								
1	4824.00	49.45	-24.55	74.00	69.81	54.61	11.21	65.38	360 Peak VERTICAL																																																																							





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																							
ANT	802.11b CH06 2437MHz																																																																																							
1	Horizontal	Vertical																																																																																						
Peak Avg.	Site : 030805-ES Condition : FCC PART 15C 3m 2117 00218002 HORIZONTAL Project : R0W 1000.000MHz YEW 3000.000MHz SPT Auto Mode : 11 Plane : X Pull-directivity : E1 Power setting : 0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>48.58</td><td>-25.59</td><td>74.00</td><td>67.95</td><td>34.69</td><td>11.28</td><td>65.42</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>7311.00</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>62.79</td><td>36.68</td><td>12.72</td><td>65.91</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4872.00	48.58	-25.59	74.00	67.95	34.69	11.28	65.42	300	0 Peak	HORIZONTAL	2	7311.00	46.28	-27.72	74.00	62.79	36.68	12.72	65.91	300	0 Peak	HORIZONTAL	Site : 030805-ES Condition : FCC PART 15C 3m 2117 00218002 VERTICAL Project : R0W 1000.000MHz YEW 3000.000MHz SPT Auto Mode : 11 Plane : X Pull-directivity : E1 Power setting : 0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>49.44</td><td>-24.56</td><td>74.00</td><td>68.89</td><td>34.69</td><td>11.28</td><td>65.42</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>7311.00</td><td>47.49</td><td>-26.51</td><td>74.00</td><td>64.00</td><td>36.68</td><td>12.72</td><td>65.91</td><td>300</td><td>368 Peak</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4872.00	49.44	-24.56	74.00	68.89	34.69	11.28	65.42	300	368 Peak	VERTICAL	2	7311.00	47.49	-26.51	74.00	64.00	36.68	12.72	65.91	300	368 Peak	VERTICAL
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																															
1	4872.00	48.58	-25.59	74.00	67.95	34.69	11.28	65.42	300	0 Peak	HORIZONTAL																																																																													
2	7311.00	46.28	-27.72	74.00	62.79	36.68	12.72	65.91	300	0 Peak	HORIZONTAL																																																																													
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																															
1	4872.00	49.44	-24.56	74.00	68.89	34.69	11.28	65.42	300	368 Peak	VERTICAL																																																																													
2	7311.00	47.49	-26.51	74.00	64.00	36.68	12.72	65.91	300	368 Peak	VERTICAL																																																																													



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																															
ANT	802.11b CH11 2462MHz																																																																																																															
1	Horizontal	Vertical																																																																																																														
Peak	 Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 HORIZONTAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>53.95</td><td>-28.99</td><td>74.00</td><td>72.34</td><td>34.77</td><td>11.35</td><td>65.45</td><td>116</td><td>153 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>4926.00</td><td>47.79</td><td>-6.39</td><td>54.00</td><td>67.83</td><td>34.77</td><td>11.35</td><td>65.45</td><td>116</td><td>153 Average</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>7386.00</td><td>49.23</td><td>-24.77</td><td>74.00</td><td>64.95</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> <td>  Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 VERTICAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>54.44</td><td>-19.56</td><td>74.00</td><td>73.77</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>4926.00</td><td>46.99</td><td>-31.01</td><td>54.00</td><td>68.32</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Average</td><td>VERTICAL</td></tr><tr><td>3</td><td>7386.00</td><td>50.52</td><td>-23.48</td><td>74.00</td><td>66.24</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table> </td>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4926.00	53.95	-28.99	74.00	72.34	34.77	11.35	65.45	116	153 Peak	HORIZONTAL	2	4926.00	47.79	-6.39	54.00	67.83	34.77	11.35	65.45	116	153 Average	HORIZONTAL	3	7386.00	49.23	-24.77	74.00	64.95	36.64	13.89	66.16	300	0 Peak	HORIZONTAL	 Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 VERTICAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>54.44</td><td>-19.56</td><td>74.00</td><td>73.77</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>4926.00</td><td>46.99</td><td>-31.01</td><td>54.00</td><td>68.32</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Average</td><td>VERTICAL</td></tr><tr><td>3</td><td>7386.00</td><td>50.52</td><td>-23.48</td><td>74.00</td><td>66.24</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4926.00	54.44	-19.56	74.00	73.77	34.77	11.35	65.45	360	243 Peak	VERTICAL	2	4926.00	46.99	-31.01	54.00	68.32	34.77	11.35	65.45	360	243 Average	VERTICAL	3	7386.00	50.52	-23.48	74.00	66.24	36.64	13.89	66.16	300	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4926.00	53.95	-28.99	74.00	72.34	34.77	11.35	65.45	116	153 Peak	HORIZONTAL																																																																																																					
2	4926.00	47.79	-6.39	54.00	67.83	34.77	11.35	65.45	116	153 Average	HORIZONTAL																																																																																																					
3	7386.00	49.23	-24.77	74.00	64.95	36.64	13.89	66.16	300	0 Peak	HORIZONTAL																																																																																																					
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4926.00	54.44	-19.56	74.00	73.77	34.77	11.35	65.45	360	243 Peak	VERTICAL																																																																																																					
2	4926.00	46.99	-31.01	54.00	68.32	34.77	11.35	65.45	360	243 Average	VERTICAL																																																																																																					
3	7386.00	50.52	-23.48	74.00	66.24	36.64	13.89	66.16	300	360 Peak	VERTICAL																																																																																																					
Avg.	 Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 HORIZONTAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>53.95</td><td>-28.99</td><td>74.00</td><td>72.34</td><td>34.77</td><td>11.35</td><td>65.45</td><td>116</td><td>153 Peak</td><td>HORIZONTAL</td></tr><tr><td>2</td><td>4926.00</td><td>47.79</td><td>-6.39</td><td>54.00</td><td>67.83</td><td>34.77</td><td>11.35</td><td>65.45</td><td>116</td><td>153 Average</td><td>HORIZONTAL</td></tr><tr><td>3</td><td>7386.00</td><td>49.23</td><td>-24.77</td><td>74.00</td><td>64.95</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>0 Peak</td><td>HORIZONTAL</td></tr></table> <td>  Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 VERTICAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>54.44</td><td>-19.56</td><td>74.00</td><td>73.77</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>4926.00</td><td>46.99</td><td>-31.01</td><td>54.00</td><td>68.32</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Average</td><td>VERTICAL</td></tr><tr><td>3</td><td>7386.00</td><td>50.52</td><td>-23.48</td><td>74.00</td><td>66.24</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table> </td>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4926.00	53.95	-28.99	74.00	72.34	34.77	11.35	65.45	116	153 Peak	HORIZONTAL	2	4926.00	47.79	-6.39	54.00	67.83	34.77	11.35	65.45	116	153 Average	HORIZONTAL	3	7386.00	49.23	-24.77	74.00	64.95	36.64	13.89	66.16	300	0 Peak	HORIZONTAL	 Site : 03CWB5-ES Condition : FCC PART 15C 2a 3117 002180002 VERTICAL REW 1000.000MHz YAW 3000.000Hz SPT Auto Project : (FS) 180920 Mode : 13 Plane : X Pull-directivity : #1 Powersetting : #1 #0 <table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4926.00</td><td>54.44</td><td>-19.56</td><td>74.00</td><td>73.77</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Peak</td><td>VERTICAL</td></tr><tr><td>2</td><td>4926.00</td><td>46.99</td><td>-31.01</td><td>54.00</td><td>68.32</td><td>34.77</td><td>11.35</td><td>65.45</td><td>360</td><td>243 Average</td><td>VERTICAL</td></tr><tr><td>3</td><td>7386.00</td><td>50.52</td><td>-23.48</td><td>74.00</td><td>66.24</td><td>36.64</td><td>13.89</td><td>66.16</td><td>300</td><td>360 Peak</td><td>VERTICAL</td></tr></table>		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas		Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4926.00	54.44	-19.56	74.00	73.77	34.77	11.35	65.45	360	243 Peak	VERTICAL	2	4926.00	46.99	-31.01	54.00	68.32	34.77	11.35	65.45	360	243 Average	VERTICAL	3	7386.00	50.52	-23.48	74.00	66.24	36.64	13.89	66.16	300	360 Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4926.00	53.95	-28.99	74.00	72.34	34.77	11.35	65.45	116	153 Peak	HORIZONTAL																																																																																																					
2	4926.00	47.79	-6.39	54.00	67.83	34.77	11.35	65.45	116	153 Average	HORIZONTAL																																																																																																					
3	7386.00	49.23	-24.77	74.00	64.95	36.64	13.89	66.16	300	0 Peak	HORIZONTAL																																																																																																					
	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																								
	Freq	Level	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																							
1	4926.00	54.44	-19.56	74.00	73.77	34.77	11.35	65.45	360	243 Peak	VERTICAL																																																																																																					
2	4926.00	46.99	-31.01	54.00	68.32	34.77	11.35	65.45	360	243 Average	VERTICAL																																																																																																					
3	7386.00	50.52	-23.48	74.00	66.24	36.64	13.89	66.16	300	360 Peak	VERTICAL																																																																																																					




Emission below 1GHz
2.4GHz WIFI 802.11g (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																	
ANT	802.11g LF																																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 3  Site : 000002-ES Condition : FCC PART 15C 2m CEL 6111D 59913 VERTICAL Project : RFW 100.000KHz YSW 300.000KHz 597 Auto Mode : 13 Plane : 13 Polar : Full-directivity IMEI : #1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>30.97</td><td>20.33</td><td>-19.67</td><td>40.00</td><td>27.07</td><td>24.70</td><td>0.76</td><td>32.20</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>167.74</td><td>23.29</td><td>-20.21</td><td>43.50</td><td>38.01</td><td>15.50</td><td>1.80</td><td>32.10</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>400.30</td><td>27.05</td><td>-13.75</td><td>46.00</td><td>34.05</td><td>22.00</td><td>1.80</td><td>32.20</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>497.54</td><td>33.66</td><td>-12.34</td><td>46.00</td><td>39.16</td><td>23.75</td><td>3.14</td><td>32.39</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>640.13</td><td>35.95</td><td>-10.05</td><td>46.00</td><td>38.16</td><td>26.30</td><td>1.73</td><td>32.22</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>780.78</td><td>27.39</td><td>-18.61</td><td>46.00</td><td>27.42</td><td>28.10</td><td>4.17</td><td>32.30</td><td>---</td><td>Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	30.97	20.33	-19.67	40.00	27.07	24.70	0.76	32.20	---	Peak VERTICAL	2	167.74	23.29	-20.21	43.50	38.01	15.50	1.80	32.10	---	Peak VERTICAL	3	400.30	27.05	-13.75	46.00	34.05	22.00	1.80	32.20	---	Peak VERTICAL	4	497.54	33.66	-12.34	46.00	39.16	23.75	3.14	32.39	---	Peak VERTICAL	5	640.13	35.95	-10.05	46.00	38.16	26.30	1.73	32.22	---	Peak VERTICAL	6	780.78	27.39	-18.61	46.00	27.42	28.10	4.17	32.30	---	Peak VERTICAL	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China Tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn Date: 4  Site : 000002-ES Condition : FCC PART 15C 2m CEL 6111D 59913 VERTICAL Project : RFW 100.000KHz YSW 300.000KHz 597 Auto Mode : 13 Plane : 13 Polar : Full-directivity IMEI : #1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>30.00</td><td>21.40</td><td>-18.60</td><td>40.00</td><td>28.04</td><td>24.80</td><td>0.76</td><td>32.20</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>167.74</td><td>23.17</td><td>-20.33</td><td>43.50</td><td>37.89</td><td>15.50</td><td>1.80</td><td>32.10</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>263.77</td><td>21.27</td><td>-24.73</td><td>46.00</td><td>31.22</td><td>20.00</td><td>2.22</td><td>32.17</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>400.30</td><td>28.62</td><td>-17.38</td><td>46.00</td><td>35.82</td><td>22.00</td><td>1.80</td><td>32.20</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>499.51</td><td>33.62</td><td>-12.38</td><td>46.00</td><td>39.10</td><td>23.77</td><td>3.14</td><td>32.39</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>640.13</td><td>35.04</td><td>-10.16</td><td>46.00</td><td>38.05</td><td>26.30</td><td>3.71</td><td>32.22</td><td>---</td><td>Peak VERTICAL</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	30.00	21.40	-18.60	40.00	28.04	24.80	0.76	32.20	---	Peak VERTICAL	2	167.74	23.17	-20.33	43.50	37.89	15.50	1.80	32.10	---	Peak VERTICAL	3	263.77	21.27	-24.73	46.00	31.22	20.00	2.22	32.17	---	Peak VERTICAL	4	400.30	28.62	-17.38	46.00	35.82	22.00	1.80	32.20	---	Peak VERTICAL	5	499.51	33.62	-12.38	46.00	39.10	23.77	3.14	32.39	---	Peak VERTICAL	6	640.13	35.04	-10.16	46.00	38.05	26.30	3.71	32.22	---	Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																										
1	30.97	20.33	-19.67	40.00	27.07	24.70	0.76	32.20	---	Peak VERTICAL																																																																																																																																																																								
2	167.74	23.29	-20.21	43.50	38.01	15.50	1.80	32.10	---	Peak VERTICAL																																																																																																																																																																								
3	400.30	27.05	-13.75	46.00	34.05	22.00	1.80	32.20	---	Peak VERTICAL																																																																																																																																																																								
4	497.54	33.66	-12.34	46.00	39.16	23.75	3.14	32.39	---	Peak VERTICAL																																																																																																																																																																								
5	640.13	35.95	-10.05	46.00	38.16	26.30	1.73	32.22	---	Peak VERTICAL																																																																																																																																																																								
6	780.78	27.39	-18.61	46.00	27.42	28.10	4.17	32.30	---	Peak VERTICAL																																																																																																																																																																								
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																										
1	30.00	21.40	-18.60	40.00	28.04	24.80	0.76	32.20	---	Peak VERTICAL																																																																																																																																																																								
2	167.74	23.17	-20.33	43.50	37.89	15.50	1.80	32.10	---	Peak VERTICAL																																																																																																																																																																								
3	263.77	21.27	-24.73	46.00	31.22	20.00	2.22	32.17	---	Peak VERTICAL																																																																																																																																																																								
4	400.30	28.62	-17.38	46.00	35.82	22.00	1.80	32.20	---	Peak VERTICAL																																																																																																																																																																								
5	499.51	33.62	-12.38	46.00	39.10	23.77	3.14	32.39	---	Peak VERTICAL																																																																																																																																																																								
6	640.13	35.04	-10.16	46.00	38.05	26.30	3.71	32.22	---	Peak VERTICAL																																																																																																																																																																								

Appendix E. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	100	-	-	10Hz

802.11b




Date: 30.NOV.2021 16:46:31

802.11g



Date: 30.NOV.2021 16:49:27


802.11n HT20



Date: 30.NOV.2021 16:52:00



802.11n HT40



Date: 30.NOV.2021 16:53:31