

Appendix Test Data

Project No.:	18220WC10106601	Test Date:	2021.5.31
Test Engineer:	<i>Tony He</i>	Auditor:	<i>Edward Pan</i>
Temperature:	24.3°C	Relative Humidity:	57 %
Pressure:	1012 hPa		

1. Bandwidth


1.1 OBW


1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	99% Occupied Bandwidth (MHz)	Limit (MHz)	Verdict
				Ant1		
GFSK	SISO	2402	DH5	0.895	/	Note1
		2441	DH5	0.899	/	Note1
		2480	DH5	0.899	/	Note1
Pi/4DQPSK	SISO	2402	2DH5	1.177	/	Note1
		2441	2DH5	1.173	/	Note1
		2480	2DH5	1.168	/	Note1
8DPSK	SISO	2402	3DH5	1.186	/	Note1
		2441	3DH5	1.180	/	Note1
		2480	3DH5	1.177	/	Note1


Note1: Only for Report Use

1.1.2 Test Graph








Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




1.2 XDB


1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
				Ant1		
GFSK	SISO	2402	DH5	1.037	/	Note1
		2441	DH5	1.030	/	Note1
		2480	DH5	1.034	/	Note1
Pi/4DQPSK	SISO	2402	2DH5	1.322	/	Note1
		2441	2DH5	1.303	/	Note1
		2480	2DH5	1.298	/	Note1
8DPSK	SISO	2402	3DH5	1.308	/	Note1
		2441	3DH5	1.303	/	Note1
		2480	3DH5	1.301	/	Note1


Note1: Only for Report Use

1.2.2 Test Graph








Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



2. Maximum Conducted Output Power


2.1 Power

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Measured Peak Output Power (dBm)	Limit (dBm)	Verdict
				Ant1		
GFSK	SISO	2402	DH5	-0.46	<=20.97	Pass
		2441	DH5	-0.39	<=20.97	Pass
		2480	DH5	-0.72	<=20.97	Pass
Pi/4DQPSK	SISO	2402	2DH5	-0.92	<=20.97	Pass
		2441	2DH5	-1.07	<=20.97	Pass
		2480	2DH5	-1.57	<=20.97	Pass
8DPSK	SISO	2402	3DH5	-0.99	<=20.97	Pass
		2441	3DH5	-0.39	<=20.97	Pass
		2480	3DH5	-0.01	<=20.97	Pass

Note1: Antenna Gain: -0.21dBi;

2.1.2 Test Graph




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com





Hotline
400-003-0500
www.anbotek.com



Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




3. Carrier Frequency Separation


3.1 Ant1

3.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	2441	DH5	1.00	1.04	≥ 0.691	Pass
Pi/4DQPSK	SISO	2441	2DH5	0.99	1.32	≥ 0.881	Pass
8DPSK	SISO	2441	3DH5	1.00	1.31	≥ 0.872	Pass

3.1.2 Test Graph






4. Number of Hopping Frequencies


4.1 HoppNum

4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies	Limit	Verdict
				Ant1		
GFSK	SISO	2441	DH5	79	≥ 15	Pass
Pi/4DQPSK	SISO	2441	2DH5	79	≥ 15	Pass
8DPSK	SISO	2441	3DH5	79	≥ 15	Pass

4.1.2 Test Graph






5. Time of Occupancy (Dwell Time)


5.1 Ant1

5.1.1 Test Result


Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	2441	DH1	0.38	31.60	319	120.90	<=400	Pass
			DH3	1.64	31.60	164	268.14	<=400	Pass
			DH5	2.88	31.60	103	296.85	<=400	Pass
Pi/4DQPSK	SISO	2441	2DH1	0.39	31.60	319	122.81	<=400	Pass
			2DH3	1.64	31.60	156	255.68	<=400	Pass
			2DH5	2.89	31.60	115	331.89	<=400	Pass
8DPSK	SISO	2441	3DH1	2.89	31.60	104	300.46	<=400	Pass
			3DH3	1.64	31.60	159	260.44	<=400	Pass
			3DH5	2.89	31.60	105	303.24	<=400	Pass

5.1.2 Test Graph







GFSK_DH3_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH1_HOPP_Ant1_NTNV



Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com




Pi/4DQPSK_2DH3_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV




8DPSK_3DH1_HOPP_Ant1_NTNV




8DPSK_3DH1_HOPP_Ant1_NTNV




8DPSK_3DH3_HOPP_Ant1_NTNV




8DPSK_3DH3_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



6. Unwanted Emissions In Non-restricted Frequency Bands


6.1 Ref



6.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	-0.66	/	/
		2441	DH5	-0.66	/	/
		2480	DH5	-1.02	/	/
Pi/4DQPSK	SISO	2402	2DH5	-1.58	/	/
		2441	2DH5	-1.86	/	/
		2480	2DH5	-2.63	/	/
8DPSK	SISO	2402	3DH5	-1.78	/	/
		2441	3DH5	-1.36	/	/
		2480	3DH5	-1.11	/	/



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

6.1.2 Test Graph







Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




6.2 CSE


6.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	Refer To Test Graph	≤ -20.66	Pass
		2441	DH5	Refer To Test Graph	≤ -20.66	Pass
		2480	DH5	Refer To Test Graph	≤ -20.66	Pass
		2441	DH5	Refer To Test Graph	≤ -20.66	Pass
Pi/4DQPSK	SISO	2402	2DH5	Refer To Test Graph	≤ -21.58	Pass
		2441	2DH5	Refer To Test Graph	≤ -21.58	Pass
		2480	2DH5	Refer To Test Graph	≤ -21.58	Pass
		2441	2DH5	Refer To Test Graph	≤ -21.58	Pass
8DPSK	SISO	2402	3DH5	Refer To Test Graph	≤ -21.11	Pass
		2441	3DH5	Refer To Test Graph	≤ -21.11	Pass
		2480	3DH5	Refer To Test Graph	≤ -21.11	Pass
		2441	3DH5	Refer To Test Graph	≤ -21.11	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

6.2.2 Test Graph





GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV

Shenzhen Anbotech Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotech.com




Hotline

400-003-0500


www.anbotech.com




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




Pi/4DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV





Pi/4DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



Pi/4DQPSK_2DH5_HOPP_Ant1_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline

400-003-0500


www.anbotek.com




8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 755-26066440 Fax: (86) 755-26014772 Email: service@anbotek.com




Hotline

400-003-0500


www.anbotek.com




8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



---End---