




EUT Mode


802.11ax HE80 484RU65

Plot on Channel 5985 MHz




Date: 24.JUN.2024 18:05:35

Plot on Channel 6225 MHz




Date: 24.JUN.2024 18:21:08

Plot on Channel 6465 MHz



Date: 24.JUN.2024 18:25:24


Plot on Channel 6625 MHz




Date: 24.JUN.2024 18:28:40



Plot on Channel 6705 MHz



Plot on Channel 6945 MHz






EUT Mode


802.11ax HE80 484RU66

Plot on Channel 6385 MHz




Date: 26.JUN.2024 14:44:29

Plot on Channel 6865 MHz



Date: 26.JUN.2024 15:18:54

Plot on Channel 7025 MHz



Date: 26.JUN.2024 15:28:47




MIMO <Ant. 6+7(6)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 23.JUN.2024 15:13:04

Plot on Channel 6185 MHz




Date: 23.JUN.2024 15:14:51

Plot on Channel 6345 MHz



Date: 23.JUN.2024 15:17:49


Plot on Channel 6505 MHz




Date: 23.JUN.2024 15:22:04




Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 26.JUN.2024 16:07:41

Plot on Channel 6185 MHz




Date: 26.JUN.2024 16:16:32

Plot on Channel 6505 MHz



Date: 26.JUN.2024 16:32:08


Plot on Channel 6665 MHz




Date: 26.JUN.2024 16:39:10



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 26.JUN.2024 16:24:08

Plot on Channel 6505 MHz




Date: 26.JUN.2024 16:29:23

Plot on Channel 6825 MHz



Date: 26.JUN.2024 16:46:42

Plot on Channel 6985 MHz



Date: 26.JUN.2024 17:07:14




MIMO <Ant. 6+7(7)>

EUT Mode


802.11ax HE160 Full RU

Plot on Channel 6025 MHz




Date: 23.JUN.2024 15:12:17

Plot on Channel 6185 MHz




Date: 23.JUN.2024 15:16:15

Plot on Channel 6345 MHz



Date: 23.JUN.2024 15:19:40


Plot on Channel 6505 MHz




Date: 23.JUN.2024 15:23:21




Plot on Channel 6665 MHz



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RU67

Plot on Channel 6025 MHz




Date: 26.JUN.2024 16:07:01

Plot on Channel 6185 MHz




Date: 26.JUN.2024 16:15:46

Plot on Channel 6505 MHz



Date: 26.JUN.2024 16:32:51


Plot on Channel 6665 MHz




Date: 26.JUN.2024 16:38:10



Plot on Channel 6825 MHz



Plot on Channel 6985 MHz






EUT Mode


802.11ax HE160 996RUS67

Plot on Channel 6345 MHz




Date: 26.JUN.2024 16:23:26

Plot on Channel 6505 MHz




Date: 26.JUN.2024 16:28:38

Plot on Channel 6825 MHz



Date: 26.JUN.2024 16:47:35

Plot on Channel 6985 MHz



Date: 26.JUN.2024 17:05:54




Appendix B. AC Conducted Emission Test Results

Test Engineer :	Calvin Wang	Temperature :	23~26℃
		Relative Humidity :	45~55%

EUT Information

Report NO : 430824
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Line

Full Spectrum




Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.197250	---	32.15	53.73	21.58	L1	OFF	19.8
0.197250	40.79	---	63.73	22.94	L1	OFF	19.8
0.264750	---	31.38	51.28	19.90	L1	OFF	19.8
0.264750	40.57	---	61.28	20.71	L1	OFF	19.8
0.420000	---	26.07	47.45	21.38	L1	OFF	19.8
0.420000	35.96	---	57.45	21.49	L1	OFF	19.8
0.624750	---	26.87	46.00	19.13	L1	OFF	19.8
0.624750	34.58	---	56.00	21.42	L1	OFF	19.8
3.192000	---	27.41	46.00	18.59	L1	OFF	19.9
3.192000	32.62	---	56.00	23.38	L1	OFF	19.9
9.114000	---	28.14	50.00	21.86	L1	OFF	20.2
9.114000	30.52	---	60.00	29.48	L1	OFF	20.2

EUT Information

Report NO : 430824
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.192750	---	32.61	53.92	21.31	N	OFF	19.8
0.192750	40.69	---	63.92	23.23	N	OFF	19.8
0.264750	---	31.38	51.28	19.90	N	OFF	19.8
0.264750	40.35	---	61.28	20.93	N	OFF	19.8
0.375000	---	27.81	48.39	20.58	N	OFF	19.8
0.375000	36.40	---	58.39	21.99	N	OFF	19.8
0.541500	---	26.03	46.00	19.97	N	OFF	19.8
0.541500	34.03	---	56.00	21.97	N	OFF	19.8
3.230250	---	27.63	46.00	18.37	N	OFF	19.9
3.230250	32.52	---	56.00	23.48	N	OFF	19.9
8.947500	---	28.07	50.00	21.93	N	OFF	20.3
8.947500	30.41	---	60.00	29.59	N	OFF	20.3



Appendix C. Radiated Spurious Emission

Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	23.5~26.5°C
		Relative Humidity :	42.8~67.2%

Band 5 - 5925~6425MHz

WIFI 802.11a (Band Edge @ 3m)

WIFI Ant.	Note	Frequency	Level	Margin	Limit Line	Read Level	Antenna Factor	Path Loss	Preamp Factor	Ant Pos	Table Pos	Peak Avg.	Pol.
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a CH 01 5955MHz		5923.24	51.65	-36.55	88.2	38.29	35.05	13.17	34.86	200	350	P	H
		5924.52	44.63	-23.57	68.2	31.27	35.05	13.17	34.86	200	350	A	H
	*	5955	112.96	-	-	99.62	35.02	13.19	34.87	200	350	P	H
	*	5955	105.42	-	-	92.08	35.02	13.19	34.87	200	350	A	H
													H
													H
		5924.52	54.84	-33.36	88.2	41.48	35.05	13.17	34.86	122	22	P	V
		5925	48.2	-20	68.2	34.84	35.05	13.17	34.86	122	22	A	V
	*	5955	117.34	-	-	104	35.02	13.19	34.87	122	22	P	V
	*	5955	109.22	-	-	95.88	35.02	13.19	34.87	122	22	A	V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 01 5955MHz		7940	47.96	-40.24	88.2	53.27	35.88	16.46	57.65	100	24	P	H
		7940	44.38	-23.82	68.2	49.69	35.88	16.46	57.65	100	24	A	H
		11910	53.65	-20.35	74	52.07	38.64	19.2	56.26	100	21	P	H
		11910	43.87	-10.13	54	42.29	38.64	19.2	56.26	100	21	A	H
		17865	65.09	-8.91	74	55.63	41.26	23.41	55.21	173	68	P	H
		17865	50.18	-3.82	54	40.72	41.26	23.41	55.21	173	68	A	H
		23820	39.36	-34.64	74	51.61	38.56	7.37	58.18	150	47	P	H
		23820	37.65	-16.35	54	49.9	38.56	7.37	58.18	150	47	A	H
													H
													H
													H
													H
		7940	44.35	-43.85	88.2	49.66	35.88	16.46	57.65	183	360	P	V
		7940	40.34	-27.86	68.2	45.65	35.88	16.46	57.65	183	360	A	V
		11910	51.59	-22.41	74	50.01	38.64	19.2	56.26	377	0	P	V
		11910	41.45	-12.55	54	39.87	38.64	19.2	56.26	377	0	A	V
		17865	55.83	-18.17	74	46.37	41.26	23.41	55.21	100	22	P	V
		17865	45.04	-8.96	54	35.58	41.26	23.41	55.21	100	22	A	V
		23820	38.92	-35.08	74	51.17	38.56	7.37	58.18	150	53	P	V
		23820	37.05	-16.95	54	49.3	38.56	7.37	58.18	150	53	A	V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 49 6195MHz		8260	46.17	-27.83	74	51.49	35.78	16.46	57.56	100	24	P	H
		8260	42.73	-11.27	54	48.05	35.78	16.46	57.56	100	24	A	H
		12390	50.9	-23.1	74	48.8	39	19.52	56.42	235	32	P	H
		12390	42.6	-11.4	54	40.5	39	19.52	56.42	235	32	A	H
		18585	50.47	-23.53	74	68	37.53	4.67	59.73	150	78	P	H
		18585	42.07	-11.93	54	59.6	37.53	4.67	59.73	150	78	A	H
		24780	49.05	-39.15	88.2	59.3	39.06	8.27	57.58	150	46	P	H
		24780	46.45	-21.75	68.2	56.7	39.06	8.27	57.58	150	46	A	H
													H
													H
													H
													H
		12390	46.84	-27.16	74	44.74	39	19.52	56.42	-	-	P	V
		18585	45.36	-28.64	74	62.89	37.53	4.67	59.73	150	6	P	V
		18585	37.81	-16.19	54	55.34	37.53	4.67	59.73	150	6	A	V
		24780	42.08	-46.12	88.2	52.33	39.06	8.27	57.58	150	60	P	V
		24780	38.85	-29.35	68.2	49.1	39.06	8.27	57.58	150	60	A	V
													V
													V
													V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11a CH 93 6415MHz		8553.3	47.38	-40.82	88.2	52.24	35.9	16.86	57.62	100	24	P	H	
		8553.3	43.54	-24.66	68.2	48.4	35.9	16.86	57.62	100	24	A	H	
		12830	53.71	-34.49	88.2	51.83	39.34	19.81	57.27	280	17	P	H	
		12830	43.54	-24.66	68.2	41.66	39.34	19.81	57.27	280	17	A	H	
		19245	43.67	-30.33	74	60.67	37.87	5.03	59.9	150	74	P	H	
		19245	36.5	-17.5	54	53.5	37.87	5.03	59.9	150	74	A	H	
		25660	44.57	-43.63	88.2	53.6	39.08	9.19	57.3	150	44	P	H	
		25660	41.97	-26.23	68.2	51	39.08	9.19	57.3	150	44	A	H	
														H
														H
														H
														H
		12830	47.83	-40.37	88.2	45.95	39.34	19.81	57.27	-	-	P	V	
		19245	36.43	-37.57	74	53.43	37.87	5.03	59.9	150	58	P	V	
		19245	30.8	-23.2	54	47.8	37.87	5.03	59.9	150	58	A	V	
														V
														V
														V
														V
														V
														V
														V
														V
														V
Remark	1. No other spurious found.													
	2. All results are PASS against Peak and Average limit line.													
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		5866.58	52.76	-35.44	88.2	39.44	35.03	13.12	34.83	200	350	P	H
		5923.14	45.38	-22.82	68.2	32.02	35.05	13.17	34.86	200	350	A	H
	*	5955	112.79	-	-	99.45	35.02	13.19	34.87	200	350	P	H
	*	5955	104.51	-	-	91.17	35.02	13.19	34.87	200	350	A	H
													H
													H
		5924.96	56.61	-31.59	88.2	43.25	35.05	13.17	34.86	123	21	P	V
		5924.96	48.43	-19.77	68.2	35.07	35.05	13.17	34.86	123	21	A	V
	*	5955	117.14	-	-	103.8	35.02	13.19	34.87	123	21	P	V
	*	5955	108.65	-	-	95.31	35.02	13.19	34.87	123	21	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 01 5955MHz		7940	48.19	-40.01	88.2	53.5	35.88	16.46	57.65	100	24	P	H
		7940	44.28	-23.92	68.2	49.59	35.88	16.46	57.65	100	24	A	H
		11910	55.32	-18.68	74	53.74	38.64	19.2	56.26	100	20	P	H
		11910	43.03	-10.97	54	41.45	38.64	19.2	56.26	100	20	A	H
		17865	61.9	-12.1	74	52.44	41.26	23.41	55.21	168	82	P	H
		17865	49.05	-4.95	54	39.59	41.26	23.41	55.21	168	82	A	H
		23820	38.77	-35.23	74	51.02	38.56	7.37	58.18	150	47	P	H
		23820	36.9	-17.1	54	49.15	38.56	7.37	58.18	150	47	A	H
													H
													H
													H
													H
		7940	44.49	-43.71	88.2	49.8	35.88	16.46	57.65	183	360	P	V
		7940	40.18	-28.02	68.2	45.49	35.88	16.46	57.65	183	360	A	V
		11910	51.01	-22.99	74	49.43	38.64	19.2	56.26	383	5	P	V
		11910	40.25	-13.75	54	38.67	38.64	19.2	56.26	383	5	A	V
		17865	55.67	-18.33	74	46.21	41.26	23.41	55.21	100	21	P	V
		17865	44.07	-9.93	54	34.61	41.26	23.41	55.21	100	21	A	V
		23820	39.52	-34.48	74	51.77	38.56	7.37	58.18	150	53	P	V
		23820	36.65	-17.35	54	48.9	38.56	7.37	58.18	150	53	A	V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 49 6195MHz		8260	47.09	-26.91	74	52.41	35.78	16.46	57.56	100	24	P	H
		8260	43.38	-10.62	54	48.7	35.78	16.46	57.56	100	24	A	H
		12390	51.18	-22.82	74	49.08	39	19.52	56.42	156	29	P	H
		12390	42.54	-11.46	54	40.44	39	19.52	56.42	156	29	A	H
		18585	52.26	-21.74	74	69.79	37.53	4.67	59.73	150	78	P	H
		18585	43.77	-10.23	54	61.3	37.53	4.67	59.73	150	78	A	H
		24780	47.82	-40.38	88.2	58.07	39.06	8.27	57.58	150	46	P	H
		24780	45.55	-22.65	68.2	55.8	39.06	8.27	57.58	150	46	A	H
													H
													H
													H
													H
		8260	44.93	-29.07	74	50.25	35.78	16.46	57.56	183	360	P	V
		8260	41.28	-12.72	54	46.6	35.78	16.46	57.56	183	360	A	V
		12390	47.84	-26.16	74	45.74	39	19.52	56.42	-	-	P	V
		18585	47.23	-26.77	74	64.76	37.53	4.67	59.73	150	6	P	V
		18585	38.37	-15.63	54	55.9	37.53	4.67	59.73	150	6	A	V
		24780	42.45	-45.75	88.2	52.7	39.06	8.27	57.58	150	60	P	V
		24780	38.95	-29.25	68.2	49.2	39.06	8.27	57.58	150	60	A	V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/53 CH 01 5955MHz		5919.78	82.29	-5.91	88.2	68.92	35.06	13.17	34.86	200	350	P	H
		5922.16	63.31	-4.89	68.2	49.94	35.06	13.17	34.86	200	350	A	H
	*	5955	113.83	-	-	100.49	35.02	13.19	34.87	200	350	P	H
	*	5955	106.42	-	-	93.08	35.02	13.19	34.87	200	350	A	H
													H
													H
		5924.96	82.9	-5.3	88.2	69.54	35.05	13.17	34.86	121	22	P	V
		5923.98	67.15	-1.05	68.2	53.79	35.05	13.17	34.86	121	22	A	V
	*	5955	118.14	-	-	104.8	35.02	13.19	34.87	121	22	P	V
	*	5955	110.5	-	-	97.16	35.02	13.19	34.87	121	22	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		5922.6	53.37	-34.83	88.2	40.01	35.05	13.17	34.86	187	350	P	H
		5921.96	47.28	-20.92	68.2	33.91	35.06	13.17	34.86	187	350	A	H
	*	5965	111.36	-	-	97.98	35.06	13.2	34.88	187	350	P	H
	*	5965	102.6	-	-	89.22	35.06	13.2	34.88	187	350	A	H
													H
													H
		5918.12	57	-31.2	88.2	43.63	35.06	13.16	34.85	132	20	P	V
		5925	50.51	-17.69	68.2	37.15	35.05	13.17	34.86	132	20	A	V
	*	5965	114.08	-	-	100.7	35.06	13.2	34.88	132	20	P	V
	*	5965	105.88	-	-	92.5	35.06	13.2	34.88	132	20	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 03 5965MHz		7953.3	46.59	-41.61	88.2	51.86	35.89	16.48	57.64	100	24	P	H
		7953.3	43.03	-25.17	68.2	48.3	35.89	16.48	57.64	100	24	A	H
		11930	50.07	-23.93	74	48.36	38.72	19.21	56.22	100	0	P	H
		11930	41.52	-12.48	54	39.81	38.72	19.21	56.22	100	0	A	H
		17895	59.02	-14.98	74	49.39	41.38	23.43	55.18	155	89	P	H
		17895	48.28	-5.72	54	38.65	41.38	23.43	55.18	155	89	A	H
		23860	40.47	-33.53	74	52.74	38.48	7.39	58.14	150	45	P	H
		23860	36.24	-17.76	54	48.51	38.48	7.39	58.14	150	45	A	H
													H
													H
													H
													H
		7953.3	44.86	-43.34	88.2	50.13	35.89	16.48	57.64	183	360	P	V
		7953.3	41.13	-27.07	68.2	46.4	35.89	16.48	57.64	183	360	A	V
		11930	46.85	-27.15	74	45.14	38.72	19.21	56.22	-	-	P	V
		17895	51.69	-22.31	74	42.06	41.38	23.43	55.18	100	0	P	V
		17895	41.32	-12.68	54	31.69	41.38	23.43	55.18	100	0	A	V
		23860	39.91	-34.09	74	52.18	38.48	7.39	58.14	150	54	P	V
		23860	36.18	-17.82	54	48.45	38.48	7.39	58.14	150	54	A	V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 51 6205MHz		8273.3	48.9	-25.1	74	54.21	35.75	16.5	57.56	100	24	P	H
		8273.3	46.49	-7.51	54	51.8	35.75	16.5	57.56	100	24	A	H
		12410	47.08	-26.92	74	44.96	39.02	19.54	56.44	-	-	P	H
		18615	48.36	-25.64	74	65.92	37.5	4.69	59.75	150	50	P	H
		18615	39.29	-14.71	54	56.85	37.5	4.69	59.75	150	50	A	H
		24820	48.24	-39.96	88.2	58.33	39.14	8.31	57.54	150	47	P	H
		24820	46.94	-21.26	68.2	57.03	39.14	8.31	57.54	150	47	A	H
													H
													H
													H
													H
													H
		8273.3	44.25	-29.75	74	49.56	35.75	16.5	57.56	183	360	P	V
		8273.3	41.49	-12.51	54	46.8	35.75	16.5	57.56	183	360	A	V
		12410	47.11	-26.89	74	44.99	39.02	19.54	56.44	-	-	P	V
		18615	40.73	-33.27	74	58.29	37.5	4.69	59.75	150	4	P	V
		18615	31.45	-22.55	54	49.01	37.5	4.69	59.75	150	4	A	V
		24820	41.04	-47.16	88.2	51.13	39.14	8.31	57.54	150	60	P	V
		24820	37.82	-30.38	68.2	47.91	39.14	8.31	57.54	150	60	A	V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)	
802.11ax HE40 Full CH 91 6405MHz		8540	48.49	-39.71	88.2	53.33	35.9	16.86	57.6	100	24	P	H	
		8540	45.91	-22.29	68.2	50.75	35.9	16.86	57.6	100	24	A	H	
		12810	47.91	-40.29	88.2	45.96	39.38	19.79	57.22	-	-	P	H	
		19215	43.09	-30.91	74	60.29	37.69	5.01	59.9	150	57	P	H	
		19215	35.18	-18.82	54	52.38	37.69	5.01	59.9	150	57	A	H	
		25620	45.18	-43.02	88.2	54.23	39.1	9.15	57.3	150	48	P	H	
		25620	43.29	-24.91	68.2	52.34	39.1	9.15	57.3	150	48	A	H	
													H	
													H	
													H	
													H	
													H	
													H	
													H	
			8540	46.3	-41.9	88.2	51.14	35.9	16.86	57.6	183	0	P	V
			8540	42.66	-25.54	68.2	47.5	35.9	16.86	57.6	183	0	A	V
			12810	46.24	-41.96	88.2	44.29	39.38	19.79	57.22	-	-	P	V
			19215	35.44	-38.56	74	52.64	37.69	5.01	59.9	150	57	P	V
			19215	29.74	-24.26	54	46.94	37.69	5.01	59.9	150	57	A	V
			25620	40.19	-48.01	88.2	49.24	39.1	9.15	57.3	150	55	P	V
			25620	35.49	-32.71	68.2	44.54	39.1	9.15	57.3	150	55	A	V
														V
														V
													V	
													V	
													V	
Remark	1. No other spurious found.													
	2. All results are PASS against Peak and Average limit line.													
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.													



Band 5 5925~6425MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/61 CH 03 5965MHz		5904.68	72.7	-15.5	88.2	59.31	35.09	13.15	34.85	216	350	P	H
		5923.24	60.92	-7.28	68.2	47.56	35.05	13.17	34.86	216	350	A	H
	*	5965	110.43	-	-	97.05	35.06	13.2	34.88	216	350	P	H
	*	5965	103.06	-	-	89.68	35.06	13.2	34.88	216	350	A	H
													H
													H
		5914.92	81.82	-6.38	88.2	68.44	35.07	13.16	34.85	128	23	P	V
		5916.2	63.44	-4.76	68.2	50.06	35.07	13.16	34.85	128	23	A	V
	*	5965	113.73	-	-	100.35	35.06	13.2	34.88	128	23	P	V
	*	5965	106.19	-	-	92.81	35.06	13.2	34.88	128	23	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		5920.04	58.73	-29.47	88.2	45.36	35.06	13.17	34.86	190	350	P	H
		5921.96	50.66	-17.54	68.2	37.29	35.06	13.17	34.86	190	350	A	H
	*	5985	108.59	-	-	95.12	35.14	13.22	34.89	190	350	P	H
	*	5985	100.31	-	-	86.84	35.14	13.22	34.89	190	350	A	H
													H
													H
		5905.32	61.7	-26.5	88.2	48.31	35.09	13.15	34.85	152	24	P	V
		5915.56	55.33	-12.87	68.2	41.95	35.07	13.16	34.85	152	24	A	V
	*	5985	112.57	-	-	99.1	35.14	13.22	34.89	152	24	P	V
	*	5985	103.18	-	-	89.71	35.14	13.22	34.89	152	24	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 07 5985MHz		7980	48.32	-39.88	88.2	53.56	35.84	16.54	57.62	100	24	P	H
		7980	44.57	-23.63	68.2	49.81	35.84	16.54	57.62	100	24	A	H
		11970	47.43	-26.57	74	45.5	38.84	19.24	56.15	-	-	P	H
		17955	52.14	-21.86	74	42.28	41.53	23.45	55.12	100	0	P	H
		17955	43.81	-10.19	54	33.95	41.53	23.45	55.12	100	0	A	H
		23940	39.74	-34.26	74	51.82	38.56	7.42	58.06	150	44	P	H
		23940	36.11	-17.89	54	48.19	38.56	7.42	58.06	150	44	A	H
													H
													H
													H
													H
													H
													H
		7980	45.56	-42.64	88.2	50.8	35.84	16.54	57.62	183	0	P	V
		7980	40.94	-27.26	68.2	46.18	35.84	16.54	57.62	183	0	A	V
		11970	46.37	-27.63	74	44.44	38.84	19.24	56.15	-	-	P	V
		17955	50.74	-23.26	74	40.88	41.53	23.45	55.12	100	0	P	V
		17955	41.81	-12.19	54	31.95	41.53	23.45	55.12	100	0	A	V
		23940	39.55	-34.45	74	51.63	38.56	7.42	58.06	150	52	P	V
		23940	35.33	-18.67	54	47.41	38.56	7.42	58.06	150	52	A	V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 55 6225MHz		8300	49.06	-24.94	74	54.34	35.7	16.58	57.56	100	24	P	H
		8300	46.42	-7.58	54	51.7	35.7	16.58	57.56	100	24	A	H
		12450	46.23	-27.77	74	44.04	39.1	19.56	56.47	-	-	P	H
		18675	45.63	-28.37	74	63.18	37.5	4.72	59.77	150	68	P	H
		18675	37.09	-16.91	54	54.64	37.5	4.72	59.77	150	68	A	H
		24900	48.13	-40.07	88.2	58.12	39.1	8.39	57.48	150	47	P	H
		24900	46.72	-21.48	68.2	56.71	39.1	8.39	57.48	150	47	A	H
													H
													H
													H
													H
													H
		8300	44.76	-29.24	74	50.04	35.7	16.58	57.56	183	360	P	V
		8300	41.42	-12.58	54	46.7	35.7	16.58	57.56	183	360	A	V
		12450	46.11	-27.89	74	43.92	39.1	19.56	56.47	-	-	P	V
		18675	38.19	-35.81	74	55.74	37.5	4.72	59.77	100	7	P	V
		18675	30.56	-23.44	54	48.11	37.5	4.72	59.77	100	7	A	V
		24900	41.38	-46.82	88.2	51.37	39.1	8.39	57.48	100	60	P	V
		24900	36.5	-31.7	68.2	46.49	39.1	8.39	57.48	100	60	A	V
													V
													V
													V
													V
													V

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 87 6385MHz		8513.3	48.34	-39.86	88.2	53.14	35.9	16.85	57.55	100	24	P	H
		8513.3	45.26	-22.94	68.2	50.06	35.9	16.85	57.55	100	24	A	H
		12770	46.34	-41.86	88.2	44.42	39.28	19.77	57.13	-	-	P	H
		19155	41.34	-32.66	74	58.48	37.78	4.98	59.9	150	51	P	H
		19155	34.49	-19.51	54	51.63	37.78	4.98	59.9	150	51	A	H
		25540	44.95	-43.25	88.2	54.2	38.98	9.07	57.3	150	48	P	H
		25540	42.42	-25.78	68.2	51.67	38.98	9.07	57.3	150	48	A	H
													H
													H
													H
													H
													H
													H
		8513.3	44.95	-43.25	88.2	49.75	35.9	16.85	57.55	183	360	P	V
		8513.3	41.24	-26.96	68.2	46.04	35.9	16.85	57.55	183	360	A	V
		12770	47.62	-40.58	88.2	45.7	39.28	19.77	57.13	-	-	P	V
		19155	37.38	-36.62	74	54.52	37.78	4.98	59.9	150	59	P	V
		19155	30.14	-23.86	54	47.28	37.78	4.98	59.9	150	59	A	V
		25540	40.99	-47.21	88.2	50.24	38.98	9.07	57.3	150	19	P	V
		25540	35.12	-33.08	68.2	44.37	38.98	9.07	57.3	150	19	A	V
													V
													V
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 5 5925~6425MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/65 CH 07 5985MHz		5879.72	74.41	-13.79	88.2	61.05	35.06	13.13	34.83	211	351	P	H
		5923.24	62.09	-6.11	68.2	48.73	35.05	13.17	34.86	211	351	A	H
	*	5985	109.52	-	-	96.05	35.14	13.22	34.89	211	351	P	H
	*	5985	100.71	-	-	87.24	35.14	13.22	34.89	211	351	A	H
													H
													H
		5925	82.47	-5.73	88.2	69.11	35.05	13.17	34.86	135	25	P	V
		5924.52	66.69	-1.51	68.2	53.33	35.05	13.17	34.86	135	25	A	V
	*	5985	110.39	-	-	96.92	35.14	13.22	34.89	135	25	P	V
	*	5985	103.59	-	-	90.12	35.14	13.22	34.89	135	25	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 15 6025MHz		5913	65.82	-22.38	88.2	52.44	35.07	13.16	34.85	227	344	P	H
		5911.72	57.35	-10.85	68.2	43.96	35.08	13.16	34.85	227	344	A	H
	*	6025	106	-	-	92.27	35.35	13.27	34.89	227	344	P	H
	*	6025	98.32	-	-	84.59	35.35	13.27	34.89	227	344	A	H
													H
													H
		5907.24	69.4	-18.8	88.2	56	35.09	13.16	34.85	119	8	P	V
		5919.4	61.39	-6.81	68.2	48.01	35.06	13.17	34.85	119	8	A	V
	*	6025	110.43	-	-	96.7	35.35	13.27	34.89	119	8	P	V
	*	6025	100.83	-	-	87.1	35.35	13.27	34.89	119	8	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 15 6025MHz		8033.3	47.67	-26.33	74	52.87	35.87	16.53	57.6	100	24	P	H
		8033.3	43.19	-10.81	54	48.39	35.87	16.53	57.6	100	24	A	H
		12050	45.87	-28.13	74	43.72	39	19.29	56.14	-	-	P	H
		18075	49.64	-24.36	74	67.35	37.5	4.4	59.61	150	82	P	H
		18075	39.36	-14.64	54	57.07	37.5	4.4	59.61	150	82	A	H
		24100	42.48	-45.72	88.2	53.99	38.9	7.55	57.96	150	47	P	H
		24100	38.98	-29.22	68.2	50.49	38.9	7.55	57.96	150	47	A	H
													H
													H
													H
													H
													H
													H
		8033.3	44	-30	74	49.2	35.87	16.53	57.6	183	0	P	V
		8033.3	40.29	-13.71	54	45.49	35.87	16.53	57.6	183	0	A	V
		12050	45.98	-28.02	74	43.83	39	19.29	56.14	-	-	P	V
		18075	38.51	-35.49	74	56.22	37.5	4.4	59.61	150	12	P	V
		18075	30.96	-23.04	54	48.67	37.5	4.4	59.61	150	12	A	V
		24100	39.87	-48.33	88.2	51.38	38.9	7.55	57.96	150	339	P	V
		24100	36.22	-31.98	68.2	47.73	38.9	7.55	57.96	150	339	A	V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 47 6185MHz		8246.6	48.73	-25.27	74	54.06	35.81	16.43	57.57	100	24	P	H
		8246.6	46.06	-7.94	54	51.39	35.81	16.43	57.57	100	24	A	H
		12370	45.43	-28.57	74	43.33	39	19.5	56.4	-	-	P	H
		18555	43.67	-30.33	74	61.14	37.59	4.66	59.72	150	61	P	H
		18555	33.72	-20.28	54	51.19	37.59	4.66	59.72	150	61	A	H
		24740	48.95	-39.25	88.2	59.29	39.04	8.23	57.61	150	47	P	H
		24740	47.08	-21.12	68.2	57.42	39.04	8.23	57.61	150	47	A	H
													H
													H
													H
													H
													H
		8246.6	44.13	-29.87	74	49.46	35.81	16.43	57.57	183	360	P	V
		8246.6	40.47	-13.53	54	45.8	35.81	16.43	57.57	183	360	A	V
		12370	46.29	-27.71	74	44.19	39	19.5	56.4	-	-	P	V
		18555	35.72	-38.28	74	53.19	37.59	4.66	59.72	150	8	P	V
		18555	28.35	-25.65	54	45.82	37.59	4.66	59.72	150	8	A	V
		24740	41.06	-47.14	88.2	51.4	39.04	8.23	57.61	150	59	P	V
		24740	37.44	-30.76	68.2	47.78	39.04	8.23	57.61	150	59	A	V
													V
													V
													V
													V
													V

[illegible]



Band 5 5925~6425MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/67 CH 15 6025MHz		5898.28	79.04	-9.16	88.2	65.63	35.1	13.15	34.84	222	352	P	H
		5902.76	63	-5.2	68.2	49.61	35.09	13.15	34.85	222	352	A	H
	*	6025	103.68	-	-	89.95	35.35	13.27	34.89	222	352	P	H
	*	6025	96.59	-	-	82.86	35.35	13.27	34.89	222	352	A	H
													H
													H
		5901.48	82.29	-5.91	88.2	68.88	35.1	13.15	34.84	126	21	P	V
		5900.84	66.96	-1.24	68.2	53.55	35.1	13.15	34.84	126	21	A	V
	*	6025	108.99	-	-	95.26	35.35	13.27	34.89	126	21	P	V
	*	6025	100.84	-	-	87.11	35.35	13.27	34.89	126	21	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**Band 6 6425~6525MHz****WIFI 802.11a (Harmonic @ 3m)**

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 97 6435MHz		8580	47.15	-41.05	88.2	52.05	35.9	16.87	57.67	100	24	P	H
		8580	43.49	-24.71	68.2	48.39	35.9	16.87	57.67	100	24	A	H
		12870	46.75	-41.45	88.2	44.93	39.34	19.84	57.36	-	-	P	H
		19305	35.53	-38.47	74	52.56	37.81	5.06	59.9	-	-	P	H
		25740	47.26	-40.94	88.2	56.2	39.08	9.28	57.3	150	57	P	H
		25740	44.86	-23.34	68.2	53.8	39.08	9.28	57.3	150	57	A	H
													H
													H
													H
													H
													H
													H
		8580	44.63	-43.57	88.2	49.53	35.9	16.87	57.67	183	360	P	V
		8580	40.94	-27.26	68.2	45.84	35.9	16.87	57.67	183	360	A	V
		12870	46.56	-41.64	88.2	44.74	39.34	19.84	57.36	-	-	P	V
		19305	33.43	-40.57	74	50.46	37.81	5.06	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 105 6475MHz		8633.3	47.22	-40.98	88.2	52.23	35.83	16.93	57.77	100	24	P	H
		8633.3	43.19	-25.01	68.2	48.2	35.83	16.93	57.77	100	24	A	H
		12950	47.19	-41.01	88.2	45.33	39.5	19.9	57.54	-	-	P	H
		19425	34.91	-39.09	74	51.54	38.15	5.12	59.9	-	-	P	H
		25900	46.35	-41.85	88.2	55.1	39.1	9.45	57.3	150	50	P	H
		25900	44.24	-23.96	68.2	52.99	39.1	9.45	57.3	150	50	A	H
													H
													H
													H
													H
													H
													H
		8633.3	44.52	-43.68	88.2	49.53	35.83	16.93	57.77	183	360	P	V
		8633.3	41.09	-27.11	68.2	46.1	35.83	16.93	57.77	183	360	A	V
		12950	46.64	-41.56	88.2	44.78	39.5	19.9	57.54	-	-	P	V
		19425	36.13	-37.87	74	52.76	38.15	5.12	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 6 6425~6525MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 97 6435MHz		8580	49.08	-39.12	88.2	53.98	35.9	16.87	57.67	100	25	P	H
		8580	44.85	-23.35	68.2	49.75	35.9	16.87	57.67	100	25	A	H
		12870	46.46	-41.74	88.2	44.64	39.34	19.84	57.36	-	-	P	H
		19305	34.86	-39.14	74	51.89	37.81	5.06	59.9	-	-	P	H
		25740	46.1	-42.1	88.2	55.04	39.08	9.28	57.3	150	50	P	H
		25740	43.46	-24.74	68.2	52.4	39.08	9.28	57.3	150	50	A	H
													H
													H
													H
													H
													H
													H
													H
		12870	46.75	-41.45	88.2	44.93	39.34	19.84	57.36	-	-	P	V
		19305	33.52	-40.48	74	50.55	37.81	5.06	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 105 6475MHz		8633.6	47.89	-40.31	88.2	52.89	35.83	16.94	57.77	400	14	P	H
		8633.6	44.66	-23.54	68.2	49.66	35.83	16.94	57.77	400	14	A	H
		12950	46.79	-41.41	88.2	44.93	39.5	19.9	57.54	-	-	P	H
		19425	35.03	-38.97	74	51.66	38.15	5.12	59.9	-	-	P	H
		25900	45.85	-42.35	88.2	54.6	39.1	9.45	57.3	150	51	P	H
		25900	43.35	-24.85	68.2	52.1	39.1	9.45	57.3	150	51	A	H
													H
													H
													H
													H
													H
													H
		8633.6	45.19	-43.01	88.2	50.19	35.83	16.94	57.77	-	-	P	V
		12950	47.07	-41.13	88.2	45.21	39.5	19.9	57.54	-	-	P	V
		19425	35.04	-38.96	74	51.67	38.15	5.12	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 6 6425~6525MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 99 6445MHz		8593.3	46.14	-42.06	88.2	51.08	35.9	16.86	57.7	100	27	P	H
		8593.3	43.09	-25.11	68.2	48.03	35.9	16.86	57.7	100	27	A	H
		12890	47.13	-41.07	88.2	45.31	39.38	19.85	57.41	-	-	P	H
		19335	34.46	-39.54	74	51.42	37.87	5.07	59.9	-	-	P	H
		25780	45.76	-42.44	88.2	54.7	39.04	9.32	57.3	150	49	P	H
		25780	43.46	-24.74	68.2	52.4	39.04	9.32	57.3	150	49	A	H
													H
													H
													H
													H
													H
													H
													H
		12890	45.74	-42.46	88.2	43.92	39.38	19.85	57.41	-	-	P	V
		19335	33.21	-40.79	74	50.17	37.87	5.07	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 107 6485MHz		8646.6	47.27	-40.93	88.2	52.3	35.81	16.96	57.8	100	32	P	H
		8646.6	43.37	-24.83	68.2	48.4	35.81	16.96	57.8	100	32	A	H
		12970	46.18	-42.02	88.2	44.45	39.42	19.9	57.59	-	-	P	H
		19455	36.01	-37.99	74	52.78	37.99	5.14	59.9	-	-	P	H
		25940	46.61	-41.59	88.2	55.4	39.02	9.49	57.3	150	49	P	H
		25940	43.76	-24.44	68.2	52.55	39.02	9.49	57.3	150	49	A	H
													H
													H
													H
													H
													H
													H
		8646.6	44.44	-43.76	88.2	49.47	35.81	16.96	57.8	253	347	P	V
		8646.6	40.57	-27.63	68.2	45.6	35.81	16.96	57.8	253	347	A	V
		12970	45.57	-42.63	88.2	43.84	39.42	19.9	57.59	-	-	P	V
		19455	35.29	-38.71	74	52.06	37.99	5.14	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 6 6425~6525MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 103 6465MHz		8620	47.52	-40.68	88.2	52.51	35.86	16.9	57.75	100	32	P	H
		8620	43.72	-24.48	68.2	48.71	35.86	16.9	57.75	100	32	A	H
		12930	46.38	-41.82	88.2	44.54	39.46	19.88	57.5	-	-	P	H
		19395	34.31	-39.69	74	50.84	38.26	5.11	59.9	-	-	P	H
		25860	45.81	-42.39	88.2	54.77	38.94	9.4	57.3	150	49	P	H
		25860	43.14	-25.06	68.2	52.1	38.94	9.4	57.3	150	49	A	H
													H
													H
													H
													H
													H
													H
		12930	46.83	-41.37	88.2	44.99	39.46	19.88	57.5	-	-	P	V
		19395	34.75	-39.25	74	51.28	38.26	5.11	59.9	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												

Band 6 6425~6525MHz

WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 117 6535MHz		8713.3	46.91	-41.29	88.2	51.94	35.83	17.06	57.92	100	26	P	H
		8713.3	42.86	-25.34	68.2	47.89	35.83	17.06	57.92	100	26	A	H
		13070	50.16	-38.04	88.2	48.78	39.04	20	57.66	220	0	P	H
		13070	42.38	-25.82	68.2	41	39.04	20	57.66	220	0	A	H
		19605	40.6	-33.4	74	57.66	37.62	5.22	59.9	150	71	P	H
		19605	31.41	-22.59	54	48.47	37.62	5.22	59.9	150	71	A	H
		26140	43.93	-44.27	88.2	52.88	38.94	9.47	57.36	150	47	P	H
		26140	40.94	-27.26	68.2	49.89	38.94	9.47	57.36	150	47	A	H
													H
													H
													H
													H
		8713.3	44.64	-43.56	88.2	49.67	35.83	17.06	57.92	253	347	P	V
		8713.3	40.46	-27.74	68.2	45.49	35.83	17.06	57.92	253	347	A	V
		13070	49.01	-39.19	88.2	47.63	39.04	20	57.66	100	23	P	V
		13070	40.89	-27.31	68.2	39.51	39.04	20	57.66	100	23	A	V
		19605	35.46	-38.54	74	52.52	37.62	5.22	59.9	-	-	P	V
		26140	37.94	-50.26	88.2	46.89	38.94	9.47	57.36	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 149 6695MHz		8927.6	48.76	-39.44	88.2	53.96	36.04	17.08	58.32	100	18	P	H
		8927.6	44.53	-23.67	68.2	49.73	36.04	17.08	58.32	100	18	A	H
		13390	52.16	-21.84	74	50.46	39.08	20.3	57.68	200	359	P	H
		13390	44.33	-9.67	54	42.63	39.08	20.3	57.68	200	359	A	H
		20085	36.77	-37.23	74	53.65	37.56	5.48	59.92	-	-	P	H
		26780	45.14	-43.06	88.2	53.47	40.08	9.09	57.5	150	80	P	H
		26780	41.89	-26.31	68.2	50.22	40.08	9.09	57.5	150	80	A	H
													H
													H
													H
													H
													H
		8927.6	47.18	-41.02	88.2	52.38	36.04	17.08	58.32	301	166	P	V
		8927.6	40.96	-27.24	68.2	46.16	36.04	17.08	58.32	301	166	A	V
		13390	50.79	-23.21	74	49.09	39.08	20.3	57.68	127	0	P	V
		13390	43.21	-10.79	54	41.51	39.08	20.3	57.68	127	0	A	V
		20085	35.23	-38.77	74	52.11	37.56	5.48	59.92	-	-	P	V
		26780	43.56	-44.64	88.2	51.89	40.08	9.09	57.5	150	320	P	V
		26780	35.86	-32.34	68.2	44.19	40.08	9.09	57.5	150	320	A	V
													V
													V
													V
													V
													V

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant. 6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	Level (dBμV)	Factor (dB/m)	Loss (dB)	Factor (dB)	Pos (cm)	Pos (deg)	Avg. (P/A)	(H/V)
802.11a CH 185 6875MHz		9166.4	48.64	-25.36	74	53.92	36.17	17.44	58.89	100	49	P	H
		9166.4	44.33	-9.67	54	49.61	36.17	17.44	58.89	100	49	A	H
		13750	55.07	-33.13	88.2	52.77	39.1	20.62	57.42	188	335	P	H
		13750	47	-21.2	68.2	44.7	39.1	20.62	57.42	188	335	A	H
		20625	48.11	-25.89	74	64.74	37.6	5.8	60.03	150	61	P	H
		20625	38.57	-15.43	54	55.2	37.6	5.8	60.03	150	61	A	H
													H
													H
													H
													H
													H
													H
		9166.4	46.39	-27.61	74	51.67	36.17	17.44	58.89	301	58	P	V
		9166.4	40.97	-13.03	54	46.25	36.17	17.44	58.89	301	58	A	V
		13750	52	-36.2	88.2	49.7	39.1	20.62	57.42	299	0	P	V
		13750	44.3	-23.9	68.2	42	39.1	20.62	57.42	299	0	A	V
		20625	38.27	-35.73	74	54.9	37.6	5.8	60.03	150	354	P	V
		20625	31.27	-22.73	54	47.9	37.6	5.8	60.03	150	354	A	V
													V
													V
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line. 3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 7 - 6525~6875MHz

WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 117 6535MHz		8713.3	48.28	-39.92	88.2	53.31	35.83	17.06	57.92	100	28	P	H
		8713.3	44.29	-23.91	68.2	49.32	35.83	17.06	57.92	100	28	A	H
		13070	50.91	-37.29	88.2	49.53	39.04	20	57.66	220	0	P	H
		13070	42.99	-25.21	68.2	41.61	39.04	20	57.66	220	0	A	H
		19605	40.9	-33.1	74	57.96	37.62	5.22	59.9	150	73	P	H
		19605	32.02	-21.98	54	49.08	37.62	5.22	59.9	150	73	A	H
		26140	44.12	-44.08	88.2	53.07	38.94	9.47	57.36	150	48	P	H
		26140	41.14	-27.06	68.2	50.09	38.94	9.47	57.36	150	48	A	H
													H
													H
													H
													H
		8713.3	46.1	-42.1	88.2	51.13	35.83	17.06	57.92	250	346	P	V
		8713.3	40.63	-27.57	68.2	45.66	35.83	17.06	57.92	250	346	A	V
		13070	49.15	-39.05	88.2	47.77	39.04	20	57.66	100	27	P	V
		13070	41.51	-26.69	68.2	40.13	39.04	20	57.66	100	27	A	V
		19605	36.96	-37.04	74	54.02	37.62	5.22	59.9	-	-	P	V
		26140	43.17	-45.03	88.2	52.12	38.94	9.47	57.36	150	52	P	V
		26140	38.23	-29.97	68.2	47.18	38.94	9.47	57.36	150	52	A	V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 149 6695MHz		8927.6	49.6	-38.6	88.2	54.8	36.04	17.08	58.32	108	17	P	H
		8927.6	45.55	-22.65	68.2	50.75	36.04	17.08	58.32	108	17	A	H
		13390	51.61	-22.39	74	49.91	39.08	20.3	57.68	201	354	P	H
		13390	44.23	-9.77	54	42.53	39.08	20.3	57.68	201	354	A	H
		20085	36.99	-37.01	74	53.87	37.56	5.48	59.92	-	-	P	H
		26780	44.17	-44.03	88.2	52.5	40.08	9.09	57.5	150	84	P	H
		26780	40.99	-27.21	68.2	49.32	40.08	9.09	57.5	150	84	A	H
													H
													H
													H
													H
													H
		8927.6	46.63	-41.57	88.2	51.83	36.04	17.08	58.32	300	166	P	V
		8927.6	40.85	-27.35	68.2	46.05	36.04	17.08	58.32	300	166	A	V
		13390	50.15	-23.85	74	48.45	39.08	20.3	57.68	128	0	P	V
		13390	42.87	-11.13	54	41.17	39.08	20.3	57.68	128	0	A	V
		20085	34.67	-39.33	74	51.55	37.56	5.48	59.92	-	-	P	V
		26780	41.29	-46.91	88.2	49.62	40.08	9.09	57.5	150	69	P	V
		26780	34.89	-33.31	68.2	43.22	40.08	9.09	57.5	150	69	A	V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 123 6565MHz		13130	50.14	-38.06	88.2	48.71	39.04	20.06	57.67	221	0	P	H
		13130	41.57	-26.63	68.2	40.14	39.04	20.06	57.67	221	0	A	H
		19695	37.1	-36.9	74	54.02	37.71	5.27	59.9	-	-	P	H
		26260	43.12	-45.08	88.2	51.98	39.14	9.4	57.4	150	48	P	H
		26260	40.49	-27.71	68.2	49.35	39.14	9.4	57.4	150	48	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13130	48.68	-39.52	88.2	47.25	39.04	20.06	57.67	100	19	P	V
		13130	41.1	-27.1	68.2	39.67	39.04	20.06	57.67	100	19	A	V
		19695	33.87	-40.13	74	50.79	37.71	5.27	59.9	-	-	P	V
		26260	43.64	-44.56	88.2	52.5	39.14	9.4	57.4	150	52	P	V
		26260	39.01	-29.19	68.2	47.87	39.14	9.4	57.4	150	52	A	V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 147 6685MHz		13370	51.27	-22.73	74	49.43	39.24	20.27	57.67	204	357	P	H
		13370	42.71	-11.29	54	40.87	39.24	20.27	57.67	204	357	A	H
		20055	35.07	-38.93	74	51.84	37.68	5.46	59.91	-	-	P	H
		26740	44.05	-44.15	88.2	52.08	40.36	9.11	57.5	150	79	P	H
		26740	40.8	-27.4	68.2	48.83	40.36	9.11	57.5	150	79	A	H
													H
													H
													H
													H
													H
													H
													H
		13370	50.36	-23.64	74	48.52	39.24	20.27	57.67	129	0	P	V
		13370	41.52	-12.48	54	39.68	39.24	20.27	57.67	129	0	A	V
		20055	34.52	-39.48	74	51.29	37.68	5.46	59.91	-	-	P	V
		26740	37.63	-50.57	88.2	45.66	40.36	9.11	57.5	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 7 - 6525~6875MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 135 6625MHz		13250	48.57	-25.43	74	46.88	39.2	20.16	57.67	196	345	P	H
		13250	40.17	-13.83	54	38.48	39.2	20.16	57.67	196	345	A	H
		19875	34.88	-39.12	74	51.82	37.6	5.36	59.9	-	-	P	H
		26500	42.94	-45.26	88.2	51.79	39.4	9.25	57.5	150	331	P	H
		26500	39.28	-28.92	68.2	48.13	39.4	9.25	57.5	150	331	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13250	47.1	-26.9	74	45.41	39.2	20.16	57.67	-	-	P	V
		19875	33.98	-40.02	74	50.92	37.6	5.36	59.9	-	-	P	V
		26500	37.79	-50.41	88.2	46.64	39.4	9.25	57.5	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 151 6705MHz		13410	48.35	-39.85	88.2	46.72	39	20.31	57.68	-	-	P	H
		20112	34.77	-39.23	74	51.69	37.5	5.5	59.92	-	-	P	H
		26820	44.74	-43.46	88.2	53.3	39.88	9.06	57.5	150	80	P	H
		26820	41.79	-26.41	68.2	50.35	39.88	9.06	57.5	150	80	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13410	47.98	-40.22	88.2	46.35	39	20.31	57.68	-	-	P	V
		20115	35.43	-38.57	74	52.35	37.5	5.5	59.92	-	-	P	V
		26820	37.59	-50.61	88.2	46.15	39.88	9.06	57.5	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]

Band 7 - 6525~6875MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]

[illegible]

**Band 8 - 6875~7125MHz****WIFI 802.11a (Band Edge @ 3m)**

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 233 7115MHz	*	7115	91.19	-	-	76.2	35.6	14.35	34.96	160	32	P	H
	*	7115	83.22	-	-	68.23	35.6	14.35	34.96	160	32	A	H
		7125.055	60.64	-27.56	88.2	45.64	35.6	14.36	34.96	160	32	P	H
		7125.055	52.07	-16.13	68.2	37.07	35.6	14.36	34.96	160	32	A	H
													H
													H
	*	7115	97.27	-	-	82.28	35.6	14.35	34.96	233	23	P	V
	*	7115	89.53	-	-	74.54	35.6	14.35	34.96	233	23	A	V
		7125.055	66.73	-21.47	88.2	51.73	35.6	14.36	34.96	233	23	P	V
		7125.055	59.26	-8.94	68.2	44.26	35.6	14.36	34.96	233	23	A	V
													V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 189 6895MHz		13790	46.62	-41.58	88.2	44.4	38.94	20.65	57.37	-	-	P	H
		20685	34.14	-39.86	74	50.61	37.74	5.83	60.04	-	-	P	H
		27580	39.98	-48.22	88.2	49.31	39.72	8.61	57.66	150	75	P	H
		27580	35.62	-32.58	68.2	44.95	39.72	8.61	57.66	150	75	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	46.8	-41.4	88.2	44.58	38.94	20.65	57.37	-	-	P	V
		20685	34.55	-39.45	74	51.02	37.74	5.83	60.04	-	-	P	V
		27580	35.07	-53.13	88.2	44.4	39.72	8.61	57.66	-	-	P	V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11a CH 209 6995MHz		13990	47.41	-40.79	88.2	44.77	38.96	20.84	57.16	-	-	P	H
		20985	35.06	-38.94	74	51.08	38.07	6.01	60.1	-	-	P	H
		27980	39.83	-48.37	88.2	49.9	39.54	8.37	57.98	150	81	P	H
		27980	35.11	-33.09	68.2	45.18	39.54	8.37	57.98	150	81	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	47.62	-40.58	88.2	44.98	38.96	20.84	57.16	-	-	P	V
		20985	34.9	-39.1	74	50.92	38.07	6.01	60.1	-	-	P	V
		27980	34.98	-53.22	88.2	45.05	39.54	8.37	57.98	-	-	P	V
													V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 233 7115MHz	*	7115	91.01	-	-	76.02	35.6	14.35	34.96	158	33	P	H
	*	7115	82.01	-	-	67.02	35.6	14.35	34.96	158	33	A	H
		7125.055	60.04	-28.16	88.2	45.04	35.6	14.36	34.96	158	33	P	H
		7125.055	49.88	-18.32	68.2	34.88	35.6	14.36	34.96	158	33	A	H
													H
													H
	*	7115	95.57	-	-	80.58	35.6	14.35	34.96	100	337	P	V
	*	7115	87.81	-	-	72.82	35.6	14.35	34.96	100	337	A	V
		7125.055	66.04	-22.16	88.2	51.04	35.6	14.36	34.96	100	337	P	V
		7125.055	54.99	-13.21	68.2	39.99	35.6	14.36	34.96	100	337	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 189 6895MHz		13790	46.91	-41.29	88.2	44.69	38.94	20.65	57.37	-	-	P	H
		20685	34.3	-39.7	74	50.77	37.74	5.83	60.04	-	-	P	H
		27580	40.05	-48.15	88.2	49.38	39.72	8.61	57.66	150	74	P	H
		27580	36.56	-31.64	68.2	45.89	39.72	8.61	57.66	150	74	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13790	46.85	-41.35	88.2	44.63	38.94	20.65	57.37	-	-	P	V
		20685	35.15	-38.85	74	51.62	37.74	5.83	60.04	-	-	P	V
		27580	35.28	-52.92	88.2	44.61	39.72	8.61	57.66	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Full CH 209 6995MHz		13990	47.07	-41.13	88.2	44.43	38.96	20.84	57.16	-	-	P	H
		20985	35.43	-38.57	74	51.45	38.07	6.01	60.1	-	-	P	H
		27980	39.52	-48.68	88.2	49.59	39.54	8.37	57.98	150	74	P	H
		27980	35.84	-32.36	68.2	45.91	39.54	8.37	57.98	150	74	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		13990	45.97	-42.23	88.2	43.33	38.96	20.84	57.16	-	-	P	V
		20985	35.38	-38.62	74	51.4	38.07	6.01	60.1	-	-	P	V
		27980	35.09	-53.11	88.2	45.16	39.54	8.37	57.98	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE20 Partial 106/54 CH 233 7115MHz	*	7115	92.19	-	-	77.2	35.6	14.35	34.96	100	323	P	H
	*	7115	83.77	-	-	68.78	35.6	14.35	34.96	100	323	A	H
		7125.055	62.14	-26.06	88.2	47.14	35.6	14.36	34.96	100	323	P	H
		7125.055	52.9	-15.3	68.2	37.9	35.6	14.36	34.96	100	323	A	H
													H
													H
	*	7115	96.67	-	-	81.68	35.6	14.35	34.96	203	27	P	V
	*	7115	90.61	-	-	75.62	35.6	14.35	34.96	203	27	A	V
		7125.055	68.69	-19.51	88.2	53.69	35.6	14.36	34.96	203	27	P	V
		7125.055	59.69	-8.51	68.2	44.69	35.6	14.36	34.96	203	27	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 227 7085MHz	*	7085	91.95	-	-	77.01	35.6	14.32	34.98	100	316	P	H
	*	7085	83.38	-	-	68.44	35.6	14.32	34.98	100	316	A	H
		7160.815	53.82	-34.38	88.2	38.76	35.62	14.39	34.95	100	316	P	H
		7219.67	45.05	-23.15	68.2	29.78	35.74	14.45	34.92	100	316	A	H
													H
													H
	*	7085	98.84	-	-	83.9	35.6	14.32	34.98	100	343	P	V
	*	7085	90.31	-	-	75.37	35.6	14.32	34.98	100	343	A	V
		7216.69	53.23	-34.97	88.2	37.97	35.73	14.45	34.92	100	343	P	V
		7227.865	44.88	-23.32	68.2	29.58	35.76	14.46	34.92	100	343	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 195 6925MHz		13850	45.88	-42.32	88.2	43.78	38.7	20.71	57.31	-	-	P	H
		20775	35.64	-38.36	74	52.22	37.6	5.88	60.06	-	-	P	H
		27700	41.47	-46.73	88.2	50.99	39.7	8.54	57.76	150	72	P	H
		27700	37.77	-30.43	68.2	47.29	39.7	8.54	57.76	150	72	A	H
													H
													H
													H
													H
													H
													H
													H
													H
													H
		13850	46.76	-41.44	88.2	44.66	38.7	20.71	57.31	-	-	P	V
		20775	34.14	-39.86	74	50.72	37.6	5.88	60.06	-	-	P	V
		27700	35.41	-52.79	88.2	44.93	39.7	8.54	57.76	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
													V
													V
													V



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Full CH 211 7005MHz		14010	46.99	-41.21	88.2	44.24	39.04	20.86	57.15	-	-	P	H
		21015	34.78	-39.22	74	50.81	38.04	6.02	60.09	-	-	P	H
		28020	39.99	-48.21	88.2	50.06	39.58	8.37	58.02	150	75	P	H
		28020	36.8	-31.4	68.2	46.87	39.58	8.37	58.02	150	75	A	H
													H
													H
													H
													H
													H
													H
													H
													H
		14010	48.29	-39.91	88.2	45.54	39.04	20.86	57.15	-	-	P	V
		21015	36	-38	74	52.03	38.04	6.02	60.09	-	-	P	V
		28020	35.06	-53.14	88.2	45.13	39.58	8.37	58.02	-	-	P	V
													V
													V
													V
													V
													V
													V

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE40 Partial 242/62 CH 227 7085MHz	*	7085	90.86	-	-	75.92	35.6	14.32	34.98	100	320	P	H
	*	7085	83.97	-	-	69.03	35.6	14.32	34.98	100	320	A	H
		7217.435	53.38	-34.82	88.2	38.12	35.73	14.45	34.92	100	320	P	H
		7203.28	45.08	-23.12	68.2	29.87	35.71	14.43	34.93	100	320	A	H
													H
													H
	*	7085	98.05	-	-	83.11	35.6	14.32	34.98	100	338	P	V
	*	7085	91.3	-	-	76.36	35.6	14.32	34.98	100	338	A	V
		7125.8	52.52	-35.68	88.2	37.52	35.6	14.36	34.96	100	338	P	V
		7241.275	45.12	-23.08	68.2	29.77	35.78	14.48	34.91	100	338	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz	*	7025	90.72	-	-	75.81	35.65	14.26	35	100	309	P	H
	*	7025	82.72	-	-	67.81	35.65	14.26	35	100	309	A	H
		7209.24	53.09	-35.11	88.2	37.86	35.72	14.44	34.93	100	309	P	H
		7230.1	45.05	-23.15	68.2	29.74	35.76	14.47	34.92	100	309	A	H
													H
													H
	*	7025	99.86	-	-	84.95	35.65	14.26	35	176	342	P	V
	*	7025	91.43	-	-	76.52	35.65	14.26	35	176	342	A	V
		7207.75	53.94	-34.26	88.2	38.71	35.72	14.44	34.93	176	342	P	V
		7207.005	45.23	-22.97	68.2	30.01	35.71	14.44	34.93	176	342	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Full (Harmonic @ 3m)

[illegible]



WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Full CH 215 7025MHz		14050	47.91	-40.29	88.2	45	39.2	20.88	57.17	-	-	P	H
		21075	36.87	-37.13	74	52.9	37.95	6.06	60.04	150	61	P	H
		21075	28.17	-25.83	54	44.2	37.95	6.06	60.04	150	61	A	H
		28100	41.42	-46.78	88.2	51.6	39.5	8.4	58.08	150	77	P	H
		28100	37.62	-30.58	68.2	47.8	39.5	8.4	58.08	150	77	A	H
													H
													H
													H
													H
													H
													H
													H
		14050	47.38	-40.82	88.2	44.47	39.2	20.88	57.17	-	-	P	V
		21075	34.25	-39.75	74	50.28	37.95	6.06	60.04	-	-	P	V
													V
													V
													V
													V
													V
													V
													V
Remark	1. No other spurious found.												
	2. All results are PASS against Peak and Average limit line.												
	3. The emission position marked as "-" means no suspected emission found with sufficient margin against limit line or noise floor only.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE80 Partial 484/66 CH 215 7025MHz	*	7025	96.3	-	-	81.39	35.65	14.26	35	168	43	P	H
	*	7025	88.56	-	-	73.65	35.65	14.26	35	168	43	A	H
		7133.995	53.43	-34.77	88.2	38.42	35.6	14.37	34.96	168	43	P	H
		7226.375	44.75	-23.45	68.2	29.46	35.75	14.46	34.92	168	43	A	H
													H
													H
	*	7025	101.77	-	-	86.86	35.65	14.26	35	122	347	P	V
	*	7025	93.84	-	-	78.93	35.65	14.26	35	122	347	A	V
		7158.58	53.12	-35.08	88.2	38.06	35.62	14.39	34.95	122	347	P	V
		7242.765	44.77	-23.43	68.2	29.41	35.79	14.48	34.91	122	347	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Full CH 207 6985MHz	*	6985	93.65	-	-	78.69	35.73	14.23	35	171	4	P	H
	*	6985	85.81	-	-	70.85	35.73	14.23	35	171	4	A	H
		7222.65	53.61	-34.59	88.2	38.32	35.75	14.46	34.92	171	4	P	H
		7214.455	45.16	-23.04	68.2	29.9	35.73	14.45	34.92	171	4	A	H
													H
													H
	*	6985	100.75	-	-	85.79	35.73	14.23	35	134	332	P	V
	*	6985	92.71	-	-	77.75	35.73	14.23	35	134	332	A	V
		7211.475	54.16	-34.04	88.2	38.93	35.72	14.44	34.93	134	332	P	V
		7127.29	46.24	-21.96	68.2	31.24	35.6	14.36	34.96	134	332	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Band 8 - 6875~7125MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

[illegible]



Band 8 - 6875~7125MHz

WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI Ant. 6+7	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Path Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802.11ax HE160 Partial 996/68 CH 207 6985MHz	*	6985	94.27	-	-	79.31	35.73	14.23	35	197	0	P	H
	*	6985	87.45	-	-	72.49	35.73	14.23	35	197	0	A	H
		7139.21	54.22	-33.98	88.2	39.2	35.6	14.37	34.95	197	0	P	H
		7214.455	44.9	-23.3	68.2	29.64	35.73	14.45	34.92	197	0	A	H
													H
													H
	*	6985	103.85	-	-	88.89	35.73	14.23	35	119	360	P	V
	*	6985	94.97	-	-	80.01	35.73	14.23	35	119	360	A	V
		7138.465	65.59	-22.61	88.2	50.57	35.6	14.37	34.95	119	360	P	V
		7127.29	52.05	-16.15	68.2	37.05	35.6	14.36	34.96	119	360	A	V
													V
													V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

Emission below 1GHz

WIFI 802.11ax HE20 Full (LF @ 3m)

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11ax HE20 Full LF		90.21	30.33	-13.17	43.5	43.76	14.68	1.8	29.91	-	-	P	H
		131.79	27.05	-16.45	43.5	37.32	17.45	2.14	29.86	-	-	P	H
		268.41	34.45	-11.55	46	42.18	19.08	3.01	29.82	-	-	P	H
		724.2	29.28	-16.72	46	27.36	26.69	4.77	29.54	-	-	P	H
		867	32.36	-13.64	46	28.1	28.08	5.24	29.06	-	-	P	H
		954.5	33.58	-12.42	46	27.39	29.42	5.41	28.64	-	-	P	H
													H
													H
													H
													H
													H
													H
		30	30.44	-9.56	40	35.02	24.29	1.07	29.94	-	-	P	V
		50.79	33.49	-6.51	40	47.89	14.14	1.38	29.92	-	-	P	V
		88.59	28.4	-15.1	43.5	42.04	14.48	1.79	29.91	-	-	P	V
		766.9	30.62	-15.38	46	28.01	27.11	4.91	29.41	-	-	P	V
		877.5	32.49	-13.51	46	27.96	28.27	5.25	28.99	-	-	P	V
		958.7	32.85	-13.15	46	26.3	29.72	5.43	28.6	-	-	P	V
													V
													V
												V	
												V	
												V	
												V	
												V	
Remark	1. No other spurious found. 2. All results are PASS against limit line. 3. The emission position marked as “-” means no suspected emission found and emission level has at least 6dB margin against limit or emission is noise floor only.												



Note symbol

*	Fundamental Frequency which can be ignored. However, the level of any unwanted emissions shall not exceed the level of the fundamental frequency.
!	Test result is Margin line.
P/A	Peak or Average
H/V	Horizontal or Vertical



A calculation example for radiated spurious emission is shown as below:

WIFI	Note	Frequency	Level	Margin	Limit	Read	Antenna	Path	Preamp	Ant	Table	Peak	Pol.
Ant.					Line	Level	Factor	Loss	Factor	Pos	Pos	Avg.	
6+7		(MHz)	(dBμV/m)	(dB)	(dBμV/m)	(dBμV)	(dB/m)	(dB)	(dB)	(cm)	(deg)	(P/A)	(H/V)
802.11a		5925	55.45	-32.75	88.2	54.51	32.22	4.58	35.86	103	308	P	H
CH 01													
5955MHz		5925	43.54	-24.66	68.2	42.6	32.22	4.58	35.86	103	308	A	H

1. Path Loss(dB) = Cable loss(dB) + Filter loss(dB) + Attenuator loss(dB)
2. Level(dBμV/m) = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
3. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)

For Peak Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 54.51(dBμV) – 35.86 (dB)
 = 55.45 (dBμV/m)
2. Margin (dB)
 = Level(dBμV/m) – Limit Line(dBμV/m)
 = 55.45(dBμV/m) – 88.2(dBμV/m)
 = -32.75(dB)

For Average Limit @ 5925MHz:

1. Level(dBμV/m)
 = Antenna Factor(dB/m) + Path Loss(dB) + Read Level(dBμV) - Preamp Factor(dB)
 = 32.22(dB/m) + 4.58(dB) + 42.6(dBμV) – 35.86 (dB)
 = 43.54(dBμV/m)
2. Margin (dB) = Level(dBμV/m) – Limit Line(dBμV/m)
 = 43.54 (dBμV/m) – 68.2(dBμV/m)
 = -24.66(dB)

Both peak and average measured complies with the limit line, so test result is “PASS”.







Appendix D. Radiated Spurious Emission Plots





Test Engineer :	Jesse Wang, Stan Hsieh and Ken Wu	Temperature :	23.5~26.5°C
		Relative Humidity :	42.8~67.2%



Band 5 - 5925~6425MHz
WIFI 802.11a (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LINII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : PEAK(LINII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LINII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto	 Site : 03CH07-HY Condition : AVG(LINII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWT:Auto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN01)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIN01)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN01)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIN01)_SE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto



Band 5 5925~6425MHz
WIFI 802.11ax HE20 Partial 106 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE20 Partial 106/53 CH01 5955MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto



Band 5 5925~6425MHz
WIFI 802.11ax HE40 Partial 242 (Band Edge @ 3m)





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE40 Partial 242/61 CH03 5965MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto

Band 5 5925~6425MHz
WIFI 802.11ax HE80 Partial 484 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE80 Partial 484/65 CH07 5985MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3.000kHz SWTAuto	 Site : 03CH07-HY Condition : : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto







Band 5 5925~6425MHz

WIFI 802.11ax HE160 Full (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto







WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIN0)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:2.000kHz SWTAuto



Band 5 5925~6425MHz
WIFI 802.11ax HE160 Partial 996 (Band Edge @ 3m)

WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Horizontal	Fundamental
Peak	Site : 03CH07-HY Condition : PEAK_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	Site : 03CH07-HY Condition : PEAK(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	Site : 03CH07-HY Condition : AVG_BE(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	Site : 03CH07-HY Condition : AVG(UNII)_SE 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





WIFI	Band 5 5925~6425MHz Band Edge @ 3m	
ANT	802.11ax HE160 Partial 996/67 CH15 6025MHz	
6+7	Vertical	Fundamental
Peak	 Site : 03CH07-HY Condition : PEAK_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto	 Site : 03CH07-HY Condition : PEAK(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWTAuto
Avg.	 Site : 03CH07-HY Condition : AVG_BE(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto	 Site : 03CH07-HY Condition : AVG(LIN01)_BE 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SWTAuto





Band 5 - 5925~6425MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	Level (dBuV/m) Date: 2024-06-18 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 HORIZONTAL	Level (dBuV/m) Date: 2024-06-19 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 HORIZONTAL - - - - -	 Site : 09CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 VERTICAL - - - - -





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11a CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -





Band 5 5925~6425MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH01 5955MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH49 6195MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH93 6415MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -





Band 5 5925~6425MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH03 5965MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH51 6205MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH91 6405MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





Band 5 5925~6425MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH07 5985MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH55 6225MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH87 6385MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 3m HF_ANT_00075962 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK[UNW]_6E 3m HF_ANT_00075962 VERTICAL - : -





Band 5 5925~6425MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)

WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH15 6025MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH47 6185MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





WIFI	Band 5 5925~6425MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH79 6345MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 03CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -





Band 6 - 6425~6525MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH97 6435MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 HORIZONTAL - - - - -	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 VERTICAL - - - - -





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH105 6475MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL -- --	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL -- --





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11a CH113 6615MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -





Band 6 6425~6525MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH97 6435MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH105 6475MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : : PEAK(AVG)1_6E 1m SHF-EHF_9170251 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto	 Site : 03CH07-HY Condition : : PEAK(AVG)1_6E 1m SHF-EHF_9170251 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH113 6515MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AVNU)_6E 1m SHF-EHF_9170251 VERTICAL - : -





Band 6 6425~6525MHz
WIFI 802.11ax HE40 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH99 6445MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH107 6485MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE40 Full CH115 6525MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK[UNW]_6E 1m SHF-EHF_9170251 VERTICAL - : -





Band 6 6425~6525MHz
WIFI 802.11ax HE80 Full (Harmonic @ 3m)

WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE80 Full CH103 6465MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_GE 1m SHF-EHF_5170251 VERTICAL





Band 6 6425~6525MHz
WIFI 802.11ax HE160 Full (Harmonic @ 3m)



WIFI	Band 6 6425~6525MHz Harmonic @ 3m	
ANT	802.11ax HE160 Full CH111 6505MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 1m SHF-EHF_5170251 VERTICAL



Band 7 - 6525~6875MHz
WIFI 802.11a (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH117 6535MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(AV)01_6E 1m SHF-EHF_9170251 VERTICAL





WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH149 6695MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	 Site : 09CH07-HY Condition : PEAK(AV)WIFI_6E 3m SHF-EHF_9170251 VERTICAL - : -



WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11a CH185 6875MHz	
6+7	Horizontal	Vertical
Peak Avg.	Site : 09CH07-HY Condition : PEAK(AV)01_6E 3m SHF-EHF_9170251 HORIZONTAL - : -	Site : 09CH07-HY Condition : PEAK(AV)01_6E 3m SHF-EHF_9170251 VERTICAL - : -



Band 7 6525~6875MHz
WIFI 802.11ax HE20 Full (Harmonic @ 3m)

WIFI	Band 7 6525~6875MHz Harmonic @ 3m	
ANT	802.11ax HE20 Full CH117 6535MHz	
6+7	Horizontal	Vertical
Peak Avg.	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 1m SHF-EHF_5170251 HORIZONTAL	 Site : 03CH07-HY Condition : PEAK(UNII)_SE 1m SHF-EHF_5170251 VERTICAL