



### Conducted Bandedge Peak, 5320 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps









Antenna C




### Conducted Bandedge Peak, 5320 MHz, Non HT/VHT20 Beam Forming, 6 to 54 Mbps







Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna A


Antenna B



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1









Antenna C



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



### | Section | Sect




Antenna C

Antenna B




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



## Conter Freq 5.405000000 GHz PRO Freq Land Pro Freq Units Freq Uni





Antenna C




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1






Antenna C



Antenna B




Antenna D



Auto Tun

### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2




### Ref Offset 1353 08 Ref 0.00 dBm -50.55 dBm Center Freq 5.40500000 GHz Start Freq 5.40500000 GHz Start 5.35000 GHz

Avg Type: Log-Pwr



Antenna B



Antenna C

Antenna D




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3






Antenna C




Antenna B



Antenna D



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B



Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2








Antenna B



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1









Antenna C

Antenna B



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2










Antenna C




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



### | Applied | Content Freq | S.405000000 GHz | Freq Unit | Freq Unit







Antenna C




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C


Antenna D




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1











Antenna C




### Conducted Bandedge Peak, 5320 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







Antenna B



Antenna C

Antenna D



### Antenna Gain 8 dBi

	Antenna Gain o dbi									
Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Bandedge Level (dBm)	Tx 2 Bandedge Level (dBm)	Tx 3 Bandedge Level (dBm)	Tx 4 Bandedge Level (dBm)	Total Tx Bandedge Level (dBm)	Limit (dBm)	Margin (dB)
	Non HT/VHT80, 6 to 54 Mbps	1	8	-35.2				-27.2	-27	0.2
	Non HT/VHT80, 6 to 54 Mbps	2	8	-45.1	-43.9			-33.4	-27	6.4
	Non HT/VHT80, 6 to 54 Mbps	3	8	-45.4	-47.5	-43.4		-32.3	-27	5.3
	Non HT/VHT80, 6 to 54 Mbps	4	8	-50.5	-48.8	-47.0	-48.7	-34.6	-27	7.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	1	8	-37.7				-29.7	-27	2.7
	HT/VHT80, M0 to M7, M0.1 to M9.1	2	8	-38.4	-38.6			-27.5	-27	0.5
	HT/VHT80, M8 to M15, M0.2 to M9.2	2	8	-38.4	-38.6			-27.5	-27	0.5
	HT/VHT80, M0 to M7, M0.1 to M9.1	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80, M8 to M15, M0.2 to M9.2	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80, M16 to M23, M0.3 to M9.3	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80, M0 to M7, M0.1 to M9.1	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
5290	HT/VHT80, M8 to M15, M0.2 to M9.2	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
52	HT/VHT80, M16 to M23, M0.3 to M9.3	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	2	8	-38.4	-38.6			-27.5	-27	0.5
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	2	8	-38.4	-38.6			-27.5	-27	0.5
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	3	8	-45.5	-47.6	-47.5		-34.0	-27	7.0
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1	4	8	-49.2	-50.1	-48.8	-47.4	-34.7	-27	7.7
	HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
	HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	2	8	-38.4	-38.6			-27.5	-27	0.5
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	3	8	-42.1	-43.5	-44.9		-30.6	-27	3.6
	HT/VHT80 STBC, M0 to M7, M0.1 to M9.1	4	8	-44.4	-46.6	-48.4	-44.1	-31.5	-27	4.5
	Non HT/VHT20, 6 to 54 Mbps	1	8	-42.8				-34.8	-27	7.8
	Non HT/VHT20, 6 to 54 Mbps	2	8	-50.0	-50.5			-39.2	-27	12.2
	Non HT/VHT20, 6 to 54 Mbps	3	8	-51.4	-51.8	-52.7		-39.2	-27	12.2
C	Non HT/VHT20, 6 to 54 Mbps	4	8	-55.2	-55.6	-54.9	-53.3	-40.6	-27	13.6
5280	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	11	-50.0	-50.5			-36.2	-27	9.2
<b>u</b> )	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	13	-52.3	-55.0	-55.1		-36.4	-27	9.4
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	14	-55.2	-55.6	-54.9	-53.3	-34.6	-27	7.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	8	-42.6				-34.6	-27	7.6
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	8	-51.5	-51.5			-40.5	-27	13.5


	HT/VHT20, M8 to M15, M0.2 to M9.2	2	8	-46.3	-46.4			-35.3	-27	8.3
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	8	-52.3	-52.8	-54.6		-40.4	-27	13.4
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	8	-48.9	-51.4	-51.3		-37.6	-27	10.6
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	8	-51.5	-51.5	-48.5		-37.5	-27	10.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	4	8	-51.2	-55.3	-52.7	-52.9	-38.8	-27	11.8
	HT/VHT20, M8 to M15, M0.2 to M9.2	4	8	-53.3	-52.9	-52.1	-55.5	-39.3	-27	12.3
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	8	-48.9	-51.4	-51.3	-51.4	-36.6	-27	9.6
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	11	-48.9	-51.4			-36.0	-27	9.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	8	-46.3	-46.4			-35.3	-27	8.3
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	13	-53.1	-55.0	-52.5		-35.8	-27	8.8
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	10	-52.3	-54.2	-52.5		-38.3	-27	11.3
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	8	-51.5	-51.5	-48.5		-37.5	-27	10.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	14	-53.4	-55.7	-55.7	-57.4	-35.3	-27	8.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	11	-52.3	-52.8	-54.6	-55.0	-36.5	-27	9.5
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	9	-52.3	-54.2	-52.5	-52.7	-37.6	-27	10.6
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	8	-46.3	-46.4			-35.3	-27	8.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	8	-48.9	-51.4	-51.3		-37.6	-27	10.6
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	8	-53.3	-52.9	-52.1	-55.5	-39.3	-27	12.3
	Non HT/VHT40, 6 to 54 Mbps	1	8	-36.8				-28.8	-27	1.8
	Non HT/VHT40, 6 to 54 Mbps	2	8	-42.3	-43.2			-31.7	-27	4.7
	Non HT/VHT40, 6 to 54 Mbps	3	8	-49.8	-46.5	-46.1		-34.4	-27	7.4
	Non HT/VHT40, 6 to 54 Mbps	4	8	-50.5	-52.1	-52.5	-48.2	-36.5	-27	9.5
	HT/VHT40, M0 to M7, M0.1 to M9.1	1	8	-38.6				-30.6	-27	3.6
	HT/VHT40, M0 to M7, M0.1 to M9.1	2	8	-43.4	-42.5			-31.9	-27	4.9
	HT/VHT40, M8 to M15, M0.2 to M9.2	2	8	-43.4	-42.5			-31.9	-27	4.9
	HT/VHT40, M0 to M7, M0.1 to M9.1	3	8	-47.6	-46.4	-48.5		-34.6	-27	7.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	3	8	-48.7	-44.5	-47.7		-33.8	-27	6.8
	HT/VHT40, M16 to M23, M0.3 to M9.3	3	8	-48.7	-44.5	-47.7		-33.8	-27	6.8
5310	HT/VHT40, M0 to M7, M0.1 to M9.1	4	8	-50.9	-50.9	-49.3	-48.1	-35.6	-27	8.6
	HT/VHT40, M8 to M15, M0.2 to M9.2	4	8	-47.6	-46.4	-48.5	-46.0	-33.0	-27	6.0
	HT/VHT40, M16 to M23, M0.3 to M9.3	4	8	-47.6	-46.4	-48.5	-46.0	-33.0	-27	6.0
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	2	11	-47.6	-46.4			-32.9	-27	5.9
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	2	8	-43.4	-42.5			-31.9	-27	4.9
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	3	13	-50.7	-49.8	-50.7		-32.8	-27	5.8
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	3	10	-50.1	-48.0	-49.4		-34.5	-27	7.5
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	3	8	-48.7	-44.5	-47.7		-33.8	-27	6.8
	HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1	4	14	-52.9	-54.0	-53.1	-51.1	-32.6	-27	5.6
	HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2	4	11	-51.9	-51.4	-51.3	-47.5	-33.1	-27	6.1
	HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3	4	9	-50.1	-48.0	-49.4	-47.0	-33.2	-27	6.2
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	2	8	-43.4	-42.5			-31.9	-27	4.9
	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	3	8	-48.7	-44.5	-47.7		-33.8	-27	6.8
	, , , , , , , , , , , , , , , , , , , ,									



	HT/VHT40 STBC, M0 to M7, M0.1 to M9.1	4	8	-47.6	-46.4	-48.5	-46.0	-33.0	-27	6.0
	111/ V11140 31BC, WG to W7, W6.1 to W5.1	7	O	47.0	70.7	70.5	+0.0	33.0	21	0.0
	Non HT/VHT20, 6 to 54 Mbps	1	8	-44.6				-36.6	-27	9.6
	Non HT/VHT20, 6 to 54 Mbps	2	8	-49.2	-49.3			-38.2	-27	11.2
	Non HT/VHT20, 6 to 54 Mbps	3	8	-45.9	-49.9	-50.4		-35.5	-27	8.5
	Non HT/VHT20, 6 to 54 Mbps	4	8	-53.1	-53.2	-51.0	-52.3	-38.3	-27	11.3
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	2	11	-47.3	-45.3			-32.2	-27	5.2
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	3	13	-50.9	-50.2	-52.3		-33.5	-27	6.5
	Non HT/VHT20 Beam Forming, 6 to 54 Mbps	4	14	-52.5	-54.7	-57.1	-50.8	-33.1	-27	6.1
	HT/VHT20, M0 to M7, M0.1 to M9.1	1	8	-43.4				-35.4	-27	8.4
	HT/VHT20, M0 to M7, M0.1 to M9.1	2	8	-48.4	-46.3			-36.2	-27	9.2
	HT/VHT20, M8 to M15, M0.2 to M9.2	2	8	-45.0	-46.1			-34.5	-27	7.5
	HT/VHT20, M0 to M7, M0.1 to M9.1	3	8	-52.1	-49.7	-53.4		-38.7	-27	11.7
	HT/VHT20, M8 to M15, M0.2 to M9.2	3	8	-48.4	-46.3	-46.5		-34.2	-27	7.2
	HT/VHT20, M16 to M23, M0.3 to M9.3	3	8	-48.4	-46.3	-46.5		-34.2	-27	7.2
5320	HT/VHT20, M0 to M7, M0.1 to M9.1	4	8	-54.3	-54.8	-51.7	-52.4	-39.1	-27	12.1
ц)	HT/VHT20, M8 to M15, M0.2 to M9.2	4	8	-52.1	-49.7	-53.4	-48.4	-36.4	-27	9.4
	HT/VHT20, M16 to M23, M0.3 to M9.3	4	8	-49.4	-48.4	-48.5	-49.0	-34.8	-27	7.8
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	2	11	-49.4	-48.4			-34.9	-27	7.9
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	2	8	-45.0	-46.1			-34.5	-27	7.5
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	3	13	-52.8	-52.5	-50.0		-34.0	-27	7.0
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	3	10	-50.4	-50.6	-48.5		-35.2	-27	8.2
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	3	8	-48.4	-46.3	-46.5		-34.2	-27	7.2
	HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1	4	14	-51.4	-52.8	-52.7	-52.5	-32.3	-27	5.3
	HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2	4	11	-50.6	-51.7	-51.9	-50.6	-34.1	-27	7.1
	HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3	4	9	-50.4	-50.6	-48.5	-49.1	-34.3	-27	7.3
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	2	8	-45.0	-46.1			-34.5	-27	7.5
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	3	8	-48.4	-46.3	-46.5		-34.2	-27	7.2
	HT/VHT20 STBC, M0 to M7, M0.1 to M9.1	4	8	-52.1	-49.7	-53.4	-48.4	-36.4	-27	9.4







Antenna A



### Conducted Bandedge Peak, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps







Antenna A Antenna B



### Conducted Bandedge Peak, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps



### | Applied Section Market Section | Applied | A



Antenna C


Antenna B




### Conducted Bandedge Peak, 5290 MHz, Non HT/VHT80, 6 to 54 Mbps







Antenna B



Antenna C

Antenna D



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



Antenna A



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1






Antenna A Antenna B



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2






Antenna A Antenna B



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



### | Application | Analyze | September | Sept




Antenna C

Antenna B



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2



## Center Freq S.405000000 GHz PROF test 13.88 dB Ref Offset 13.88 dB Ref 0.00 dBm Start 5.35000 GHz Start 5.35000 GHz Rese BW 1.0 MHz SVBW 3.0 MHz Sveep 1.00 ms (601 pts) Start 5.45000 GHz Rese BW 1.0 MHz SVBW 3.0 MHz Sveep 1.00 ms (601 pts) Start 5.45000 GHz Rese BW 1.0 MHz Sveep 1.00 ms (601 pts)




Antenna C

434



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3




# | Start | Star



Antenna C



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M0 to M7, M0.1 to M9.1



### Center Freq 5.405000000 GHz PRO Fact Combined Service Service



Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M8 to M15, M0.2 to M9.2





Antenna C




Antenna B



Antenna D




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1





Antenna A

Antenna B



Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A Antenna B




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1



# | Author | Conter Freq | S.40500000 GHz | Fire Run | Fi

### Antenna A



Antenna B



Antenna C



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2









Antenna C




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3












Antenna C



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B



Antenna C

Antenna D



### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1






Antenna A Antenna B




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1










Antenna C




### Conducted Bandedge Peak, 5290 MHz, HT/VHT80 STBC, M0 to M7, M0.1 to M9.1



# | Aug Type: Log Pur | Aug



Antenna B



Antenna C


Antenna D





Antenna A








Antenna A Antenna B






## 







Antenna C











Antenna B




Antenna C

Antenna D








Antenna A Antenna B











Antenna C










Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




Antenna A



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2






Antenna A

Antenna B




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1



## Conter Freq 4.875000000 GHz PROF. Fact Conter Freq 4.875000000 GHz Ref Offset 13.55 dB Ref 0.00 dBm Conter Freq 4.8750000 GHz Ref 0.00 dBm Conter Freq 4.8750000 GHz Start 4.5000 GHz Start 4.5000 GHz Freq VBW 3.0 MHz Start 4.5000 GHz Freq VBW 3.0 MHz Start 4.5000 GHz Freq Offset 3.8750000 GHz Start 4.500 GHz Freq Offset 3.8750000 GHz






Antenna C



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



# Conter Freq 4.875000000 GHz PRO Fact | Trig. Free Run | Frequency | Trig. Free Run | Trig. Fr




Antenna C

461




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



## Center Freq 4.875000000 GHz PRO Freq 4.875000000 GHz PRO Freq 4.875000000 GHz Ref O.00 dBm Ref 0.00 dBm Ref 0.00 dBm Center Freq 4.87500000 GHz Start Ref 0.00 dBm Center Freq 4.87500000 GHz Start Freq 4.87500000 GHz Start Ref 0.00 dBm Freq 0.00 dBm Freq 0.00 dBm Freq 0.00 dBm Freq 0.00 dBm Start Ref 0.00 dBm Freq 0.00 dBm Start Ref 0.00 dBm Freq 0.00 dBm Start Ref 0.00 dBm Start Ref 0.00 dBm Freq 0





Antenna C




Auto Tun

Center Freq 4.875000000 GHz

Freq Offset


### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M0 to M7, M0.1 to M9.1




## Start 4.5000 GHz

Ref Offset 13.55 dB Ref 0.00 dBm

### Antenna A



Antenna B



#VBW 3.0 MHz

Antenna C

Antenna D



Auto Tun

Center Freq 4.875000000 GHz

Freq Offse


### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M8 to M15, M0.2 to M9.2



## Start 4.5000 GHz

Ref Offset 13.55 dB Ref 0.00 dBm

### Antenna A



Antenna B



#VBW 3.0 MHz


Avg Type: Log-Pwr

Antenna C

Antenna D




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20, M16 to M23, M0.3 to M9.3



### Antenna A Antenna B



Antenna C



enter Freq 4.875000000 GHz
PNO: Fast Trig: Free Run Ref Offset 13.65 dB Ref 0.00 dBm Stop Free 5.250000000 GH: Freq Offse


#VBW 3.0 MHz


Stop 5.2500 GHz Sweep 1.28 ms (601 pts)

Antenna D



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2






Antenna B

467




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1



# | Start | Freq | Auto Tune | Auto Tune






Antenna C



Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2





Antenna A


Antenna B



Antenna C



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3











Antenna C



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B





Antenna C

Antenna D




### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 Beam Forming, M16 to M23, M0.3 to M9.3



## | Aug Type: Log-Pur | Aug



Antenna B





Antenna C

Antenna D



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1







Antenna B



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



## | Applied | Appl



Antenna C


Antenna B



### Conducted Bandedge Peak, 5280 MHz, HT/VHT20 STBC, M0 to M7, M0.1 to M9.1



### PriO: Fast | Trigs Free Run | Fallent of the State | Fallent of the State | Free | Fre




Antenna B



Antenna C


Antenna D






Antenna A









Antenna A Antenna B













Antenna C










Antenna B




Antenna C

Antenna D




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



Antenna A



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1







Antenna A Antenna B



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1




# Conter Freq 5.405000000 GHz PRID: Fee Run Strains. Log Plus Start 5.35000 GHz Freq S.405000000 GHz Ref 0.00 dBm Ref 0.00 dBm Ref 0.00 dBm Start 5.35000 GHz Start 5.35000 GHz Res BW 1.0 MHz Sveep 1.00 ms (601 pts) Start 5.35000 GHz Res BW 1.0 MHz Sveep 1.00 ms (601 pts) Start 6.35000 GHz Res BW 1.0 MHz Sveep 1.00 ms (601 pts) Start 6.35000 GHz Res BW 1.0 MHz Sveep 1.00 ms (601 pts)




Antenna C



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2




# | Application |



Antenna C




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



### 

Avg Type: Log-Pwr




Antenna C

Antenna B




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M0 to M7, M0.1 to M9.1



### PROF sate | Trips Free Run | Free



Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M8 to M15, M0.2 to M9.2







Antenna B




Antenna C


Antenna D



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40, M16 to M23, M0.3 to M9.3



## Conter Freq 5.405000000 GHz PIND Fact Trigs Free Run Ref Offset 13.57 6B Ref 0.00 dBm Ref 0.00 d



Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna A

Antenna B



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1









Antenna C



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2












Antenna C



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3








Antenna C


Antenna B




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M0 to M7, M0.1 to M9.1







Antenna B




Antenna C


Antenna D




Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M8 to M15, M0.2 to M9.2







Antenna B





Antenna C

Antenna D




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 Beam Forming, M16 to M23, M0.3 to M9.3







Antenna B




Antenna C

Antenna D



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1






Antenna A

Antenna B




### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1



### 





Antenna C



### Conducted Bandedge Peak, 5310 MHz, HT/VHT40 STBC, M0 to M7, M0.1 to M9.1





Antenna C Antenna D



Antenna B

