

1. Bandwidth

1.1 Test Result

1.1.1 OBW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.892	/	Pass
		2441	DH5	1	0.901	/	Pass
		2480	DH5	1	0.910	/	Pass
$\pi/4$ DQPSK	SISO	2402	2DH5	1	1.183	/	Pass
		2441	2DH5	1	1.190	/	Pass
		2480	2DH5	1	1.199	/	Pass
8-DPSK	SISO	2402	3DH5	1	1.197	/	Pass
		2441	3DH5	1	1.203	/	Pass
		2480	3DH5	1	1.205	/	Pass

1.1.2 20dB BW


Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	1.016	/	Pass
		2441	DH5	1	1.029	/	Pass
		2480	DH5	1	1.036	/	Pass
$\pi/4$ DQPSK	SISO	2402	2DH5	1	1.317	/	Pass
		2441	2DH5	1	1.323	/	Pass
		2480	2DH5	1	1.323	/	Pass
8-DPSK	SISO	2402	3DH5	1	1.310	/	Pass
		2441	3DH5	1	1.314	/	Pass
		2480	3DH5	1	1.310	/	Pass

1.2 Test Graph


1.2.1 OBW




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV







1.2.2 20dB BW




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV







2. Maximum Conducted Output Power


2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	1.58	≤ 20.97	Pass
		2441	DH5	1.85	≤ 20.97	Pass
		2480	DH5	1.72	≤ 20.97	Pass
$\pi/4$ DQPSK	SISO	2402	2DH5	2.17	≤ 20.97	Pass
		2441	2DH5	2.35	≤ 20.97	Pass
		2480	2DH5	2.21	≤ 20.97	Pass
8-DPSK	SISO	2402	3DH5	2.34	≤ 20.97	Pass
		2441	3DH5	2.56	≤ 20.97	Pass
		2480	3DH5	2.39	≤ 20.97	Pass


2.2 Test Graph




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV







3. Carrier Frequency Separation

3.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	1.002	1.036	≥ 0.691	Pass
$\pi/4$ DQPSK	SISO	HOPP	2DH5	1.001	1.323	≥ 0.882	Pass
8-DPSK	SISO	HOPP	3DH5	1.003	1.314	≥ 0.876	Pass

3.2 Test Graph







4. Number of Hopping Frequencies

4.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
$\pi/4$ DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8-DPSK	SISO	HOPP	3DH5	79	>=15	Pass

4.2 Test Graph






5. Time of Occupancy (Dwell Time)


5.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.382	31.600	318	121.476	<=400	Pass
			DH3	1.636	31.600	163	266.668	<=400	Pass
			DH5	2.884	31.600	105	302.820	<=400	Pass
$\pi/4$ DQPSK	SISO	HOPP	2DH1	0.394	31.600	318	125.292	<=400	Pass
			2DH3	1.642	31.600	155	254.510	<=400	Pass
			2DH5	2.896	31.600	88	254.848	<=400	Pass
8-DPSK	SISO	HOPP	3DH1	0.390	31.600	319	124.410	<=400	Pass
			3DH3	1.646	31.600	169	278.174	<=400	Pass
			3DH5	2.896	31.600	110	318.560	<=400	Pass


5.2 Test Graph




GFSK_DH3_HOPP_Ant1_NTNV




GFSK_DH3_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH1_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH1_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH3_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH3_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HOPP_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HOPP_Ant1_NTNV




8-DPSK_3DH1_HOPP_Ant1_NTNV




8-DPSK_3DH1_HOPP_Ant1_NTNV




8-DPSK_3DH3_HOPP_Ant1_NTNV




8-DPSK_3DH3_HOPP_Ant1_NTNV



8-DPSK_3DH5_HOPP_Ant1_NTNV



8-DPSK_3DH5_HOPP_Ant1_NTNV



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Test Result

6.1.1 Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	1.40
		2441	DH5	1	1.66
		2480	DH5	1	1.51
π /4DQPSK	SISO	2402	2DH5	1	1.27
		2441	2DH5	1	1.47
		2480	2DH5	1	1.31
8-DPSK	SISO	2402	3DH5	1	1.13
		2441	3DH5	1	1.40
		2480	3DH5	1	1.20

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


6.1.2 CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	1.66	-18.34	Pass
		2441	DH5	1	1.66	-18.34	Pass
		2480	DH5	1	1.66	-18.34	Pass
		HOPP	DH5	1	1.66	-18.34	Pass
		HOPP	DH5	1	1.66	-18.34	Pass
π /4DQPSK	SISO	2402	2DH5	1	1.47	-18.53	Pass
		2441	2DH5	1	1.47	-18.53	Pass
		2480	2DH5	1	1.47	-18.53	Pass
		HOPP	2DH5	1	1.47	-18.53	Pass
		HOPP	2DH5	1	1.47	-18.53	Pass
8-DPSK	SISO	2402	3DH5	1	1.40	-18.60	Pass
		2441	3DH5	1	1.40	-18.60	Pass
		2480	3DH5	1	1.40	-18.60	Pass
		HOPP	3DH5	1	1.40	-18.60	Pass
		HOPP	3DH5	1	1.40	-18.60	Pass


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

6.2 Test Graph


6.2.1 Ref




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ QPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV







6.2.2 CSE




GFSK_DH5_MCH_2441MHz_Ant1_NTNV




GFSK_DH5_HCH_2480MHz_Ant1_NTNV





GFSK_DH5_HCH_2480MHz_Ant1_NTNV




GFSK_DH5_HOPP_Ant1_NTNV







$\pi/4$ DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV





$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV







8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV




8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV




8-DPSK_3DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8-DPSK_3DH5_HOPP_Ant1_NTNV







7. Duty Cycle


7.1 Test Result

Ant1								
Mode	TX Type	Frequency (MHz)	Packet Type	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
GFSK	SISO	2402	DH5	2.887	3.751	76.97	1.14	0.03
		2441	DH5	2.880	3.750	76.80	1.15	0.03
		2480	DH5	2.880	3.750	76.80	1.15	0.03
π/4DQPSK	SISO	2402	2DH5	2.893	3.750	77.15	1.13	0.43
		2441	2DH5	2.887	3.750	76.99	1.14	0.03
		2480	2DH5	2.893	3.751	77.13	1.13	0.03
8-DPSK	SISO	2402	3DH5	2.896	3.751	77.21	1.12	0.03
		2441	3DH5	2.888	3.750	77.01	1.13	0.03
		2480	3DH5	2.894	3.749	77.19	1.12	0.03


7.2 Test Graph




GFSK_DH5_HCH_2480MHz_Ant1_NTNV




$\pi/4$ QPSK_2DH5_LCH_2402MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV




$\pi/4$ DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV




8-DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8-DPSK_3DH5_MCH_2441MHz_Ant1_NTNV





-----End-----