

ELECTROMAGNETIC EMISSIONS **COMPLIANCE REPORT**



Applicant:	LEDGER SAS 106 Rue du Temple, 75003 Paris, France				
Manufacturer:	LEDGER SAS				
Product Name:	106 Rue du Temple, 75003 Paris, France LEDGER STAX				
Brand Name:	[L] or [LEDGER]				
Model No.:	2103				
Model Difference:	N/A				
Report Number:	TERF2407001902E2				
FCC ID	2ASAL-2103				
Date of EUT Received:	N/A, the test results are fully leveraged, for more details please refer to section 3 in this report.				
Date of Test:	N/A, the test results are fully leveraged, for more details please refer to section 3 in this report.				
Issue Date:	July 30, 2024				
	Alan Huana				

Approved By

Aken Huang

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.225.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Revision History							
Report Number	Revision	Description	Issue Date	Revised By	Remark		
TERF2407001902E2	00	CIIPC for update applicant address, Brand name, HW/SW version and change NFC antenna	July 30, 2024	Karen Huang			

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification body.
- 2 Variant information of trademarks is provided by the applicant, test results of this report are applicable to the sample EUT(s) received. And are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).
- 3 This is an addendum test report reference to the test report *TERF2212002635E2*.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	6
3	SUMMARY OF TEST RESULTS	8
4	DESCRIPTION OF TEST MODES	9
5	MEASUREMENT UNCERTAINTY	10
6	MEASUREMENT EQUIPMENT USED	11
7	RADIATED EMISSION TEST	12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's not reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



GENERAL INFORMATION 1

1.1 **Product Description**

Product Name:	LEDGER STAX
Brand Name:	[L] or [LEDGER]
Model No.:	2103
Model Difference:	N/A
Hardware Version:	PVT
Firmware Version:	MCU 5.27.0 + SE 1.5.0-rc1
EUT Series No.:	0UF444G00F
Power Supply:	3.8Vdc
Test Software (Name/Version)	termite / V3.4

1.2 **RF** specification

Radio Technology:	NFC
Operating Frequency	13.56MHz
Transmit Power	< 11.32dBuV/m at 30m.
Number of Channels	1
Modulation Type	ASK
Antenna Type	Coil antenna

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.3 **Test Methodology**

FCC Part 15, Subpart C §15.225 ANSI C63.10:2013.

1.4 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designation number	IC CAB identifier		
		SAC 1				
		SAC 2				
		SAC 3				
	No 124 Wu Kung Bood, Now Toinoi	Conduction 1				
	Industrial Park Wuku District New	Conducted 1	T\\//0027			
	Taipei City, Taiwan	Conducted 2	100027			
	Talper City, Talwan.	Conducted 3				
		Conducted 4				
		Conducted 5				
SGS Taiwan Ltd.		In. Conducted 2 Conducted 3 Conducted 4 Conducted 5 Conducted 6 Conduction C SAC C SAC D SAC G				
Central RF Lab.	No 2. Kaji 1et Dd., Guishan District	Conduction C		TW3702		
(TAF code 3702)		SAC C				
		SAC D				
		SAC G				
		Conducted A				
	Taoyuan City Taiwan 333	Conducted B	TW0028			
	Tabyuan City, Taiwan 555	Conducted C				
		Conducted D				
		Conducted E				
		Conducted F				
		Conducted G				
Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.						

1.5 **Special Accessories**

There is no other accessory attached. This is the worst case condition.

1.6 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



SYSTEM TEST CONFIGURATION 2

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

The Transmitter was operated in the normal operating mode. The Tx frequency was fixed which was for the purpose of the measurements.

2.3 **Test Procedure**

2.3.1 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz 2.3.2

Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber. the measurements correspond to those obtained at an open-field test site. There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



2.4 Test Configuration



2.5 Control Unit(s)

Radiated Emission Test Site: SAC C						
EQUIPMENT TYPE	EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE					
Notebook	Lenovo	T14	P0003332	N/A	N/A	
USB Cable	Interplus Industry	ADV-7570214	N/A	N/A	N/A	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



SUMMARY OF TEST RESULTS 3

FCC Rules	Result	Note	
§15.225 (a)-(d)	Radiated Emission	Compliant	
§15.209	Radiated Emission Limits, general requirement	Compliant	

Note

- N/S Indicates whether item(s) being newly tested [N] or spot checked [S]. 1.
- Items other than newly tested [N] are leveraged from test report TERF2407001912E2. 2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



DESCRIPTION OF TEST MODES 4

4.1 The Worst Test Modes and Channel Details

- 1. The EUT stay in continuous transmission mode.
- 2. The frequency 13.56 MHz is the default channel to test, where it is the only manipulative channel as this application supports.
- 3. Only one configuration is supported/applicable as follows.

RADIATED EMISSION TEST						
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION			
NFC	1	1	ASK			

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



MEASUREMENT UNCERTAINTY 5

Test Items	Unc	ertainty	,
AC Power Line Conducted Emission	+/-	1.54	dB
Frequency Stability	+/-	1.48	Hz
Emission Bandwidth	+/-	1.38	Hz
Temperature	+/-	0.6	°C
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty					
	+/-	1.89	dB	9kHz~30MHz	
Polarization, Vartical	+/-	4.15	dB	30MHz - 1000MHz	
FUIAIIZALIUII. VEILICAI	+/-	3.43	dB	1GHz - 18GHz	
	+/-	3.86	dB	18GHz - 40GHz	
	+/-	1.89	dB	9kHz~30MHz	
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz	
Foldi izalion. Honzoniai	+/-	3.43	dB	1GHz - 18GHz	
	+/-	3.86	dB	18GHz - 40GHz	
	+/-	2	dB	33GHz-50GHz	
Dedicted Onumieure	+/-	1.59	dB	50GHz-60GHz	
Fmission	+/-	1.7	dB	60GHz-90GHz	
LIII33IUII	+/-	1.64	dB	90GHz-140GHz	
	+/-	3.83	dB	140GHz-220GHz	

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



MEASUREMENT EQUIPMENT USED 6

6.1 Radiated Measurement

Radiated Emission Test Site: SAC C						
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.	
3m Site NSA	SGS	966 chamber C	N/A	03/02/2024	03/01/2025	
Active Loop Antenna	COM-POWER	AL-130R	10160105	12/04/2023	12/03/2024	
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-300	11/02/2023	11/01/2024	
Coaxial Cable	Huber+Suhner	RG 214/U	W22.03	11/15/2023	11/14/2024	
Pre-Amplifier	EMC Instruments	EMC330	980096	11/15/2023	11/14/2024	
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120290	04/10/2024	04/09/2025	
EMI Test Receiver	R&S	ESCI	101342	04/29/2024	04/28/2025	
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R	

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



7 RADIATED EMISSION TEST

7.1 Test SET-UP (Block Diagram of Configuration)

(A) Radiated Emission Test Set-Up, Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency From 30MHz to 1000MHz.



7.2 Measurement Procedure

- 1. Configure the EUT according to ANSI C63.10.
- 2. The EUT was placed on a turn table which is 0.8m above ground plane and been measured in the frequency range between 0.009MHz to 30MHz and 30MHz to 1GHz.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission.
- 5. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 6. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 7. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents is subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



7.3 **Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

7.4 **Field Strength of Fundamental Emission**

7.4.1 **Applicable standard**

Rules and specifications	CFR 47 Part 15 section 15.225(a)-(d)		
Frequency of Emission (MHz)	Field Strength (µV/m)at 30m	Field Strength (dBµV/m)at 30m	
1.705~13.110	30	29.5	
13.110~13.410	106	40.5	
13.410~13.553	334	50.5	
13.553~13.567	15848	84	
13.567~13.710	334	50.5	
13.710~14.010	106	40.5	
14.010~30.00	30	29.5	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

www.sqs.com.tw



7.4.2 **Distance Extrapolation Factor**

30m to 3m

Distance extrapolation = $40 \times \log(30/3) = 40 \text{ dB}$ 30m to 10m Distance extrapolation = $40 \times \log(30/10) = 19.08 \text{ dB}$ 10m to 3m Distance extrapolation = 40 *log (10/3) = 20.92 dBNote:

- 1. Distance extrapolation factor = 40 log (required distance/ test distance) (dB)
- 2. The lower limit shall apply at the transition frequencies.
- 3. KDB 414788 D01 OATS and 3m semi-anechoic chamber Justification: Base on FCC 15.31 (f) (2): measurements may be performed at a distance closer than that specified in the regulations; however, an attempt should be made to avoid making measurements in the near field. OATS and 3m SAC chamber testing had been performed and 3m SAC measured test result is the worst case test result.

Actual FS(dB μ V/m) = Spectrum. Reading level(dB μ V) + Factor(dB)

Below 30 MHz of Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Distance Factor (dB)

Above 30 MHz of Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) – Pre Amp Gain (dB)

The trace on RE(radiation emission) plot is as colored blue, and the detection manner we've employed is peak detector.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2407001902E2 Page: 15 of 21



Field Strength of Fundamental Emission Measurement Result 7.4.3

Report Number	:TERF2407001912E2	Test Site	:SAC C
Operation Mode	:NFC	Test Date	:2024-07-11
Test Frequency	:13.56 MHz	Temp./Humi.	:24.2°C/55%
Test Mode	:Main	Antenna Pol.	:Vertical
EUT Pol	:E2 Plane	Engineer	:Pony Chen



Actual level = Reading level + Factor Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Report Number:TERF2407001912E2Operation Mode:NFCTest Frequency:13.56 MHzTest Mode:MainEUT Pol:E2 Plane			2E2 Te Te Te Ai Ei	est Site est Date emp./Humi. ntenna Pol. ngineer	:S :2 :2 :H :P	AC C 024-07-11 4.2℃/55% lorizontal ony Chen
90 Level (dBu 80 60	IV/m)					
20						_
-20						_
-40 13.51	13.53	13.59 F	5 13 requency (MHz)	.57	13.59	13.61
Freq. [Detector Mode	Spectrum Reading Leve	Factor el	Actu	al Limit	Margin
MHz P	K/QP/AV	dBµV	dB	dBµV	/m dBµV/m	dB
13.560	Peak	35.92	-24.60	11.3	2 84.00	-72.68

Actual level = Reading level + Factor Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



7.5 **Radiated Spurious Emission Measurement**

7.5.1 **Standard Applicable**

The field strength of any emissions appearing outside of the 13.110-14.010 MHz shall not exceed the general radiated emission limits as below.

Frequency (MHz)	Field strength (μV/m)	Distance (meters)
0.009~0.490	2400/F(kHz)	300
0.490~1.705	24000/F(kHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. Emission level in $dB\mu V/m=20 \log (\mu V/m)$
- Distance extrapolation factor = 40 log (required distance/ test distance) (dB) 2.
- 3. 20*log(30uV/m) = 29.54 dBuV/m
- The lower limit shall apply at the transition frequencies. 4.
- The measurement was undertaken in closer distance at 3m, where extrapolation 5. factor is offset to convert the limit of the measurement.
- 6. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of §15.205.
- The general radiated emission limits in §15.209 apply for the spurious emission 7. generate from UE, except for the fundamental emission where the respective section specifies otherwise.

www.sqs.com.tw

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document and the document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2407001902E2 Page: 18 of 21



7.5.2 **Radiated Spurious Emission Measurement Result**

Report Number	:TERF2407001912E2	Test Site	:SAC C
Operation Mode	:NFC	Test Date	:2024-07-11
Test Frequency	:13.56 MHz	Temp./Humi.	: 24.2 °C/ 55%
Test Mode	:Tx	Antenna Pol.	:Vertical
EUT Pol	:E2 Plane	Engineer	:Pony Chen



Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :T		F2407001912E2	Test S	Test Site		:SAC C	
Operation Mo	de :NFC	;	Test [Test Date		4-07-11	
Test Frequence	cy :13.5	6 MHz	Temp	./Humi.	:24.2	°C /55%	
Test Mode	:Tx		Anten	ina Pol.	:Horizontal		
EUT Pol	:E2 F	Plane	Engin	Engineer		y Chen	
50 Level (dB	uV/m)]	
40							
30							
10	2						
0		3 4	5				
-10					7		
-20							
-30							
-40	6.007	12.005	18.004	24.00	2 30	1	
Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual	Limit	Margin	
MHz P	K/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
2.078	Peak	46.55	-26.04	20.51	29.54	-9.03	
4.568	Peak	41.86	-25.43	16.43	29.54	-13.11	
8.406	Peak	30.35	-24.83	5.52	29.54	-24.02	
13.145	Peak	26.62	-24.60	2.02	29.54	-27.52	
18.334	Peak	26.10	-24.61	1.49	29.54	-28.05	
23.852	Peak	30.75	-25.54	5.21	29.54	-24.33	
27.120	Peak	18.80	-26.33	-7.53	29.54	-37.07	

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document dear and the contracts are company's mining all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Num	ber :TEF	:TERF2407001912E2 :NFC		Test Site Test Date		C
Operation M	lode :NFC					1-07-11
Test Freque	ncy :13.5	6 MHz	Temp	o./Humi.	:24.2	°C /55%
Test Mode	:Tx		Anter	Antenna Pol.		cal
EUT Pol	:E2 F	Plane	Engir	Engineer		y Chen
Level (d	BuV/m)					
90						
80						
70 60						
50						
40	284			6		
30 20 1		5				
10						
0 30	224.	418. Frequ	612. ency (MHz)	806.	100	0
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
		·		·	•	
40.680	Peak	35.10	-16.83	18.27	40.00	-21.73
91.110	Peak	53.25	-21.56	31.69	43.50	-11.81
97.900	Peak	53.49	-20.93	32.56	43.50	-10.94
107.600	Peak	51.69	-19.60	32.08	43.50	-11.42
304.510	Peak	40.97	-14.79	26.18	46.00	-19.82
776.900	Peak	33.85	-3.73	30.12	46.00	-15.88
920.460	Peak	31.30	-1.18	30.13	46.00	-15.87

Test Site

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document and the document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

·SAC C



Report Number

Operation Mode Test Frequency Test Mode EUT Pol		:NFC :13.56 :Tx :E2 Pla	MHz	Test Temp Anter Engir	Date o./Humi. nna Pol. neer	:2024-07-11 :24.2℃/55% :Horizontal :Pony Chen	
100 Level 90 80 70 60 50 40 30 20 2	(dBuV/m)						
10 0 30		224.	418.	612.	806.	100	0
Fra n	Detee	to 2		Easter	Actual	Linsit	Margin
Freq.	Delec	lor e F	Spectrum Reading Level	Factor	Actual	Limit	Margin
MHz	PK/QP	/AV	dBµV	dB	dBµV/m	dBµV/m	dB
32.910	Peal	k	46.04	-17.56	28.48	40.00	-11.52
40.680	Peal	k	32.33	-16.83	15.50	40.00	-24.50
69.770	Peal	k	42.55	-18.47	24.08	40.00	-15.92
91.110	Peal	k	47.54	-21.56	25.98	43.50	-17.52
162.890	Peal	k	39.35	-15.86	23.49	43.50	-20.01
779.810	Peal	k	33.06	-3.76	29.30	46.00	-16.70
925.310	Peal	k	31.18	-1.05	30.13	46.00	-15.87

Test Site

·TERE2407001912E2

Actual level = Reading level + Factor

Factor = Antenna factor + cable loss – Pre Amplifier Gain – distance factor

Test distance= 3m

For Actual level and limit: Field strength (dBuV/m) at 300m, within the band 9 kHz - 490 kHz. Field strength (dBuV/m) at 30m, within the band 490 kHz - 30 MHz.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document sole and the document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction document and the document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.