


Wireless Handset User Manual

1. Performance parameter

| | |
|------------------|----------------------------|
| Model | KDH231A |
| Voltage | 4.5VDC (3AAA 1.5V battery) |
| Current | MAX 50mA |
| Keys | 11 |
| Protection class | IP 42 |
| Main material | HIPS-2230 |
| RF | 2420Mhz |



Key 1: press button 1, flashlight lit; release button 1, flashlight extinguished;

Key 2: press button 2 for 3 seconds, remember the current position (cover

the memory before), while backlight flash 3 times, control box buzzing 1 time;

After remembering the position, press the button 2, the bed body switch to the viewing position;

Key 3: press button 3 for 3 seconds, remember the current position (cover before memory), while backlight flash 3 times, control box buzzing 1 time;

After remembering the position, press button 3, the bed body switch to BOOK position;

Key 4: press button 4, bed back rise;

Key 5: press button 5, bed leg rise;

Key 6: press button 6, bed back down;

Key 7: Press button 7, short press button 7, push rod 1 and push rod 2 retract at the same time; press any key to stop during the operation of the push rod;

Key 8: Long press button 8, push rod 2 retracts, release it to stop;

Key 9: Short press button 9 to stop the push rod running to a fixed position (zero gravity mode); long press button 9 for 3 seconds, the current position is memorized (overwrite the previous memory), and the backlight flashes 3 times quickly, the control box beeps once; after the position is memorized, short press button 9 to switch the fader to the current memorized position;

Key 10: Short press button 10, the vibration mode is selected (there are 4 modes in total), when the vibration motor starts to work, it will switch from the original default vibration mode (intermittent vibration with slower frequency) to the first level, and press it again to gradually increase the cycle. First gear: slower frequency intermittent vibration; second gear: faster frequency intermittent vibration; third gear: fastest frequency intermittent vibration; fourth gear: continuous vibration; four modes are switched in sequence; within 30 minutes If there is no operation to change the button, the vibration motor is automatically turned off.

Key 11: Long press button 11 for about 3 seconds, the backlight flashes for 3 seconds and then stays on, the control box will memorize the current push rod position; at the same time, the buzzer buzzes once and the backlight turns off; short press button 11 again to push The lever moves to the memory position.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC warning:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement . The device can be used in portable exposure condition without restriction.