# Vermeer

1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

## Request for Modular/Limited Modular Approval

Date: January 19, 2021			
Subject: Manufacturer's Declaration for  Confidentiality Request for: 2AXF5-VERMEE	□ - Modular Appro □ - Split Modular A ⊠ - Limited Modul □ - Limited Split M	Approval ar Approv	
8 Basic Requirements – For Items Marked "NO(*)", the Limited Modu Following	ile Description Must be Pages		
Modular Approval Requirem		Require	ment Met
1. The modular transmitter must have its own RF intended to ensure that the module does not ha shielding provided by the device into which it is all modular transmitter emissions to comply wi intended to prevent coupling between the RF ci and any wires or circuits in the device into which installed. Such coupling may result in non-comp physical crystal and tuning capacitors may be loshielded radio elements. 15.212(a)(1)(i)	ve to rely upon the s installed in order for ith FCC limits. It is also ircuitry of the module ch the module is pliant operation. The	⊠ - YES	□ - NO(*)
Details: The module contains a metal shield with the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the top of the board in the shield is located on the shield in the s	ext to antenna connecto		d circuitry.
(if such inputs are provided) to ensure that the with FCC requirements under conditions of excover-modulation. 15.212(a)(1)(ii)	module will comply	⊠ - YES	□ - NO(*)
Details: Data to the modulation circuit is buffered as described in the operational description provided with the application.			
3. The modular transmitter must have its own power on the module. This is intended to ensure that the with FCC requirements regardless of the design supplying circuitry in the device into which the 15.212(a)(1)(iii)	he module will comply of the power	⊠ - YES	□ - NO(*)
Details: The module contains its own power s filed with this application.	supply regulation. Pleas	e refer to s	chematic

# Vermeer

1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

4.			
	The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)		□ - NO(*)
	Details: The module connects to its antenna using an UFL connector non-standard connector. A list of antennas tested and approved with found in users manual provided with the application.		
5.	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support	⊠ - YES	□ - NO(*)
	equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)		
	or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)  Details: The module was tested stand-alone as shown in test setup p		s filed with



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization.  15.212(a)(1)(vi)		
Details: There is a label on the module as shown in the labeling exhi application. Host specific labeling instructions are shown in the insta with this application.	-	
7. The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
Details: The module complies with FCC Part 15C requirements. Instrinstaller are provided in the installation manual filed with this application.		the OEM
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
Details: The module meets exclusion levels as shown in the RF exposi with this application.	ıre informo	ation filed



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

### **Limited Module Description - When Applicable**

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement	Met	
1. For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	⊠ - Provided in Separate Cover Letter	□ - N/A	
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: <example -n="" a=""></example>			

Split Modular Requirements			
Requirement	Provided in Manual		
For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: <example -="" a="" n=""></example>			

# Vermeer<sup>a</sup>



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

### OEM Integration Manual Guidance - KDB 996369 D03 Section 2

Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.

	101 111	iiu-paities t	o use and/or integra	ate the module into a nos	ot device.
R	equiren	nent			
		le intended ird parties?	□ - YES		, the applicant can make the following lowever there still ation instructions for information below in the operational cant wishes to keep this will require a ver letter explaining to to third parties and otions are internal
Items required to be in the manual – See KDB 996369 D03, Section 2  As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.					
1. List	of applic a.		es. KDB 996369 D03,		
Sect	marize t ion 2.3 a.	e the specific operational use conditions. KDB 996369 D03,  Conditions such as limits on antennas, cable loss, reduction of power for point to point systems, professional installation info odule Procedures. KDB 996369 D03, Section 2.4  Describe alternative means that the grantee uses to verify the host meets the necessary limiting conditions  When RF exposure evaluation is necessary, state how control will be maintained such that compliance is ensured, such as Class II for new hosts, etc.  — An LMA			
4. Trac	e anteni a.	isolation requirements, tests for design verification, and production test procedures for ensuring compliance. If confidential, the method used to keep confidential must be identified and information provided in the operational description.  Not Applicable.  In the method used to keep confidential must be identified and information provided in the operational as provided in a separate cover letter. Therefore			
5. RF e	xposure a.	Clearly and manufactur instructions to define coand second	onditions (mobile, por	tions that allow host e. Two types of to the host manufacturer table – xx cm from body) ed to be provided to the	letter. Therefore the information shown to the left is found in the theory of operation.



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

- 6. Antennas. KDB 996369 D03, Section 2.7
  - a. List of antennas included in the application and all applicable professional installer instructions when applicable. The antenna list shall also identify the antenna types (monopole, PIFA, dipole, etc – note that "omnidirectional" is not considered a type)
- 7. Label and compliance information. KDB 996369 D03, Section 2.8
  - Advice to host integrators that they need to provide a physical or e-label stating "Contains FCC ID: " with their finished product
- 8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9
  - Test modes that should be taken into consideration by host integrators including clarifications necessary for stand-alone and simultaneous configurations.
  - Provide information on how to configure test modes for evaluation
- Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10

Sincerely,	
Ву:	Daniel Huitink, Deputy
General Counsel	
(Signature/Title <sup>1</sup> )	

<sup>1 -</sup> Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.