

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Band5\_ERP

#### 1.1.1 Test Result

| Band: 5                                      |         |              |                    |                          |               |           |         |         |
|----------------------------------------------|---------|--------------|--------------------|--------------------------|---------------|-----------|---------|---------|
| ENV                                          | Mode    |              | Frequency<br>(MHz) | Conducted Power<br>(dBm) | Gain<br>(dBi) | ERP (dBm) |         | Verdict |
|                                              | Network | Subset       |                    |                          |               | Result    | Limit   |         |
| NTNV                                         | RMC     | 12.2kbps RMC | 826.4              | 20.35                    | 0.42          | 18.62     | <=38.45 | Pass    |
|                                              |         |              | 836.6              | 20.39                    | 0.42          | 18.66     | <=38.45 | Pass    |
|                                              |         |              | 846.6              | 20.36                    | 0.42          | 18.63     | <=38.45 | Pass    |
|                                              | HSDPA   | Subtest 1    | 826.4              | 18.14                    | 0.42          | 16.41     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 826.4              | 18.12                    | 0.42          | 16.39     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 826.4              | 18.10                    | 0.42          | 16.37     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 826.4              | 18.13                    | 0.42          | 16.40     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 836.6              | 18.14                    | 0.42          | 16.41     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 836.6              | 18.14                    | 0.42          | 16.41     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 836.6              | 18.16                    | 0.42          | 16.43     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 836.6              | 18.15                    | 0.42          | 16.42     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 846.6              | 18.07                    | 0.42          | 16.34     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 846.6              | 18.06                    | 0.42          | 16.33     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 846.6              | 18.06                    | 0.42          | 16.33     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 846.6              | 18.07                    | 0.42          | 16.34     | <=38.45 | Pass    |
|                                              | HSUPA   | Subtest 1    | 826.4              | 15.64                    | 0.42          | 13.91     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 826.4              | 15.79                    | 0.42          | 14.06     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 826.4              | 16.03                    | 0.42          | 14.30     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 826.4              | 16.07                    | 0.42          | 14.34     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 826.4              | 15.88                    | 0.42          | 14.15     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 836.6              | 16.10                    | 0.42          | 14.37     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 836.6              | 15.86                    | 0.42          | 14.13     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 836.6              | 15.94                    | 0.42          | 14.21     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 836.6              | 16.11                    | 0.42          | 14.38     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 836.6              | 16.14                    | 0.42          | 14.41     | <=38.45 | Pass    |
|                                              |         | Subtest 1    | 846.6              | 15.88                    | 0.42          | 14.15     | <=38.45 | Pass    |
|                                              |         | Subtest 2    | 846.6              | 15.83                    | 0.42          | 14.10     | <=38.45 | Pass    |
|                                              |         | Subtest 3    | 846.6              | 15.82                    | 0.42          | 14.09     | <=38.45 | Pass    |
|                                              |         | Subtest 4    | 846.6              | 15.53                    | 0.42          | 13.80     | <=38.45 | Pass    |
|                                              |         | Subtest 5    | 846.6              | 15.86                    | 0.42          | 14.13     | <=38.45 | Pass    |
| Note1: ERP=Conducted Power+Antenna Gain-2.15 |         |              |                    |                          |               |           |         |         |

## 2. Frequency Stability

### 2.1 Band5

#### 2.1.1 Test Result

| Band: 5 |                 |            |               |                  |                       |             |         |
|---------|-----------------|------------|---------------|------------------|-----------------------|-------------|---------|
| Network | Frequency (MHz) | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|         |                 |            |               |                  | Result                | Limit       |         |
| RMC     | 826.4           | 20         | 3.27          | -1.123           | -0.0014               | -2.5 to 2.5 | Pass    |
|         |                 |            | 3.85          | 0.536            | 0.0006                | -2.5 to 2.5 | Pass    |

|       |       |     |      |        |         |             |      |
|-------|-------|-----|------|--------|---------|-------------|------|
|       |       |     | 4.43 | 1.144  | 0.0014  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 1.230  | 0.0015  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 1.924  | 0.0023  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 0.815  | 0.0010  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 1.860  | 0.0023  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 1.016  | 0.0012  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -0.536 | -0.0006 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 0.136  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 0.994  | 0.0012  | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | 1.631  | 0.0019  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 2.861  | 0.0034  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 0.200  | 0.0002  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.029 | 0.0000  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -0.529 | -0.0006 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 2.074  | 0.0025  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 0.508  | 0.0006  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 0.973  | 0.0012  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 2.089  | 0.0025  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 0.722  | 0.0009  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 0.465  | 0.0006  | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -0.401 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -0.815 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 0.687  | 0.0008  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.658 | -0.0008 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -1.352 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 0.601  | 0.0007  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -0.293 | -0.0003 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 0.329  | 0.0004  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -0.594 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -0.157 | -0.0002 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 0.229  | 0.0003  | -2.5 to 2.5 | Pass |
| HSDPA | 826.4 | 20  | 3.27 | -0.551 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 1.967  | 0.0024  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 2.360  | 0.0029  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 2.832  | 0.0034  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 2.761  | 0.0033  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 3.326  | 0.0040  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 3.476  | 0.0042  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 2.968  | 0.0036  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 2.632  | 0.0032  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 1.967  | 0.0024  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 2.689  | 0.0033  | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | 0.830  | 0.0010  | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 1.724  | 0.0021  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 1.760  | 0.0021  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 1.309  | 0.0016  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 0.801  | 0.0010  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 1.302  | 0.0016  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 3.676  | 0.0044  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 0.558  | 0.0007  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -0.043 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | 4.199  | 0.0050  | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | 5.322  | 0.0064  | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -1.130 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -1.709 | -0.0020 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -0.107 | -0.0001 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -0.293 | -0.0003 | -2.5 to 2.5 | Pass |

|       |       |     |      |        |         |             |      |
|-------|-------|-----|------|--------|---------|-------------|------|
|       |       | -20 | 3.85 | -0.873 | -0.0010 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | 0.057  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | 0.558  | 0.0007  | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | 0.801  | 0.0009  | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 1.330  | 0.0016  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -1.967 | -0.0023 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -1.438 | -0.0017 | -2.5 to 2.5 | Pass |
| HSUPA | 826.4 | 20  | 3.27 | -1.202 | -0.0015 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -3.312 | -0.0040 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -3.798 | -0.0046 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -4.199 | -0.0051 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -3.884 | -0.0047 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -1.338 | -0.0016 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -1.967 | -0.0024 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -3.612 | -0.0044 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | 0.122  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -0.758 | -0.0009 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -2.046 | -0.0025 | -2.5 to 2.5 | Pass |
|       | 836.6 | 20  | 3.27 | -0.465 | -0.0006 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | 0.944  | 0.0011  | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | 0.007  | 0.0000  | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | 0.250  | 0.0003  | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | 0.064  | 0.0001  | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -0.608 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -0.558 | -0.0007 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -1.023 | -0.0012 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -2.153 | -0.0026 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -3.455 | -0.0041 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -2.189 | -0.0026 | -2.5 to 2.5 | Pass |
|       | 846.6 | 20  | 3.27 | -0.408 | -0.0005 | -2.5 to 2.5 | Pass |
|       |       |     | 3.85 | -1.059 | -0.0013 | -2.5 to 2.5 | Pass |
|       |       |     | 4.43 | -2.718 | -0.0032 | -2.5 to 2.5 | Pass |
|       |       | -30 | 3.85 | -3.333 | -0.0039 | -2.5 to 2.5 | Pass |
|       |       | -20 | 3.85 | -2.425 | -0.0029 | -2.5 to 2.5 | Pass |
|       |       | -10 | 3.85 | -2.317 | -0.0027 | -2.5 to 2.5 | Pass |
|       |       | 0   | 3.85 | -4.213 | -0.0050 | -2.5 to 2.5 | Pass |
|       |       | 10  | 3.85 | -3.941 | -0.0047 | -2.5 to 2.5 | Pass |
|       |       | 30  | 3.85 | -2.446 | -0.0029 | -2.5 to 2.5 | Pass |
|       |       | 40  | 3.85 | -2.782 | -0.0033 | -2.5 to 2.5 | Pass |
|       |       | 50  | 3.85 | -1.159 | -0.0014 | -2.5 to 2.5 | Pass |


### 3. Modulation Characteristics

#### 3.1 Band5


##### 3.1.1 Test Result

| Band: 5 |         |              |                 |                            |       |         |
|---------|---------|--------------|-----------------|----------------------------|-------|---------|
| ENV     | Mode    |              | Frequency (MHz) | Modulation Characteristics |       | Verdict |
|         | Network | Subset       |                 | Result                     | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 836.6           | Refer To Test Graph        |       | Pass    |
|         | HSDPA   | Subtest 1    | 836.6           | Refer To Test Graph        |       | Pass    |
|         | HSUPA   | Subtest 1    | 836.6           | Refer To Test Graph        |       | Pass    |

### 3.1.2 Test Graph



# Band5 HSUPA MCH 836.6MHz Subtest 1 NTN




## 4. 99% & 26dB Bandwidth

### 4.1 Band5\_OBW


#### 4.1.1 Test Result

| Band: 5 |         |              |                    |                              |       |         |
|---------|---------|--------------|--------------------|------------------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | 99% Occupied Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                    | Result                       | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | 4.170                        | /     | Pass    |
|         |         |              | 836.6              | 4.165                        | /     | Pass    |
|         |         |              | 846.6              | 4.164                        | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | 4.161                        | /     | Pass    |
|         |         |              | 836.6              | 4.145                        | /     | Pass    |
|         |         |              | 846.6              | 4.158                        | /     | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | 4.169                        | /     | Pass    |
|         |         |              | 836.6              | 4.163                        | /     | Pass    |
|         |         |              | 846.6              | 4.147                        | /     | Pass    |


4.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



# Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 4.2 Band5\_XDB


### 4.2.1 Test Result

| Band: 5 |         |              |                    |                      |       |         |
|---------|---------|--------------|--------------------|----------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | 26dB Bandwidth (MHz) |       | Verdict |
|         | Network | Subset       |                    | Result               | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | 4.713                | /     | Pass    |
|         |         |              | 836.6              | 4.719                | /     | Pass    |
|         |         |              | 846.6              | 4.692                | /     | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | 4.711                | /     | Pass    |
|         |         |              | 836.6              | 4.716                | /     | Pass    |
|         |         |              | 846.6              | 4.710                | /     | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | 4.707                | /     | Pass    |
|         |         |              | 836.6              | 4.713                | /     | Pass    |
|         |         |              | 846.6              | 4.706                | /     | Pass    |


4.2.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




# Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV



Band5\_HSUPA\_MCH\_836.6MHz\_Subtest 1\_NTNV



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 5. Peak-Average Ratio

### 5.1 Band5


#### 5.1.1 Test Result

| Band: 5 |         |              |                    |                         |       |         |
|---------|---------|--------------|--------------------|-------------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Peak-Average Ratio (dB) |       | Verdict |
|         | Network | Subset       |                    | Result                  | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | 2.99                    | <=13  | Pass    |
|         |         |              | 836.6              | 3.03                    | <=13  | Pass    |
|         |         |              | 846.6              | 3.06                    | <=13  | Pass    |
|         | HSDPA   | Subtest 1    | 826.4              | 5.60                    | <=13  | Pass    |
|         |         |              | 836.6              | 5.68                    | <=13  | Pass    |
|         |         |              | 846.6              | 5.98                    | <=13  | Pass    |
|         | HSUPA   | Subtest 1    | 826.4              | 5.59                    | <=13  | Pass    |
|         |         |              | 836.6              | 5.83                    | <=13  | Pass    |
|         |         |              | 846.6              | 5.69                    | <=13  | Pass    |


5.1.2 Test Graph




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSUPA LCH 826.4MHz Subtest 1 NTN



Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



Band5 HSUPA HCH 846.6MHz Subtest 1 NTN




## 6. Spurious Emission

### 6.1 Band5


#### 6.1.1 Test Result

| Band: 5 |         |              |                    |                     |       |         |
|---------|---------|--------------|--------------------|---------------------|-------|---------|
| ENV     | Mode    |              | Frequency<br>(MHz) | Spurious Emission   |       | Verdict |
|         | Network | Subset       |                    | Result              | Limit |         |
| NTNV    | RMC     | 12.2kbps RMC | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |
|         | HSDPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |
|         | HSUPA   | Subtest 1    | 826.4              | Refer To Test Graph | Pass  |         |
|         |         |              | 836.6              | Refer To Test Graph | Pass  |         |
|         |         |              | 846.6              | Refer To Test Graph | Pass  |         |


6.1.2 Test Graph




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_RMC\_MCH\_836.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




Band5\_RMC\_HCH\_846.6MHz\_12.2kbps\_RMC\_NTNV




# Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5\_HSDPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA MCH 836.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




Band5 HSDPA HCH 846.6MHz Subtest 1 NTN




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5\_HSUPA\_LCH\_826.4MHz\_Subtest 1\_NTNV




# Band5 HSUPA MCH 836.6MHz Subtest 1 NTN




# Band5 HSUPA MCH 836.6MHz Subtest 1 NTN



# Band5 HSUPA HCH 846.6MHz Subtest 1 NTNV



# Band5 HSUPA HCH 846.6MHz Subtest 1 NTNV



## 7. Form731

### 7.1 Form731\_Power

#### 7.1.1 Test Result

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.1094        | 0.0064 | ppm    | 4M17F9W             | 22H        | 20.39           |

### 7.2 Form731\_ERP

#### 7.2.1 Test Result

| Band | BW   | Lower Freq | High Freq | MAX Power (W) | Value  | Hz/ppm | Emission Designator | Rule Parts | MAX Power (dBm) |
|------|------|------------|-----------|---------------|--------|--------|---------------------|------------|-----------------|
| 5    | 3.84 | 826.4      | 846.6     | 0.0735        | 0.0064 | ppm    | 4M17F9W             | 22H        | 18.66           |