

11.2.2 2437 MHz, EUT Position: Tablet,PP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 5x5x8 : Measurement x=8mm, y=8mm, z=4mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 2437MHz

Power Drift-Start : 0.086 W/kg
 Power Drift-Finish: 0.083 W/kg
 Power Drift (%) : -3.421
 Picture :



1 gram SAR value : 0.118 W/kg
 10 gram SAR value : 0.062 W/kg
 Area Scan Peak SAR : 0.147 W/kg
 Zoom Scan Peak SAR : 0.240 W/kg

11.2.3 2437 MHz, EUT Position: Tablet,SL, Main Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 5x5x8 : Measurement x=8mm, y=8mm, z=4mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 2437MHz

Power Drift-Start : 0.028 W/kg
 Power Drift-Finish: 0.028 W/kg
 Power Drift (%) : -0.014
 Picture : (No picture)



1 gram SAR value : 0.039 W/kg
 10 gram SAR value : 0.030 W/kg
 Area Scan Peak SAR : 0.042 W/kg
 Zoom Scan Peak SAR : 0.080 W/kg

11.2.4 2437 MHz, EUT Position: Tablet,SP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 5x5x8 : Measurement x=8mm, y=8mm, z=4mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 2437MHz

Power Drift-Start : 0.028 W/kg
 Power Drift-Finish: 0.027 W/kg
 Power Drift (%) : -3.571
 Picture : (No picture)



1 gram SAR value : 0.058 W/kg
 10 gram SAR value : 0.037 W/kg
 Area Scan Peak SAR : 0.033 W/kg
 Zoom Scan Peak SAR : 0.101 W/kg

11.2.5 2437 MHz, EUT Position: Laptop, Main


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 5x5x8 : Measurement x=8mm, y=8mm, z=4mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 2437MHz

Power Drift-Start : 0.027 W/kg
 Power Drift-Finish: 0.026 W/kg
 Power Drift (%) : -3.703
 Picture :



1 gram SAR value : 0.049 W/kg
 10 gram SAR value : 0.039 W/kg
 Area Scan Peak SAR : 0.044 W/kg
 Zoom Scan Peak SAR : 0.080 W/kg

11.2.6 2437 MHz, EUT Position: Laptop, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 5x5x8 : Measurement x=8mm, y=8mm, z=4mm

Other Data


DUT Position : Touch
 Separation : 0
 Channel : Mid - 2437MHz

Power Drift-Start : 0.020 W/kg
 Power Drift-Finish: 0.020 W/kg
 Power Drift (%) : -0.009
 Picture : (No picture)



1 gram SAR value : 0.023 W/kg
 10 gram SAR value : 0.020 W/kg
 Area Scan Peak SAR : 0.035 W/kg
 Zoom Scan Peak SAR : 0.067 W/kg

11.2.7 Z Axis 2437 MHz, EUT Position: Tablet,PP, Aux Antenna



11.3 802.11a mode (5150MHz ~ 5350MHz)

11.3.1 5260 MHz, EUT Position: Tablet,PL, Main Antenna


Measurement Data

Crest Factor : 1
Scan Type : Complete
Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
Separation : 0
Channel : Mid - 5260MHz

Power Drift-Start : 0.060 W/kg
Power Drift-Finish: 0.060 W/kg
Power Drift (%) : 0.009
Picture : (No picture)



1 gram SAR value : 0.113 W/kg
10 gram SAR value : 0.075 W/kg
Area Scan Peak SAR : 0.086 W/kg
Zoom Scan Peak SAR : 0.290 W/kg

11.3.2 5260 MHz, EUT Position: Tablet,PP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5260MHz

Power Drift-Start : 0.078 W/kg
 Power Drift-Finish: 0.075 W/kg
 Power Drift (%) : -3.846
 Picture : (No picture)



1 gram SAR value : 0.107 W/kg
 10 gram SAR value : 0.064 W/kg
 Area Scan Peak SAR : 0.094 W/kg
 Zoom Scan Peak SAR : 0.181 W/kg

11.3.3 5260 MHz, EUT Position: Tablet,SL, Main Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5260MHz

Power Drift-Start : 0.067 W/kg
 Power Drift-Finish: 0.064 W/kg
 Power Drift (%) : -4.477
 Picture : (No picture)



1 gram SAR value : 0.093 W/kg
 10 gram SAR value : 0.063 W/kg
 Area Scan Peak SAR : 0.096 W/kg
 Zoom Scan Peak SAR : 0.171 W/kg

11.3.4 5260 MHz, EUT Position: Tablet,SP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5260MHz

Power Drift-Start : 0.072 W/kg
 Power Drift-Finish: 0.075 W/kg
 Power Drift (%) : 4.166
 Picture : (No picture)



1 gram SAR value : 0.079 W/kg
 10 gram SAR value : 0.083 W/kg
 Area Scan Peak SAR : 0.098 W/kg
 Zoom Scan Peak SAR : 0.200 W/kg

11.3.5 5260 MHz, EUT Position: Laptop, Main Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5260MHz

Power Drift-Start : 0.071 W/kg
 Power Drift-Finish: 0.069 W/kg
 Power Drift (%) : -1.499
 Picture :



1 gram SAR value : 0.166 W/kg
 10 gram SAR value : 0.094 W/kg
 Area Scan Peak SAR : 0.129 W/kg
 Zoom Scan Peak SAR : 0.360 W/kg

11.3.6 5260 MHz, EUT Position: Laptop, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data


DUT Position : Touch
 Separation : 0
 Channel : Mid - 5260MHz

Power Drift-Start : 0.051 W/kg
 Power Drift-Finish: 0.052 W/kg
 Power Drift (%) : 1.960
 Picture : (No picture)



1 gram SAR value : 0.081 W/kg
 10 gram SAR value : 0.063 W/kg
 Area Scan Peak SAR : 0.105 W/kg
 Zoom Scan Peak SAR : 0.194 W/kg

11.3.7 Z Axis 5260 MHz, EUT Position: Laptop, Main Antenna



11.4 802.11a mode (5725MHz ~ 5850MHz) Antenna

11.4.1 5785 MHz, EUT Position: Tablet,PL, Main


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.060 W/kg
 Power Drift-Finish: 0.060 W/kg
 Power Drift (%) : 0.009
 Picture : (No picture)



1 gram SAR value : 0.113 W/kg
 10 gram SAR value : 0.075 W/kg
 Area Scan Peak SAR : 0.086 W/kg
 Zoom Scan Peak SAR : 0.290 W/kg

11.4.2 5785 MHz, EUT Position: Tablet,PP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.110 W/kg
 Power Drift-Finish: 0.112 W/kg
 Power Drift (%) : 1.818
 Picture :



1 gram SAR value : 0.175 W/kg
 10 gram SAR value : 0.101 W/kg
 Area Scan Peak SAR : 0.170 W/kg
 Zoom Scan Peak SAR : 0.390 W/kg