

Annex 1: Measurement diagrams to
PARTIAL TEST REPORT
No.: 6-0744/15-3-1a

According to:
FCC Regulations:
Part 22, Part 24, Part27

IC-Regulations:
RSS-130, Issue 1, RSS-132 Issue 3
RSS-133 Issue 6, RSS-139 Issue 3
RSS-Gen Issue 4

for

Gemalto M2M GmbH

Wireless Module ALS3-US R3
FCC-ID: QIPALS3-USR3
IC: 7830A-ALS3USR3
PMN: Cinterion ALS3-US R3, HVIN: ALS3-US R3

Laboratory Accreditation and Listings			
 DAkks Deutsche Akkreditierungsstelle D-PL-12047-01-01	 FEDERAL COMMUNICATIONS COMMISSION USA MRA US-EU 0003	 Industry Canada Reg. No.: 3462D-1 Reg. No.: 3462D-2 Reg. No.: 3462D-3	 Voluntary Controls for Electromagnetic Emissions Reg. No.: R-2666 C-2914, T-1967, G-301
 WiFi ALLIANCE AUTHORIZED RF LABORATORY	 CTIA Authorized Test Lab LAB CODE 20011130-00		
accredited according to DIN EN ISO/IEC 17025			
CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com			

Table of contents

1. MEASUREMENT DIAGRAMS.....3

1.1. Spurious emissions radiated (LTE Band V)3

1.2. Spurious emissions radiated (LTE Band II).....5

1.3. Spurious emissions radiated (LTE Band IV)7

1.4. Spurious emissions radiated (LTE Band XVII).....9

1.5. Radiated emissions – band-edge (LTE Band II).....11

1.6. Radiated emissions – band-edge (LTE Band IV)15

1.7. Radiated emissions – band-edge (LTE Band V).....19

1.8. Radiated emissions – band-edge (LTE Band XVII).....23

1. Measurement diagrams

1.1. Spurious emissions radiated (LTE Band V)

8.01_CH20525_BW-10MHz_QPSK


Common Information

Test Description:	Radiated Spurious Emissions UMTS FDDV
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 22.917(a) / RSS-132, Issue 3
Operating Mode:	UE allocated channel 20525/4182/4233 (fc = 836.5 MHz), BW=10MHz, RB=50
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Operator:	AHO

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
-----	-----
HW	Rev. 2.3
Version:	Config C01
SW Version:	Rev.03.004
Serial Number:	004401-08-1453421
Connected Interfaces:	Audio, USB, RF
Power Supply:	12V DC
Comments:	--

Full Spectrum



8.02_CH20525_BW-10MHz_16QAM


Common Information

Test Description:	Radiated Spurious Emissions UMTS FDDV
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 22.917(a) / RSS-132, Issue 3
Operating Mode:	UE allocated channel 20525/4182/4233 (fc = 836.5 MHz), BW=10MHz, RB=50_16QAM
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Operator:	AHo_/MRa

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
-----	-----
HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum



1.2. Spurious emissions radiated (LTE Band II)

Diagram 8.03_CH18900_BW-10MHz_QPSK

Common Information

Test Description:	Radiated Spurious Emissions UMTS FDDII
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 24 / RSS-133, Issue 6
Operating Mode:	UE allocated channel 18900 (fc = 1880 MHz), BW=10MHz, RB=50_QPSK
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Operator:	AHo_/MRa

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum




Diagram 8.04_CH18900_BW-10MHz_16QAM**Common Information**


Test Description:	Radiated Spurious Emissions UMTS FDDII
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 24 / RSS-133, Issue 6
Operating Mode:	UE allocated channel 18900 (fc = 1880 MHz), BW=10MHz, RB=50_16QAM
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Operator:	AHo_/MRa

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)

HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum



1.3. Spurious emissions radiated (LTE Band IV)

Diagram 8.05_CH20175_BW-10MHz_QPSK

Common Information

Test Description:	Band-Edge low - Radiated Spurious Emissions LTE Band 4
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 27.53 / RSS-139, Issue 3
Operating Mode:	UE allocated channel 20175 (fc = 1723,5MHz), BW=10MHz, RB=50_QPSK
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Test SW Version:	EMC32 V9.15.0
Operator:	HLA/MRa

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
-----	-----
HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum





Diagram 8.06_CH20175_BW-10MHz_16QAM**Common Information**

Test Description:	Band-Edge low - Radiated Spurious Emissions LTE Band 4
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 27.53 / RSS-139, Issue 3
Operating Mode:	UE allocated channel 20175 (fc = 1723,5MHz), BW=10MHz, RB=50_16QAM
Environmental Conditions:	Humidity: 38%rH; Temperature: 24°C
Operator:	HLA/MRa

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
-----	-----
HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum



1.4. Spurious emissions radiated (LTE Band XVII)

Diagram 8.07_CH23790_BW-10MHz_QPSK

Common Information

Test Description:	Radiated Spurious Emissions UMTS FDDXVII
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 22.53 / RSS-130, Issue 1
Operating Mode:	UE allocated channel 23790 (fc = 710 MHz), BW = 10MHz, RB=50, QPSK
Environmental Conditions:	Humidity:32%rH; Temperature: 23°C
Operator:	HLA
	EMC32 V9.15.0

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)
-----	-----
HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum




Diagram 8.08_CH23790_BW-10MHz_16QAM**Common Information**


Test Description:	Radiated Spurious Emissions UMTS FDDXVII
Test Site Location:	CETECOM GmbH Essen
Test Site:	Fully Anechoic Room (FAR)
Test Standard:	FCC Part 27.53 / RSS-130, Issue 1
Operating Mode:	UE allocated channel 23790 (fc = 710 MHz), BW = 10MHz, RB=50, 16QAM
Environmental Conditions:	Humidity:32%rH; Temperature: 23°C
Operator:	HLA
	EMC32 V9.15.0

EUT Information

Manufacturer:	
EuT:	WMC0434AL3(c)

HW	Rev.2.3
Version:	
SW Version:	Rev.03.004
Serial Number:	004401081453421
Connected Interfaces:	Audio,RF,USB
Power Supply:	12vDC
Comments:	

Full Spectrum



1.5. Radiated emissions – band-edge (LTE Band II)

1.5.1. Low Band-Edge




Diagram 9.202a, Channel 18607, QPSK, 6RBs










Diagram 9.202b, Channel 18607, 16-QAM, 6RBs

**Diagram 9.212a, Channel 18700, QPSK, 100RBs****Diagram 9.212b, Channel 18700, 16-QAM, 100RBs**

1.5.2. High Band-Edge**Diagram 9.214a, Channel 19193, QPSK, 6RBs****Diagram 9.214b, Channel 19193, 16-QAM, 6RBs**

**Diagram 9.224a, Channel 19100, QPSK, 100RBs****Diagram 9.224b, Channel 19100, 16-QAM, 100RBs**

1.6. Radiated emissions – band-edge (LTE Band IV)

1.6.1. Low Band-Edge




Diagram 9.519a, Channel 19957, QPSK, 6RBs










Diagram 9.519b, Channel 19957, 16-QAM, 6RBs

**Diagram 9.529a, Channel 20050, QPSK, 100RBs****Diagram 9.529b, Channel 20050, 16-QAM, 100RBs**

1.6.2. High Band-Edge**Diagram 9.530a, Channel 20393, QPSK, 6RBs****Diagram 9.530b, Channel 20393, 16-QAM, 6RBs**

**Diagram 9.541a, Channel 20300, QPSK, 100RBs****Diagram 9.541b, Channel 20300, 16-QAM, 100RBs**

1.7. Radiated emissions – band-edge (LTE Band V)

1.7.1. Low Band-Edge




Diagram 9.510a, Channel 20407, QPSK, 6RBs










Diagram 9.510b, Channel 20407, 16-QAM, 6RBs

**Diagram 9.517a, Channel 20450, QPSK, 6RBs****Diagram 9.517b, Channel 20450, 16-QAM, 6RBs**

1.7.2. High Band-Edge**Diagram 9.502a, Channel 20643, QPSK, 6RBs****Diagram 9.502b, Channel 20643, 16-QAM, 6RBs**

**Diagram 9.509a, Channel 20600, QPSK, 6RBs****Diagram 9.509b, Channel 20600, 16-QAM, 6RBs**

1.8. Radiated emissions – band-edge (LTE Band XVII)

1.8.1. Low Band-Edge




Diagram 9.172a, Channel 23755, QPSK, 25RBs










Diagram 9.172b, Channel 23755, 16-QAM, 25RBs

**Diagram 9.174a, Channel 23870, QPSK, 50RBs****Diagram 9.174b, Channel 23870, 16-QAM, 50RBs**

1.8.2. High Band-Edge**Diagram 9.176a, Channel 23825, QPSK, 25RBs****Diagram 9.176b, Channel 23825, 16-QAM, 25RBs**

**Diagram 9.178a, Channel 23800, QPSK, 50RBs****Diagram 9.178b, Channel 23800, 16-QAM, 50RBs**