

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 1 of 124

TEST REPORT

Application No.: FYCR2209000369AT

Applicant: Reolink Innovation Limited

Address of Applicant: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN

STREET MONG KOK KL Hong Kong

Manufacturer: Reolink Innovation Limited

Address of Manufacturer: FLAT/RM 705 7/F FA YUEN COMMERCIAL BUILDING 75-77 FA YUEN

STREET MONG KOK KL Hong Kong

Factory: Shenzhen Reolink Technology Co., Ltd.

Address of Factory: 2-4th Floor, Building 2, YuanLing Industrial Park, ShangWu, Shiyan Street,

Bao'an District, Shenzhen, China

Equipment Under Test (EUT):

EUT Name: WiFi IP Camera **Model No.:** Reolink Duo 2

Trade Mark: Reolink

FCC ID: 2AYHE-2208C

Standard(s): 47 CFR Part 15, Subpart E 15.407

Date of Receipt: 2022-09-15

Date of Test: 2022-09-21 to 2022-10-27

Date of Issue: 2022-11-03

Test Result: Pass*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/lerms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/lerms-and-Conditions/lerms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law lucius stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authernicity of testing inspection report & certificate, please contact us at telephone: (86-755) 83071443.

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 2 of 124

| | Revision Record | | | | | | | |
|---------|-----------------|------------|----------|----------|--|--|--|--|
| Version | Chapter | Date | Modifier | Remark | | | | |
| 01 | | 2022-11-03 | | Original | | | | |
| | | | | | | | | |
| | | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|----------------------------|--|
| | Tree Zhan | |
| | Tree Zhan/Project Engineer | |
| | Winkeywarg | |
| | Winkey Wang/Reviewer | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 3 of 124

2 Test Summary

| Radio Spectrum Technical Requirement | | | | | | | |
|--------------------------------------|------------------|--------|---|--------|--|--|--|
| Item | Standard | Method | Requirement | Result | | | |
| Antenna Requirement | 47 CFR Part 15, | N/A | 47 CFR Part 15, Subpart C 15.203 | Pass | | | |
| Transmission in the Absence of Data | Subpart E 15.407 | N/A | 47 CFR Part 15, Subpart E 15.407 (c) | Pass | | | |

| Item | Standard | Method | Requirement | Result |
|---|------------------|-----------------------------------|--|--------|
| Conducted Emissions at AC Power Line (150kHz-30MHz) | | ANSI C63.10 (2013) Section 6.2 | 47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9) | Pass |
| Duty Cycle | | KDB 789033 II B 1 | KDB 789033 D02 II B 1 | Pass |
| 99% Bandwidth | | KDB 789033 II D | N/A | Pass |
| 26dB Emission bandwidth | | KDB 789033 D02 II C 1 | 47 CFR Part 15, Subpart E 15.407 (a) | Pass |
| Minimum 6 dB bandwidth (5.725- 5.85 GHz band) | | KDB 789033 D02 II C 2 | 47 CFR Part 15, Subpart E 15.407 (e) | Pass |
| Maximum Conducted output power | 47 CFR Part 15, | KDB 789033 D02 II E | 47 CFR Part 15, Subpart E 15.407 (a) | Pass |
| Peak Power spectrum density | Subpart E 15.407 | KDB 789033 D02 II F | 47 CFR Part 15, Subpart E 15.407 (a) | Pass |
| Radiated Emissions (Above 1GHz) | | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b) | Pass |
| Radiated Emissions which fall in the restricted bands | | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b) | Pass |
| Frequency Stability | | ANSI C63.10 (2013) Section 6.8 | 47 CFR Part 15, Subpart E 15.407 (g) | Pass |
| Radiated Emissions (Below 1GHz) | | KDB 789033 D02 II G | 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b) | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 4 of 124

3 Contents

| 2 TEST SUMMARY | raye |
|--|---|
| 4 GENERAL INFORMATION 4.1 DETAILS OF E.U.T. 4.2 DESCRIPTION OF SUPPORT UNITS 4.3 MEASUREMENT UNCERTAINTY 4.4 TEST LOCATION 4.5 TEST FACILITY 4.6 DEVIATION FROM STANDARDS 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6 RADIO SPECTRUM TECHNICAL REQUIREMENT 6.1.1 ANTENNA REQUIREMENT 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 1 E.U.T. Operation 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.4.4 Measurement Procedure and Data 7.3 1 E.U.T. Operation 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | 1 |
| 4 GENERAL INFORMATION 4.1 DETAILS OF E.U.T. 4.2 DESCRIPTION OF SUPPORT UNITS. 4.3 MEASUREMENT UNCERTAINTY. 4.4 TEST LOCATION 4.5 TEST FACILITY. 4.6 DEVIATION FROM STANDARDS. 4.7 ABNORMALITIES FROM STANDARD CONDITIONS. 5 EQUIPMENT LIST. 6 RADIO SPECTRUM TECHNICAL REQUIREMENT. 6.1.1 ANTENNA REQUIREMENT. 6.1.1 Test Requirement: 6.1.2 Conclusion. 6.2 TRANSMISSION IN THE ABSENCE OF DATA. 6.2.1 Test Requirement: 6.2.2 Conclusion. 7 RADIO SPECTRUM MATTER TEST RESULTS. 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ). 7.1.1 E.U.T. Operation. 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram. 7.1.4 Measurement Procedure and Data. 7.2 DUTY CYCLE. 7.2.1 E.U.T. Operation. 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.3.4 Measurement Procedure and Data. 7.5 Test Mode Description 7.3.5 Test Setup Diagram. 7.3.6 Measurement Procedure and Data. 7.7.7 Test Mode Description 7.3.7 Test Mode Description 7.3.8 Test Setup Diagram. 7.3.9 Measurement Procedure and Data. 7.4 26DB EMISSION BANDWIDTH. 7.4.1 E.U.T. Operation. 7.4.2 Test Mode Description | 3 |
| 4 GENERAL INFORMATION 4.1 DETAILS OF E.U.T. 4.2 DESCRIPTION OF SUPPORT UNITS. 4.3 MEASUREMENT UNCERTAINTY. 4.4 TEST LOCATION 4.5 TEST FACILITY. 4.6 DEVIATION FROM STANDARDS. 4.7 ABNORMALITIES FROM STANDARD CONDITIONS. 5 EQUIPMENT LIST. 6 RADIO SPECTRUM TECHNICAL REQUIREMENT. 6.1.1 ANTENNA REQUIREMENT. 6.1.1 Test Requirement: 6.1.2 Conclusion. 6.2 TRANSMISSION IN THE ABSENCE OF DATA. 6.2.1 Test Requirement: 6.2.2 Conclusion. 7 RADIO SPECTRUM MATTER TEST RESULTS. 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ). 7.1.1 E.U.T. Operation. 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram. 7.1.4 Measurement Procedure and Data. 7.2 DUTY CYCLE. 7.2.1 E.U.T. Operation. 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.3.4 Measurement Procedure and Data. 7.5 Test Mode Description 7.3.5 Test Setup Diagram. 7.3.6 Measurement Procedure and Data. 7.7.7 Test Mode Description 7.3.7 Test Mode Description 7.3.8 Test Setup Diagram. 7.3.9 Measurement Procedure and Data. 7.4 26DB EMISSION BANDWIDTH. 7.4.1 E.U.T. Operation. 7.4.2 Test Mode Description | Δ |
| 4.1 DETAILS OF E.U.T. 4.2 DESCRIPTION OF SUPPORT UNITS. 4.3 MEASUREMENT UNCERTAINTY. 4.4 TEST LOCATION 4.5 TEST FACILITY. 4.6 DEVIATION FROM STANDARDS. 4.7 ABNORMALITIES FROM STANDARD CONDITIONS. 5 EQUIPMENT LIST. 6 RADIO SPECTRUM TECHNICAL REQUIREMENT. 6.1.1 Test Requirement: 6.1.2 Conclusion. 6.2.2 TRANSMISSION IN THE ABSENCE OF DATA. 6.2.1 Test Requirement: 6.2.2 Conclusion. 7 RADIO SPECTRUM MATTER TEST RESULTS. 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ). 7.1.1 E.U.T. Operation. 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram. 7.1.4 Measurement Procedure and Data. 7.2 DUTY CYCLE. 7.2.1 E.U.T. Operation. 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.3.4 Measurement Procedure and Data. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram. 7.3.4 Measurement Procedure and Data. 7.4 26DB EMISSION BANDWIDTH. 7.4.1 E.U.T. Operation. 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation. 7.4.2 Test Mode Description | |
| 4.2 DESCRIPTION OF SUPPORT UNITS | TION 6 |
| 4.3 MEASUREMENT UNCERTAINTY 4.4 TEST LOCATION 4.5 TEST FACILITY 4.6 DEVIATION FROM STANDARDS 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6 RADIO SPECTRUM TECHNICAL REQUIREMENT 6.1 ANTENNA REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.7 Set Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description | ·6 |
| 4.4 TEST LOCATION 4.5 TEST FACILITY 4.6 DEVIATION FROM STANDARDS 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6 RADIO SPECTRUM TECHNICAL REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2.1 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.7 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.2 Test Mode Description | Support Units6 |
| 4.5 TEST FACILITY 4.6 DEVIATION FROM STANDARDS 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6 RADIO SPECTRUM TECHNICAL REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion. 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion. 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data. 7.2 DUTY CYCLE. 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data. 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | NCERTAINTY |
| 4.6 DEVIATION FROM STANDARDS 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6.1 ANTENNA REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | 8 |
| 4.7 ABNORMALITIES FROM STANDARD CONDITIONS 5 EQUIPMENT LIST 6.1 ANTENNA REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3 1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | |
| 5 EQUIPMENT LIST | |
| 6.1 ANTENNA REQUIREMENT 6.1.1 Test Requirement: 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.7 Test Mode Description 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | ROM STANDARD CONDITIONS |
| 6.1 ANTENNA REQUIREMENT | g |
| 6.1 ANTENNA REQUIREMENT | |
| 6.1.1 Test Requirement: 6.1.2 Conclusion | ECHNICAL REQUIREMENT14 |
| 6.1.2 Conclusion 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.7 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.2 Test Mode Description 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description 7.4.2 Test Mode Description | EMENT14 |
| 6.2 TRANSMISSION IN THE ABSENCE OF DATA 6.2.1 Test Requirement: 6.2.2 Conclusion | nent:14 |
| 6.2.1 Test Requirement: 6.2.2 Conclusion | |
| 7 RADIO SPECTRUM MATTER TEST RESULTS 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150KHZ-30MHZ) 7.1.1 E.U.T. Operation | THE ABSENCE OF DATA15 |
| 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.5 Test Mode Description 7.3.6 Measurement Procedure and Data 7.7.7 Measurement Procedure and Data | nent:15 |
| 7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz) 7.1.1 E.U.T. Operation | |
| 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.5 Test Mode Description 7.3.6 Measurement Procedure and Data 7.3.7 Test Mode Description 7.3.8 Test Setup Diagram 7.3.9 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | MATTER TEST RESULTS16 |
| 7.1.1 E.U.T. Operation 7.1.2 Test Mode Description 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.3.5 Test Mode Description 7.3.6 Measurement Procedure and Data 7.3.7 Test Mode Description 7.3.8 Test Setup Diagram 7.3.9 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | SIONS AT AC POWER LINE (150kHz-30MHz)16 |
| 7.1.3 Test Setup Diagram 7.1.4 Measurement Procedure and Data. 7.2 DUTY CYCLE. 7.2.1 E.U.T. Operation. 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram. 7.2.4 Measurement Procedure and Data. 7.3 99% BANDWIDTH. 7.3.1 E.U.T. Operation. 7.3.2 Test Mode Description. 7.3.3 Test Setup Diagram. 7.3.4 Measurement Procedure and Data. 7.3.4 Measurement Procedure and Data. 7.4 26DB EMISSION BANDWIDTH. 7.4.1 E.U.T. Operation. 7.4.2 Test Mode Description. | ion16 |
| 7.1.4 Measurement Procedure and Data 7.2 DUTY CYCLE | scription16 |
| 7.2 DUTY CYCLE 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | agram17 |
| 7.2.1 E.U.T. Operation 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | Procedure and Data17 |
| 7.2.2 Test Mode Description 7.2.3 Test Setup Diagram 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | 20 |
| 7.2.3 Test Setup Diagram | ion20 |
| 7.2.4 Measurement Procedure and Data 7.3 99% BANDWIDTH | |
| 7.3 99% BANDWIDTH 7.3.1 E.U.T. Operation 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26DB EMISSION BANDWIDTH 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | |
| 7.3.1 E.U.T. Operation | |
| 7.3.2 Test Mode Description 7.3.3 Test Setup Diagram 7.3.4 Measurement Procedure and Data 7.4 26db Emission Bandwidth 7.4.1 E.U.T. Operation 7.4.2 Test Mode Description | |
| 7.3.3 Test Setup Diagram | |
| 7.3.4 Measurement Procedure and Data | • |
| 7.4 26DB EMISSION BANDWIDTH | |
| 7.4.1 E.U.T. Operation | |
| 7.4.2 Test Mode Description | |
| | scription |
| 7.4.3 Test Setup Diagram | agram |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 5 of 124

| 7.4.4 | | |
|---------|--|----|
| 7.5 N | INIMUM 6 dB BANDWIDTH (5.725-5.85 GHz BAND) | 23 |
| 7.5.1 | E.U.T. Operation | 23 |
| 7.5.2 | Test Mode Description | 23 |
| 7.5.3 | Test Setup Diagram | 24 |
| 7.5.4 | Measurement Procedure and Data | 24 |
| 7.6 N | AXIMUM CONDUCTED OUTPUT POWER | 25 |
| 7.6.1 | E.U.T. Operation | 25 |
| 7.6.2 | Test Mode Description | 25 |
| 7.6.3 | Test Setup Diagram | 26 |
| 7.6.4 | Measurement Procedure and Data | 26 |
| 7.7 P | EAK POWER SPECTRUM DENSITY | 27 |
| 7.7.1 | E.U.T. Operation | 27 |
| 7.7.2 | Test Mode Description | 27 |
| 7.7.3 | Test Setup Diagram | |
| 7.7.4 | Measurement Procedure and Data | 28 |
| 7.8 R | ADIATED EMISSIONS (ABOVE 1GHz) | 29 |
| 7.8.1 | E.U.T. Operation | 30 |
| 7.8.2 | Test Mode Description | 30 |
| 7.8.3 | Test Setup Diagram | |
| 7.8.4 | Measurement Procedure and Data | |
| 7.9 R | ADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS | |
| 7.9.1 | E.U.T. Operation | 57 |
| 7.9.2 | Test Mode Description | 58 |
| 7.9.3 | Test Setup Diagram | |
| 7.9.4 | Measurement Procedure and Data | 59 |
| 7.10 F | REQUENCY STABILITY | 84 |
| 7.10.1 | E.U.T. Operation | 84 |
| 7.10.2 | Test Mode Description | 84 |
| 7.10.3 | Test Setup Diagram | |
| 7.10.4 | Measurement Procedure and Data | |
| 7.11 R | ADIATED EMISSIONS (BELOW 1GHz) | |
| 7.11.1 | E.U.T. Operation | |
| 7.11.2 | Test Mode Description | 85 |
| 7.11.3 | Test Setup Diagram | |
| 7.11.4 | Measurement Procedure and Data | 87 |
| TEST S | SETUP PHOTO | 90 |
| EUT C | ONSTRUCTIONAL DETAILS (EUT PHOTOS) | 90 |
|) APPEN | NDIX | 91 |



8

9

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 6 of 124

4 General Information

4.1 Details of E.U.T.

| Power supply: | 3.65V 10400mAh rechargeable battery charged by 5V 2A USB Power Adapter | | |
|---------------------|--|--|--|
| Cable(s): | USB cable:15cm unshielded | | |
| Operation Frequency | U-NII-1: 5180-5240MHz; | | |
| (20MHz): | U-NII-3: 5745-5825MHz | | |
| Moudulation Type: | 802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK); | | |
| Moudulation Type: | 802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM); | | |
| Channel Spacing: | 802.11a/n20: 20MHz; | | |
| DFS Function: | Slave without Radar detection | | |
| TPC Function: | Without TPC function | | |
| Antenna Type: | R-SMA Antenna | | |
| Antenna Gain: | 3.83dBi | | |
| Remark: | Only the antenna L has a transmitting function, and the antenna R does not have a transmitting function. | | |

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

| Description | Manufacturer | Model No. | Serial No. |
|--------------|--------------|-----------|------------|
| Adapter | Apple | A1357 | N/A |
| Type-C Cable | SGS | N/A | N/A |

4.3 Measurement Uncertainty

| Test Item | Measurement Uncertainty |
|---|--------------------------|
| Conducted Emissions at AC Power Line (150kHz-30MHz) | ± 2.1 dB (9kHz to 30MHz) |
| Duty Cycle | ± 0.3% |
| 99% Bandwidth | ± 0.3% |
| 26dB Emission bandwidth | ± 0.3% |
| Minimum 6 dB bandwidth (5.725-5.85 GHz band) | ± 0.3% |
| Maximum Conducted output power | ± 0.8dB |
| Peak Power spectrum density | ± 0.4dB |
| Radiated Emissions (Above 1GHz) | ± 4.4dB (Above 1GHz) |
| Radiated Emissions which fall in the restricted bands | ± 4.4dB (Above 1GHz) |
| Frequency Stability | ± 5.4 x 10-8 |
| Radiated Emissions (Below 1GHz) | ± 3.1dB (Below 1GHz) |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 7 of 124

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ass.com"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 8 of 124

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark, Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 9 of 124

5 Equipment List

| Conducted Emissions at AC Power Line (150kHz-30MHz) | | | | | | |
|---|-----------------|---------------------|---------------|-----------|--------------|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | |
| Shielding Room | CRT | N/A | SEM001-14 | 2021/7/13 | 2024/7/12 | |
| EMI Test Receiver | Rohde & Schwarz | ESCI | SEM004-01 | 2022/7/12 | 2023/7/11 | |
| Two-Line V-Network | Rohde & Schwarz | ENV216 | SEM007-16 | 2022/7/12 | 2023/7/11 | |
| Two-Line V-Network | Rohde & Schwarz | ESH3-Z5 | SEM007-22 | 2022/1/10 | 2023/1/9 | |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | |

| Duty Cycle | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| 99% Bandwidth | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAP Doccheck@sss.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 10 of 124

| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 |
|--|-----------------|-------------------|-----------|-----------|-----------|
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| 26dB Emission bandwidth | | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 | | |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | | |

| Minimum 6 dB bandwidth (5.725-5.85 GHz band) | | | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | | |
| Wideband Radio | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 11 of 124

| Communication Tester | | | | | |
|---------------------------|--------------|-------------------|-----------|-----------|-----------|
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Maximum Conducted output power | | | | | | | |
|---|------------------------------------|-------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | | |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 | | |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A | | |

| Peak Power spectrum density | | | | | | | |
|---|------------------------------------|--------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 | | |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 | | |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 | | |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 | | |
| Wideband Radio Communication Tester | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 | | |
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 12 of 124

| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
|----------------------|--------------|-------------------|-----------|-----------|-----------|
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Radiated Emissions (Above 1GHz) | | | | | | | |
|---------------------------------|--------------|---------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | | |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 | | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | | |
| Coaxial Cable | CCS | N/A | SEM035-02 | 2022/5/16 | 2023/5/15 | | |
| Pre-amplifier | TST PASS | LNA04080G30 | SEM005-27 | 2022/4/15 | 2023/4/14 | | |
| Pre-amplifier | TST PASS | LNA10180G45 | SEM005-28 | 2022/4/15 | 2023/4/14 | | |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | | |

| Radiated Emissions which fall in the restricted bands | | | | | | | |
|---|--------------|---------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | | |
| Broad-Band Horn Antenna | Schwarzbeck | BBHA 9120D | SEM003-32 | 2021/9/26 | 2024/9/25 | | |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-23 | 2022/4/24 | 2023/4/23 | | |
| Coaxial Cable | CCS | N/A | SEM035-03 | 2022/5/16 | 2023/5/15 | | |
| Pre-amplifier | TST PASS | LNA04080G30 | SEM005-27 | 2022/4/15 | 2023/4/14 | | |
| Pre-amplifier | TST PASS | LNA10180G45 | SEM005-28 | 2022/4/15 | 2023/4/14 | | |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | | |

| Frequency Stability | | | | | |
|---|------------------------------------|-----------|---------------|-----------|--------------|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date |
| Programmable Temperature & Humidity Chamber | Votsch Industrietechnik GmbH | VT 4002 | SEM002-15 | 2022/7/12 | 2023/7/11 |
| MXA Signal Analyzer | KEYSIGHT | N9020A | SEM004-25 | 2022/5/30 | 2023/5/29 |
| Signal Generator | Agilent | N5173B | SEM006-05 | 2022/7/12 | 2023/7/11 |
| ESG Vector Signal Generator | Agilent | E4438C | SEM006-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-15 | 2022/7/12 | 2023/7/11 |
| Power Sensor | Erika Fiedler | U2021XA | SEM009-16 | 2022/7/12 | 2023/7/11 |
| Wideband Radio | Rohde & Schwarz | CMW 500 | SEM010-08 | 2022/7/12 | 2023/7/11 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 13 of 124

| Communication Tester | | | | | |
|---------------------------|--------------|-------------------|-----------|-----------|-----------|
| Programmable DC Source | Chroma | 62024P-80-60 | SEM011-09 | 2022/7/12 | 2023/7/11 |
| Attenuator | Huber+Suhner | 6620_SMA-50- 1 | SEM021-09 | 2022/7/12 | 2023/7/11 |
| Measurement Software | TST PASS | TST PASS V2.0 | N/A | N/A | N/A |

| Radiated Emissions (Below 1GHz) | | | | | | | |
|---------------------------------|--------------|---------------------|---------------|-----------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| 3m Anechoic Chamber | CRT | N/A | SEM001-13 | 2021/7/13 | 2024/7/12 | | |
| Trilog-Broadband Antenna | Schwarzbeck | VULB9168 | SEM003-33 | 2021/9/25 | 2024/9/24 | | |
| Loop Antenna | ETS-LINDGREN | 6502 | SEM003-36 | 2021/9/26 | 2024/9/25 | | |
| MXE EMI receiver | Agilent | N9038A | SEM004-05 | 2022/7/12 | 2023/7/11 | | |
| Pre-amplifier | HP | 8447D | SEM005-02 | 2022/7/12 | 2023/7/11 | | |
| Coaxial Cable | CCS | N/A | SEM035-01 | 2022/5/16 | 2023/5/15 | | |
| Measurement Software | AUDIX | e3 V8.2014-6- 27 | N/A | N/A | N/A | | |

| General used equipment | | | | | | | |
|--|--------------|-----------|---------------|------------|--------------|--|--|
| Equipment | Manufacturer | Model No. | Inventory No. | Cal Date | Cal Due Date | | |
| Humidity/ Temperature Indicator | Mingle | TH607 | SEM002-22 | 2022-07-12 | 2023-07-11 | | |
| Humidity/ Temperature Indicator Mingle | | TH607 | SEM002-23 | 2022-07-12 | 2023-07-11 | | |
| Barometer | DUMAI | DYM3 | SEM002-24 | 2022-07-12 | 2023-07-11 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 14 of 124

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

6.1.2 Conclusion

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 3.83dBi;

Antenna location: Refer to external photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 15 of 124

6.2 Transmission in the Absence of Data

6.2.1 Test Requirement:

47 CFR Part 15, Subpart E 15.407 (c)

6.2.2 Conclusion

6.2.2 Conclusion

Standard Requirement:

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals.

Applicants shall include in their application for equipment authorization a description of how this requirement is met.

EUT Details:

WIFI chip support automatically discontinue transmission in case of either absence of information to transmit or operational failure, if the chip detect absence of information to transmit or operational failure, it will be automatically shut off.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CND Descherk**



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 16 of 124

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 & Subpart E 15.407 b(9)

Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

| Eroquency of omission/MHz\ | Conducted limit(dB μ V) | | | | | |
|---|-----------------------------|-----------|--|--|--|--|
| Frequency of emission(MHz) | Quasi-peak | Average | | | | |
| 0.15-0.5 | 66 to 56* | 56 to 46* | | | | |
| 0.5-5 | 56 | 46 | | | | |
| 5-30 | 60 | 50 | | | | |
| *Decreases with the logarithm of the frequency. | | | | | | |

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 21.7 °C Humidity: 51.2 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

| 7.1.2 Test Mode Description | | | | | |
|-----------------------------|--------------|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | |
| Final test | 05 | Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | |
| Pre-scan | 06 | Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 17 of 124

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark:

- 1) Level=Read Level+ Cable Loss+ LISN Factor
- 2) Through pre-scan found the worst case is the lowest channel. Only the worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 18 of 124

Test Mode: 05; Line: Live line; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : Shielding Room

Condition: Line Job No. : 00369AT

Test mode: 05

| | | Cable | LISN | Read | | Limit | 0ver | |
|----|--------|-------|--------|-------|-------|-------|--------|---------|
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| | 0.4706 | | 0.05 | 24.20 | 24.60 | | 40.00 | |
| 1 | 0.1796 | 0.02 | 0.26 | 34.32 | 34.60 | 54.50 | -19.90 | Average |
| 2 | 0.1796 | 0.02 | 0.26 | 47.09 | 47.37 | 64.50 | -17.13 | QP |
| 3 | 0.2687 | 0.03 | 0.26 | 27.55 | 27.84 | 51.16 | -23.32 | Average |
| 4 | 0.2687 | 0.03 | 0.26 | 39.03 | 39.32 | 61.16 | -21.84 | QP |
| 5 | 0.3520 | 0.03 | 0.27 | 23.96 | 24.26 | 48.91 | -24.65 | Average |
| 6 | 0.3520 | 0.03 | 0.27 | 38.25 | 38.55 | 58.91 | -20.36 | QP |
| 7 | 0.5948 | 0.05 | 0.24 | 17.10 | 17.39 | 46.00 | -28.61 | Average |
| 8 | 0.5948 | 0.05 | 0.24 | 32.55 | 32.84 | 56.00 | -23.16 | QP |
| 9 | 0.7876 | 0.06 | 0.21 | 26.47 | 26.74 | 46.00 | -19.26 | Average |
| 10 | 0.7876 | 0.06 | 0.21 | 32.91 | 33.18 | 56.00 | -22.82 | QP |
| 11 | 0.9633 | 0.02 | 0.19 | 26.50 | 26.71 | 46.00 | -19.29 | Average |
| 12 | 0.9633 | 0.02 | 0.19 | 33.07 | 33.28 | 56.00 | -22.72 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 19 of 124

Test Mode: 05; Line: Neutral Line; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : Shielding Room

Condition: Neutral Job No. : 00369AT

Test mode: 05

| | | Cable | LISN | Read | | Limit | 0ver | |
|----|--------|-------|--------|-------|-------|-------|--------|---------|
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| | 0.4777 | | | | 20.40 | | 40.40 | |
| 1 | 0.1777 | 0.02 | 0.30 | 36.14 | 36.46 | 54.59 | -18.13 | Average |
| 2 | 0.1777 | 0.02 | 0.30 | 48.12 | 48.44 | 64.59 | -16.15 | QP |
| 3 | 0.2672 | 0.03 | 0.28 | 31.58 | 31.89 | 51.20 | -19.31 | Average |
| 4 | 0.2672 | 0.03 | 0.28 | 40.23 | 40.54 | 61.20 | -20.66 | QP |
| 5 | 0.3558 | 0.03 | 0.28 | 31.87 | 32.18 | 48.83 | -16.65 | Average |
| 6 | 0.3558 | 0.03 | 0.28 | 37.56 | 37.87 | 58.83 | -20.96 | QP |
| 7 | 0.6205 | 0.04 | 0.20 | 28.41 | 28.65 | 46.00 | -17.35 | Average |
| 8 | 0.6205 | 0.04 | 0.20 | 33.89 | 34.13 | 56.00 | -21.87 | QP |
| 9 | 0.8045 | 0.07 | 0.12 | 29.82 | 30.01 | 46.00 | -15.99 | Average |
| 10 | 0.8045 | 0.07 | 0.12 | 36.21 | 36.40 | 56.00 | -19.60 | QP |
| 11 | 0.9735 | 0.02 | 0.07 | 26.73 | 26.82 | 46.00 | -19.18 | Average |
| 12 | 0.9735 | 0.02 | 0.07 | 33.95 | 34.04 | 56.00 | -21.96 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 20 of 124

7.2 Duty Cycle

Test Requirement KDB 789033 D02 II B 1
Test Method: KDB 789033 II B 1

7.2.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as the subject to Terms and Conditions for Electronic Documents aftiby. The subject to Terms and Conditions for Electronic Documents and the subject to the subject of the subject one subject of the subject one subject of the subject one subject of the subject of the subject one subject of the subject of the subject one subject of the subjec



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 21 of 124

7.3 99% Bandwidth

Test Requirement N/A

Test Method: KDB 789033 II D

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.rems-and-Conditions.apx.and-Conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 22 of 124

7.4 26dB Emission bandwidth

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II C 1

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

| | 100, mode 2000.p.c | | | | |
|--------------------------|--------------------|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | |
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | |

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.rems-and-Conditions.apx.and-Conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 23 of 124

7.5 Minimum 6 dB bandwidth (5.725-5.85 GHz band)

Test Requirement 47 CFR Part 15, Subpart E 15.407 (e)

Test Method: KDB 789033 D02 II C 2

Limit:

| Frequency band(MHz) | Limit |
|---------------------|----------|
| 5725-5850 | ≥500 kHz |

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 24 of 124

7.5.3 Test Setup Diagram



Ground Reference 11a

7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 25 of 124

7.6 Maximum Conducted output power

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II E

Limit:

| Frequen | cy band(MHz) | Limit | |
|-----------|--|--|--|
| 5150-5250 | | ≤1W(30dBm) for master device | |
| 5150- | 3230 | ≤250mW(24dBm) for client device | |
| 5250- | 5350 | ≤250mW(24dBm) for client device or 11dBm+10logB* | |
| 5470- | 5725 | ≤250mW(24dBm) for client device or 11dBm+10logB* | |
| 5725- | 5850 | ≤1W(30dBm) | |
| Remark: | * Where B is the | e 26dB emission bandwidth in MHz. | |
| | The maximum conducted output power must be measured over any intervol continuous transmission using instrumentation calibrated in terms of rms-equivalent voltage. | | |

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 26 of 124

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as the subject to Terms and Conditions for Electronic Documents aftiby. The subject to Terms and Conditions for Electronic Documents and the subject to the subject of the subject one subject of the subject one subject of the subject one subject of the subject of the subject one subject of the subject of the subject one subject of the subjec



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 27 of 124

7.7 Peak Power spectrum density

Test Requirement 47 CFR Part 15, Subpart E 15.407 (a)

Test Method: KDB 789033 D02 II F

Limit:

| Frequenc | y band(MHz) | Limit | | | | |
|----------|-------------|--|--|--|--|--|
| 5150-5 | 250 | ≤17dBm in 1MHz for master device | | | | |
| 5150-5 | 250 | ≤11dBm in 1MHz for client device | | | | |
| 5250-5 | 350 | ≤11dBm in 1MHz for client device | | | | |
| 5470-5 | 725 | ≤11dBm in 1MHz for client device | | | | |
| 5725-5 | 850 | ≤30dBm in 500 kHz | | | | |
| Remark: | | power spectral density is measured as a conducted emission ection of a calibrated test instrument to the equipment under | | | | |

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

| <u>- 1000 mouto 2000 p.ton</u> | | | | | | | | |
|--------------------------------|--------------|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | |
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 28 of 124

7.7.3 Test Setup Diagram



Ground Reference Plane

7.7.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 29 of 124

7.8 Radiated Emissions (Above 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| Above 1GHz | 500 | 3 |

- *(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of –27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of –27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to testing finser-client report a certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To clieck the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 30 of 124

7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 23.0 °C Humidity: 51.6 % RH Atmospheric Pressure: 1020 mbar

7.8.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Pre-scan | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Pre-scan | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 05 | Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 06 | Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 31 of 124

7.8.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 32 of 124

7.8.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 18GHz to 40GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.
- 4. The disturbance above 18GHz were very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 5. For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the highest output power and the mode with the highest output power spectral density for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 33 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 TX RSE
Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|--|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 1135.6170 | 2.99 | 24.24 | 52.61 | 57.18 | 31.80 | 74.00 | -42.20 | peak | |
| 2 | 1494.4550 | 3.76 | 24.49 | 52.85 | 57.88 | 33.28 | 74.00 | -40.72 | peak | |
| 3 | 4469.2140 | 7.47 | 30.16 | 52.95 | 54.36 | 39.04 | 68.20 | -29.16 | peak | |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 55.88 | 47.89 | 68.20 | -20.31 | peak | |
| 5 | 10360.000 | 11.08 | 38.85 | 53.35 | 53.46 | 50.04 | 68.20 | -18.16 | peak | |
| 6 | 15540.000 | | | | | | | | - | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 34 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5180 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1185.9360 | 3.12 | 24.29 | 52.65 | 59.76 | 34.52 | 74.00 | -39.48 | peak |
| 2 | 1611.0910 | 4.01 | 24.82 | 52.91 | 58.60 | 34.52 | 74.00 | -39.48 | peak |
| 3 | 4304.4000 | 7.48 | 29.94 | 52.90 | 55.66 | 40.18 | 74.00 | -33.82 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 57.67 | 49.68 | 68.20 | -18.52 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 53.35 | 55.15 | 51.73 | 68.20 | -16.47 | peak |
| | 15540.000 | | | | | | | | • |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 35 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5200 TX RSE
Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1256.5120 | 3.28 | 24.27 | 52.70 | 58.00 | 32.85 | 68.20 | -35.35 | peak |
| 2 | 1606.4410 | 4.00 | 24.81 | 52.91 | 57.42 | 33.32 | 74.00 | -40.68 | peak |
| 3 | 3901.5160 | 7.40 | 29.35 | 52.83 | 55.09 | 39.01 | 74.00 | -34.99 | peak |
| 4 | 8036.2140 | 9.45 | 36.20 | 53.62 | 55.16 | 47.19 | 74.00 | -26.81 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 53.36 | 53.72 | 50.32 | 68.20 | -17.88 | peak |
| | 15600.000 | | | | | | | | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 36 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5200 TX RSE Note : 5G WIFI 11A

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1206.6820 | 3.16 | 24.30 | 52.66 | 58.28 | 33.08 | 74.00 | -40.92 | peak |
| 2 | 1672.7790 | 4.14 | 24.95 | 52.95 | 57.34 | 33.48 | 74.00 | -40.52 | peak |
| 3 | 4279.5890 | 7.48 | 29.90 | 52.89 | 55.14 | 39.63 | 74.00 | -34.37 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 56.35 | 48.36 | 68.20 | -19.84 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 53.36 | 52.84 | 49.44 | 68.20 | -18.76 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 53.40 | 53.47 | 53.10 | 74.00 | -20.90 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 37 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 TX RSE
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1145.5070 | 3.02 | 24.25 | 52.62 | 58.17 | 32.82 | 74.00 | -41.18 | peak |
| 2 | 1587.9750 | 3.96 | 24.77 | 52.90 | 57.94 | 33.77 | 74.00 | -40.23 | peak |
| 3 | 4291.9770 | 7.48 | 29.92 | 52.89 | 54.87 | 39.38 | 74.00 | -34.62 | peak |
| 4 | 8613.4680 | 9.92 | 36.14 | 53.98 | 54.55 | 46.63 | 68.20 | -21.57 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 53.40 | 51.40 | 48.05 | 68.20 | -20.15 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 53.34 | 53.29 | 52.58 | 74.00 | -21.42 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 38 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00369AT/00370AT Mode : 5240 TX RSE Note : 5G WIFI 11A

Ant Preamp Cable Read Limit 0ver Loss Factor Factor Level Line Limit Remark Frea Level MHz dB dBuV dBuV/m dBuV/m dB/m dB dB 1206.6820 3.16 24.30 52.66 57.45 32.25 74.00 -41.75 peak 4.07 57.48 33.50 68.20 -34.70 peak 1639.2740 24.88 52.93 56.65 39.58 68.20 -28.62 peak 3 3556.8430 7.05 28.80 52.92 9.41 56.78 48.79 68.20 -19.41 peak 4 7989.8930 36.20 53.60 5 10480.000 11.06 38.99 53.40 53.39 50.04 68.20 -18.16 peak 15720.000 13.50 39.13 53.34 52.71 52.00 74.00 -22.00 peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest stend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone (66-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 39 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1293.3590 | 3.36 | 24.25 | 52.72 | 57.53 | 32.42 | 68.20 | -35.78 | peak |
| 2 | 1687.3470 | 4.17 | 24.98 | 52.95 | 57.89 | 34.09 | 74.00 | -39.91 | peak |
| 3 | 4392.3760 | 7.47 | 30.06 | 52.93 | 54.39 | 38.99 | 74.00 | -35.01 | peak |
| 4 | 8943.2740 | 10.63 | 36.11 | 54.17 | 54.07 | 46.64 | 68.20 | -21.56 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 53.35 | 55.06 | 51.64 | 68.20 | -16.56 | peak |
| | 15540.000 | | | | | | | | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 40 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5180 TX RSE Note : 5G WIFI 11N20

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1145.5070 | 3.02 | 24.25 | 52.62 | 58.28 | 32.93 | 74.00 | -41.07 | peak |
| 2 | 1578.8220 | 3.94 | 24.74 | 52.90 | 57.44 | 33.22 | 74.00 | -40.78 | peak |
| 3 | 4417.8410 | 7.47 | 30.09 | 52.93 | 55.44 | 40.07 | 68.20 | -28.13 | peak |
| 4 | 7263.0150 | 8.32 | 36.12 | 53.53 | 56.89 | 47.80 | 74.00 | -26.20 | peak |
| 5 | 10360.000 | 11.08 | 38.85 | 53.35 | 53.69 | 50.27 | 68.20 | -17.93 | peak |
| 6 | 15540.000 | 13.49 | 39.74 | 53.43 | 52.82 | 52.62 | 74.00 | -21.38 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 41 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5200 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1196.2640 | 3.14 | 24.30 | 52.66 | 56.94 | 31.72 | 74.00 | -42.28 | peak |
| 2 | 1672.7790 | 4.14 | 24.95 | 52.95 | 57.45 | 33.59 | 74.00 | -40.41 | peak |
| 3 | 4279.5890 | 7.48 | 29.90 | 52.89 | 54.50 | 38.99 | 74.00 | -35.01 | peak |
| 4 | 8440.9450 | 9.64 | 36.15 | 53.87 | 55.52 | 47.44 | 74.00 | -26.56 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 53.36 | 54.79 | 51.39 | 68.20 | -16.81 | peak |
| 6 | 15600.000 | 13.50 | 39.53 | 53.40 | 52.26 | 51.89 | 74.00 | -22.11 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 42 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5200 TX RSE

Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1182.5130 | 3.11 | 24.28 | 52.65 | 59.38 | 34.12 | 74.00 | -39.88 | peak |
| 2 | 1634.5430 | 4.06 | 24.87 | 52.93 | 56.73 | 32.73 | 68.20 | -35.47 | peak |
| | 4443.4530 | | | | | | | | • |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 58.37 | 50.38 | 68.20 | -17.82 | peak |
| 5 | 10400.000 | 11.07 | 38.89 | 53.36 | 53.91 | 50.51 | 68.20 | -17.69 | peak |
| | 15600.000 | | | | | | | | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 43 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1135.6170 | 2.99 | 24.24 | 52.61 | 57.62 | 32.24 | 74.00 | -41.76 | peak |
| 2 | 1606.4410 | 4.00 | 24.81 | 52.91 | 57.74 | 33.64 | 74.00 | -40.36 | peak |
| 3 | 4267.2370 | 7.48 | 29.88 | 52.89 | 54.89 | 39.36 | 74.00 | -34.64 | peak |
| 4 | 8995.1230 | 10.74 | 36.10 | 54.20 | 54.59 | 47.23 | 68.20 | -20.97 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 53.40 | 56.31 | 52.96 | 68.20 | -15.24 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 53.34 | 53.31 | 52.60 | 74.00 | -21.40 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.s.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 44 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5240 TX RSE

Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1300.8580 | 3.37 | 24.25 | 52.73 | 57.36 | 32.25 | 74.00 | -41.75 | peak |
| 2 | 1406.4430 | 3.59 | 24.22 | 52.80 | 57.53 | 32.54 | 74.00 | -41.46 | peak |
| 3 | 4482.1500 | 7.47 | 30.18 | 52.95 | 54.78 | 39.48 | 68.20 | -28.72 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 57.54 | 49.55 | 68.20 | -18.65 | peak |
| 5 | 10480.000 | 11.06 | 38.99 | 53.40 | 55.87 | 52.52 | 68.20 | -15.68 | peak |
| 6 | 15720.000 | 13.50 | 39.13 | 53.34 | 53.85 | 53.14 | 74.00 | -20.86 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 45 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5745 TX RSE
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1297.1030 | 3.36 | 24.25 | 52.73 | 56.83 | 31.71 | 68.20 | -36.49 | peak |
| 2 | 1498.7810 | 3.77 | 24.51 | 52.85 | 58.00 | 33.43 | 74.00 | -40.57 | peak |
| 3 | 4379.6990 | 7.47 | 30.04 | 52.92 | 54.99 | 39.58 | 74.00 | -34.42 | peak |
| 4 | 8036.2140 | 9.45 | 36.20 | 53.62 | 56.69 | 48.72 | 74.00 | -25.28 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 53.80 | 53.15 | 50.65 | 74.00 | -23.35 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 52.46 | 47.95 | 52.75 | 68.20 | -15.45 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.s.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 46 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5745 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1249.2690 | 3.26 | 24.27 | 52.69 | 57.96 | 32.80 | 68.20 | -35.40 | peak |
| 2 | 1648.7780 | 4.09 | 24.90 | 52.93 | 57.93 | 33.99 | 68.20 | -34.21 | peak |
| 3 | 3536.3410 | 7.03 | 28.76 | 52.93 | 57.36 | 40.22 | 68.20 | -27.98 | peak |
| 4 | 8036.2140 | 9.45 | 36.20 | 53.62 | 59.90 | 51.93 | 74.00 | -22.07 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 53.80 | 53.13 | 50.63 | 74.00 | -23.37 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 52.46 | 48.08 | 52.88 | 68.20 | -15.32 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 47 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5785 TX RSE
Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1185.9360 | 3.12 | 24.29 | 52.65 | 57.94 | 32.70 | 74.00 | -41.30 | peak |
| 2 | 1658.3370 | 4.11 | 24.92 | 52.94 | 57.98 | 34.07 | 68.20 | -34.13 | peak |
| 3 | 4329.3540 | 7.48 | 29.97 | 52.91 | 55.51 | 40.05 | 74.00 | -33.95 | peak |
| 4 | 8588.6070 | 9.87 | 36.14 | 53.96 | 55.44 | 47.49 | 68.20 | -20.71 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 53.83 | 53.42 | 50.91 | 74.00 | -23.09 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 52.38 | 47.42 | 53.00 | 68.20 | -15.20 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 48 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL
Job No : 00369AT/00370AT

Mode : 5785 TX RSE Note : 5G WIFI 11A

| | Enoa | | | Preamp Factor | | | | | Romank |
|---|-----------|-------|--------|------------------|-------|--------|--------|--------|----------|
| | rreq | LUSS | ractor | ractor | rever | rever | LINE | LIMIT | Kelliark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1245.6630 | 3.25 | 24.28 | 52.69 | 57.83 | 32.67 | 68.20 | -35.53 | peak |
| 2 | 1639.2740 | 4.07 | 24.88 | 52.93 | 57.03 | 33.05 | 68.20 | -35.15 | peak |
| 3 | 4157.6640 | 7.48 | 29.73 | 52.85 | 55.06 | 39.42 | 74.00 | -34.58 | peak |
| 4 | 8106.2000 | 9.48 | 36.19 | 53.67 | 59.21 | 51.21 | 74.00 | -22.79 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 53.83 | 53.57 | 51.06 | 74.00 | -22.94 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 52.38 | 46.89 | 52.47 | 68.20 | -15.73 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for and for electronic Documents as the subject to Terms and Conditions for Electronic Documents and the subject to Terms and Conditions for Electronic Document says. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 49 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5825 TX RSE
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1138.9040 | 3.00 | 24.24 | 52.61 | 58.03 | 32.66 | 74.00 | -41.34 | peak |
| 2 | 1615.7540 | 4.02 | 24.83 | 52.92 | 58.18 | 34.11 | 74.00 | -39.89 | peak |
| 3 | 4254.9210 | 7.48 | 29.87 | 52.88 | 55.13 | 39.60 | 74.00 | -34.40 | peak |
| 4 | 8153.1950 | 9.51 | 36.18 | 53.70 | 55.39 | 47.38 | 74.00 | -26.62 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 53.86 | 54.35 | 51.82 | 74.00 | -22.18 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 52.31 | 46.69 | 53.02 | 68.20 | -15.18 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.s.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 50 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5825 TX RSE Note : 5G WIFI 11A

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1245.6630 | 3.25 | 24.28 | 52.69 | 56.98 | 31.82 | 68.20 | -36.38 | peak |
| 2 | 1648.7780 | 4.09 | 24.90 | 52.93 | 57.63 | 33.69 | 68.20 | -34.51 | peak |
| 3 | 4206.0110 | 7.48 | 29.80 | 52.87 | 55.57 | 39.98 | 74.00 | -34.02 | peak |
| 4 | 7966.8320 | 9.37 | 36.21 | 53.60 | 57.45 | 49.43 | 68.20 | -18.77 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 53.86 | 54.12 | 51.59 | 74.00 | -22.41 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 52.31 | 46.12 | 52.45 | 68.20 | -15.75 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 51 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5745 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1297.1030 | 3.36 | 24.25 | 52.73 | 55.35 | 30.23 | 68.20 | -37.97 | peak |
| 2 | 1644.0190 | 4.08 | 24.89 | 52.93 | 55.27 | 31.31 | 68.20 | -36.89 | peak |
| 3 | 3505.8090 | 7.00 | 28.71 | 52.94 | 54.51 | 37.28 | 68.20 | -30.92 | peak |
| 4 | 8013.0200 | 9.44 | 36.20 | 53.61 | 53.04 | 45.07 | 68.20 | -23.13 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 53.80 | 49.30 | 46.80 | 74.00 | -27.20 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 52.46 | 46.98 | 51.78 | 68.20 | -16.42 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 52 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5745 TX RSE

Note : 5G WIFI 11N20

| | Enoa | | | Preamp Factor | | | | | Domanic |
|---|-----------|-------|--------|------------------|-------|--------|--------|--------|----------|
| | Freq | LUSS | ractor | ractor | rever | rever | LINE | LIMIT | Kelliark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1245.6630 | 3.25 | 24.28 | 52.69 | 57.43 | 32.27 | 68.20 | -35.93 | peak |
| 2 | 1658.3370 | 4.11 | 24.92 | 52.94 | 56.98 | 33.07 | 68.20 | -35.13 | peak |
| 3 | 4456.3150 | 7.47 | 30.14 | 52.95 | 54.53 | 39.19 | 68.20 | -29.01 | peak |
| 4 | 8036.2140 | 9.45 | 36.20 | 53.62 | 55.59 | 47.62 | 74.00 | -26.38 | peak |
| 5 | 11490.000 | 11.60 | 39.70 | 53.80 | 52.56 | 50.06 | 74.00 | -23.94 | peak |
| 6 | 17235.000 | 14.39 | 42.87 | 52.46 | 47.92 | 52.72 | 68.20 | -15.48 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 53 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5785 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1213.6770 | 3.18 | 24.29 | 52.67 | 57.18 | 31.98 | 74.00 | -42.02 | peak |
| 2 | 1511.8330 | 3.80 | 24.55 | 52.86 | 57.29 | 32.78 | 74.00 | -41.22 | peak |
| 3 | 4392.3760 | 7.47 | 30.06 | 52.93 | 54.12 | 38.72 | 74.00 | -35.28 | peak |
| 4 | 8943.2740 | 10.63 | 36.11 | 54.17 | 54.30 | 46.87 | 68.20 | -21.33 | peak |
| | 11570.000 | | | | | | | | • |
| | 17355.000 | | | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 54 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5785 TX RSE Note : 5G WIFI 11N20

| | | | | Preamp | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1249.2690 | 3.26 | 24.27 | 52.69 | 57.65 | 32.49 | 68.20 | -35.71 | peak |
| 2 | 1697.1290 | 4.19 | 25.00 | 52.96 | 56.97 | 33.20 | 74.00 | -40.80 | peak |
| 3 | 3946.8850 | 7.44 | 29.42 | 52.81 | 55.75 | 39.80 | 74.00 | -34.20 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 58.78 | 50.79 | 68.20 | -17.41 | peak |
| 5 | 11570.000 | 11.60 | 39.72 | 53.83 | 53.44 | 50.93 | 74.00 | -23.07 | peak |
| 6 | 17355.000 | 14.44 | 43.52 | 52.38 | 47.43 | 53.01 | 68.20 | -15.19 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for (and to comments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 55 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5825 TX RSE
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|-------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 1182.5130 | 3.11 | 24.28 | 52.65 | 58.15 | 32.89 | 74.00 | -41.11 | peak |
| 2 | 1639.2740 | 4.07 | 24.88 | 52.93 | 57.05 | 33.07 | 68.20 | -35.13 | peak |
| 3 | 3587.8180 | 7.08 | 28.85 | 52.91 | 57.36 | 40.38 | 68.20 | -27.82 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 55.39 | 47.40 | 68.20 | -20.80 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 53.86 | 54.28 | 51.75 | 74.00 | -22.25 | peak |
| 6 | 17475.000 | 14.48 | 44.16 | 52.31 | 46.70 | 53.03 | 68.20 | -15.17 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for (and to comments, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 56 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber
Condition: 3m VERTICAL
Job No : 00369AT/00370AT

Mode : 5825 TX RSE Note : 5G WIFI 11N20

| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 1300.8580 | 3.37 | 24.25 | 52.73 | 57.42 | 32.31 | 74.00 | -41.69 | peak |
| 2 | 1692.2310 | 4.18 | 24.99 | 52.96 | 57.29 | 33.50 | 74.00 | -40.50 | peak |
| 3 | 3536.3410 | 7.03 | 28.76 | 52.93 | 56.52 | 39.38 | 68.20 | -28.82 | peak |
| 4 | 7989.8930 | 9.41 | 36.20 | 53.60 | 57.57 | 49.58 | 68.20 | -18.62 | peak |
| 5 | 11650.000 | 11.60 | 39.73 | 53.86 | 54.06 | 51.53 | 74.00 | -22.47 | peak |
| | 17475.000 | | | | | | | | - |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for and for electronic Documents as the subject to Terms and Conditions for Electronic Documents and the subject to Terms and Conditions for Electronic Document says. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 57 of 124

7.9 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| Above 960 | 500 | 3 |

- *(1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of –27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of –27 dBm/MHz.
- (4) For transmitters operating in the 5.725-5.85 GHz band:
- (i) All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.9.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 51.3 % RH Atmospheric Pressure: 1020 mbar



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration riggery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPD.



SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR220900036903

Page: 58 of 124

7.9.2 Test Mode Description

| Pre-scan / Final test | Mode Code | Description |
|--------------------------|--------------|--|
| Pre-scan | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Pre-scan | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 05 | Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |
| Final test | 06 | Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. |

7.9.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.forElectronic Documents a thitp://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of festing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 59 of 124

7.9.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.

Remark:

- 1)Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2)For devices with multiple operating modes, measurements on the middle channel is used to determine the worst-case mode(s). Only the worst case mode with the widest bandwidth which can be covered the same channel (center frequency) on modes with narrower bandwidth that have the same or lower output power for each modulation family (e.g., OFDM and direct sequence spread spectrum) is recorded in the test report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 60 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5137.9710 | 8.29 | 31.74 | 31.80 | 42.38 | 50.61 | 74.00 | -23.39 | peak |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 41.65 | 49.89 | 74.00 | -24.11 | peak |
| 3 | 5180.0000 | 8.29 | 31.85 | 31.86 | 85.98 | 94.26 | 68.20 | 26.06 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Ferms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles tent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Attention:*To check the authenticity of testing inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Tothoric Means and the proper inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Tothoric Means and the proper inspection report & certificate, please contact us at telephone: (8e-755) 8307 1443, **Tothoric Means and the please contact us at telephone: (8e-755) 8307 1443, **Tothoric Me




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 61 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark | |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|---------|---|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | - |
| | 5148.1580 | 8.29 | 31.77 | 31.81 | 31.87 | 40.12 | 54.00 | -13.88 | Average | |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 31.92 | 40.16 | 54.00 | -13.84 | Average | |
| , | 5180.0000 | 8.29 | 31.85 | 31.86 | 79.38 | 87.66 | | | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 62 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



: chamber Site Condition: 3m VERTICAL

Job No : 00369AT/00370AT Mode : 5180 Band edge

: 5G WIFI 11A Note

| | | 1111 | • | | | | | | | |
|---|-----------|-------|--------|--------|-------|--------|--------|--------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5145.5590 | 8.29 | 31.76 | 31.81 | 53.40 | 61.64 | 74.00 | -12.36 | Peak | |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 52.69 | 60.93 | 74.00 | -13.07 | Peak | |
| 3 | 5180 0000 | 8 29 | 31 85 | 31 86 | 95 73 | 104 01 | 68 20 | 35 81 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 63 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark | |
|---|-----------|------|-------|------------------|-------|--------|--------|-------|---------|--|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| 1 | 5149.2570 | 8.29 | 31.77 | 31.82 | 39.29 | 47.53 | 54.00 | -6.47 | Average | |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 39.02 | 47.26 | 54.00 | -6.74 | Average | |
| 3 | 5180.0000 | 8.29 | 31.85 | 31.86 | 89.44 | 97.72 | | | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 64 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 84.79 | 93.13 | 68.20 | 24.93 | peak |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 37.13 | 45.56 | 74.00 | -28.44 | peak |
| 3 | 5354.0450 | 8.28 | 32.26 | 32.10 | 39.10 | 47.54 | 74.00 | -26.46 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 65 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 79.21 | 87.55 | | | Average |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 30.69 | 39.12 | 54.00 | -14.88 | Average |
| 3 | 5353.0530 | 8.28 | 32.26 | 32.10 | 31.15 | 39.59 | 54.00 | -14.41 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 66 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5240 Band edge

Note : 5G WIFI 11A

| ote | . JG W | TLT TT | 4 | | | | | | | |
|-----|-----------|--------|--------|--------|-------|--------|--------|--------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 94.74 | 103.08 | 68.20 | 34.88 | Peak | |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 43.30 | 51.73 | 74.00 | -22.27 | Peak | |
| 3 | 5352.3450 | 8.28 | 32.26 | 32.10 | 46.84 | 55.28 | 74.00 | -18.72 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 67 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11A

Ant Preamp Limit Cable Read 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dBuV dBuV/m dBuV/m dB/m dB dB 5240.0000 8.29 31.99 31.94 88.24 96.58 ----- Average 8.28 32.25 32.10 36.23 5350.0200 44.66 54.00 -9.34 Average 8.28 32.26 32.10 37.16 45.60 54.00 -8.40 Average 3 5353.7620



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document as ptx. Subject to Terms and Conditions for Electronic Document as http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document asptx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 18 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (8-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 68 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5137.2720 | 8.29 | 31.74 | 31.80 | 41.66 | 49.89 | 74.00 | -24.11 | peak |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 38.84 | 47.08 | 74.00 | -26.92 | peak |
| 3 | 5180.0000 | 8.29 | 31.85 | 31.86 | 84.77 | 93.05 | 68.20 | 24.85 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 69 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5149.3570 | 8.29 | 31.77 | 31.82 | 31.54 | 39.78 | 54.00 | -14.22 | Average |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 31.86 | 40.10 | 54.00 | -13.90 | Average |
| 3 | 5180.0000 | 8.29 | 31.85 | 31.86 | 78.78 | 87.06 | | | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 70 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5180 Band edge

Note : 5G WIFI 11N20

| JLE | . Ju w | TLT TTI | 120 | | | | | | | |
|-----|-----------|---------|--------|--------|-------|--------|--------|--------|--------|--|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | | |
| | Freq | Loss | Factor | Factor | Level | Level | Line | Limit | Remark | |
| | | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | |
| | | | | | | | | | | |
| 1 | 5146.6580 | 8.29 | 31.76 | 31.81 | 53.56 | 61.80 | 74.00 | -12.20 | Peak | |
| 2 | 5149.9800 | 8.29 | 31.77 | 31.82 | 51.35 | 59.59 | 74.00 | -14.41 | Peak | |
| 3 | 5180,0000 | 8.29 | 31.85 | 31.86 | 94.78 | 103.06 | 68.20 | 34.86 | Peak | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 71 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL
Job No : 00369AT/00370AT
Mode : 5180 Band edge
Note : 5G WIFI 11N20

Ant Preamp Limit Cable Read 0ver Loss Factor Factor Level Level Line Limit Remark Freq MHz dB dBuV dBuV/m dBuV/m dB dB/m dB 5149.0570 8.29 31.77 31.82 39.10 47.34 54.00 -6.66 Average 5149.9800 8.29 31.82 40.63 31.77 48.87 54.00 -5.13 Average 5180.0000 8.29 31.85 31.86 89.02 97.30 ----- Average 3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document aspt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 72 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 87.37 | 95.71 | 68.20 | 27.51 | peak |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 37.73 | 46.16 | 74.00 | -27.84 | peak |
| 3 | 5353.0530 | 8.28 | 32.26 | 32.10 | 39.79 | 48.23 | 74.00 | -25.77 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 73 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

1 2 3

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark | |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|---------|---|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | | - |
| | 5240.0000 | 8.29 | 31.99 | 31.94 | 78.96 | 87.30 | | | Average | |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 30.88 | 39.31 | 54.00 | -14.69 | Average | |
| ; | 5355.6040 | 8.28 | 32.27 | 32.10 | 31.07 | 39.52 | 54.00 | -14.48 | Average | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 74 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5240 Band edge Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 94.10 | 102.44 | 68.20 | 34.24 | Peak |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 45.01 | 53.44 | 74.00 | -20.56 | Peak |
| 3 | 5350.3620 | 8.28 | 32.25 | 32.10 | 47.22 | 55.65 | 74.00 | -18.35 | Peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 75 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL
Job No : 00369AT/00370AT
Mode : 5240 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|-------|---------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5240.0000 | 8.29 | 31.99 | 31.94 | 87.79 | 96.13 | | | Average |
| 2 | 5350.0200 | 8.28 | 32.25 | 32.10 | 36.49 | 44.92 | 54.00 | -9.08 | Average |
| 3 | 5355.8880 | 8.28 | 32.27 | 32.10 | 36.99 | 45.44 | 54.00 | -8.56 | Average |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at httention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of is intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 76 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5745 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | 5715.0000 | | | | | | | | • |
| 2 | 5725.0000 | 7.98 | 32.51 | 32.21 | 57.85 | 66.13 | 122.20 | -56.07 | peak |
| 3 | 5745.0000 | 7.95 | 32.50 | 32.20 | 91.03 | 99.28 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 77 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT Mode : 5745 Band edge

Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5715.0000 | 7.99 | 32.51 | 32.21 | 53.21 | 61.50 | 109.40 | -47.90 | peak |
| 2 | 5725.0000 | 7.98 | 32.51 | 32.21 | 69.80 | 78.08 | 122.20 | -44.12 | peak |
| 3 | 5745.0000 | 7.95 | 32.50 | 32.20 | 98.28 | 106.53 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 78 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5825 Band edge
Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5825.0000 | 7.85 | 32.47 | 32.17 | 88.51 | 96.66 | | | peak |
| 2 | 5850.0000 | 7.82 | 32.46 | 32.16 | 44.54 | 52.66 | 122.20 | -69.54 | peak |
| 3 | 5860.0000 | 7.81 | 32.45 | 32.15 | 41.54 | 49.65 | 109.40 | -59.75 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 79 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL

Job No : 00369AT/00370AT Mode : 5825 Band edge

Note : 5G WIFI 11A

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5825.0000 | 7.85 | 32.47 | 32.17 | 94.88 | 103.03 | | | peak |
| 2 | 5850.0000 | 7.82 | 32.46 | 32.16 | 53.12 | 61.24 | 122.20 | -60.96 | peak |
| 3 | 5860.0000 | 7.81 | 32.45 | 32.15 | 49.88 | 57.99 | 109.40 | -51.41 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 80 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5745 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5715.0000 | 7.99 | 32.51 | 32.21 | 47.02 | 55.31 | 109.40 | -54.09 | peak |
| 2 | 5725.0000 | 7.98 | 32.51 | 32.21 | 62.01 | 70.29 | 122.20 | -51.91 | peak |
| 3 | 5745.0000 | 7.95 | 32.50 | 32.20 | 91.65 | 99.90 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 81 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL

Job No : 00369AT/00370AT Mode : 5745 Band edge Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5715.0000 | 7.99 | 32.51 | 32.21 | 54.35 | 62.64 | 109.40 | -46.76 | peak |
| 2 | 5725.0000 | 7.98 | 32.51 | 32.21 | 68.09 | 76.37 | 122.20 | -45.83 | peak |
| 3 | 5745.0000 | 7.95 | 32.50 | 32.20 | 97.62 | 105.87 | | | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 82 of 124

Test Mode: 06; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL
Job No : 00369AT/00370AT
Mode : 5825 Band edge
Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5825.0000 | 7.85 | 32.47 | 32.17 | 87.45 | 95.60 | | | peak |
| 2 | 5850.0000 | 7.82 | 32.46 | 32.16 | 43.43 | 51.55 | 122.20 | -70.65 | peak |
| 3 | 5860.0000 | 7.81 | 32.45 | 32.15 | 41.39 | 49.50 | 109.40 | -59.90 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 83 of 124

Test Mode: 06; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Site : chamber Condition: 3m VERTICAL Job No : 00369AT/00370AT

Mode : 5825 Band edge Note : 5G WIFI 11N20

| | Freq | | | Preamp Factor | | | | | Remark |
|---|-----------|------|-------|------------------|-------|--------|--------|--------|--------|
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| 1 | 5825.0000 | 7.85 | 32.47 | 32.17 | 94.53 | 102.68 | | | peak |
| 2 | 5850.0000 | 7.82 | 32.46 | 32.16 | 55.64 | 63.76 | 122.20 | -58.44 | peak |
| 3 | 5860.0000 | 7.81 | 32.45 | 32.15 | 49.86 | 57.97 | 109.40 | -51.43 | peak |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) later tempor(e) are supplied) stated and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semilic CSP. Doccheck@acc.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 84 of 124

7.10 Frequency Stability

Test Requirement 47 CFR Part 15, Subpart E 15.407 (g)
Test Method: ANSI C63.10 (2013) Section 6.8

7.10.1 E.U.T. Operation


Operating Environment:

Temperature: 22.7 °C Humidity: 54.0 % RH Atmospheric Pressure: 1020 mbar

7.10.2 Test Mode Description

| | 7.10.2 Test mode besorption | | | | | | | | | |
|--------------------------|-----------------------------|--|--|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | | | |
| Final test | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | | | |
| Final test | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | | | |

7.10.3 Test Setup Diagram



7.10.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.rems-and-Conditions.apx.and-Conditi



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 85 of 124

7.11 Radiated Emissions (Below 1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.209 & Subpart E 15.407(b)

Test Method: KDB 789033 D02 II G

Measurement Distance: 3m

Limit:

| Frequency(MHz) | Field strength(microvolts/meter) | Measurement distance(meters) |
|----------------|----------------------------------|------------------------------|
| 0.009-0.490 | 2400/F(kHz) | 300 |
| 0.490-1.705 | 24000/F(kHz) | 30 |
| 1.705-30.0 | 30 | 30 |
| 30-88 | 100 | 3 |
| 88-216 | 150 | 3 |
| 216-960 | 200 | 3 |
| 960-1000 | 500 | 3 |

7.11.1 E.U.T. Operation

Operating Environment:

Temperature: 23.1 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

7.11.2 Test Mode Description

| | 7.11.2 Test mode bescription | | | | | | | |
|--------------------------|------------------------------|--|--|--|--|--|--|--|
| Pre-scan / Final test | Mode Code | Description | | | | | | |
| Pre-scan | 02 | TX mode (U-NII-1)_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | |
| Pre-scan | 03 | TX mode (U-NII-3)_Keep the EUT in continuously transmitting mode with all modulation types.All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | |
| Final test | 05 | Charge + TX mode (U-NII-1)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report. | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for electronic Documents at http://www.sgs.com/en/Terma-d-Conditions.for electronic Document sapt. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903


Page: 86 of 124


Pre-scan

06

Charge + TX mode (U-NII-3)_Keep the EUT in charging and continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 6Mbps is the worst case of IEEE 802.11a; data rate @ MCS0 is the worst case of IEEE 802.11n(HT20), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

7.11.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for and for electronic Documents as the subject to Terms and Conditions for Electronic Documents and the subject to Terms and Conditions for Electronic Document says. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of lesting finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 87 of 124

7.11.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete. Remark:
- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. For emission below 1GHz, through the pre-scan found the worst case is the lowest channel of 802.11a. Only the worst case is recorded in the report.
- 3. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents a thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 88 of 124

Test Mode: 05; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00369AT Mode : 05

> Cable Ant Preamp Read Limit 0ver Loss Factor Factor Level Level Limit Remark Freq Line dBuV dBuV/m dBuV/m MHz dB/m dB dΒ dB 200.688 33.42 23.77 43.50 -19.73 QP 1 0.69 15.13 25.47 2 294.114 0.99 18.08 25.40 34.93 28.60 46.00 -17.40 OP 3 1.26 19.35 25.41 37.55 32.75 46.00 -13.25 QP 323.320 4 404.667 1.66 20.80 25.46 34.04 31.04 46.00 -14.96 QP 5 462.346 1.46 21.87 25.48 29.81 27.66 46.00 -18.34 QP 6 798.980 2.01 27.20 24.20 27.78 32.79 46.00 -13.21 QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for for electronic Documents as this property of the second of the company for electronic Documents and the first of the second of the second




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 89 of 124

Test Mode: 05; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Site : chamber Condition: 3m VERTICAL Job No : 00369AT

Mode : 05

| | | | _ | _ | | | | _ | |
|---|---------|-------|-------------|-------------|-------|-------------|-------------|--------|--------|
| | | Cable | Ant | Preamp | Read | | Limit | 0ver | |
| | Frea | Loss | Factor | Factor | Level | Level | Line | Limit | Remark |
| | | | | | | | | | |
| | | | | | | | | | |
| | MHz | dB | dB/m | dB | dBuV | dBuV/m | dBuV/m | dB | |
| | | | | | | | | | |
| 1 | 57.999 | 0.26 | 17.00 | 25.94 | 32.95 | 24.27 | 40.00 | -15.73 | OP |
| | | | | | | | | | - |
| 2 | 111.347 | 0.94 | 15.27 | 25.58 | 40.06 | 30.69 | 43.50 | -12.81 | QΡ |
| 3 | 198.588 | 0.69 | 15.16 | 25.48 | 37.31 | 27.68 | 43.50 | -15.82 | OP |
| | | | | | | | | | • |
| 4 | 230.099 | 0.79 | 16.04 | 25.45 | 41.3/ | 32./5 | 46.00 | -13.25 | Q۲ |
| 5 | 316.589 | 1.19 | 19.10 | 25.41 | 38.59 | 33.47 | 46.00 | -12.53 | OP |
| | | | | | | | | | • |
| 6 | 404.667 | 1.66 | 20.80 | 25.46 | 34.95 | 31.95 | 40.00 | -14.05 | QP . |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as place. The strength of the



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 90 of 124

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2209000369AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2209000369AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 91 of 124

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

| | Ant1 | | | | | | | | |
|------------------------|----------------------------|------|--------------|----------------|-------------------|--------------------------------------|--------------------------|--|--|
| Mode | TX Frequency Type (MHz) | | T_on (ms) | Period (ms) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | Max. DC Variation (%) | | |
| | | 5180 | 1.392 | 2.219 | 62.73 | 2.03 | 28.63 | | |
| 802.11a | | 5200 | 1.393 | 1.633 | 85.30 | 0.69 | 6.06 | | |
| | SISO | 5240 | 1.393 | 1.606 | 86.74 | 0.62 | 5.74 | | |
| | 3130 | 5745 | 1.392 | 1.624 | 85.71 | 0.67 | 6.16 | | |
| | | 5785 | 1.394 | 1.904 | 73.21 | 1.35 | 19.29 | | |
| | | 5825 | 1.392 | 1.588 | 87.66 | 0.57 | 4.24 | | |
| 802.11n (HT20) SISO | | 5180 | 1.301 | 1.541 | 84.43 | 0.74 | 4.72 | | |
| | | 5200 | 1.302 | 1.532 | 84.99 | 0.71 | 6.45 | | |
| | SISO | 5240 | 1.301 | 1.523 | 85.42 | 0.68 | 5.98 | | |
| | | 5745 | 1.301 | 1.522 | 85.48 | 0.68 | 4.25 | | |
| | | 5785 | 1.300 | 1.541 | 84.36 | 0.74 | 7.59 | | |
| | | 5825 | 1.301 | 1.523 | 85.42 | 0.68 | 5.40 | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 92 of 124

1.1.2 Test Graph





-60 -70 0.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.

Time (ms)

| Fuyorg lab. Xinlong TechnoPark, Fanglang Road, Fuyong Subdistrid, Bao'an, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


16.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 93 of 124





-40

-50

-60

-70

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.

Time (ms)

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdistrict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


16.0





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 94 of 124









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 95 of 124



802.11n(HT20)_MCH_5200MHz_Ant1_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 96 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 97 of 124



802.11n(HT20) HCH 5825MHz Ant1 NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 98 of 124

2. Bandwidth

2.1 OBW

2.1.1 Test Result

| Mode TX Type | TX | Frequency | ANT | 99% Occupied Bandwidth (MHz) | Verdict |
|-------------------|------|---------------|-----|------------------------------|---------|
| | Type | (MHz) ANT | | Result | verdict |
| | | 5180 | 1 | 17.969 | Pass |
| | | 5200 1 19.441 | | Pass | |
| 900 110 | SISO | 5240 | 1 | 19.718 | Pass |
| 802.11a | 5150 | 5745 | 1 | 19.038 | Pass |
| | | 5785 | 1 | 20.090 | Pass |
| | | 5825 | 1 | 18.103 | Pass |
| 802.11n (HT20) | | 5180 | 1 | 18.950 | Pass |
| | SISO | 5200 1 20.681 | | 20.681 | Pass |
| | | 5240 | 1 | 20.716 | Pass |
| | | 5745 | 1 | 20.323 | Pass |
| | | 5785 | 1 | 20.189 | Pass |
| | | 5825 | 1 | 18.976 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terms-d-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 99 of 124

2.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lest estand for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Testilic 2012** **Testilic 2012**



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 100 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 101 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 102 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 103 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 104 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@gs.com.

Frequency (MHz)

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

5845.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 105 of 124

2.2 6dB BW

2.2.1 Test Result

| Mode TX Type | TX | Frequency | ANIT | 6dB Bandv | Verdict | |
|------------------------|-------|-----------|--------|-----------|---------|------|
| | (MHz) | ANT | Result | Limit | | |
| 802.11a SISO | 5745 | 1 | 15.126 | >=0.5 | Pass | |
| | SISO | 5785 | 1 | 15.130 | >=0.5 | Pass |
| | 5825 | 1 | 15.127 | >=0.5 | Pass | |
| 802.11n (HT20) SISO | 5745 | 1 | 15.099 | >=0.5 | Pass | |
| | SISO | 5785 | 1 | 15.063 | >=0.5 | Pass |
| | | 5825 | 1 | 15.139 | >=0.5 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 106 of 124

2.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 107 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD Doccheck@gs.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 108 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 109 of 124

2.3 26dB BW

2.3.1 Test Result

| Mada | TX | Frequency | ANIT | 26dB Bandwidth (MHz) | Vordict | |
|-------------------|------|-----------|------|----------------------|---------|--|
| Mode | Type | (MHz) | ANT | Result | Verdict | |
| 802.11a | | 5180 | 1 | 24.835 | Pass | |
| | SISO | 5200 | 1 | 29.121 | Pass | |
| | | 5240 | 1 | 30.055 | Pass | |
| 000 44 | SISO | 5180 | 1 | 24.046 | Pass | |
| 802.11n (HT20) | | 5200 | 1 | 30.582 | Pass | |
| | | 5240 | 1 | 30.567 | Pass | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 110 of 124

2.3.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 111 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small color.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 112 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile CMP Descheck@ges.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 113 of 124

3. Maximum Conducted Output Power

3.1 Power

3.1.1 Test Result

| Mode | TX | Frequency | Maximum Average Condu | cted Output Power (dBm) | Verdict |
|---------|------|-----------|-----------------------|-------------------------|---------|
| Mode | Type | (MHz) | ANT1 | Limit | verdict |
| | | 5180 | 7.23 | <=23.98 | Pass |
| | | 5200 | 9.22 | <=23.98 | Pass |
| 000 110 | SISO | 5240 | 10.88 | <=23.98 | Pass |
| 802.11a | 3130 | 5745 | 10.03 | <=30 | Pass |
| | | 5785 | 11.17 | <=30 | Pass |
| | | 5825 | 8.13 | <=30 | Pass |
| | | 5180 | 7.04 | <=23.98 | Pass |
| | | 5200 | 10.03 | <=23.98 | Pass |
| 802.11n | CICO | 5240 | 10.70 | <=23.98 | Pass |
| (HT20) | SISO | 5745 | 10.67 | <=30 | Pass |
| | | 5785 | 11.02 | <=30 | Pass |
| | - | 5825 | 7.76 | <=30 | Pass |

4. Maximum Power Spectral Density

4.1 PSD

4.1.1 Test Result

| Mode | TX | Frequency | Maximum PS | Manaliak | |
|-------------------|------|-----------|------------|----------|---------|
| | Type | (MHz) | ANT1 | Limit | Verdict |
| | | 5180 | -3.11 | <=11 | Pass |
| 802.11a | SISO | 5200 | -1.09 | <=11 | Pass |
| | | 5240 | 0.58 | <=11 | Pass |
| 000.44 | | 5180 | -3.50 | <=11 | Pass |
| 802.11n (HT20) | SISO | 5200 | -0.52 | <=11 | Pass |
| | | 5240 | 0.15 | <=11 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for [Selectronic Documents at http://www.sgs.com/en/Termd-Conditions.for [Selectronic Document as play. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to lesting disapection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing disapection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 114 of 124

4.1.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 115 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CDR Descheek@ass.com"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 116 of 124





-80

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.

Frequency (MHz)

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

Trace

5260.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 117 of 124

4.2 PSD-Band3

4.2.1 Test Result

| Mode | TX | Frequency | Maximum PSD | Verdict | |
|-------------------|------|-----------|-------------|------------|------|
| | Type | (MHz) | ANT1 | ANT1 Limit | |
| | | 5745 | -3.24 | <=30 | Pass |
| 802.11a | SISO | 5785 | -2.10 | <=30 | Pass |
| | | 5825 | -5.07 | <=30 | Pass |
| | | 5745 | -2.70 | <=30 | Pass |
| 802.11n (HT20) | SISO | 5785 | -2.40 | <=30 | Pass |
| | | 5825 | -5.67 | <=30 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 118 of 124

4.2.2 Test Graph





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lare tead and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.com*




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 119 of 124







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or examile CDR Descheek@ass.com"



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 120 of 124





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small* CPN Doccheck@ss.s.com*

Frequency (MHz)

Fuyong lab. Xiniong TechnoPark, Fenglang Road, Fuyong Subdishict, Bao'an, Shenzhen, Chira 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道凤塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com

5845.0



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 121 of 124

5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

| | | | | Ant1 | | | |
|---------|------------|--------------------|------------------|------------------|-----------------------------|----------------|---------|
| Mode | TX Type | Frequency (MHz) | Temperature (°C) | Voltage (VDC) | Measured Frequency (MHz) | Limit (MHz) | Verdict |
| | | | | 3.1 | 5180.060 | 5150 to 5250 | Pass |
| | | | 20 | 3.65 | 5180.060 | 5150 to 5250 | Pass |
| | | | | 4.20 | 5180.020 | 5150 to 5250 | Pass |
| | | | -30 | 3.65 | 5180.060 | 5150 to 5250 | Pass |
| | | | -20 | 3.65 | 5180.100 | 5150 to 5250 | Pass |
| | | 5180 | -10 | 3.65 | 5180.040 | 5150 to 5250 | Pass |
| | | | 0 | 3.65 | 5180.020 | 5150 to 5250 | Pass |
| | | | 10 | 3.65 | 5179.980 | 5150 to 5250 | Pass |
| | | | 30 | 3.65 | 5180.040 | 5150 to 5250 | Pass |
| | | | 40 | 3.65 | 5180.000 | 5150 to 5250 | Pass |
| | | | 50 | 3.65 | 5180.060 | 5150 to 5250 | Pass |
| | | | 20 | 3.1 | 5200.120 | 5150 to 5250 | Pass |
| | | | | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| | | | | 4.20 | 5200.040 | 5150 to 5250 | Pass |
| 802.11a | SISO | | -30 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| | | | -20 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| | | 5200 | -10 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| | | | 0 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| | | | 10 | 3.65 | 5200.080 | 5150 to 5250 | Pass |
| | | | 30 | 3.65 | 5200.080 | 5150 to 5250 | Pass |
| | | | 40 | 3.65 | 5200.080 | 5150 to 5250 | Pass |
| | | | 50 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| | | | | 3.1 | 5240.040 | 5150 to 5250 | Pass |
| | | | 20 | 3.65 | 5240.120 | 5150 to 5250 | Pass |
| | | | | 4.20 | 5240.040 | 5150 to 5250 | Pass |
| | | 5240 | -30 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| | | | -20 | 3.65 | 5240.060 | 5150 to 5250 | Pass |
| | | | -10 | 3.65 | 5240.060 | 5150 to 5250 | Pass |
| | | | 0 | 3.65 | 5240.140 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.ad, for electronic format documents, subject to Terms and Conditions for Electronic Documents aftity://www.sgs.com/en/Terma-d-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 122 of 124

| | | | 10 | 3.65 | 5240.080 | 5150 to 5250 | Pass |
|---------|------|------|-----|------|----------|--------------|------|
| | | | 30 | 3.65 | 5240.080 | 5150 to 5250 | Pass |
| | | | 40 | 3.65 | 5240.120 | 5150 to 5250 | Pass |
| | | | 50 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| | | | | 3.1 | 5744.980 | 5725 to 5850 | Pass |
| | | | 20 | 3.65 | 5745.020 | 5725 to 5850 | Pass |
| | | | | 4.20 | 5745.020 | 5725 to 5850 | Pass |
| | | | -30 | 3.65 | 5745.020 | 5725 to 5850 | Pass |
| | | | -20 | 3.65 | 5745.040 | 5725 to 5850 | Pass |
| | | 5745 | -10 | 3.65 | 5745.020 | 5725 to 5850 | Pass |
| | | | 0 | 3.65 | 5745.040 | 5725 to 5850 | Pass |
| | | | 10 | 3.65 | 5744.960 | 5725 to 5850 | Pass |
| | | | 30 | 3.65 | 5745.080 | 5725 to 5850 | Pass |
| | | | 40 | 3.65 | 5745.060 | 5725 to 5850 | Pass |
| | | | 50 | 3.65 | 5745.020 | 5725 to 5850 | Pass |
| | | 5785 | | 3.1 | 5785.020 | 5725 to 5850 | Pass |
| | | | 20 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | | | 4.20 | 5784.960 | 5725 to 5850 | Pass |
| | | | -30 | 3.65 | 5785.020 | 5725 to 5850 | Pass |
| | | | -20 | 3.65 | 5785.000 | 5725 to 5850 | Pass |
| | | | -10 | 3.65 | 5784.960 | 5725 to 5850 | Pass |
| | | | 0 | 3.65 | 5785.000 | 5725 to 5850 | Pass |
| | | | 10 | 3.65 | 5785.060 | 5725 to 5850 | Pass |
| | | | 30 | 3.65 | 5785.020 | 5725 to 5850 | Pass |
| | | | 40 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | | 50 | 3.65 | 5784.980 | 5725 to 5850 | Pass |
| | | | | 3.1 | 5825.000 | 5725 to 5850 | Pass |
| | | | 20 | 3.65 | 5824.940 | 5725 to 5850 | Pass |
| | | | | 4.20 | 5824.920 | 5725 to 5850 | Pass |
| | | | -30 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | | -20 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | 5825 | -10 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | | 0 | 3.65 | 5825.020 | 5725 to 5850 | Pass |
| | | | 10 | 3.65 | 5824.980 | 5725 to 5850 | Pass |
| | | | 30 | 3.65 | 5824.920 | 5725 to 5850 | Pass |
| | | | 40 | 3.65 | 5824.940 | 5725 to 5850 | Pass |
| | | | 50 | 3.65 | 5824.940 | 5725 to 5850 | Pass |
| 802.11n | SISO | 5180 | 20 | 3.1 | 5179.980 | 5150 to 5250 | Pass |
| (HT20) | 0.00 | 3100 | 20 | 3.65 | 5180.060 | 5150 to 5250 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 123 of 125

| -30 3.65 5180.060 5150 to 5250 Pass -20 3.65 5180.060 5150 to 5250 Pass -10 3.65 5180.080 5150 to 5250 Pass -10 3.65 5180.080 5150 to 5250 Pass -10 3.65 5180.040 5150 to 5250 Pass -10 3.65 5180.040 5150 to 5250 Pass -10 3.65 5180.040 5150 to 5250 Pass -10 3.65 5180.060 5150 to 5250 Pass -10 3.65 5180.080 5150 to 5250 Pass -10 3.65 5180.080 5150 to 5250 Pass -10 3.65 5200.040 5150 to 5250 Pass -20 3.65 5200.080 5150 to 5250 Pass -20 3.65 5200.040 5150 to 5250 Pass -20 3.65 5200.040 5150 to 5250 Pass -20 3.65 5200.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.060 5150 to 5250 Pass -20 3.65 5745.060 | | | | | 4.00 | E100.040 | E1E0 to E0E0 | Door |
|---|--|------|------|------|----------|--------------|--------------|------|
| -20 | | | | 00 | 4.20 | 5180.040 | 5150 to 5250 | Pass |
| -10 | | | | | | | | |
| 0 3.65 5180.040 5150 to 5250 Pass 10 3.65 5180.040 5150 to 5250 Pass 30 3.65 5180.060 5150 to 5250 Pass 40 3.65 5180.060 5150 to 5250 Pass 50 3.65 5180.060 5150 to 5250 Pass 50 3.65 5180.060 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 4.20 5200.040 5150 to 5250 Pass 4.20 5200.080 5150 to 5250 Pass 5200 -10 3.65 5200.080 5150 to 5250 Pass 10 3.65 5200.080 5150 to 5250 Pass 10 3.65 5200.080 5150 to 5250 Pass 40 3.65 5200.080 5150 to 5250 Pass 40 3.65 5200.080 5150 to 5250 Pass 40 3.65 5200.040 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 40 3.65 5240.040 5150 to 5250 Pass 50 3.65 5240.040 5150 to 5250 Pass 4.20 5240.060 5150 to 5250 Pass 4.20 5240.060 5150 to 5250 Pass 4.20 5240.060 5150 to 5250 Pass 50 3.65 5240.040 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 50 | | | | | | | | |
| 10 | | | | | | | | |
| 30 3.65 5180.060 5150 to 5250 Pass 40 3.65 5180.080 5150 to 5250 Pass 50 3.65 5180.080 5150 to 5250 Pass 20 3.65 5200.040 5150 to 5250 Pass 4.20 5200.080 5150 to 5250 Pass 50 3.65 5200.080 5150 to 5250 Pass 50 3.65 5200.080 5150 to 5250 Pass 4.20 5240.080 5150 to 5250 Pass 50 3.65 5240.040 5150 to 5250 Pass 50 3.65 5240.040 5150 to 5250 Pass 50 3.65 5240.080 5150 to 5250 Pass 50 50 3.65 5240.080 5725 to 5850 Pass 50 50 3.65 5745.080 5725 to 5850 Pass 50 50 50 50 | | | | | + | | | |
| 40 3.65 5180.080 5150 to 5250 Pass | | | | | | | | |
| So | | | | | | | | |
| 3.1 5200.040 5150 to 5250 Pass | | | | | | | | Pass |
| 20 3.65 5200.040 5150 to 5250 Pass | | | | 50 | + | | | |
| 4.20 5200.080 5150 to 5250 Pass | | | | | 3.1 | 5200.040 | 5150 to 5250 | Pass |
| 30 3.65 5200.060 5150 to 5250 Pass | | | | 20 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| 1-20 3.65 5200.040 5150 to 5250 Pass | | | | | 4.20 | 5200.080 | 5150 to 5250 | Pass |
| S200 | | | | -30 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| 0 3.65 5200.060 5150 to 5250 Pass 10 3.65 5200.060 5150 to 5250 Pass 30 3.65 5200.040 5150 to 5250 Pass 40 3.65 5200.060 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 20 3.65 5240.020 5150 to 5250 Pass 4.20 5240.060 5150 to 5250 Pass -30 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass 5240 -10 3.65 5240.040 5150 to 5250 Pass 10 3.65 5240.040 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.040 5150 | | | | -20 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| 10 3.65 5200.060 5150 to 5250 Pass 30 3.65 5200.040 5150 to 5250 Pass 40 3.65 5200.060 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 50 3.65 5200.040 5150 to 5250 Pass 20 3.65 5240.040 5150 to 5250 Pass 4.20 5240.040 5150 to 5250 Pass -30 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass -20 3.65 5240.040 5150 to 5250 Pass 5240 -10 3.65 5240.040 5150 to 5250 Pass 10 3.65 5240.040 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 50 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5745.020 5725 to 5850 Pass 50 3.65 5745.020 5725 to 5850 Pass 50 3.65 5745.040 5725 to 5850 Pass 50 50 5745.040 5725 to 5850 Pass 50 50 5745.040 5725 to 5850 Pass | | | 5200 | -10 | 3.65 | 5200.080 | 5150 to 5250 | Pass |
| 30 3.65 5200.040 5150 to 5250 Pass | | | | 0 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| A0 | | | | 10 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| S0 | | | | 30 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| 20 | | | | 40 | 3.65 | 5200.060 | 5150 to 5250 | Pass |
| 20 3.65 5240.040 5150 to 5250 Pass | | | | 50 | 3.65 | 5200.040 | 5150 to 5250 | Pass |
| 4.20 5240.060 5150 to 5250 Pass | | | 5240 | 20 | 3.1 | 5240.020 | 5150 to 5250 | Pass |
| 10 3.65 5240.040 5150 to 5250 Pass | | | | | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| 5240 3.65 5240.040 5150 to 5250 Pass -10 3.65 5240.060 5150 to 5250 Pass 0 3.65 5240.040 5150 to 5250 Pass 10 3.65 5240.060 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 20 3.65 5240.060 5150 to 5250 Pass 20 3.65 5240.060 5150 to 5250 Pass 4.20 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass < | | | | | 4.20 | 5240.060 | 5150 to 5250 | Pass |
| 5240 -10 3.65 5240.060 5150 to 5250 Pass 0 3.65 5240.040 5150 to 5250 Pass 10 3.65 5240.060 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 20 3.65 5240.060 5150 to 5250 Pass 20 3.65 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | -30 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| 0 3.65 5240.040 5150 to 5250 Pass 10 3.65 5240.060 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 20 3.65 5745.020 5725 to 5850 Pass 4.20 5745.020 5725 to 5850 Pass -30 3.65 5745.060 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | -20 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| 10 3.65 5240.060 5150 to 5250 Pass 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 3.1 5745.020 5725 to 5850 Pass 4.20 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.020 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.040 5725 to 5850 Pass | | | | -10 | 3.65 | 5240.060 | 5150 to 5250 | Pass |
| 30 3.65 5240.040 5150 to 5250 Pass 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 3.1 5745.020 5725 to 5850 Pass 4.20 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.020 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.040 5725 to 5850 Pass | | | | 0 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| 40 3.65 5240.060 5150 to 5250 Pass 50 3.65 5240.060 5150 to 5250 Pass 3.1 5745.020 5725 to 5850 Pass 20 3.65 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | 10 | 3.65 | 5240.060 | 5150 to 5250 | Pass |
| 50 3.65 5240.060 5150 to 5250 Pass 3.1 5745.020 5725 to 5850 Pass 4.20 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | 30 | 3.65 | 5240.040 | 5150 to 5250 | Pass |
| 50 3.65 5240.060 5150 to 5250 Pass 3.1 5745.020 5725 to 5850 Pass 4.20 5745.020 5725 to 5850 Pass 4.20 5745.060 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | 40 | 3.65 | 5240.060 | 5150 to 5250 | Pass |
| 5745 20 3.65 5745.020 5745.020 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | 50 | 3.65 | 5240.060 | 5150 to 5250 | |
| 5745 20 3.65 5745.020 5745.020 5725 to 5850 Pass -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | | 3.1 | 5745.020 | 5725 to 5850 | Pass |
| -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | 5745 | | 20 | 3.65 | 5745.020 | 5725 to 5850 | |
| -30 3.65 5745.020 5725 to 5850 Pass -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | | | 4.20 | 5745.060 | 5725 to 5850 | Pass |
| -20 3.65 5745.060 5725 to 5850 Pass -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | -30 | | | | | |
| -10 3.65 5745.040 5725 to 5850 Pass 0 3.65 5745.060 5725 to 5850 Pass | | | -20 | 3.65 | 5745.060 | 5725 to 5850 | Pass | |
| 0 3.65 5745.060 5725 to 5850 Pass | | | | | | | | |
| | | | | | | | _ | |
| | | | | | 3.65 | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR220900036903

Page: 124 of 124

| l | | 1 | | | | _ |
|---|------|-----|------|----------|--------------|------|
| | | 30 | 3.65 | 5745.060 | 5725 to 5850 | Pass |
| | | 40 | 3.65 | 5745.020 | 5725 to 5850 | Pass |
| | | 50 | 3.65 | 5745.040 | 5725 to 5850 | Pass |
| | | | 3.1 | 5785.000 | 5725 to 5850 | Pass |
| | | 20 | 3.65 | 5785.000 | 5725 to 5850 | Pass |
| | | | 4.20 | 5785.020 | 5725 to 5850 | Pass |
| | | -30 | 3.65 | 5785.060 | 5725 to 5850 | Pass |
| | | -20 | 3.65 | 5785.020 | 5725 to 5850 | Pass |
| | 5785 | -10 | 3.65 | 5785.000 | 5725 to 5850 | Pass |
| | | 0 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | 10 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | 30 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | 40 | 3.65 | 5785.060 | 5725 to 5850 | Pass |
| | | 50 | 3.65 | 5785.040 | 5725 to 5850 | Pass |
| | | | 3.1 | 5825.020 | 5725 to 5850 | Pass |
| | | 20 | 3.65 | 5825.020 | 5725 to 5850 | Pass |
| | | | 4.20 | 5825.000 | 5725 to 5850 | Pass |
| | | -30 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | -20 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | 5825 | -10 | 3.65 | 5825.020 | 5725 to 5850 | Pass |
| | | 0 | 3.65 | 5825.040 | 5725 to 5850 | Pass |
| | | 10 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | 30 | 3.65 | 5825.020 | 5725 to 5850 | Pass |
| | | 40 | 3.65 | 5825.000 | 5725 to 5850 | Pass |
| | | 50 | 3.65 | 5825.000 | 5725 to 5850 | Pass |

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asgg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.