

























REPORT NO.: 4791011032-1-RF-4

Page 424 of 485

11AX80MIMO_Ant1_5690_UNII-3

REPORT NO.: 4791011032-1-RF-4

Page 425 of 485

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result

			Power	Limit	EIRP	Limit	
Test Mode	Antenna	Frequency[MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	Verdict
	Ant0	5180	2.75	≤11.00	7.18	≤10.00	PASS
	Ant1	5180	2.50	≤11.00	6.93	≤10.00	PASS
	Ant0	5200	2.89	≤11.00	7.32	≤10.00	PASS
	Ant1	5200	2.59	≤11.00	7.02	≤10.00	PASS
	Ant0	5240	3.02	≤11.00	7.45	≤10.00	PASS
	Ant1	5240	2.53	≤11.00	6.96	≤10.00	PASS
	Ant0	5260	2.64	≤11.00	7.07		PASS
	Ant1	5260	2.42	≤11.00	6.85		PASS
	Ant0	5280	3.02	≤11.00	7.45		PASS
	Ant1	5280	2.76	≤11.00	7.19		PASS
	Ant0	5320	3.24	≤11.00	7.67		PASS
	Ant1	5320	3.23	≤11.00	7.66		PASS
	Ant0	5500	3.49	≤11.00	7.92		PASS
11A	Ant1	5500	3.47	≤11.00	7.90		PASS
	Ant0	5580	2.84	≤11.00 ≤11.00	7.27		PASS PASS
	Ant1	5580	3.40		7.83		
	Ant0	5700	3.05	≤11.00 ≤11.00	7.48		PASS
	Ant1 Ant0	5700 5720 UNII-2C	4.80 3.19	≤11.00 ≤11.00	9.23 6.17		PASS PASS
	Ant1	5720_UNII-2C	3.72	≤11.00 ≤11.00	8.15		PASS
	Ant0	5720_UNII-3	-1.15	≤30.00	1.87		PASS
	Ant1	5720_UNII-3	-0.50	≤30.00	3.93		PASS
	Ant0	5745	-1.62	≤30.00	2.81		PASS
	Ant1	5745	-0.59	≤30.00	3.84		PASS
	Ant0	5785	-1.68	≤30.00	2.75		PASS
	Ant1	5785	-0.73	≤30.00	3.70		PASS
	Ant0	5825	-1.36	≤30.00	3.07		PASS
	Ant1	5825	-0.94	≤30.00	3.49		PASS
	Ant0	5180	-1.65	≤11.00	2.78	≤10.00	PASS
	Ant1	5180	-0.83	≤11.00	3.60	≤10.00	PASS
	total	5180	1.79	≤9.56	9.23	≤10.00	PASS
	Ant0	5200	-1.27	≤11.00	3.16	≤10.00	PASS
	Ant1	5200	-1.34	≤11.00	3.09	≤10.00	PASS
	total	5200	1.71	≤9.56	9.15	≤10.00	PASS
	Ant0	5240	-1.43	≤11.00	3.00	≤10.00	PASS
	Ant1	5240	-1.17	≤11.00	3.26	≤10.00	PASS
	total	5240	1.71	≤9.56	9.15	≤10.00	PASS
	Ant0	5260	2.13	≤11.00	6.56		PASS
	Ant1	5260	2.83	≤11.00	7.26		PASS
	total	5260	5.50	≤9.56	12.94		PASS
	Ant0	5280	2.46	≤11.00	6.89		PASS
	Ant1	5280	2.96	≤11.00	7.39		PASS
11N20MIMO	total	5280	5.73	≤9.56	13.17		PASS
	Ant0	5320	2.35	≤11.00	6.78		PASS
	Ant1	5320	2.96	≤11.00	7.39		PASS
	total	5320	5.68	≤9.56	13.12		PASS
	Ant0	5500	1.99	≤11.00	6.42		PASS
	Ant1	5500	1.68	≤11.00	6.11		PASS
	total	5500	4.85	≤9.56	12.29		PASS
	Ant0	5580 5580	1.97	≤11.00	6.40		PASS
	Ant1	5580 5580	0.29 4.22	≤11.00 ≤9.56	4.72		PASS PASS
	total	5580 5700			11.66		
	Ant0	5700 5700	2.38	≤11.00 ≤11.00	6.81 8.04		PASS PASS
	Ant1	5700	3.61 6.05	≤11.00 ≤9.56	13.49		PASS
	total	5720_UNII-2C	2.49	≤9.56 ≤11.00	6.92		PASS
	Ant0 Ant1	5720_UNII-2C 5720_UNII-2C	3.75	≤11.00 ≤11.00	8.18		PASS
	total	5720_UNII-2C 5720_UNII-2C	6.18	≤11.00 ≤9.56	13.62		PASS
	เบเสเ	3120_UIVII-2U	0.10	_3.50	13.02	I	1 700



	Ant0	5720_UNII-3	-1.52	≤30.00	2.91		PASS
	Ant1	5720_UNII-3	-0.57	≤30.00	3.86		PASS
	total	5720_UNII-3	1.99	≤28.56	9.43		PASS
	Ant0	5745	-0.64	≤30.00	3.79		PASS
	Ant1	5745	0.44	≤30.00	4.87		PASS
	total	5745	2.94	≤28.56	10.38		PASS
	Ant0	5785	-0.61	≤30.00	3.82		PASS
	Ant1	5785	0.47	≤30.00	4.90		PASS
	total	5785	2.97	≤28.56	10.41		PASS
	Ant0	5825	-0.01	≤30.00	4.42		PASS
	Ant1	5825	0.57	≤30.00	5.00		PASS
	total	5825	3.30	≤28.56	10.74		PASS
	Ant0 Ant1	5190 5190	-1.13 -1.61	≤11.00 ≤11.00	3.30 2.82	≤10.00 ≤10.00	PASS PASS
	total	5190	1.65	≤9.56	9.09	≤10.00 ≤10.00	PASS
	Ant0	5230	-1.22	≤9.30 ≤11.00	3.21	≤10.00 ≤10.00	PASS
	Ant1	5230	-0.94	≤11.00	3.49	≤10.00 ≤10.00	PASS
	total	5230	1.93	≤9.56	9.37	≤10.00	PASS
	Ant0	5270	0.43	≤11.00	4.86		PASS
	Ant1	5270	0.89	≤11.00	5.32		PASS
	total	5270	3.68	≤9.56	11.12		PASS
	Ant0	5310	0.23	≤11.00	4.66		PASS
	Ant1	5310	0.78	≤11.00	5.21		PASS
	total	5310	3.52	≤9.56	10.96		PASS
	Ant0	5510	-0.25	≤11.00	4.18		PASS
	Ant1	5510	-0.80	≤11.00	3.63		PASS
	total	5510	2.49	≤9.56	9.93		PASS
	Ant0	5550	0.36	≤11.00	4.79		PASS
11N40MIMO	Ant1	5550	-0.84	≤11.00	3.59		PASS
	total	5550	2.81	≤9.56	10.25		PASS
	Ant0	5670	0.22	≤11.00	4.65		PASS
	Ant1	5670	1.36	≤11.00	5.79		PASS
	total	5670	3.84	≤9.56	11.28		PASS
	Ant0	5710_UNII-2C	0.66	≤11.00	5.09		PASS PASS
	Ant1 total	5710_UNII-2C 5710_UNII-2C	1.61 4.17	≤11.00 ≤9.56	6.04 11.61		PASS
	Ant0	5710_UNII-3	-6.41	≤30.00	-1.98		PASS
	Ant1	5710_UNII-3	-5.47	≤30.00	-1.04		PASS
	total	5710_UNII-3	-2.90	≤28.56	4.54		PASS
	Ant0	5755	-2.73	≤30.00	1.70		PASS
	Ant1	5755	-1.90	≤30.00	2.53		PASS
	total	5755	0.72	≤28.56	8.16		PASS
	Ant0	5795	-2.77	≤30.00	1.66		PASS
	Ant1	5795	-2.07	≤30.00	2.36		PASS
	total	5795	0.60	≤28.56	8.04		PASS
11AC80MIMO	Ant0	5210	-4.26	≤11.00	0.17	≤10.00	PASS
	Ant1	5210	-4.63	≤11.00	-0.20	≤10.00	PASS
	total	5210	-1.43	≤9.56	6.01	≤10.00	PASS
	Ant0	5290	-4.29	≤11.00	0.14		PASS
	Ant1	5290	-3.28	≤11.00	1.15		PASS
	total	5290	-0.75	≤9.56	6.69		PASS
	Ant0	5530	-3.53	≤11.00	0.90		PASS
	Ant1 total	5530 5530	-3.70 -0.60	≤11.00 ≤9.56	0.73 6.84		PASS PASS
	Ant0	5610	-3.79	≤9.56 ≤11.00	0.64		PASS
	Ant1	5610	-4.48	≤11.00 ≤11.00	-0.05		PASS
	total	5610	-1.11	≤9.56	6.33		PASS
	Ant0	5690_UNII-2C	-3.96	≤11.00	0.47		PASS
	Ant1	5690_UNII-2C	-3.50	≤11.00	0.93		PASS
	total	5690_UNII-2C	-0.71	≤9.56	6.73		PASS
	Ant0	5690_UNII-3	-11.02	≤30.00	-6.59		PASS
	Ant1	5690_UNII-3	-8.77	≤30.00	-4.34		PASS
	total	5690_UNII-3	-6.74	≤28.56	0.70		PASS
	Ant0	5775	-6.79	≤30.00	-2.36		PASS



	Ant1	5775	-5.98	≤30.00	-1.55		PASS
	total	5775	-3.36	≤28.56	4.08		PASS
	Ant0	5180	-1.21	≤11.00	3.22	≤10.00	PASS
	Ant1	5180	-0.97	≤11.00	3.46	≤10.00	PASS
	total	5180	1.92	≤9.56	9.36	≤10.00	PASS
	Ant0	5200	-1.06	≤11.00	3.37	≤10.00	PASS
	Ant1	5200	-1.04	≤11.00	3.39	≤10.00	PASS
	total	5200	1.96	≤9.56	9.40	≤10.00	PASS
	Ant0	5240	-1.18	≤11.00	3.25	≤10.00	PASS
	Ant1	5240	-0.78	≤11.00	3.65	≤10.00	PASS
	total	5240	2.03	≤9.56	9.47	≤10.00	PASS
	Ant0	5260	-1.25	≤11.00	3.18		PASS
	Ant1	5260	-0.83	≤11.00	3.60		PASS
	total	5260	1.98	≤9.56	9.42		PASS
	Ant0	5280	-1.23	≤11.00	3.20		PASS
	Ant1	5280	-0.70	≤11.00	3.73		PASS
	total	5280	2.05	≤9.56	9.49		PASS
	Ant0	5320	-1.24	≤11.00	3.19		PASS
	Ant1	5320	0.32	≤11.00	4.75		PASS
	total	5320	2.62	≤9.56	10.06		PASS
	Ant0	5500	-0.40	≤11.00	4.03		PASS
	Ant1	5500	-0.93	≤11.00	3.50		PASS
11AX20MIMO	total	5500	2.35	≤9.56	9.79		PASS
	Ant0	5580	0.67	≤11.00	5.10		PASS
	Ant1	5580	-0.41	≤11.00	4.02		PASS
	total Ant0	5580 5700	3.17 -0.11	≤9.56 ≤11.00	10.61 4.32		PASS PASS
	Ant1	5700	1.29	≤11.00 ≤11.00	5.72		PASS
	total	5700	3.66	≤9.56	11.10		PASS
	Ant0	5720 UNII-2C	-0.38	≤11.00	4.05		PASS
	Ant1	5720_UNII-2C	1.01	≤11.00	5.44		PASS
	total	5720_UNII-2C	3.38	≤9.56	10.82		PASS
	Ant0	5720_UNII-3	-3.93	≤30.00	0.50		PASS
	Ant1	5720_UNII-3	-2.69	≤30.00	1.74		PASS
	total	5720_UNII-3	-0.26	≤28.56	7.18		PASS
	Ant0	5745	-2.83	≤30.00	1.60		PASS
	Ant1	5745	-1.56	≤30.00	2.87		PASS
	total	5745	0.86	≤28.56	8.30		PASS
	Ant0	5785	-2.54	≤30.00	1.89		PASS
	Ant1	5785	-1.69	≤30.00	2.74		PASS
	total	5785	0.92	≤28.56	8.36		PASS
	Ant0	5825	-2.64	≤30.00	1.79		PASS
	Ant1	5825	-1.48	≤30.00	2.95		PASS
	total	5825	0.99	≤28.56	8.43		PASS
11AX40MIMO	Ant0	5190	-2.80	≤11.00	1.63	≤10.00	PASS
	Ant1	5190	-2.21	≤11.00	2.22	≤10.00	PASS
	total	5190	0.52	≤9.56	7.96	≤10.00	PASS
	Ant0	5230	-2.25	≤11.00	2.18	≤10.00	PASS
	Ant1	5230	-2.57	≤11.00	1.86	≤10.00	PASS
	total	5230	0.60	≤9.56	8.04	≤10.00	PASS
	Ant0	5270	-1.91	≤11.00	2.52		PASS
	Ant1	5270 5270	-1.75	≤11.00	2.68		PASS
	total Ant0	5270 5310	1.18 -2.32	≤9.56 ≤11.00	8.62 2.11		PASS PASS
	Ant1	5310	-2.32 -1.22	≤11.00 ≤11.00	3.21		PASS
	total	5310	1.28	≤9.56	8.72		PASS
	Ant0	5510	-1.74	≤11.00	2.69		PASS
	Ant1	5510	-2.06	≤11.00	2.37		PASS
	total	5510	1.11	≤9.56	8.55		PASS
	Ant0	5550	-1.31	≤11.00	3.12		PASS
	Ant1	5550	-1.18	≤11.00	3.25		PASS
	total	5550	1.77	≤9.56	9.21		PASS
	Ant0	5670	-2.52	≤11.00	1.91		PASS
	Ant1	5670	-1.54	≤11.00	2.89		PASS

	total	5670	1.01	≤9.56	8.45		PASS
	Ant0	5710_UNII-2C	-2.42	≤11.00	2.01		PASS
	Ant1	5710_UNII-2C	-0.96	≤11.00	3.47		PASS
	total	5710_UNII-2C	1.38	≤9.56	8.82		PASS
	Ant0	5710_UNII-3	-8.54	≤30.00	-4.11		PASS
	Ant1	5710_UNII-3	-7.10	≤30.00	-2.67		PASS
	total	5710_UNII-3	-4.75	≤28.56	2.69		PASS
	Ant0	5755	-4.96	≤30.00	-0.53		PASS
	Ant1	5755	-4.09	≤30.00	0.34		PASS
	total	5755	-1.49	≤28.56	5.95		PASS
	Ant0	5795	-4.72	≤30.00	-0.29		PASS
	Ant1	5795	-4.06	≤30.00	0.37		PASS
	total	5795	-1.37	≤28.56	6.07		PASS
	Ant0	5210	-6.52	≤11.00	-2.09	≤10.00	PASS
	Ant1	5210	-6.92	≤11.00	-2.49	≤10.00	PASS
	total	5210	-3.71	≤9.56	3.73	≤10.00	PASS
	Ant0	5290	-6.81	≤11.00	-2.38		PASS
	Ant1	5290	-6.11	≤11.00	-1.68		PASS
	total	5290	-3.44	≤9.56	4.00		PASS
	Ant0	5530	-6.26	≤11.00	-1.83		PASS
	Ant1	5530	-6.10	≤11.00	-1.67		PASS
	total	5530	-3.17	≤9.56	4.27		PASS
	Ant0	5610	-5.89	≤11.00	-1.46		PASS
11AX80MIMO	Ant1	5610	-6.91	≤11.00	-2.48		PASS
	total	5610	-3.36	≤9.56	4.08		PASS
	Ant0	5690_UNII-2C	-6.26	≤11.00	-1.83		PASS
	Ant1	5690_UNII-2C	-5.86	≤11.00	-1.43		PASS
	total	5690_UNII-2C	-3.05	≤9.56	4.39		PASS
	Ant0	5690_UNII-3	-13.30	≤30.00	-8.87		PASS
	Ant1	5690_UNII-3	-11.34	≤30.00	-6.91		PASS
	total	5690_UNII-3	-9.20	≤28.56	-1.76		PASS
	Ant0	5775	-9.49	≤30.00	-5.06		PASS
	Ant1	5775	-7.95	≤30.00	-3.52		PASS
	total	5775	-5.64	≤28.56	1.80		PASS

Note: 1. Conducted Power=Meas. Level+ Correction Factor

^{2.} The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.



11.5.2. Test Graphs





































































































































