

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test for PCB Antenna

Main Source, ECC Mode


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2369.59	54.16	16.97	37.19	74.00	-19.84	165	328	Peak	Horizontal		
2 *	2402.00	105.01	67.84	37.17	74.00	31.01	165	328	Peak	Horizontal		
3	2522.87	54.39	16.90	37.49	74.00	-19.61	165	328	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	2386.46	56.41	19.23	37.18	74.00	-17.59	311	190	Peak	Vertical		
2 *	2402.00	109.17	72.00	37.17	74.00	35.17	311	190	Peak	Vertical		
3	2522.28	54.65	17.16	37.49	74.00	-19.35	311	190	Peak	Vertical		

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.83	43.90	6.71	37.19	54.00	-10.10	165	328	Average	Horizontal		
2 *	2402.00	104.05	66.88	37.17	54.00	50.05	165	328	Average	Horizontal		
3	2819.64	41.36	3.61	37.75	54.00	-12.64	165	328	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.99	48.73	11.55	37.18	54.00	-5.27	311	190	Average	Vertical		
2 *	2402.00	108.26	71.09	37.17	54.00	54.26	311	190	Average	Vertical		
3	2513.90	41.69	4.18	37.51	54.00	-12.31	311	190	Average	Vertical		

BLE_1M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.20	53.11	15.92	37.19	74.00	-20.89	136	200	Peak	Horizontal		
2 *	2440.00	106.72	69.28	37.44	74.00	32.72	136	200	Peak	Horizontal		
3	2631.31	55.24	17.62	37.62	74.00	-18.76	136	200	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.09	53.65	16.45	37.20	74.00	-20.35	340	331	Peak	Vertical		
2 *	2440.00	104.78	67.34	37.44	74.00	30.78	340	331	Peak	Vertical		
3	2801.00	54.56	16.82	37.74	74.00	-19.44	340	331	Peak	Vertical		

BLE_1M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2368.03	42.57	5.37	37.20	54.00	-11.43	136	200	Average	Horizontal		
2 *	2440.00	105.79	68.35	37.44	54.00	51.79	136	200	Average	Horizontal		
3	2487.94	42.02	4.47	37.55	54.00	-11.98	136	200	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.70	40.37	3.36	37.01	54.00	-13.63	340	331	Average	Vertical		
2 *	2440.00	103.85	66.41	37.44	54.00	49.85	340	331	Average	Vertical		
3	2805.25	41.46	3.72	37.74	54.00	-12.54	340	331	Average	Vertical		

BLE_1M

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.26	52.87	15.67	37.20	74.00	-21.13	100	205	Peak	Horizontal		
2 *	2480.00	105.45	67.91	37.54	74.00	31.45	100	205	Peak	Horizontal		
3	2826.60	54.80	17.04	37.76	74.00	-19.20	100	205	Peak	Horizontal		

High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2328.88	53.46	16.44	37.02	74.00	-20.54	291	183	Peak	Vertical		
2 *	2480.00	104.97	67.43	37.54	74.00	30.97	291	183	Peak	Vertical		
3	2842.53	54.75	16.97	37.78	74.00	-19.25	291	183	Peak	Vertical		

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.10	43.14	5.97	37.17	54.00	-10.86	100	205	Average	Horizontal		
2 *	2480.00	104.48	66.94	37.54	54.00	50.48	100	205	Average	Horizontal		
3	2496.09	44.44	6.88	37.56	54.00	-9.56	100	205	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.10	41.76	4.59	37.17	54.00	-12.24	291	183	Average	Vertical		
2 *	2480.00	104.01	66.47	37.54	54.00	50.01	291	183	Average	Vertical		
3	2496.09	42.75	5.19	37.56	54.00	-11.25	291	183	Average	Vertical		

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.30	56.91	19.74	37.17	74.00	-17.09	140	199	Peak	Horizontal		
2 *	2404.00	108.95	71.77	37.18	74.00	34.95	140	199	Peak	Horizontal		
3	2811.03	54.98	17.23	37.75	74.00	-19.02	140	199	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2321.45	53.54	16.59	36.95	74.00	-20.46	345	317	Peak	Vertical		
2 *	2404.00	101.40	64.22	37.18	74.00	27.40	345	317	Peak	Vertical		
3	2801.59	55.13	17.39	37.74	74.00	-18.87	345	317	Peak	Vertical		

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.71	46.29	9.12	37.17	54.00	-7.71	140	199	Average	Horizontal		
2 *	2404.00	106.14	68.96	37.18	54.00	52.14	140	199	Average	Horizontal		
3	2499.74	42.24	4.68	37.56	54.00	-11.76	140	199	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.82	42.34	5.17	37.17	54.00	-11.66	345	317	Average	Vertical		
2 *	2404.00	98.60	61.42	37.18	54.00	44.60	345	317	Average	Vertical		
3	2638.16	41.66	4.05	37.61	54.00	-12.34	345	317	Average	Vertical		

BLE_2M

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2344.34	53.57	16.42	37.15	74.00	-20.43	100	192	Peak	Horizontal		
2 *	2440.00	105.87	68.43	37.44	74.00	31.87	100	192	Peak	Horizontal		
3	2643.00	54.22	16.62	37.60	74.00	-19.78	100	192	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2328.76	54.20	17.18	37.02	74.00	-19.80	336	330	Peak	Vertical		
2 *	2440.00	103.88	66.44	37.44	74.00	29.88	336	330	Peak	Vertical		
3	2633.20	55.06	17.45	37.61	74.00	-18.94	336	330	Peak	Vertical		

BLE_2M

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2375.84	42.08	4.89	37.19	54.00	-11.92	100	192	Average	Horizontal		
2 *	2440.00	102.90	65.46	37.44	54.00	48.90	100	192	Average	Horizontal		
3	2488.30	42.05	4.50	37.55	54.00	-11.95	100	192	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2327.82	40.50	3.49	37.01	54.00	-13.50	336	330	Average	Vertical		
2 *	2440.00	100.66	63.22	37.44	54.00	46.66	336	330	Average	Vertical		
3	2890.82	41.44	3.51	37.93	54.00	-12.56	336	330	Average	Vertical		

BLE_2M

High Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.93	53.26	16.06	37.20	74.00	-20.74	172	201	Peak	Horizontal		
2 *	2478.00	106.20	68.66	37.54	74.00	32.20	172	201	Peak	Horizontal		
3	2493.96	55.66	18.11	37.55	74.00	-18.34	172	201	Peak	Horizontal		

High Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2350.36	53.38	16.17	37.21	74.00	-20.62	291	184	Peak	Vertical		
2 *	2478.00	105.12	67.58	37.54	74.00	31.12	291	184	Peak	Vertical		
3	2828.14	54.76	17.00	37.76	74.00	-19.24	291	184	Peak	Vertical		

BLE_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2382.10	42.78	5.60	37.18	54.00	-11.22	172	201	Average	Horizontal		
2 *	2478.00	103.27	65.73	37.54	54.00	49.27	172	201	Average	Horizontal		
3	2494.08	44.15	6.60	37.55	54.00	-9.85	172	201	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.86	41.56	4.38	37.18	54.00	-12.44	291	184	Average	Vertical		
2 *	2478.00	102.29	64.75	37.54	54.00	48.29	291	184	Average	Vertical		
3	2493.84	43.20	5.65	37.55	54.00	-10.80	291	184	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	67.84	48.89	18.95	119.13	-51.29	100	351 Peak	Open	
2	0.05	47.54	28.49	19.05	113.11	-65.57	100	303 Peak	Open	
3	0.08	37.81	19.31	18.50	110.01	-72.20	100	62 Peak	Open	
4	0.08	30.36	12.02	18.34	109.26	-78.90	100	320 Peak	Open	
5	0.11	34.95	16.98	17.97	106.49	-71.54	100	360 Peak	Open	
6	0.14	30.29	12.19	18.10	104.43	-74.14	100	163 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.93	51.98	32.87	19.03	68.27	-16.37	100	181 Peak	Open	
2	2.78	40.34	20.79	19.55	69.50	-29.16	100	181 Peak	Open	
3	7.37	34.19	13.78	20.41	69.50	-35.31	100	19 Peak	Open	
4	12.81	36.16	14.48	21.08	69.50	-33.34	100	254 Peak	Open	
5	19.94	35.07	12.90	22.17	69.50	-34.43	100	14 Peak	Open	
6	23.91	36.23	14.04	22.19	69.50	-33.27	100	94 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	54.25	22.86	28.60	-5.74	40.00	-17.14	200	246 Peak	Horizontal	
2	167.74	26.18	31.90	-5.72	43.50	-17.32	200	138 Peak	Horizontal	
3	243.40	26.56	33.11	-6.55	46.00	-19.44	100	78 Peak	Horizontal	
4	359.80	30.20	33.76	-3.56	46.00	-15.80	200	158 Peak	Horizontal	
5	523.73	28.06	28.94	-0.88	46.00	-17.94	100	323 Peak	Horizontal	
6	694.45	32.45	30.52	1.93	46.00	-13.55	200	347 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	56.19	30.93	36.87	-5.94	40.00	-9.07	100	259 Peak	Vertical	
2	167.74	28.17	33.89	-5.72	43.50	-15.33	100	121 Peak	Vertical	
3	265.71	31.20	37.13	-5.93	46.00	-14.80	100	117 Peak	Vertical	
4	359.80	32.52	36.08	-3.56	46.00	-13.48	100	83 Peak	Vertical	
5	557.68	29.59	29.67	-0.08	46.00	-16.41	100	308 Peak	Vertical	
6	845.77	34.92	30.82	4.10	46.00	-11.08	100	147 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


BLE_1M

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg					
1	7320.00	47.16	54.24	-7.08	74.00	-26.84	123	42	Peak	Horizontal		
2	7320.00	40.40	47.48	-7.08	54.00	-13.60	123	42	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg					
1	7320.00	47.19	54.27	-7.08	74.00	-26.81	300	121	Peak	Vertical		
2	7320.00	39.61	46.69	-7.08	54.00	-14.39	300	121	Average	Vertical		

BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	46.78	53.96	-7.18	74.00	-27.22	289	360	Peak	Horizontal		
2	7448.00	37.43	44.61	-7.18	54.00	-16.57	289	360	Average	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7440.00	47.54	54.72	-7.18	74.00	-26.46	300	146	Peak	Vertical		
2	7448.00	39.70	46.88	-7.18	54.00	-14.30	300	146	Average	Vertical		

BLE_2M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4888.00	43.96	52.98	-9.02	74.00	-30.04	400	360	Peak	Horizontal		
2	4888.00	34.87	43.89	-9.02	54.00	-19.13	400	360	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4888.00	39.22	48.24	-9.02	74.00	-34.78	300	56	Peak	Vertical		
2	4888.00	31.29	40.31	-9.02	54.00	-22.71	300	56	Average	Vertical		

BLE_2M

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	47.25	54.33	-7.08	74.00	-26.75	243	73	Peak	Horizontal		
2	7320.00	40.04	47.12	-7.08	54.00	-13.96	243	73	Average	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7320.00	45.73	52.81	-7.08	74.00	-28.27	100	317	Peak	Vertical		
2	7320.00	38.37	45.45	-7.08	54.00	-15.63	100	317	Average	Vertical		


BLE_2M

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7434.00	48.58	55.76	-7.18	74.00	-25.42	100	39	Peak	Horizontal		
2	7434.00	39.89	47.07	-7.18	54.00	-14.11	100	39	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7434.00	47.14	54.32	-7.18	74.00	-26.86	300	28	Peak	Vertical		
2	7434.00	39.13	46.31	-7.18	54.00	-14.87	300	28	Average	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2112-1000 Fax: +886-2112-1322




Trace: 1

	Freq	Level	Read	Level	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB		dBuV	dB	Remark	Pol/Phase	Note
1	0.18	33.07	23.45	9.62	54.34	-21.27	Average	line1		
2	0.18	46.07	36.45	9.62	64.34	-18.27	QP	line1		
3	0.62	35.55	25.92	9.63	46.00	-10.45	Average	line1		
4	0.62	44.70	35.07	9.63	56.00	-11.30	QP	line1		
5	0.88	27.27	17.63	9.64	46.00	-18.73	Average	line1		
6	0.88	34.81	25.17	9.64	56.00	-21.19	QP	line1		
7	7.43	25.04	15.51	9.73	50.00	-24.76	Average	line1		
8	7.43	31.52	21.79	9.73	60.00	-28.48	QP	line1		
9	10.12	28.54	18.78	9.76	50.00	-21.46	Average	line1		
10	10.12	34.48	24.72	9.76	60.00	-25.52	QP	line1		
11	19.74	24.35	14.58	9.77	50.00	-25.65	Average	line1		
12	19.74	29.98	20.21	9.77	60.00	-30.02	QP	line1		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2112-1000 Fax: +886-2112-1322



Trace: 1

	Freq	Level	Read	Level	Factor	Limit	Over			
	MHz	dBuV	dBuV	dB		dBuV	dB	Remark	Pol/Phase	Note
1	0.16	25.50	15.88	9.62	55.71	-30.21	Average	neutral		
2	0.16	45.53	35.91	9.62	65.71	-20.18	QP	neutral		
3	0.18	29.48	19.86	9.62	54.43	-24.95	Average	neutral		
4	0.18	46.29	36.67	9.62	64.43	-18.14	QP	neutral		
5	0.59	37.96	28.33	9.63	46.00	-8.04	Average	neutral		
6	0.59	44.56	34.93	9.63	56.00	-11.44	QP	neutral		
7	4.17	21.94	12.25	9.69	46.00	-24.05	Average	neutral		
8	4.17	28.66	18.97	9.69	56.00	-27.34	QP	neutral		
9	13.25	25.77	15.96	9.81	50.00	-24.23	Average	neutral		
10	13.25	31.44	21.63	9.81	60.00	-28.56	QP	neutral		
11	18.87	27.83	17.97	9.86	50.00	-22.17	Average	neutral		
12	18.87	33.02	23.16	9.86	60.00	-26.98	QP	neutral		

2nd Source, ECC Mode


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2370.30	54.62	17.43	37.19	74.00	-19.38	184	202 Peak	Horizontal	
2 *	2402.00	106.94	69.77	37.17	74.00	32.94	184	202 Peak	Horizontal	
3	2879.82	54.31	16.44	37.87	74.00	-19.69	184	202 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.64	55.76	18.58	37.18	74.00	-18.24	308	192 Peak	Vertical	
2 *	2402.00	108.82	71.65	37.17	74.00	34.82	308	192 Peak	Vertical	
3	2651.49	54.68	17.09	37.59	74.00	-19.32	308	192 Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.83	46.20	9.01	37.19	54.00	-7.80	184	202	Average	Horizontal		
2 *	2402.00	105.93	60.76	37.17	54.00	51.93	184	202	Average	Horizontal		
3	2497.86	41.23	3.67	37.56	54.00	-12.77	184	202	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2385.99	46.71	9.53	37.18	54.00	-7.29	308	192	Average	Vertical		
2 *	2402.00	107.86	70.69	37.17	54.00	53.86	308	192	Average	Vertical		
3	2497.86	41.19	3.63	37.56	54.00	-12.81	308	192	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	59.14	41.42	17.72	127.60	-68.46	100	149 Peak	Open	
2	0.03	61.54	42.59	18.95	119.13	-57.59	100	103 Peak	Open	
3	0.05	42.83	23.78	19.05	113.11	-70.28	100	261 Peak	Open	
4	0.07	39.38	20.68	18.70	110.99	-71.61	100	305 Peak	Open	
5	0.10	34.32	16.39	17.93	107.47	-73.15	100	305 Peak	Open	
6	0.12	29.55	11.53	18.02	105.71	-76.16	100	114 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.93	50.98	31.95	19.03	68.27	-17.29	100	257 Peak	Open	
2	2.78	40.56	21.01	19.55	69.50	-28.94	100	257 Peak	Open	
3	8.27	33.28	12.50	20.78	69.50	-36.22	100	54 Peak	Open	
4	15.02	35.30	13.47	21.83	69.50	-34.20	100	350 Peak	Open	
5	22.51	35.24	13.05	22.19	69.50	-34.26	100	121 Peak	Open	
6	26.21	36.70	14.49	22.21	69.50	-32.00	100	38 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	92.08	26.90	38.93	-12.03	43.50	-16.60	100	331	Peak	Horizontal		
2	256.01	39.06	45.32	-6.26	46.00	-6.94	100	197	Peak	Horizontal		
3	450.98	36.76	38.78	-2.02	46.00	-9.24	100	98	Peak	Horizontal		
4	571.26	33.12	33.65	-0.53	46.00	-12.88	200	118	Peak	Horizontal		
5	712.88	33.61	31.67	2.14	46.00	-12.19	100	204	Peak	Horizontal		
6	845.77	36.30	32.20	4.10	46.00	-9.70	400	25	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	46.49	29.83	35.70	-5.87	40.00	-10.17	100	295	Peak	Vertical		
2	206.54	29.09	37.81	-8.72	43.50	-14.41	100	264	Peak	Vertical		
3	360.77	32.60	36.13	-3.53	46.00	-13.40	148	360	Peak	Vertical		
4	571.26	37.48	38.01	-0.53	46.00	-8.52	200	224	Peak	Vertical		
5	691.54	32.91	31.11	1.80	46.00	-13.09	100	202	Peak	Vertical		
6	844.80	36.20	32.08	4.12	46.00	-9.80	300	96	Peak	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	45.68	54.71	-9.03	74.00	-28.32	300	346 Peak	Horizontal	
2	4804.00	42.17	51.20	-9.03	54.00	-11.83	300	346 Average	Horizontal	
3	12010.00	48.84	49.34	-0.50	74.00	-25.16	100	53 Peak	Horizontal	
4	12010.00	41.12	41.62	-0.50	54.00	-12.88	100	53 Average	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	41.07	50.10	-9.03	74.00	-32.93	400	51 Peak	Vertical	
2	4804.00	33.67	42.70	-9.03	54.00	-20.33	400	51 Average	Vertical	
3	12010.00	47.56	48.06	-0.50	74.00	-26.44	300	106 Peak	Vertical	
4	12010.00	39.86	40.36	-0.50	54.00	-14.14	300	106 Average	Vertical	

Main Source, Non-ECC Mode
Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


BLE_1M

Low Channel (Open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	59.81	42.09	17.72	127.60	-67.79	100	191 Peak	Open	
2	0.03	63.25	44.30	18.95	119.13	-55.88	100	208 Peak	Open	
3	0.05	42.82	23.77	19.05	113.11	-70.29	100	231 Peak	Open	
4	0.06	41.00	22.17	18.83	111.72	-70.72	100	345 Peak	Open	
5	0.11	27.78	9.82	17.96	106.75	-78.97	100	12 Peak	Open	
6	0.14	26.39	8.33	18.06	104.93	-78.54	100	222 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.93	46.83	27.80	19.03	68.27	-21.44	100	262 Peak	Open	
2	1.85	40.41	21.11	19.30	69.50	-29.09	100	262 Peak	Open	
3	7.94	34.12	13.47	20.65	69.50	-35.38	100	235 Peak	Open	
4	12.93	34.83	13.14	21.69	69.50	-34.67	100	257 Peak	Open	
5	19.07	35.74	13.64	22.10	69.50	-33.76	100	102 Peak	Open	
6	28.30	36.18	13.96	22.22	69.50	-33.32	100	119 Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	242.43	34.28	40.75	-6.55	46.00	-11.80		100	283	Peak	Horizontal	
2	288.99	34.46	39.46	-5.00	46.00	-11.54		100	89	Peak	Horizontal	
3	435.46	27.50	29.69	-2.19	46.00	-18.50		200	305	Peak	Horizontal	
4	504.33	30.64	32.00	-1.36	46.00	-15.36		200	198	Peak	Horizontal	
5	731.31	33.47	31.26	2.21	46.00	-12.53		140	360	Peak	Horizontal	
6	928.22	34.00	28.73	5.35	46.00	-11.92		100	27	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fongliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	64.92	28.50	35.85	-7.35	40.00	-11.50		100	215	Peak	Vertical	
2	262.80	26.37	32.40	-6.03	46.00	-19.63		200	205	Peak	Vertical	
3	371.44	32.35	35.72	-3.37	46.00	-13.65		243	77	Peak	Vertical	
4	551.86	29.61	29.83	-0.22	46.00	-16.39		100	243	Peak	Vertical	
5	805.09	32.55	29.15	3.40	46.00	-13.45		200	322	Peak	Vertical	
6	917.55	34.24	29.13	5.11	46.00	-11.76		100	310	Peak	Vertical	