



|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_TX IEEE 802.11ac(VHT40) Mode_Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -5.22                            | 0.00        | -5.22                                          | 11.00                | Complies |
| 46      | 5230            | -6.89                            | 0.00        | -6.89                                          | 11.00                | Complies |




Date: 8.AUG.2024 10:30:00



Date: 8.AUG.2024 10:44:01

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-1_TX IEEE 802.11ac(VHT80) Mode_Ant. 1 |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -18.60                           | 1.86        | -16.74                                         | 11.00                | Complies |




Date: 8.AUG.2024 12:42:40

Test Mode UNII-2A\_TX IEEE 802.11a Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.81                             | 0.28        | 2.09                                           | 11.00                | Complies |
| 60      | 5300            | 1.87                             | 0.28        | 2.15                                           | 11.00                | Complies |
| 64      | 5320            | 1.91                             | 0.28        | 2.19                                           | 11.00                | Complies |



Date: 7.AUG.2024 22:11:06




Date: 7.AUG.2024 22:12:11




Date: 7.AUG.2024 22:13:26

Test Mode UNII-2A\_TX IEEE 802.11n(HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.34                             | 0.00        | 1.34                                           | 11.00                | Complies |
| 60      | 5300            | 1.59                             | 0.00        | 1.59                                           | 11.00                | Complies |
| 64      | 5320            | 1.48                             | 0.00        | 1.48                                           | 11.00                | Complies |



Date: 7.AUG.2024 22:13:36




Date: 7.AUG.2024 22:13:50




Date: 7.AUG.2024 22:13:01

|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-2A_TX IEEE 802.11n(HT40) Mode_Ant. 1 |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -1.77                            | 0.00        | -1.77                                          | 11.00                | Complies |
| 62      | 5310            | -1.98                            | 0.00        | -1.98                                          | 11.00                | Complies |




Date: 7.AUG.2024 22:59:59




Date: 7.AUG.2024 23:01:38

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_TX IEEE 802.11ac(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.21                             | 0.00        | 1.21                                           | 11.00                | Complies |
| 60      | 5300            | 1.70                             | 0.00        | 1.70                                           | 11.00                | Complies |
| 64      | 5320            | 1.56                             | 0.00        | 1.56                                           | 11.00                | Complies |



Date: 7.AUG.2024 23:27:57



Date: 7.AUG.2024 23:29:01




Date: 7.AUG.2024 23:31:54

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_TX IEEE 802.11ac(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -5.56                            | 0.00        | -5.56                                          | 11.00                | Complies |
| 62      | 5310            | -6.18                            | 0.00        | -6.18                                          | 11.00                | Complies |

CH54



Date: 8.AUG.2024 10:46:29

CH62




Date: 8.AUG.2024 10:51:15

|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2A_TX IEEE 802.11ac(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | -19.10                           | 1.86        | -17.24                                         | 11.00                | Complies |


CH58



Date: 8.AUG.2024 12:55:07


|           |                                     |
|-----------|-------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11a Mode_Ant. 1 |
|-----------|-------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 3.13                             | 0.28        | 3.41                                           | 11.00                | Complies |
| 116     | 5580            | 3.49                             | 0.28        | 3.77                                           | 11.00                | Complies |
| 140     | 5700            | 2.25                             | 0.28        | 2.53                                           | 11.00                | Complies |




|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11n(HT20) Mode_Ant. 1 |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 2.63                             | 0.00        | 2.63                                           | 11.00                | Complies |
| 116     | 5580            | 4.04                             | 0.00        | 4.04                                           | 11.00                | Complies |
| 140     | 5700            | 2.84                             | 0.00        | 2.84                                           | 11.00                | Complies |




|           |                                           |
|-----------|-------------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11n(HT40) Mode_Ant. 1 |
|-----------|-------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -1.21                            | 0.00        | -1.21                                          | 11.00                | Complies |
| 110     | 5550            | -0.59                            | 0.00        | -0.59                                          | 11.00                | Complies |
| 134     | 5670            | -1.17                            | 0.00        | -1.17                                          | 11.00                | Complies |




|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11ac(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 100     | 5500            | 2.54                             | 0.00        | 2.54                                           | 11.00                | Complies |
| 116     | 5580            | 3.57                             | 0.00        | 3.57                                           | 11.00                | Complies |
| 140     | 5700            | 2.40                             | 0.00        | 2.40                                           | 11.00                | Complies |




|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11ac(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 102     | 5510            | -4.53                            | 0.00        | -4.53                                          | 11.00                | Complies |
| 110     | 5550            | -4.16                            | 0.00        | -4.16                                          | 11.00                | Complies |
| 134     | 5670            | -4.48                            | 0.00        | -4.48                                          | 11.00                | Complies |



|           |                                             |
|-----------|---------------------------------------------|
| Test Mode | UNII-2C_TX IEEE 802.11ac(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 106     | 5530            | -15.36                           | 1.86        | -13.5                                          | 11.00                | Complies |
| 122     | 5610            | -15.80                           | 1.86        | -13.94                                         | 11.00                | Complies |



Test Mode UNII-3\_TX IEEE 802.11a Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -3.22                                | 0.28        | -2.94                                              | 30.00                    | Complies |
| 157     | 5785            | -3.43                                | 0.28        | -3.15                                              | 30.00                    | Complies |
| 165     | 5825            | -3.44                                | 0.28        | -3.16                                              | 30.00                    | Complies |

CH149




Date: 7.AUG.2024 22:21:09

CH157



Date: 7.AUG.2024 22:22:18

CH165




Date: 7.AUG.2024 22:23:27

Test Mode UNII-3\_TX IEEE 802.11n(HT20) Mode\_Ant. 1


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -2.81                                | 0.00        | -2.81                                              | 30.00                    | Complies |
| 157     | 5785            | -2.88                                | 0.00        | -2.88                                              | 30.00                    | Complies |
| 165     | 5825            | -3.22                                | 0.00        | -3.22                                              | 30.00                    | Complies |

CH149




Date: 7.AUG.2024 22:41:12

CH157



Date: 7.AUG.2024 22:42:38

CH165




Date: 7.AUG.2024 22:43:50

|           |                                          |
|-----------|------------------------------------------|
| Test Mode | UNII-3_TX IEEE 802.11n(HT40) Mode_Ant. 1 |
|-----------|------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -6.24                                | 0.00        | -6.24                                              | 30.00                    | Complies |
| 159     | 5795            | -6.99                                | 0.00        | -6.99                                              | 30.00                    | Complies |

CH151



Date: 7.AUG.2024 23:09:52

CH159




Date: 7.AUG.2024 23:11:42

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_TX IEEE 802.11ac(VHT20) Mode_Ant. 1 |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 149     | 5745            | -2.04                                | 0.00        | -2.04                                              | 30.00                    | Complies |
| 157     | 5785            | -2.68                                | 0.00        | -2.68                                              | 30.00                    | Complies |
| 165     | 5825            | -2.76                                | 0.00        | -2.76                                              | 30.00                    | Complies |

CH149




Date: 7.AUG.2024 23:19:00

CH157



Date: 7.AUG.2024 23:14:25

CH165




Date: 7.AUG.2024 23:14:40

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_TX IEEE 802.11ac(VHT40) Mode_Ant. 1 |
|-----------|--------------------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 151     | 5755            | -6.16                                | 0.00        | -6.16                                              | 30.00                    | Complies |
| 159     | 5795            | -7.07                                | 0.00        | -7.07                                              | 30.00                    | Complies |

CH151



Date: 8.AUG.2024 00:12:52

CH159




Date: 8.AUG.2024 00:14:59

|           |                                            |
|-----------|--------------------------------------------|
| Test Mode | UNII-3_TX IEEE 802.11ac(VHT80) Mode_Ant. 1 |
|-----------|--------------------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/500 kHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/500 kHz) | Max. Limit (dBm/500 kHz) | Result   |
|---------|-----------------|--------------------------------------|-------------|----------------------------------------------------|--------------------------|----------|
| 155     | 5775            | -21.06                               | 1.86        | -19.20                                             | 30.00                    | Complies |

CH155



Date: 8.AUG.2024 15:11:23

End of Test Report