






11N40MIMO_Ant2_5310




11N40MIMO_Ant1_5510




11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550




11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5710




11N40MIMO_Ant2_5710




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200



11AC20MIMO_Ant2_5200



11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240




11AC20MIMO_Ant1_5260




11AC20MIMO_Ant2_5260




11AC20MIMO_Ant1_5280




11AC20MIMO_Ant2_5280




11AC20MIMO_Ant1_5320




11AC20MIMO_Ant2_5320




11AC20MIMO_Ant1_5500




11AC20MIMO_Ant2_5500




11AC20MIMO_Ant1_5580



11AC20MIMO_Ant2_5580




11AC20MIMO_Ant1_5720




11AC20MIMO_Ant2_5720




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5190




11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC40MIMO_Ant1_5270




11AC40MIMO_Ant2_5270




11AC40MIMO_Ant1_5310




11AC40MIMO_Ant2_5310




11AC40MIMO_Ant1_5510




11AC40MIMO_Ant2_5510




11AC40MIMO_Ant1_5550



11AC40MIMO_Ant2_5550




11AC40MIMO_Ant1_5710




11AC40MIMO_Ant2_5710




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




11AC80MIMO_Ant1_5290




11AC80MIMO_Ant2_5290




11AC80MIMO_Ant1_5530




11AC80MIMO_Ant2_5530




11AC80MIMO_Ant1_5610




11AC80MIMO_Ant2_5610




11AC80MIMO_Ant1_5690




11AC80MIMO_Ant2_5690



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775




3. Min emission bandwidth


3.1. Test Result

TestMode	Antenna	Channel	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	15.12	5737.40	5752.52	0.5	PASS
	Ant2	5745	16.28	5736.84	5753.12	0.5	PASS
	Ant1	5785	15.36	5777.20	5792.56	0.5	PASS
	Ant2	5785	15.12	5777.40	5792.52	0.5	PASS
	Ant1	5825	15.68	5817.44	5833.12	0.5	PASS
	Ant2	5825	15.12	5817.40	5832.52	0.5	PASS
11N20MIMO	Ant1	5745	15.08	5737.44	5752.52	0.5	PASS
	Ant2	5745	16.52	5736.84	5753.36	0.5	PASS
	Ant1	5785	15.12	5777.40	5792.52	0.5	PASS
	Ant2	5785	16.28	5776.84	5793.12	0.5	PASS
	Ant1	5825	15.36	5817.40	5832.76	0.5	PASS
	Ant2	5825	16.32	5816.80	5833.12	0.5	PASS
11N40MIMO	Ant1	5755	35.36	5737.16	5772.52	0.5	PASS
	Ant2	5755	35.04	5737.48	5772.52	0.5	PASS
	Ant1	5795	35.12	5777.40	5812.52	0.5	PASS
	Ant2	5795	35.04	5777.48	5812.52	0.5	PASS
11AC20MIMO	Ant1	5745	16.52	5736.84	5753.36	0.5	PASS
	Ant2	5745	15.68	5737.44	5753.12	0.5	PASS
	Ant1	5785	13.88	5778.64	5792.52	0.5	PASS
	Ant2	5785	17.56	5776.20	5793.76	0.5	PASS
	Ant1	5825	17.56	5816.20	5833.76	0.5	PASS
	Ant2	5825	16.28	5816.84	5833.12	0.5	PASS
11AC40MIMO	Ant1	5755	33.84	5738.68	5772.52	0.5	PASS
	Ant2	5755	35.12	5737.40	5772.52	0.5	PASS
	Ant1	5795	35.44	5777.40	5812.84	0.5	PASS
	Ant2	5795	34.48	5778.04	5812.52	0.5	PASS
11AC80MIMO	Ant1	5775	75.20	5737.40	5812.60	0.5	PASS
	Ant2	5775	64.00	5737.40	5801.40	0.5	PASS


3.2. Test Graphs




11A_Ant2_5785




11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5745




11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795



11AC80MIMO_Ant1_5775



11AC80MIMO_Ant2_5775



4. Maximum conducted output power

4.1. Test Result

U-NII-1 For IC							
TestMode	Antenna	Channel	Conducted power [dBm]	Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	13.69	---	19.46	≤22.23	PASS
	Ant2	5180	14.40	---	19.17	≤22.23	PASS
	Ant1	5200	13.55	---	19.32	≤22.23	PASS
	Ant2	5200	14.47	---	19.24	≤22.23	PASS
	Ant1	5240	13.91	---	19.68	≤22.23	PASS
	Ant2	5240	14.69	---	19.46	≤22.23	PASS
11N20MIMO	Ant1	5180	8.36	---	14.13	≤22.48	PASS
	Ant2	5180	8.43	---	13.20	≤22.48	PASS
	total	5180	11.41	---	19.70	≤22.48	PASS
	Ant1	5200	8.34	---	14.11	≤22.48	PASS
	Ant2	5200	8.43	---	13.20	≤22.48	PASS
	total	5200	11.40	---	19.69	≤22.48	PASS
	Ant1	5240	8.62	---	14.39	≤22.48	PASS
	Ant2	5240	8.73	---	13.50	≤22.48	PASS
	total	5240	11.69	---	19.98	≤22.48	PASS
11N40MIMO	Ant1	5190	11.01	---	16.78	≤23.00	PASS
	Ant2	5190	11.46	---	16.23	≤23.00	PASS
	total	5190	14.25	---	22.54	≤23.00	PASS
	Ant1	5230	11.38	---	17.15	≤23.00	PASS
	Ant2	5230	11.63	---	16.40	≤23.00	PASS
	total	5230	14.52	---	22.81	≤23.00	PASS
11AC20MIMO	Ant1	5180	8.37	---	14.14	≤22.48	PASS
	Ant2	5180	8.41	---	13.18	≤22.48	PASS
	total	5180	11.40	---	19.69	≤22.48	PASS
	Ant1	5200	8.07	---	13.84	≤22.48	PASS
	Ant2	5200	8.53	---	13.30	≤22.48	PASS
	total	5200	11.32	---	19.61	≤22.48	PASS
	Ant1	5240	8.46	---	14.23	≤22.48	PASS
	Ant2	5240	8.77	---	13.54	≤22.48	PASS
	total	5240	11.63	---	19.92	≤22.48	PASS
11AC40MIMO	Ant1	5190	11.18	---	16.95	≤23.00	PASS
	Ant2	5190	11.57	---	16.34	≤23.00	PASS
	total	5190	14.39	---	22.68	≤23.00	PASS
	Ant1	5230	11.37	---	17.14	≤23.00	PASS
	Ant2	5230	11.84	---	16.61	≤23.00	PASS
	total	5230	14.62	---	22.91	≤23.00	PASS
11AC80MIMO	Ant1	5210	11.02	---	16.79	≤23.00	PASS
	Ant2	5210	11.43	---	16.20	≤23.00	PASS
	total	5210	14.24	---	22.53	≤23.00	PASS

U-NII-1 for FCC & U-NII-2A&2C&3 for FCC and IC							
TestMode	Antenna	Channel	Conducted power [dBm]	Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	16.59	≤24.00	22.36	---	PASS
	Ant2	5180	16.43	≤24.00	21.20	---	PASS
	Ant1	5200	16.24	≤24.00	22.01	---	PASS
	Ant2	5200	16.52	≤24.00	21.29	---	PASS
	Ant1	5240	16.52	≤24.00	22.29	---	PASS
	Ant2	5240	17.00	≤24.00	21.77	---	PASS
	Ant1	5260	17.30	≤23.23	23.20	≤30.00	PASS
	Ant2	5260	17.59	≤23.23	22.63	≤30.00	PASS
	Ant1	5280	17.53	≤23.23	23.43	≤30.00	PASS
	Ant2	5280	17.77	≤23.23	22.81	≤30.00	PASS
	Ant1	5320	17.82	≤23.23	23.72	≤30.00	PASS
	Ant2	5320	18.05	≤23.23	23.09	≤30.00	PASS
	Ant1	5500	16.51	≤23.27	22.11	≤30.00	PASS
	Ant2	5500	16.48	≤23.27	21.56	≤30.00	PASS
	Ant1	5580	16.64	≤23.27	22.24	≤30.00	PASS
	Ant2	5580	16.97	≤23.27	22.05	≤30.00	PASS
	Ant1	5720_UNII-2C	15.36	≤23.27	20.96	≤30.00	PASS
	Ant2	5720_UNII-2C	14.94	≤23.27	20.02	≤30.00	PASS
	Ant1	5720_UNII-3	7.66	≤30.00	13.08	≤30.00	PASS
	Ant2	5720_UNII-3	7.22	≤30.00	11.72	≤30.00	PASS
	Ant1	5745	17.07	≤30.00	22.49	≤30.00	PASS
	Ant2	5745	17.11	≤30.00	21.61	≤30.00	PASS
	Ant1	5785	16.93	≤30.00	22.35	≤30.00	PASS
	Ant2	5785	17.05	≤30.00	21.55	≤30.00	PASS
	Ant1	5825	16.83	≤30.00	22.25	≤30.00	PASS
	Ant2	5825	16.85	≤30.00	21.35	≤30.00	PASS
11N20MIMO	Ant1	5180	15.03	≤24.00	20.80	---	PASS
	Ant2	5180	14.96	≤24.00	19.73	---	PASS
	total	5180	18.01	≤21.71	26.30	---	PASS
	Ant1	5200	14.79	≤24.00	20.56	---	PASS
	Ant2	5200	15.06	≤24.00	19.83	---	PASS
	total	5200	17.94	≤21.71	26.23	---	PASS
	Ant1	5240	15.06	≤24.00	20.83	---	PASS
	Ant2	5240	15.52	≤24.00	20.29	---	PASS
	total	5240	18.31	≤21.71	26.60	---	PASS
	Ant1	5260	14.78	≤23.47	20.68	≤30.00	PASS
	Ant2	5260	15.27	≤23.47	20.31	≤30.00	PASS
	total	5260	18.04	≤20.98	26.53	≤30.00	PASS
	Ant1	5280	14.98	≤23.47	20.88	≤30.00	PASS
	Ant2	5280	15.22	≤23.47	20.26	≤30.00	PASS
	total	5280	18.11	≤20.98	26.60	≤30.00	PASS
	Ant1	5320	15.25	≤23.47	21.15	≤30.00	PASS
	Ant2	5320	15.55	≤23.47	20.59	≤30.00	PASS
	total	5320	18.41	≤20.98	26.90	≤30.00	PASS
	Ant1	5500	14.88	≤23.50	20.48	≤30.00	PASS
	Ant2	5500	15.09	≤23.50	20.17	≤30.00	PASS
	total	5500	18.00	≤21.15	26.35	≤30.00	PASS
	Ant1	5580	15.32	≤23.50	20.92	≤30.00	PASS
	Ant2	5580	15.54	≤23.50	20.62	≤30.00	PASS
	total	5580	18.44	≤21.15	26.79	≤30.00	PASS
	Ant1	5720_UNII-2C	13.19	≤23.50	18.79	≤30.00	PASS
	Ant2	5720_UNII-2C	12.94	≤23.50	18.02	≤30.00	PASS
	total	5720_UNII-2C	16.08	≤21.15	24.43	≤30.00	PASS

	Ant1	5720_UNII-3	6.08	≤30.00	11.50	≤30.00	PASS
	Ant2	5720_UNII-3	5.92	≤30.00	10.42	≤30.00	PASS
	total	5720_UNII-3	9.01	≤28.02	16.99	≤30.00	PASS
	Ant1	5745	15.97	≤30.00	21.39	≤30.00	PASS
	Ant2	5745	16.20	≤30.00	20.70	≤30.00	PASS
	total	5745	19.10	≤28.02	27.08	≤30.00	PASS
	Ant1	5785	15.87	≤30.00	21.29	≤30.00	PASS
	Ant2	5785	15.97	≤30.00	20.47	≤30.00	PASS
	total	5785	18.93	≤28.02	26.91	≤30.00	PASS
	Ant1	5825	15.74	≤30.00	21.16	≤30.00	PASS
	Ant2	5825	15.72	≤30.00	20.22	≤30.00	PASS
	total	5825	18.74	≤28.02	26.72	≤30.00	PASS
11N40MIMO	Ant1	5190	15.50	≤24.00	21.27	---	PASS
	Ant2	5190	15.66	≤24.00	20.43	---	PASS
	total	5190	18.59	≤21.71	26.88	---	PASS
	Ant1	5230	15.73	≤24.00	21.50	---	PASS
	Ant2	5230	15.99	≤24.00	20.76	---	PASS
	total	5230	18.87	≤21.71	27.16	---	PASS
	Ant1	5270	16.01	≤24.00	21.91	≤30.00	PASS
	Ant2	5270	16.45	≤24.00	21.49	≤30.00	PASS
	total	5270	19.25	≤21.51	27.74	≤30.00	PASS
	Ant1	5310	16.42	≤24.00	22.32	≤30.00	PASS
	Ant2	5310	16.61	≤24.00	21.65	≤30.00	PASS
	total	5310	19.53	≤21.51	28.02	≤30.00	PASS
	Ant1	5510	15.54	≤24.00	21.14	≤30.00	PASS
	Ant2	5510	15.81	≤24.00	20.89	≤30.00	PASS
	total	5510	18.69	≤21.65	27.04	≤30.00	PASS
	Ant1	5550	15.62	≤24.00	21.22	≤30.00	PASS
	Ant2	5550	16.06	≤24.00	21.14	≤30.00	PASS
	total	5550	18.86	≤21.65	27.21	≤30.00	PASS
	Ant1	5710_UNII-2C	13.84	≤24.00	19.44	≤30.00	PASS
	Ant2	5710_UNII-2C	13.48	≤24.00	18.56	≤30.00	PASS
	total	5710_UNII-2C	16.67	≤21.65	25.02	≤30.00	PASS
	Ant1	5710_UNII-3	2.35	≤30.00	7.77	≤30.00	PASS
	Ant2	5710_UNII-3	1.55	≤30.00	6.05	≤30.00	PASS
	total	5710_UNII-3	4.98	≤28.02	12.96	≤30.00	PASS
	Ant1	5755	16.02	≤30.00	21.44	≤30.00	PASS
	Ant2	5755	16.27	≤30.00	20.77	≤30.00	PASS
	total	5755	19.16	≤28.02	27.14	≤30.00	PASS
	Ant1	5795	16.25	≤30.00	21.67	≤30.00	PASS
	Ant2	5795	16.27	≤30.00	20.77	≤30.00	PASS
	total	5795	19.27	≤28.02	27.25	≤30.00	PASS
11AC20MIMO	Ant1	5180	14.94	≤24.00	20.71	---	PASS
	Ant2	5180	15.14	≤24.00	19.91	---	PASS
	total	5180	18.05	≤21.71	26.34	---	PASS
	Ant1	5200	14.86	≤24.00	20.63	---	PASS
	Ant2	5200	15.21	≤24.00	19.98	---	PASS
	total	5200	18.05	≤21.71	26.34	---	PASS
	Ant1	5240	15.10	≤24.00	20.87	---	PASS
	Ant2	5240	15.55	≤24.00	20.32	---	PASS
	total	5240	18.34	≤21.71	26.63	---	PASS
	Ant1	5260	14.90	≤23.50	20.80	≤30.00	PASS
	Ant2	5260	15.21	≤23.50	20.25	≤30.00	PASS
	total	5260	18.07	≤21.15	26.56	≤30.00	PASS
	Ant1	5280	14.92	≤23.50	20.82	≤30.00	PASS
	Ant2	5280	15.23	≤23.50	20.27	≤30.00	PASS
	total	5280	18.09	≤21.15	26.58	≤30.00	PASS
	Ant1	5320	15.22	≤23.50	21.12	≤30.00	PASS

	Ant2	5320	15.57	≤23.50	20.61	≤30.00	PASS
	total	5320	18.41	≤21.15	26.90	≤30.00	PASS
	Ant1	5500	13.31	≤23.49	18.91	≤30.00	PASS
	Ant2	5500	13.39	≤23.49	18.47	≤30.00	PASS
	total	5500	16.36	≤21.14	24.71	≤30.00	PASS
	Ant1	5580	15.22	≤23.49	20.82	≤30.00	PASS
	Ant2	5580	15.43	≤23.49	20.51	≤30.00	PASS
	total	5580	18.34	≤21.14	26.69	≤30.00	PASS
	Ant1	5720_UNII-2C	13.24	≤23.49	18.84	≤30.00	PASS
	Ant2	5720_UNII-2C	12.92	≤23.49	18.00	≤30.00	PASS
	total	5720_UNII-2C	16.09	≤21.14	24.44	≤30.00	PASS
	Ant1	5720_UNII-3	6.23	≤30.00	11.65	≤30.00	PASS
	Ant2	5720_UNII-3	5.85	≤30.00	10.35	≤30.00	PASS
	total	5720_UNII-3	9.05	≤28.02	17.03	≤30.00	PASS
	Ant1	5745	15.92	≤30.00	21.34	≤30.00	PASS
	Ant2	5745	16.28	≤30.00	20.78	≤30.00	PASS
	total	5745	19.11	≤28.02	27.09	≤30.00	PASS
	Ant1	5785	15.83	≤30.00	21.25	≤30.00	PASS
	Ant2	5785	15.89	≤30.00	20.39	≤30.00	PASS
	total	5785	18.87	≤28.02	26.85	≤30.00	PASS
	Ant1	5825	15.57	≤30.00	20.99	≤30.00	PASS
	Ant2	5825	15.66	≤30.00	20.16	≤30.00	PASS
	total	5825	18.63	≤28.02	26.61	≤30.00	PASS
11AC40MIM O	Ant1	5190	15.44	≤24.00	21.21	---	PASS
	Ant2	5190	15.71	≤24.00	20.48	---	PASS
	total	5190	18.59	≤21.71	26.88	---	PASS
	Ant1	5230	15.56	≤24.00	21.33	---	PASS
	Ant2	5230	15.99	≤24.00	20.76	---	PASS
	total	5230	18.79	≤21.71	27.08	---	PASS
	Ant1	5270	16.02	≤24.00	21.92	≤30.00	PASS
	Ant2	5270	16.35	≤24.00	21.39	≤30.00	PASS
	total	5270	19.20	≤21.51	27.69	≤30.00	PASS
	Ant1	5310	16.38	≤24.00	22.28	≤30.00	PASS
	Ant2	5310	16.53	≤24.00	21.57	≤30.00	PASS
	total	5310	19.47	≤21.51	27.96	≤30.00	PASS
	Ant1	5510	15.59	≤24.00	21.19	≤30.00	PASS
	Ant2	5510	15.72	≤24.00	20.80	≤30.00	PASS
	total	5510	18.67	≤21.65	27.02	≤30.00	PASS
	Ant1	5550	15.76	≤24.00	21.36	≤30.00	PASS
	Ant2	5550	16.04	≤24.00	21.12	≤30.00	PASS
	total	5550	18.91	≤21.65	27.26	≤30.00	PASS
	Ant1	5710_UNII-2C	13.81	≤24.00	19.41	≤30.00	PASS
	Ant2	5710_UNII-2C	13.65	≤24.00	18.73	≤30.00	PASS
	total	5710_UNII-2C	16.74	≤21.65	25.09	≤30.00	PASS
	Ant1	5710_UNII-3	2.13	≤30.00	7.55	≤30.00	PASS
	Ant2	5710_UNII-3	1.76	≤30.00	6.26	≤30.00	PASS
	total	5710_UNII-3	4.96	≤28.02	12.94	≤30.00	PASS
	Ant1	5755	16.17	≤30.00	21.59	≤30.00	PASS
	Ant2	5755	16.35	≤30.00	20.85	≤30.00	PASS
	total	5755	19.27	≤28.02	27.25	≤30.00	PASS
	Ant1	5795	16.30	≤30.00	21.72	≤30.00	PASS
	Ant2	5795	16.19	≤30.00	20.69	≤30.00	PASS
	total	5795	19.26	≤28.02	27.24	≤30.00	PASS
11AC80MIM O	Ant1	5210	15.32	≤24.00	21.09	---	PASS
	Ant2	5210	15.91	≤24.00	20.68	---	PASS
	total	5210	18.64	≤21.71	26.93	---	PASS
	Ant1	5290	16.18	≤24.00	22.08	≤30.00	PASS
	Ant2	5290	16.37	≤24.00	21.41	≤30.00	PASS

total	5290	19.29	≤21.51	27.78	≤30.00	PASS
Ant1	5530	15.55	≤24.00	21.15	≤30.00	PASS
Ant2	5530	15.61	≤24.00	20.69	≤30.00	PASS
total	5530	18.59	≤21.65	26.94	≤30.00	PASS
Ant1	5610	16.09	≤24.00	21.69	≤30.00	PASS
Ant2	5610	16.43	≤24.00	21.51	≤30.00	PASS
total	5610	19.27	≤21.65	27.62	≤30.00	PASS
Ant1	5690_UNII-2C	12.43	≤24.00	18.03	≤30.00	PASS
Ant2	5690_UNII-2C	12.54	≤24.00	17.62	≤30.00	PASS
total	5690_UNII-2C	15.50	≤21.65	23.85	≤30.00	PASS
Ant1	5690_UNII-3	-1.14	≤30.00	4.28	≤30.00	PASS
Ant2	5690_UNII-3	-1.28	≤30.00	3.22	≤30.00	PASS
total	5690_UNII-3	1.80	≤28.02	9.78	≤30.00	PASS
Ant1	5775	16.16	≤30.00	21.58	≤30.00	PASS
Ant2	5775	16.22	≤30.00	20.72	≤30.00	PASS
total	5775	19.20	≤28.02	27.18	≤30.00	PASS

Note: 1, This module will use two different Wi-Fi antennas, and only the one with the larger antenna gain(**Antenna1: U-NII-1:5.77dBi; U-NII-2A:5.90dBi; U-NII-2C:5.60dBi; U-NII-3:5.42dBi, Antenna2: U-NII-1:4.77dBi; U-NII-2A:5.04dBi; U-NII-2C:5.08dBi; U-NII-3:4.50dBi**) will be used for conducted test.

2, For MIMO Mode, Directional gain = $10 \log[(10^{G_{1/20}} + 10^{G_{2/20}})^2 / 2]$

Directional Gain =8.29dBi>6dBi. For U-NII-1
Directional Gain =8.49dBi>6dBi. For U-NII-2A
Directional Gain =8.35dBi>6dBi. For U-NII-2C
Directional Gain =7.98dBi>6dBi. For U-NII-3
So Pout = Plimit-(G_{TX}-6)]=(24.00-2.29)dBm =21.71dBm For U-NII-1: 5180MHz-5260MHz
So Pout = Plimit-(G_{TX}-6)]=(24.00-2.46)dBm =21.51dBm For U-NII-2A: 5260MHz-5320MHz
So Pout = Plimit-(G_{TX}-6)]=(24.00-2.35)dBm=21.65dBm For U-NII-2C: 5500MHz-5720MHz
So Pout = Plimit-(G_{TX}-6)]=(30.00-1.98)dBm=28.02dBm For U-NII-3: 5745MHz-5825MHz

3, The Duty Cycle Factor is compensated in the graph.

5. Maximum power spectral density

5.1. Test Result

U-NII-1 for IC							
TestMode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	3.87	---	9.64	≤10.00	PASS
	Ant2	5180	4.20	---	8.97	≤10.00	PASS
	Ant1	5200	3.79	---	9.56	≤10.00	PASS
	Ant2	5200	4.47	---	9.24	≤10.00	PASS
	Ant1	5240	3.93	---	9.70	≤10.00	PASS
	Ant2	5240	4.75	---	9.52	≤10.00	PASS
11N20MIMO	Ant1	5180	-1.70	---	4.07	≤10.00	PASS
	Ant2	5180	-1.92	---	2.85	≤10.00	PASS
	total	5180	1.20	---	9.49	≤10.00	PASS
	Ant1	5200	-1.80	---	3.97	≤10.00	PASS
	Ant2	5200	-1.67	---	3.10	≤10.00	PASS
	total	5200	1.28	---	9.57	≤10.00	PASS
	Ant1	5240	-1.63	---	4.14	≤10.00	PASS
	Ant2	5240	-1.48	---	3.29	≤10.00	PASS
11N40MIMO	total	5240	1.46	---	9.75	≤10.00	PASS
	Ant1	5190	-1.97	---	3.80	≤10.00	PASS
	Ant2	5190	-1.73	---	3.04	≤10.00	PASS
	total	5190	1.16	---	9.45	≤10.00	PASS
	Ant1	5230	-1.85	---	3.92	≤10.00	PASS
	Ant2	5230	-1.59	---	3.18	≤10.00	PASS
11AC20MIMO	total	5230	1.29	---	9.58	≤10.00	PASS
	Ant1	5180	-1.54	---	4.23	≤10.00	PASS
	Ant2	5180	-1.84	---	2.93	≤10.00	PASS
	total	5180	1.32	---	9.61	≤10.00	PASS
	Ant1	5200	-1.80	---	3.97	≤10.00	PASS
	Ant2	5200	-1.61	---	3.16	≤10.00	PASS
	total	5200	1.31	---	9.60	≤10.00	PASS
	Ant1	5240	-1.61	---	4.16	≤10.00	PASS
11AC40MIMO	Ant2	5240	-1.42	---	3.35	≤10.00	PASS
	total	5240	1.50	---	9.79	≤10.00	PASS
	Ant1	5190	-1.59	---	4.18	≤10.00	PASS
	Ant2	5190	-1.56	---	3.21	≤10.00	PASS
	total	5190	1.44	---	9.73	≤10.00	PASS
	Ant1	5230	-1.73	---	4.04	≤10.00	PASS
11AC80MIMO	Ant2	5230	-1.58	---	3.19	≤10.00	PASS
	total	5230	1.36	---	9.65	≤10.00	PASS
	Ant1	5210	-4.92	---	0.85	≤10.00	PASS
	Ant2	5210	-4.75	---	0.02	≤10.00	PASS
	total	5210	-1.82	---	6.47	≤10.00	PASS

5.2. Test Result

U-NII-1 for FCC & U-NII-2A&2C&3 for FCC and IC					
TestMode	Antenna	Channel	Power [dBm/MHz] [dBm/500kHz]	Limit [dBm/MHz] [dBm/500kHz]	Verdict
11A	Ant1	5180	6.70	≤11.00	PASS
	Ant2	5180	6.58	≤11.00	PASS
	Ant1	5200	6.55	≤11.00	PASS
	Ant2	5200	6.68	≤11.00	PASS
	Ant1	5240	6.67	≤11.00	PASS
	Ant2	5240	7.07	≤11.00	PASS
	Ant1	5260	7.31	≤11.00	PASS
	Ant2	5260	7.64	≤11.00	PASS
	Ant1	5280	7.31	≤11.00	PASS
	Ant2	5280	7.39	≤11.00	PASS
	Ant1	5320	7.79	≤11.00	PASS
	Ant2	5320	8.08	≤11.00	PASS
	Ant1	5500	6.71	≤11.00	PASS
	Ant2	5500	6.74	≤11.00	PASS
	Ant1	5580	6.85	≤11.00	PASS
	Ant2	5580	7.25	≤11.00	PASS
	Ant1	5720 UNII-2C	7.76	≤11.00	PASS
	Ant2	5720 UNII-2C	7.41	≤11.00	PASS
	Ant1	5720 UNII-3	3.02	≤30.00	PASS
	Ant2	5720 UNII-3	2.55	≤30.00	PASS
	Ant1	5745	5.04	≤30.00	PASS
	Ant2	5745	4.84	≤30.00	PASS
	Ant1	5785	4.79	≤30.00	PASS
	Ant2	5785	4.74	≤30.00	PASS
	Ant1	5825	4.68	≤30.00	PASS
	Ant2	5825	4.53	≤30.00	PASS
11N20MIMO	Ant1	5180	4.93	≤11.00	PASS
	Ant2	5180	4.69	≤11.00	PASS
	total	5180	7.82	≤8.71	PASS
	Ant1	5200	4.87	≤11.00	PASS
	Ant2	5200	5.05	≤11.00	PASS
	total	5200	7.97	≤8.71	PASS
	Ant1	5240	5.03	≤11.00	PASS
	Ant2	5240	5.29	≤11.00	PASS
	total	5240	8.17	≤8.71	PASS
	Ant1	5260	4.80	≤11.00	PASS
	Ant2	5260	5.12	≤11.00	PASS
	total	5260	7.97	≤8.51	PASS
	Ant1	5280	4.82	≤11.00	PASS
	Ant2	5280	4.81	≤11.00	PASS
	total	5280	7.83	≤8.51	PASS
	Ant1	5320	5.19	≤11.00	PASS
	Ant2	5320	5.32	≤11.00	PASS
	total	5320	8.27	≤8.51	PASS
	Ant1	5500	4.96	≤11.00	PASS
	Ant2	5500	4.98	≤11.00	PASS
	total	5500	7.98	≤8.65	PASS
	Ant1	5580	5.33	≤11.00	PASS
	Ant2	5580	5.44	≤11.00	PASS
	total	5580	8.40	≤8.65	PASS
	Ant1	5720 UNII-2C	5.63	≤11.00	PASS
	Ant2	5720 UNII-2C	5.36	≤11.00	PASS
	total	5720 UNII-2C	8.51	≤8.65	PASS
	Ant1	5720 UNII-3	0.68	≤30.00	PASS
	Ant2	5720 UNII-3	0.65	≤30.00	PASS
	total	5720 UNII-3	3.68	≤28.02	PASS
	Ant1	5745	3.88	≤30.00	PASS
	Ant2	5745	3.67	≤30.00	PASS
	total	5745	6.79	≤28.02	PASS
	Ant1	5785	3.51	≤30.00	PASS
	Ant2	5785	3.49	≤30.00	PASS
	total	5785	6.51	≤28.02	PASS

	Ant1	5825	3.39	≤30.00	PASS
	Ant2	5825	3.42	≤30.00	PASS
	total	5825	6.42	≤28.02	PASS
11N40MIMO	Ant1	5190	2.64	≤11.00	PASS
	Ant2	5190	2.55	≤11.00	PASS
	total	5190	5.61	≤8.71	PASS
	Ant1	5230	2.68	≤11.00	PASS
	Ant2	5230	2.92	≤11.00	PASS
	total	5230	5.81	≤8.71	PASS
	Ant1	5270	2.82	≤11.00	PASS
	Ant2	5270	3.31	≤11.00	PASS
	total	5270	6.08	≤8.51	PASS
	Ant1	5310	3.55	≤11.00	PASS
	Ant2	5310	3.46	≤11.00	PASS
	total	5310	6.52	≤8.51	PASS
	Ant1	5510	2.52	≤11.00	PASS
	Ant2	5510	2.74	≤11.00	PASS
	total	5510	5.64	≤8.65	PASS
	Ant1	5550	2.81	≤11.00	PASS
	Ant2	5550	2.97	≤11.00	PASS
	total	5550	5.90	≤8.65	PASS
	Ant1	5710 UNII-2C	3.68	≤11.00	PASS
	Ant2	5710 UNII-2C	3.49	≤11.00	PASS
	total	5710 UNII-2C	6.60	≤8.65	PASS
	Ant1	5710 UNII-3	-2.47	≤30.00	PASS
	Ant2	5710 UNII-3	-3.00	≤30.00	PASS
	total	5710 UNII-3	0.28	≤28.02	PASS
	Ant1	5755	0.80	≤30.00	PASS
	Ant2	5755	0.57	≤30.00	PASS
	total	5755	3.70	≤28.02	PASS
	Ant1	5795	0.62	≤30.00	PASS
	Ant2	5795	0.48	≤30.00	PASS
	total	5795	3.56	≤28.02	PASS
11AC20MIMO	Ant1	5180	5.07	≤11.00	PASS
	Ant2	5180	4.89	≤11.00	PASS
	total	5180	7.99	≤8.71	PASS
	Ant1	5200	4.91	≤11.00	PASS
	Ant2	5200	5.08	≤11.00	PASS
	total	5200	8.01	≤8.71	PASS
	Ant1	5240	4.98	≤11.00	PASS
	Ant2	5240	5.33	≤11.00	PASS
	total	5240	8.17	≤8.71	PASS
	Ant1	5260	4.88	≤11.00	PASS
	Ant2	5260	4.94	≤11.00	PASS
	total	5260	7.92	≤8.51	PASS
	Ant1	5280	4.58	≤11.00	PASS
	Ant2	5280	4.79	≤11.00	PASS
	total	5280	7.70	≤8.51	PASS
	Ant1	5320	5.08	≤11.00	PASS
	Ant2	5320	5.27	≤11.00	PASS
	total	5320	8.19	≤8.51	PASS
	Ant1	5500	3.66	≤11.00	PASS
	Ant2	5500	3.57	≤11.00	PASS
	total	5500	6.63	≤8.65	PASS
	Ant1	5580	5.36	≤11.00	PASS
	Ant2	5580	5.36	≤11.00	PASS
	total	5580	8.37	≤8.65	PASS
	Ant1	5720 UNII-2C	5.60	≤11.00	PASS
	Ant2	5720 UNII-2C	5.39	≤11.00	PASS
	total	5720 UNII-2C	8.51	≤8.65	PASS
	Ant1	5720 UNII-3	0.84	≤30.00	PASS
	Ant2	5720 UNII-3	0.47	≤30.00	PASS
	total	5720 UNII-3	3.67	≤28.02	PASS
	Ant1	5745	3.75	≤30.00	PASS
	Ant2	5745	3.68	≤30.00	PASS
	total	5745	6.73	≤28.02	PASS
	Ant1	5785	3.44	≤30.00	PASS
	Ant2	5785	3.54	≤30.00	PASS
	total	5785	6.50	≤28.02	PASS
	Ant1	5825	3.35	≤30.00	PASS

11AC40MIMO	Ant2	5825	3.17	≤30.00	PASS
	total	5825	6.27	≤28.02	PASS
	Ant1	5190	2.56	≤11.00	PASS
	Ant2	5190	2.71	≤11.00	PASS
	total	5190	5.65	≤8.71	PASS
	Ant1	5230	2.61	≤11.00	PASS
	Ant2	5230	2.90	≤11.00	PASS
	total	5230	5.77	≤8.71	PASS
	Ant1	5270	2.88	≤11.00	PASS
	Ant2	5270	3.14	≤11.00	PASS
	total	5270	6.02	≤8.51	PASS
	Ant1	5310	3.23	≤11.00	PASS
	Ant2	5310	3.44	≤11.00	PASS
	total	5310	6.35	≤8.51	PASS
	Ant1	5510	2.58	≤11.00	PASS
	Ant2	5510	2.60	≤11.00	PASS
	total	5510	5.60	≤8.65	PASS
	Ant1	5550	2.80	≤11.00	PASS
	Ant2	5550	2.91	≤11.00	PASS
	total	5550	5.87	≤8.65	PASS
	Ant1	5710 UNII-2C	3.70	≤11.00	PASS
	Ant2	5710 UNII-2C	3.72	≤11.00	PASS
	total	5710 UNII-2C	6.72	≤8.65	PASS
	Ant1	5710 UNII-3	-2.75	≤30.00	PASS
	Ant2	5710 UNII-3	-2.79	≤30.00	PASS
	total	5710 UNII-3	0.24	≤28.02	PASS
	Ant1	5755	0.96	≤30.00	PASS
	Ant2	5755	0.81	≤30.00	PASS
	total	5755	3.90	≤28.02	PASS
	Ant1	5795	0.67	≤30.00	PASS
	Ant2	5795	0.58	≤30.00	PASS
	total	5795	3.64	≤28.02	PASS
11AC80MIMO	Ant1	5210	-0.57	≤11.00	PASS
	Ant2	5210	-0.24	≤11.00	PASS
	total	5210	2.61	≤8.71	PASS
	Ant1	5290	-0.04	≤11.00	PASS
	Ant2	5290	0.37	≤11.00	PASS
	total	5290	3.18	≤8.51	PASS
	Ant1	5530	-0.25	≤11.00	PASS
	Ant2	5530	-0.36	≤11.00	PASS
	total	5530	2.71	≤8.65	PASS
	Ant1	5610	0.53	≤11.00	PASS
	Ant2	5610	0.45	≤11.00	PASS
	total	5610	3.50	≤8.65	PASS
	Ant1	5690 UNII-2C	0.59	≤11.00	PASS
	Ant2	5690 UNII-2C	1.06	≤11.00	PASS
	total	5690 UNII-2C	3.84	≤8.65	PASS
	Ant1	5690 UNII-3	-5.77	≤30.00	PASS
	Ant2	5690 UNII-3	-6.10	≤30.00	PASS
	total	5690 UNII-3	-2.92	≤28.02	PASS
	Ant1	5775	-1.84	≤30.00	PASS
	Ant2	5775	-2.29	≤30.00	PASS
	total	5775	0.95	≤28.02	PASS

Note: 1, This module will use two different Wi-Fi antennas, and only the one with the larger antenna gain(Antenna1: U-NII-1:5.77dBi; U-NII-2A:5.90dBi; U-NII-2C:5.60dBi; U-NII-3:5.42dBi, Antenna2: U-NII-1:4.77dBi; U-NII-2A:5.04dBi; U-NII-2C:5.08dBi; U-NII-3:4.50dBi) will be used for conducted test.

2, For MIMO Mode, Directional gain = $10 \log[(10^{G_{1/20}} + 10^{G_{2/20}})^2 / 2]$

Directional Gain = 8.29dBi > 6dBi. For U-NII-1
Directional Gain = 8.49dBi > 6dBi. For U-NII-2A
Directional Gain = 8.35dBi > 6dBi. For U-NII-2C
Directional Gain = 7.98dBi > 6dBi. For U-NII-3

So PSDout = PSDlimit-(G_{TX}-6)=(11-2.29)dBm/MHz = 8.71dBm For U-NII-1: 5180MHz-5260MHz

So PSDout = PSDlimit-(G_{TX}-6)=(11-2.46)dBm/MHz = 8.51dBm For U-NII-2A: 5260MHz-5320MHz

So PSDout = PSDlimit-(G_{TX}-6)=(11-2.35)dBm/MHz = 8.65dBm For U-NII-2C: 5500MHz-5720MHz

So PSDout = PSDlimit-(G_{TX}-6)=(30-1.98)dBm/500KHz=28.02dBm/500KHz For U-NII-3: 5745MHz-5825MHz

The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.3. Test Graphs



11A_Ant2_5200



11A_Ant1_5240



11A_Ant2_5240




11N20MIMO_Ant1_5180




11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200



11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240




11N40MIMO_Ant1_5190



11N40MIMO_Ant2_5190



11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230



11AC20MIMO_Ant1_5180



11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200



11AC20MIMO_Ant2_5200



11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240



11AC40MIMO_Ant1_5190



11AC40MIMO_Ant2_5190




11AC40MIMO_Ant1_5230




11AC40MIMO_Ant2_5230




11AC80MIMO_Ant1_5210




11AC80MIMO_Ant2_5210




5.4. Test Graphs



11A_Ant2_5200



11A_Ant1_5240



11A_Ant2_5240



11A_Ant1_5260



11A_Ant2_5260



11A_Ant1_5280



11A_Ant2_5280



11A_Ant1_5320



11A_Ant2_5320



11A_Ant1_5500