




Fig. 50 Radiated Spurious Emission (802.11n-HT40, ch38, 1 GHz-3 GHz)




Fig. 51 Radiated Spurious Emission (802.11n-HT40, ch38, 6 GHz-18 GHz)




Fig. 52 Radiated Spurious Emission (802.11n-HT40, ch38, 18 GHz-26.5 GHz)




Fig. 53 Radiated Spurious Emission (802.11n-HT40, ch38, 26.5 GHz-40 GHz)




Fig. 54 Radiated Spurious Emission (802.11n-HT40, ch46, 1 GHz-3 GHz)




Fig. 55 Radiated Spurious Emission (802.11n-HT40, ch46, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 56 Radiated Spurious Emission (802.11n-HT40, ch46, 6 GHz-18 GHz)

RE - 1GHz-3GHz




Fig. 57 Radiated Spurious Emission (802.11ac-HT20, ch36, 1 GHz-3 GHz)




Fig. 58 Radiated Spurious Emission (802.11ac-HT20, ch36, 3 GHz-6 GHz)




Fig. 59 Radiated Spurious Emission (802.11ac-HT20, ch36, 6 GHz-18GHz)




Fig. 60 Radiated Spurious Emission (802.11ac-HT20, ch40, 30 MHz-1 GHz)




Fig. 61 Radiated Spurious Emission (802.11ac-HT20, ch40, 1 GHz-3 GHz)




Fig. 62 Radiated Spurious Emission (802.11ac-HT20, ch40, 3 GHz-6 GHz)




Fig. 63 Radiated Spurious Emission (802.11ac-HT20, ch40, 6 GHz-18 GHz)




Fig. 64 Radiated Spurious Emission (802.11ac-HT20, ch40, 18 GHz-26.5 GHz)




Fig. 65 Radiated Spurious Emission (802.11ac-HT20, ch40, 26.5 GHz-40 GHz)




Fig. 66 Radiated Spurious Emission (802.11ac-HT20, ch48, 1 GHz-3GHz)




Fig. 67 Radiated Spurious Emission (802.11ac-HT20, ch48, 3 GHz-6GHz)




Fig. 68 Radiated Spurious Emission (802.11ac-HT20, ch48, 6 GHz-18 GHz)




Fig. 69 Radiated Spurious Emission (802.11ac-HT40, ch38, 30 MHz-1 GHz)

RE - 1GHz-3GHz




Fig. 70 Radiated Spurious Emission (802.11ac-HT40, ch38, 1 GHz-3 GHz)

RE - 3GHz-6GHz




Fig. 71 Radiated Spurious Emission (802.11ac-HT40, ch38, 3 GHz-6 GHz)




Fig. 72 Radiated Spurious Emission (802.11ac-HT40, ch38, 6 GHz-18 GHz)




Fig. 73 Radiated Spurious Emission (802.11ac-HT40, ch38, 18 GHz-26.5 GHz)




Fig. 74 Radiated Spurious Emission (802.11ac-HT40, ch38, 26.5 GHz-40 GHz)

RE - 1GHz-3GHz




Fig. 75 Radiated Spurious Emission (802.11ac-HT40, ch46, 1 GHz-3 GHz)




Fig. 76 Radiated Spurious Emission (802.11ac-HT40, ch46, 3 GHz-6 GHz)




Fig. 77 Radiated Spurious Emission (802.11ac-HT40, ch46, 6 GHz-18 GHz)

5GHz U-NII 2A

802.11a mode

Mode	Channel	FrequencyRange	Test Results	Conclusion
802.11a	52(5160MHz)	1 GHz ~ 3 GHz	Fig.78	P
		3 GHz ~ 6 GHz	Fig.79	P
		6 GHz ~ 18 GHz	Fig.80	P
	56(5280MHz)	30 MHz ~1 GHz	Fig.81	P
		1 GHz ~ 3 GHz	Fig.82	P
		3 GHz ~ 6 GHz	Fig.83	P
		6 GHz ~ 18 GHz	Fig.84	P
		18 GHz ~ 26.5 GHz	Fig.85	P
		26.5 GHz ~ 40 GHz	Fig.86	P
	64(5320MHz)	1 GHz ~ 3 GHz	Fig.87	P
		3 GHz ~ 6 GHz	Fig.88	P
		6 GHz ~ 18 GHz	Fig.89	P

802.11n-HT20 mode

Mode	Channel	FrequencyRange	Test Results	Conclusion
802.11n -HT20	52(5160MHz)	1 GHz ~ 3 GHz	Fig.90	P
		3 GHz ~ 6 GHz	Fig.91	P
		6 GHz ~ 18 GHz	Fig.92	P
	56(5280MHz)	30 MHz ~1 GHz	Fig.93	P
		1 GHz ~ 3 GHz	Fig.94	P
		3 GHz ~ 6 GHz	Fig.95	P
		6 GHz ~ 18 GHz	Fig.96	P
		18 GHz ~ 26.5 GHz	Fig.97	P
		26.5 GHz ~ 40 GHz	Fig.98	P
	64(5320MHz)	1 GHz ~ 3 GHz	Fig.99	P
		3 GHz ~ 6 GHz	Fig.100	P
		6 GHz ~ 18 GHz	Fig.101	P

802.11n-HT40 mode

Mode	Channel	FrequencyRange	Test Results	Conclusion
802.11n HT40	54(5270MHz)	30 MHz ~1 GHz	Fig.102	P
		1 GHz ~ 3 GHz	Fig.103	P
		3 GHz ~ 6 GHz	Fig.104	P
		6 GHz ~ 18 GHz	Fig.105	P
		18 GHz ~ 26.5 GHz	Fig.106	P
		26.5 GHz ~ 40 GHz	Fig.107	P
	62(6310MHz)	1 GHz ~ 3 GHz	Fig.108	P
		3 GHz ~ 6 GHz	Fig.109	P
		6 GHz ~ 18 GHz	Fig.110	P

802.11ac-HT20 mode

Mode	Channel	FrequencyRange	Test Results	Conclusion
802.11n -HT20	52(5160MHz)	1 GHz ~ 3 GHz	Fig.111	P
		3 GHz ~ 6 GHz	Fig.112	P
		6 GHz ~ 18 GHz	Fig.113	P
	56(5280MHz)	30 MHz ~1 GHz	Fig.114	P
		1 GHz ~ 3 GHz	Fig.115	P
		3 GHz ~ 6 GHz	Fig.116	P
		6 GHz ~ 18 GHz	Fig.117	P
		18 GHz ~ 26.5 GHz	Fig.118	P
		26.5 GHz ~ 40 GHz	Fig.119	P
	64(5320MHz)	1 GHz ~ 3 GHz	Fig.120	P
		3 GHz ~ 6 GHz	Fig.121	P
		6 GHz ~ 18 GHz	Fig.122	P

802.11ac-HT40 mode

Mode	Channel	FrequencyRange	Test Results	Conclusion
802.11n HT40	54(5270MHz)	30 MHz ~1 GHz	Fig.123	P
		1 GHz ~ 3 GHz	Fig.124	P
		3 GHz ~ 6 GHz	Fig.125	P
		6 GHz ~ 18 GHz	Fig.126	P
		18 GHz ~ 26.5 GHz	Fig.127	P
		26.5 GHz ~ 40 GHz	Fig.128	P
	62(6310MHz)	1 GHz ~ 3 GHz	Fig.129	P
		3 GHz ~ 6 GHz	Fig.130	P
		6 GHz ~ 18 GHz	Fig.131	P

Conclusion: PASS

Note:

A "reference path loss" is established and the A_{Rpl} is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

P_{Mea} is the field strength recorded from the instrument.

The measurement results are obtained as described below:

$$\text{Result} = P_{Mea} + A_{Rpl} = P_{Mea} + \text{Cable Loss} + \text{Antenna Factor}$$

5GHz U-NII 2A
802.11a

Channel 52

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
5225.700	38.8	-18.4	34.4	22.83	H
5283.900	38.9	-18.7	34.5	23.17	H
10520.000	39.5	-17.8	38.1	19.11	H
15780.200	41.6	-17.1	40.2	18.38	H
17286.100	46.0	-13.9	41.2	18.68	H
17659.000	46.1	-13.1	41.1	18.08	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
5214.600	51.6	-18.6	34.4	35.79	H
5498.250	52.0	-16.9	34.8	34.08	H
17406.000	59.7	-14.6	41.2	33.11	H
17908.200	59.3	-13.6	40.9	31.95	H
17632.200	59.1	-13.0	41.1	31.01	V
17514.600	59.0	-14.3	41.2	32.15	H

Channel 56

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P_{Mea} (dBuV/m)	Polarization
5247.900	40.3	-18.4	34.4	24.28	H
5306.100	39.7	-19.0	34.5	24.20	H
10561.800	39.9	-17.5	38.1	19.33	H
15837.400	41.8	-17.1	40.3	18.59	H
17287.200	46.1	-13.9	41.2	18.80	H
17615.000	46.1	-13.2	41.1	18.15	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5237.400	52.6	-18.3	34.4	36.47	H
5324.400	52.4	-19.3	34.5	37.16	H
17725.200	59.8	-13.2	41.0	32.06	V
17706.600	59.6	-13.2	41.0	31.79	V
17655.600	59.5	-13.1	41.1	31.48	H
17255.400	59.5	-14.1	41.2	32.38	V

Channel 64

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.000	38.9	-19.4	34.6	23.78	H
5352.700	38.9	-19.4	34.6	23.77	H
10641.000	40.5	-16.6	38.2	18.95	H
15960.600	41.3	-17.5	40.5	18.40	H
17276.200	45.8	-14.0	41.2	18.58	H
17616.100	46.0	-13.2	41.1	18.04	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.090	52.3	-19.4	34.6	37.19	H
5351.700	52.5	-19.4	34.6	37.39	H
17965.200	59.4	-13.6	40.8	32.16	H
17584.800	59.3	-13.5	41.1	31.72	V
17283.600	59.2	-13.9	41.2	31.93	H
17741.400	59.1	-13.3	41.0	31.35	H

802.11n-HT20

Channel 52

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5233.800	39.6	-18.3	34.4	23.52	H
5280.000	40.6	-18.6	34.4	24.76	H
10520.000	39.4	-17.8	38.1	19.09	H
15780.200	41.5	-17.1	40.2	18.35	H
17287.200	45.9	-13.9	41.2	18.67	H
17624.900	46.1	-13.1	41.1	18.07	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5218.500	51.4	-18.5	34.4	35.47	H
5290.050	51.3	-18.7	34.5	35.59	H
17245.800	59.4	-14.2	41.2	32.36	V
17872.800	59.4	-13.5	40.9	31.98	H
17948.400	59.3	-13.6	40.8	32.04	H
17639.400	58.9	-13.0	41.1	30.87	V

Channel 56

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5247.000	38.9	-18.4	34.4	22.90	H
5302.500	38.5	-18.9	34.5	22.91	H
10560.700	39.7	-17.5	38.1	19.11	H
15840.700	41.7	-17.1	40.3	18.47	H
17270.700	45.9	-14.0	41.2	18.70	H
17667.800	45.9	-13.1	41.1	17.97	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5191.050	51.3	-18.9	34.4	35.72	H
5523.900	51.4	-17.3	34.8	33.94	H
17949.000	59.5	-13.6	40.8	32.27	H
17619.000	59.4	-13.2	41.1	31.44	H
17313.000	59.2	-14.1	41.2	32.07	H
17311.200	59.1	-14.1	41.2	32.00	H

Channel 64

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.000	37.5	-19.4	34.6	22.43	H
5354.880	37.5	-19.4	34.6	22.27	H
10641.000	40.6	-16.6	38.2	19.04	H
15960.600	41.3	-17.5	40.5	18.36	H
17285.000	45.9	-13.9	41.2	18.59	H
17678.800	45.9	-13.1	41.1	18.01	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.360	52.6	-19.4	34.6	37.52	H
5371.250	52.5	-19.1	34.6	36.98	H
17270.400	59.4	-14.0	41.2	32.20	H
17640.600	59.3	-13.0	41.1	31.24	V
17279.400	59.0	-14.0	41.2	31.75	H
17659.200	59.0	-13.1	41.1	30.97	V

802.11n-HT40

Channel 54

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5230.000	40.1	-18.4	34.4	24.01	H
5310.000	38.6	-19.1	34.5	23.13	H
10542.000	39.7	-17.6	38.1	19.18	H
15811.000	41.9	-17.0	40.3	18.56	H
17285.000	46.0	-13.9	41.2	18.70	H
17657.900	46.1	-13.1	41.1	18.09	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5200.005	56.2	-18.7	34.4	40.55	H
5331.750	56.3	-19.4	34.5	41.13	H
17668.200	59.5	-13.1	41.1	31.54	V
17274.000	59.4	-14.0	41.2	32.16	V
17631.600	59.2	-13.0	41.1	31.12	V
17968.200	59.2	-13.6	40.8	31.98	H

Channel 62

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.000	39.0	-19.4	34.6	23.86	H
5352.000	38.7	-19.4	34.6	23.58	H
10620.100	40.1	-17.1	38.1	19.13	H
15930.900	41.2	-17.4	40.4	18.18	H
17271.800	45.8	-14.0	41.2	18.65	H
17623.800	46.0	-13.1	41.1	18.04	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.040	61.1	-19.4	34.6	45.97	H
5351.060	61.4	-19.4	34.6	46.25	H
17640.600	59.1	-13.0	41.1	31.05	V
17683.200	59.1	-13.1	41.1	31.15	H
17658.000	59.0	-13.1	41.1	31.01	V
17568.600	59.0	-13.7	41.1	31.55	V

802.11ac-HT20

Channel 52

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5239.200	39.3	-18.3	34.4	23.22	H
5280.000	39.6	-18.6	34.4	23.79	H
10520.000	39.4	-17.8	38.1	19.00	H
15780.200	41.6	-17.1	40.2	18.42	H
17279.500	46.0	-14.0	41.2	18.72	H
17618.300	46.1	-13.2	41.1	18.11	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5222.400	51.6	-18.5	34.4	35.68	H
5447.100	51.4	-17.0	34.7	33.67	H
17556.000	59.4	-13.8	41.2	32.07	V
17673.000	59.4	-13.1	41.1	31.40	V
17708.400	59.3	-13.2	41.0	31.48	H
17494.200	59.2	-14.5	41.2	32.55	V

Channel 56

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5247.000	38.9	-18.4	34.4	22.84	H
5302.800	38.3	-18.9	34.5	22.74	H
10560.700	39.8	-17.5	38.1	19.19	H
15840.700	41.7	-17.1	40.3	18.49	H
17286.100	46.1	-13.9	41.2	18.80	H
17635.900	46.1	-13.0	41.1	18.04	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5248.500	51.8	-18.4	34.4	35.77	H
5436.000	50.8	-17.4	34.7	33.47	H
17700.600	59.8	-13.2	41.0	31.94	V
16787.400	59.7	-15.6	41.5	33.79	H
17574.600	59.5	-13.6	41.1	32.04	V
17923.800	59.2	-13.6	40.9	31.95	V

Channel 64

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.000	37.5	-19.4	34.6	22.43	H
5354.880	37.5	-19.4	34.6	22.27	H
10641.000	40.6	-16.6	38.2	19.04	H
15960.600	41.3	-17.5	40.5	18.36	H
17285.000	45.9	-13.9	41.2	18.59	H
17678.800	45.9	-13.1	41.1	18.01	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.036	52.6	-19.4	34.6	37.53	H
5371.250	52.5	-19.1	34.6	36.98	H
17660.400	60.3	-13.1	41.1	32.35	H
17655.000	59.4	-13.1	41.1	31.36	V
17624.400	59.3	-13.1	41.1	31.31	V
17727.000	59.2	-13.2	41.0	31.42	H

802.11ac-HT40

Channel 54

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5218.500	38.9	-18.5	34.4	23.02	H
5312.210	38.4	-19.1	34.5	23.01	H
10540.900	39.6	-17.6	38.1	19.16	H
15811.000	41.7	-17.0	40.3	18.42	H
17268.500	45.8	-14.0	41.2	18.67	H
17663.400	46.1	-13.1	41.1	18.07	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5217.450	55.8	-18.5	34.4	39.89	H
5322.300	57.4	-19.2	34.5	42.11	H
17491.200	59.8	-14.6	41.2	33.15	V
17306.400	59.6	-14.0	41.2	32.41	H
17616.600	59.3	-13.2	41.1	31.39	V
17330.400	59.3	-14.2	41.2	32.29	V

Channel 62

Average:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5350.000	37.8	-19.4	34.6	22.67	H
5353.200	37.6	-19.4	34.6	22.44	H
10620.100	40.1	-17.1	38.1	19.14	H
15930.900	41.2	-17.4	40.4	18.16	H
17170.600	45.0	-14.7	41.3	18.47	H
17695.300	45.8	-13.2	41.0	17.91	H

Peak:

Frequency(MHz)	Result (dBuV/m)	Cable Loss	Antenna Factor	P _{Mea} (dBuV/m)	Polarization
5351.060	61.4	-19.4	34.6	46.25	H
5350.040	61.1	-19.4	34.6	45.97	H
17626.200	59.6	-13.1	41.1	31.63	H
17503.200	59.0	-14.4	41.2	32.27	H
17476.200	59.0	-14.7	41.2	32.48	H
17767.800	58.9	-13.4	41.0	31.27	H

Test graphs as below:




Fig. 78 Radiated Spurious Emission (802.11a, ch52, 1 GHz-3 GHz)




Fig. 79 Radiated Spurious Emission (802.11a, ch52, 3 GHz-6 GHz)




Fig. 80 Radiated Spurious Emission (802.11a, ch52, 6 GHz-18 GHz)




Fig. 81 Radiated Spurious Emission (802.11a, ch56, 30 MHz-1 GHz)




Fig. 82 Radiated Spurious Emission (802.11a, ch56, 1 GHz-3 GHz)




Fig. 83 Radiated Spurious Emission (802.11a, ch56, 3 GHz-6 GHz)




Fig. 84 Radiated Spurious Emission (802.11a, ch56, 6 GHz-18 GHz)




Fig. 85 Radiated Spurious Emission (802.11a, ch56, 18 GHz-26.5 GHz)




Fig. 86 Radiated Spurious Emission (802.11a, ch56, 26.5 GHz-40 GHz)

RE - 1GHz-3GHz




Fig. 87 Radiated Spurious Emission (802.11a, ch64, 1 GHz-3 GHz)




Fig. 88 Radiated Spurious Emission (802.11a, ch64, 3 GHz-6 GHz)




Fig. 89 Radiated Spurious Emission (802.11a, ch64, 6 GHz-18GHz)




Fig. 90 Radiated Spurious Emission (802.11n-HT20, ch52, 1 GHz-3 GHz)




Fig. 91 Radiated Spurious Emission (802.11n-HT20, ch52, 3 GHz-6 GHz)




Fig. 92 Radiated Spurious Emission (802.11n-HT20, ch52, 6 GHz-18GHz)




Fig. 93 Radiated Spurious Emission (802.11n-HT20, ch56, 30 MHz-1 GHz)




Fig. 94 Radiated Spurious Emission (802.11n-HT20, ch56, 1 GHz-3 GHz)




Fig. 95 Radiated Spurious Emission (802.11n-HT20, ch56, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 96 Radiated Spurious Emission (802.11n-HT20, ch56, 6 GHz-18 GHz)




Fig. 97 Radiated Spurious Emission (802.11n-HT20, ch56, 18 GHz-26.5 GHz)




Fig. 98 Radiated Spurious Emission (802.11n-HT20, ch56, 26.5 GHz-40 GHz)

RE - 1GHz-3GHz




Fig. 99 Radiated Spurious Emission (802.11n-HT20, ch64, 1 GHz-3GHz)




Fig. 100 Radiated Spurious Emission (802.11n-HT20, ch64, 3 GHz-6GHz)




Fig. 101 Radiated Spurious Emission (802.11n-HT20, ch64, 6 GHz-18 GHz)




Fig. 102 Radiated Spurious Emission (802.11n-HT40, ch54, 30 MHz-1 GHz)

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
45.423000	30.0	100.0	V	15.0	-18.1	10.0	40.0




Fig. 103 Radiated Spurious Emission (802.11n-HT40, ch54, 1 GHz-3 GHz)

RE - 3GHz-6GHz




Fig. 104 Radiated Spurious Emission (802.11n-HT40, ch54, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 105 Radiated Spurious Emission (802.11n-HT40, ch54, 6 GHz-18 GHz)




Fig. 106 Radiated Spurious Emission (802.11n-HT40, ch54, 18 GHz-26.5 GHz)




Fig. 107 Radiated Spurious Emission (802.11n-HT40, ch54, 26.5 GHz-40 GHz)




Fig. 108 Radiated Spurious Emission (802.11n-HT40, ch62, 1 GHz-3 GHz)




Fig. 109 Radiated Spurious Emission (802.11n-HT40, ch62, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 110 Radiated Spurious Emission (802.11n-HT40, ch62, 6 GHz-18 GHz)

RE - 1GHz-3GHz




Fig. 111 Radiated Spurious Emission (802.11ac-HT20, ch52, 1 GHz-3 GHz)




Fig. 112 Radiated Spurious Emission (802.11ac-HT20, ch52, 3 GHz-6 GHz)




Fig. 113 Radiated Spurious Emission (802.11ac-HT20, ch52, 6 GHz-18GHz)




Fig. 114 Radiated Spurious Emission (802.11ac-HT20, ch56, 30 MHz-1 GHz)




Fig. 115 Radiated Spurious Emission (802.11ac-HT20, ch56, 1 GHz-3 GHz)




Fig. 116 Radiated Spurious Emission (802.11ac-HT20, ch56, 3 GHz-6 GHz)




Fig. 117 Radiated Spurious Emission (802.11ac-HT20, ch56, 6 GHz-18 GHz)




Fig. 118 Radiated Spurious Emission (802.11ac-HT20, ch56, 18 GHz-26.5 GHz)




Fig. 119 Radiated Spurious Emission (802.11ac-HT20, ch56, 26.5 GHz-40 GHz)

RE - 1GHz-3GHz




Fig. 120 Radiated Spurious Emission (802.11ac-HT20, ch64, 1 GHz-3GHz)

RE - 3GHz-6GHz




Fig. 121 Radiated Spurious Emission (802.11ac-HT20, ch64, 3 GHz-6GHz)




Fig. 122 Radiated Spurious Emission (802.11ac-HT20, ch64, 6 GHz-18 GHz)




Fig. 123 Radiated Spurious Emission (802.11ac-HT40, ch54, 30 MHz-1 GHz)

Final Result 1

Frequency (MHz)	QuasiPeak (dBμV/m)	Height (cm)	Polarization	Azimuth (deg)	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
45.423000	30.0	100.0	V	15.0	-18.1	10.0	40.0

RE - 1GHz-3GHz




Fig. 124 Radiated Spurious Emission (802.11ac-HT40, ch54, 1 GHz-3 GHz)

RE - 3GHz-6GHz




Fig. 125 Radiated Spurious Emission (802.11ac-HT40, ch54, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 126 Radiated Spurious Emission (802.11ac-HT40, ch54, 6 GHz-18 GHz)




Fig. 127 Radiated Spurious Emission (802.11ac-HT40, ch54, 18 GHz-26.5 GHz)




Fig. 128 Radiated Spurious Emission (802.11ac-HT40, ch54, 26.5 GHz-40 GHz)

RE - 1GHz-3GHz




Fig. 129 Radiated Spurious Emission (802.11ac-HT40, ch62, 1 GHz-3 GHz)

RE - 3GHz-6GHz




Fig. 130 Radiated Spurious Emission (802.11ac-HT40, ch62, 3 GHz-6 GHz)

RE - 6GHz-18GHz




Fig. 131 Radiated Spurious Emission (802.11ac-HT40, ch62, 6 GHz-18 GHz)